SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

Port Authority[®] Tall Silk Touch[™] Performance Polo. TLK540

Product photo



We took our legendary Silk Touch Polo and made it work even harder. The durable, easy care Silk Touch Performance Polo wicks moisture, resists snags and thanks to PosiCharge® technology, holds onto its color for a professional look that lasts. There's just no higher performing polo at this price.

- 4-ounce, 100% polyester double knit with PosiCharge technology; White is 4.3-ounce for increased coverage
- Self-fabric collar
- Tag-free label
- 3-button placket
- Dyed-to-match buttons
- · Open hem sleeves

If applying sublimation, special care must be taken throughout the process. Contact your decorator for more details.

CARE INSTRUCTIONS

Machine Wash Cold, With Like Colors, Do Not Bleach, Do Not Use Fabric Softener, Tumble Dry Low, Remove Promptly, Cool Iron if Needed, Do Not Dry Clean

Sketches





front

back

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

Port Authority[®] Tall Silk Touch™ Performance Polo. TLK540

PRODUCT MEASUREMENTS

| | LT | XLT | 2XLT | 3XLT | 4XLT |
|--|----|--------|--------|--------|------|
| Body Length at Back | 33 | 34 | 35 | 35 1/2 | 36 |
| Chest | 23 | 24 1/2 | 26 | 28 | 30 |
| Sleeve Length from Center Back | 21 | 21 3/4 | 22 1/2 | 23 1/4 | 24 |

Body Length at Back: Measured from high point shoulder to finished hem at back.

Chest: Measured across the chest one inch below armhole when laid flat.

Sleeve Length from Center Back: Measure from Center Back neck to shoulder point to sleeve hem.

SIZE CHARTS


| | LT | XLT | 2XLT | 3XLT | 4XLT |
|-------|-------|-------|-------|-------|-------|
| Chest | 41-43 | 44-46 | 47-49 | 50-53 | 54-57 |

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

Port Authority[®] Tall Silk Touch™ Performance Polo. TLK540

HOW TO MEASURE



CHEST

Measure under the arm and around the fullest part of the chest with arms down, keeping tape horizontal.

COLORS









Black PMS BLACK

Navy PMS 533C

Royal PMS 3597C

Steel Grey PMS 7540C