

DIRECTFIT™**Made in USA****AS-2201-04 (ZTD1)**

Automatic Tank Drain Valve for Champion® and other brand Air Compressors

*Only Air Compressors equipped with
centrifugal unloaders or unloader-type
pressure switches can use this drain valve.*

**AS-2201-03 (Ref # Z5941)**

Automatic Tank Drain Repair Kit for Champion®

SVI PART #	FOR	OEM #	DESCRIPTION
AS-2201-03	Champion	Z5941	Automatic Tank Drain Repair Kit
AS-2201-03-1	Champion	TD9	Diaphragm
AS-2201-03-2	Champion	TD3	Valve Disc
AS-2201-03-3	Champion	P01882A	Valve Spring
AS-2201-03-4	Champion	TD7	Valve Stem
AS-2201-03-5	Champion	TD18	Disc Backup Washer
AS-2201-04	Champion	ZTD1	Automatic Tank Drain Valve
AS-2201-05	Champion	TD5	Timer Body
AS-2201-06	Champion	TD6	Timer Screw
AS-2201-07	Champion	M2399	Timer Lock Nut
AS-2201-08	Champion		ATD Valve Timer Assembly
AS-2201-09	Champion	TD2	Diaphragm Cover Casting
AS-2201-11	Champion	TD4	Diaphragm Plate
AS-2201-12	Champion	TD1	Drain Valve Body Casting
AS-2201-13	Champion	TD16	O-Ring
AS-2201-17	Champion	M745	Hex Nut
AS-2201-19	Champion	CQP14868A	Intake Plug Gasket
AS-2201-20	Champion	TD10	Intake Plug
AS-2201-23	Champion	M3473	Hex Head Machine Screw
AS-2201-24	Champion	M1651	Screen

GIVE SUGGESTIONS—PUT US TO WORK FOR YOU!

If there are other kits or parts for anything else you would like us to look into making, just let us know and we will go to work for you. Keep us busy making things here in the United States that will help save you money and increase your bottom line performance. SVI is your answer!

COMMONLY REQUESTED PARTS



BH-9642
1/2" NPT
Air Exhaust Muffler



BH-9642-DF
1/2" NPT Oil Defogger
Air Exhaust Muffler



AS-2201-04
Automatic Tank
Drain Valve for
Champion
Compressors

*Repair Seal Kits
Also Available!*



TWO PIECE "DONUT STYLE" HOSE BUMPERS, HOSE STOPS

Designed to provide slip-free performance on air, water, grease and oil hose. Two styles are available. L-style are the larger, wider style. **All hardware is included.**

ST" ND" RD

BP-1525 for 3/8" ID - 5/8" to 23/32" OD hose

WIDE STYLE (L-Style)

BP-1527L Wide-Style for 1/4" ID Hose

BP-1525L Wide-Style for 3/8" ID Hose

BP-1526L Wide-Style for 1/2" ID Hose



FK-302-500
1/2" Locking Valve


FK-303-500
1/2" Non-Locking Valve




AS-0209
Milton Brand
Filler Faucet with
Rubber Spout

Vibration Dampening Pads—Use SVI's pads to reduce vibration noise from your air compressor. Don't see what you're looking for? We have other pads available. Give us a call!

SVI Part #	Description
AS-2200-53	3" Square x 1" Thick (1 Pad)
AS-2200-53-4	3" Square x 1" Thick (Set of 4)
AS-2200-54	4" Square x 1" Thick (1 Pad)
AS-2200-54-4	4" Square x 1" Thick (Set of 4)



COMMONLY REQUESTED PARTS



AS-0711

Milton Brand 711

Quick Change Coupler Assembly

- Consists of (1) AS-0715 and (1) AS-0727

M Style

1/4" Basic Size M-Style Interchange Series

"M" Style Bodies are Brass with Brass Sleeves. All "M" style Plugs are Case Hardened Steel.



AT-29726

Air Filter Element for many OEMs

S1076
240-0739
ST073903AV
019-0023
43-652
43-661
16404
357-9701
VA1118
VA1163
2109945
32171979
32282196
AM30800
02-53-372
231847
1052-2
140-1188
111146E100
CRIC100010043
R431
019-0023
6106
007.0118-0
14
243196
19-1101
1311 1210 00 SMALL
ELM-88

Air Comp Sales
C-Aire
Campbell-Hausfeld
Coleman
Compair USA
Compair USA
Craftsman / Sears
DV Systems
FS Curtis
FS Curtis
Gardner Denver
Ingersoll Rand
Ingersoll Rand
John Deere
Johnson Controls
Kohler
Milton Industries
Onan
Quincy
Quincy
Rol-Air
Sanborn
Saylor Beall
Schultz Compressor
Solberg
Sullair
SVI Filters
US Air Compressor
Worthington



AT-30150

Air Filter Element for many OEMs

Air Comp Sales
Campbell-Hausfeld
Champion
CompAir USA
CompAir USA
DV Systems
DV Systems
Gardner Denver
Gast
Grainger
Grainger
Ingersoll Rand
Johnson Controls
Milton Industries
Quincy
Solberg
Thomas Ind.
Vanair
Vanair

S1183
ST073905AV
P05050A
0076701
43-662
355-9702
357-9700
2109994
AJ134B
1R416
4ZJ93
32170979
A-030-6023NP
1053-2
110377E075
15
C88072
254284
264284

Thousands of
Replacement
Filters Available
for Many Brands
of Equipment!
**Call Today with
your X-Ref
Number!**



AT-30607

Air Filter Element with Prefilter for many OEMs

550
A4000-612
1620
14P
19-2993

Green Valley Compressor
Johnson Controls
Performance Filtration
Solberg
SVI Filters


GASKET KITS

Call with your air compressor make, model number, and reference # and we will get you the gasket set for your model.

PICTURED ▶

AE-3212-541 for Ingersoll Rand
Gasket Kit 71T & 71T2 Type 30

Many others available!



BALL VALVES

For use with **air, water, oil, or inert gases** (psi WOG).

Choose: Female to Female
or Male to Female NPT fitting.

Maximum operating pressure 600 psi WOG

Maximum temperature 366°F


Many sizes and
types of valves
available.
Call if you
don't see
what you need!

800-321-8173



Brass Ball Valves, Forged, Nickel Plated Stem

SVI Part#	Size	Description
FK-32-0250	1/4"	Female x Female WOG
FK-32-0375	3/8"	Female x Female WOG
FK-32-0500	1/2"	Female x Female WOG
FK-32-0750	3/4"	Female x Female WOG
FK-32-1000	1"	Female x Female WOG
FK-32-1250	1-1/4"	Female x Female WOG
FK-32-1500	1-1/2"	Female x Female WOG
FK-32-2000	2"	Female x Female WOG
FK-32-0500M	1/2"	Male x Female WOG
FK-32-0750M	3/4"	Male x Female WOG
FK-32-1000M	1"	Male x Female WOG
FK-32-1250M	1-1/4"	Male x Female WOG
FK-32-1500M	1-1/2"	Male x Female WOG
FK-32-2000M	2"	Male x Female WOG




Stainless Steel Ball Valves Available

Chrome-Plated Brass Mini Ball Valves

Mini Ball Valves are made of chrome plated brass with a brass stem, Teflon seat and chrome plated brass ball. A simple quarter turn of the die cast handle allows the user to open and close the valve. Our Mini Ball Valves are designed for **air, water, or inert gases**.

Maximum operating pressure 400 psi WOG. Maximum operating temperature 400°F. Min. -40°F



SVI Part #	Size	Description
FK-32-0250CFF	1/4"	Female x Female
FK-32-0250CMF	1/4"	Male x Female

Euro-Style Air Chucks

*BW-1904-19
Pictured*



SVI Part #	Description
AS-2299-01	1/4" Female Open
AS-2299-02	1/4" Female Closed
BW-1904-19	1/4" Barbed Open
AS-2299-04	1/4" Barbed Closed
AS-2299-05	3/16" Barbed Open

STAINLESS STEEL BALL VALVES

FK-201T SERIES | 1000 WOG

Full Port, Threaded Ends

VALVE FEATURES


- Two-piece design for fast, economical in-line maintenance
- Basic design complied with " NSI B16.34
- NPT threaded ends complied with " NSI B 1.20.1., BS21, DIN 259/2999
- Tested according to " PI 598
- Locking Lever Handle
- Floating Ball
- Investment Casting

VALVE OPTIONS


- 17 Vented Ball to Cavity/Below Stem
- 25 Vented Ball - Upstream/Downstream



FK-201T SERIES
2-Piece 1000 WOG
Stainless Steel
Full Ball Valve
 Full Port, Threaded Ends
 1/4"-2"



Item	Part Name	Specification
1	Body	CF8M
2	Cap	CF8M
3	Seat	" ISI 316/CF8M
4	Ball Seat	TFM1600
5	Joint Gasket	PTFE
6	Stem	" ISI 316
7	Thrust Washer	RTFE
8	Stem Packing	PTFE
9	Gland Nut	" ISI 304
10	Spring Washer	" ISI 304
11	Stem Nut	" ISI 304
12	Handle	" ISI 304
13	Locking Device	" ISI 304
14	Handle Cover	Plastic



SVI Part #	Size	A	B	C	D	E
FK-201T025	1/4" / 8mm	0.38" (9.6mm)	1.04" (26.5mm)	2.16" (55mm)	2.10" (53.4mm)	4.01" (20mm)
FK-201T038	3/8" / 10mm	0.38" (9.6mm)	1.04" (26.5mm)	2.16" (55mm)	2.10" (53.4mm)	4.01" (20mm)
FK-201T050	1/2" / 15mm	0.5" (15mm)	1.18" (30mm)	2.36" (60mm)	2.27" (57.8mm)	4.65" (25mm)
FK-201T075	3/4" / 20mm	0.75" (20mm)	1.28" (32.5mm)	2.56" (65mm)	2.38" (60.5mm)	4.65" (32mm)
FK-201T100	1" / 25mm	1" (25mm)	1.5" (40mm)	3.15" (80mm)	2.69" (68.5mm)	5.82" (38mm)
FK-201T125	1-1/4" / 32mm	1.25" (32mm)	1.77" (45mm)	3.54" (90mm)	3.35" (85.2mm)	5.82" (48mm)
FK-201T150	1-1/2" / 40mm	1.49" (38mm)	2.0" (50mm)	4" (100mm)	3.58" (91mm)	6.38" (53mm)
FK-201T200	2" / 50mm	2" (50mm)	2.46" (62.5mm)	4.92" (125mm)	4.07" (103.5mm)	6.38" (67mm)
FK-201T300	3" / 80mm	3.15" (80mm)	7.28" (185mm)	5.47" (139mm)	3.535" (89.8mm)	9.6" (243mm)
FK-201T400	4" / 100mm	4" (100mm)	9.09" (231mm)	6.59" (167.5mm)	4.545" (115.2mm)	12.48" (274mm)

3 READY-SHIP WAREHOUSES!
 WE SHIP ACROSS THE USA & INTERNATIONALLY



Also See
FK-292T
 Next Page

STAINLESS STEEL BALL VALVES

FK-292T SERIES | 2000 WOG

Full Port, Threaded Ends




FK-292T SERIES
2-Piece 2000 WOG
Stainless Steel
Full Ball Valve
 Full Port, Threaded Ends

VALVE FEATURES


- Strengthened construction secures 2000psi working pressure rating.
- Reinforced TFE seat increases durability.
- "djustable packing gland.
- Bottom-loaded blow-out proof stem.
- Basic design complied with " NSI B16.34 & EN 12516-1.
- NPT threaded ends complied with " NSI B 1.20.1.
- Rc, Rp & G Threaded ends complied with BS 21/2779, JIS B-0203/0202, DIN 259/2999, ISO 228-1, " S 1722.1/1722.2 are upon request.
- Tested according to " PI 598.

VALVE OPTIONS

- M** – Tapped Mounting Pad for sizes 1 1/4" to 2"
V – Vented Ball



Item	Part Name	Specification
1	Body	" STM " 351-CF8M
2	End Cap	" STM " 351-CF8M
3	Seat	REINFORCED PTFE
4	Gasket	PTFE
5	Ball	" STM " 351-CF8M/316
6	Thrust Washer	PTFE
7	Stem	" STM " 276-316
8	Stem Packing	PTFE
9	Gland	" ISI 304
10	Handle	" ISI 304
11	Handle Washer	" ISI 304
12	Handle Nut	" ISI 304
13	Handle Cover	PVC



SVI Part #	Size	ØD	L	A	B	H	W	M (OPTION)
FK-292T025	1/4" (8mm)	0.43" (11mm)	2.17" (55mm)	–	–	2.09" (53mm)	3.7" (94mm)	–
FK-292T038	3/8" (10mm)	0.49" (12.5mm)	2.17" (55mm)	–	–	2.09" (53mm)	3.7" (94mm)	–
FK-292T050	1/2" (15mm)	0.59" (15mm)	2.56" (65mm)	–	–	2.09" (53mm)	3.7" (94mm)	–
FK-292T075	3/4" (20mm)	0.79" (20mm)	2.8" (71mm)	–	–	2.22" (56.5mm)	4.37" (111mm)	–
FK-292T100	1" (25mm)	1" (25.4mm)	3.39" (86mm)	–	–	2.58" (65.6mm)	4.37" (111mm)	–
FK-292T125	1-1/4" (32mm)	1.26" (32mm)	3.86" (98mm)	0.93" (23.6mm)	1.5" (38.1mm)	2.8" (71mm)	4.37" (111mm)	1/4-20UNC
FK-292T150	1-1/2" (40mm)	1.5" (38mm)	4.37" (111mm)	0.93" (23.6mm)	1.5" (38.1mm)	3.15" (80mm)	5.37" (136.5mm)	1/4-20UNC
FK-292T200	2" (50mm)	1.97" (50mm)	4.96" (126mm)	0.93" (23.6mm)	1.5" (38.1mm)	3.52" (89.5mm)	5.37" (136.5mm)	1/4-20UNC

3 READY-SHIP WAREHOUSES!
 WE SHIP ACROSS THE USA & INTERNATIONALLY



Also See
FK-201T
Previous Page

REPAIR PARTS FOR CHAMPION® AIR COMPRESSORS

SAFETY VALVES

DIRECTFIT™

SVI Part #	For	OEM Ref #	Description
AS-2205-50	Champion	M2836	Safety Valve 1/4" 70 psi
AS-2205-51	Champion	M3685	Safety Valve 1/4" 75 psi
AS-2205-52	Champion	CC1009750	Safety Valve 1/4" 75 psi
AS-2205-53	Champion	M3181	Safety Valve 1/2" 75 psi
AS-2205-54	Champion	M3651	Safety Valve 1/2" 75 psi
AS-2205-55	Champion	M3652	Safety Valve 1" 75 psi
AS-2205-56	Champion	M2837	Safety Valve 1/4" 100 psi
AS-2205-57	Champion	M2838	Safety Valve 1/4" 125 psi
AS-2205-58	Champion	M2839	Safety Valve 1/4" 150 psi
AS-2205-59	Champion	M3653	Safety Valve 1/2" 150 psi
AS-2205-60	Champion	M2840	Safety Valve 1/4" 165 psi
AS-2205-61	Champion	M2841	Safety Valve 1/4" 175 psi
AS-2205-62	Champion	M2842	Safety Valve 1/4" 190 psi
AS-2205-63	Champion	M2843	Safety Valve 1/4" 200 psi
AS-2205-64	Champion	M2844	Safety Valve 1/4" 225 psi
AS-2205-65	Champion	M2845	Safety Valve 1/4" 275 psi
AS-2205-66	Champion	M3751	Safety Valve 1/8" 200 psi
AS-2205-67	Champion	CC1010200	Safety Valve 1" 200 psi
AS-2205-68	Champion	M3144	Safety Valve 1/4" 75 psi
AS-2205-69	Champion	M2846	Safety Valve 1/4" 150 psi
AS-2205-70	Champion	M2847	Safety Valve 1/4" 200 psi
AS-2205-71	Champion	P09061A	Safety Valve 1/4" 275 psi
AS-2205-76	Champion	P09704A	Safety Valve

Safety Valve
for ChampionSafety Valve
for Champion
AS-2205-53
AS-2205-67Safety Valve
for Champion
AS-2205-51
AS-2205-66Safety Valve
for Champion
AS-2205-68
AS-2205-69
AS-2205-70
AS-2205-71Check Valve
for Champion
AS-2205-72
AS-2205-73
AS-2205-74
AS-2205-75

CHECK VALVES

AS-2205-72	Champion	P03590A	Check Valve 1.25" x 1.25" Male X Female
AS-2205-73	Champion	P05822A	Check Valve .75" x .75" Male x Female
AS-2205-74	Champion	P03690A	Check Valve 1" x 1" Male x Female
AS-2205-75	Champion	P07538A	Check Valve .75" x .75", 1/8" Side Port

OTHER

AS-2205-77	Champion	P09865A	Unloader Pilot Valve
AS-2205-78	Champion	P11282A	Throttle Control
AS-2205-79	Champion	LO15A	Micro Switch
AS-2205-80	Champion	P09892A	1/2" NPT Filter Silencer

All names, numbers, symbols and descriptions are used for reference purposes only. It is not implied that any part listed is the product of these manufacturers; however, some parts may be the actual product of these manufacturers. Champion® is a registered trademark of Gardner Denver.

LOOKING FOR SAFETY VALVES OR CHECK VALVES
FOR ANOTHER OEM COMPRESSOR?

CHECK OUT OUR VALVES SECTION, OR CALL SVI!


AS-2205-79 (OEM REF LO15A / LO-15A, 26DK84)
**Low Oil Replacement Micro-Switch for
Champion Switch Model Z-685 / Z685,
Gardner Denver and SpeedAire**

For Champion Models: RV15 and RV30

For Gardner Denver Models

For Speedaire, Grainger Models: 1WD21, 4XA67, 1WD46, 4XA68, 1WD48, 4XA59, 1WD54, 1WD55, 4XA61, 1WD57, 1WD58, 4XA60, 1WD61, 4XA62, 1WD63, 1WD64, 1WD65, 1WD22, 1WD50, 1WD52, 1WD67, 1WD68, 1WD70, 1WD71, 1WD72, 1WD73, 1WD74, 1WD75, 1WD76, 1WD78


Need another switch?

Call us with your OEM number.

REPAIR PARTS FOR CHAMPION® AIR COMPRESSORS

SVI Part #	For	OEM Ref #	Description
AS-2204-01	Champion	NR29A	Cylinder Flange Gasket
AS-2204-11	Champion	Z130 R15	Governor Housing Gasket Set R15 AS-2204-11A thru -11D
AS-2204-11A	Champion	SE1430 R15	Governor Housing Gasket .032
AS-2204-11B	Champion	SE1430A R15	Governor Housing Gasket .005 / .007
AS-2204-11C	Champion	SE1430B R15	Governor Housing Gasket .010
AS-2204-11D	Champion	SE1430C R15	Governor Housing Gasket .015
AS-2204-12	Champion	SE1489 R15	Governor Housing Cover Gasket
AS-2204-13	Champion	R30	Cork Access Plate Gasket (older models)
AS-2204-14	Champion	Z3030 R30	Governor Housing Gasket Set R30 AS-2204-14A thru -14D
AS-2204-14A	Champion	SE3030 R30	Governor Housing Gasket .032
AS-2204-14B	Champion	SE3030A R30	Governor Housing Gasket .005 / .007
AS-2204-14C	Champion	SE3030B R30	Governor Housing Gasket .010
AS-2204-14D	Champion	SE3030C R30	Governor Housing Gasket .015
AS-2204-15	Champion	SE489 R30	Governor Housing Cover Gasket
AS-2204-16	Champion		Aluminum Gasket .590 OD
AS-2204-17	Champion	NR29A	Cylinder Flange Gasket
AS-2204-49	Champion	Z813	Low Pressure Discharge Valve Assy
AS-2204-50	Champion	P04135A	Valve Gasket
AS-2204-51	Champion	M2097	Discharge Valve Seat
AS-2204-52	Champion	RE1061	Valve Disc
AS-2204-53	Champion	RE1059	Valve Spring
AS-2204-54	Champion	M2099	Discharge Valve Cage
AS-2204-61	Champion	Z115	High Pressure Discharge Valve Kit
AS-2204-62	Champion	P04137A P09171A	Valve Gasket Copper
AS-2204-63	Champion	RE757A	Discharge Valve Seat
AS-2204-66	Champion	M2100	Discharge Valve Cage
AS-2204-67	Champion	P04136A CQP14869A	Valve Gasket Aluminum
AS-2204-68	Champion	M3220	Hex Head Screw
AS-2204-71	Champion	Z812	Low Pressure Intake Valve Assy
AS-2204-72	Champion	P04134A	Valve Gasket Copper
AS-2204-73	Champion	M2098	Intake Valve Cage
AS-2204-74	Champion	RE1458	Valve Spring
AS-2204-75	Champion	RE1470	Valve Disc
AS-2204-76	Champion	RE1471	Intake Valve Seat
AS-2204-77	Champion		Hex Head Capscrew
AS-2204-79	Champion	Z11937	High Pressure Intake Valve Assy
AS-2204-81	Champion	P14224A	Intake Valve Cage
AS-2204-82	Champion	P13866A RE760	Valve Spring
AS-2204-83	Champion	P13865A RE1062	Valve Disc
AS-2204-84	Champion	P14118B	Intake Valve Seat
AS-2205-03	Champion	Z104G	Valve Gasket Kit R30
AS-2205-04	Champion	Z102G	Valve Gasket Kit R15
AS-2205-05	Champion	Z102	Replacement Valve Kit with Gaskets
AS-2205-21	Champion	Z321	Gasket Kit R30
AS-2205-22	Champion	Z297	Gasket Kit R15A, R15B

DIRECTFIT™




AS-2204-11 (OEM Ref Z130)
Governor Housing Gasket Set R15
for Champion Compressors



AS-2204-14 (OEM Ref Z3030)
Governor Housing Gasket Set R30
for Champion Compressors




AS-2205-21 (OEM Ref Z321)
Gasket Kit R30 for Champion
Compressors



AS-2205-22
(OEM Ref Z297)
Gasket Kit R15A, R15B for
Champion Compressors

REPAIR PARTS FOR CHAMPION® AIR COMPRESSORS

DIRECTFIT™



AS-2205-05
(OEM Ref Z102)
Replacement Valve Kit with Gaskets for
Champion Compressors R15 and R15A
and Speedaire models
3Z180, 3Z181, 3Z180A and 3Z181A.




AS-2205-04
(OEM Ref Z102G)
Valve Gasket Kit
for Champion Air
Compressors R15





AS-2205-03
(OEM Ref Z104G)
Valve Gasket Kit for
Champion Air
Compressors R30



AS-2204-49 (OEM Ref Z813)
Low Pressure Discharge Valve Assembly
for Champion Compressors
(front and back views pictured)



AS-2204-61 (OEM Ref Z115)
High Pressure Discharge Valve Kit
for Champion Compressors
(front and back views pictured)



AS-2204-71 (OEM Ref Z812)
Low Pressure Intake Valve Assembly
for Champion Compressors
(front and back views pictured)



AS-2204-79 (OEM Ref Z11937)
High Pressure Intake Valve Assembly
for Champion Compressors
(front and back views pictured)



DIRECT FIT™ BRAND

SVI International, Inc.

Catalogs and Information Online: www.sviinternational.com

AUTO LIFT REPAIR PARTS FOR ALL MAKES & MODELS

~NO MATTER THE AGE OF THE LIFT!

- Arm Restraint Kits & Parts
- Cables—Lifting and Equalizing
- Chain
- doorjammerPRO - Door Protection Pad
- Height Extensions and Rubber Pads
- Installation Products & Tools
- Power Units and Parts
- Pulleys and Chain Rollers
- Seal Kits for In-Ground & Surface Mount
- Safety Legs / Non-Rotators
- Replacement Lift Kits
- Power Post Lifting Systems
- Tanks for In-Ground Lifts
- Turf Attachments for 2-Post Lifts

SURFACE MOUNT LIFT PARTS FOR:

Acanus	Gemini	Quality
Ammco®*	Gilbarco	Ranger
Alamo /	Globe	Ravaglioli
ASSSA	Grand	Rotary Lifts
ALM	Hofmann	Silent Tech
AMI	Hydralift	Slift
Ashawa	Ime Istobal	Somers Souriau
Ben Pearson	Kismet	Stenhoj
BendPak	Kimm	Stertil Koni
Benwil	Koni	Sun
Bishamon	Launch	Tecalemit
Boston	Laycock	Titan
Bradbury	Lincoln	Weaver
Cascos	Maha	Werther
Consul	Manitowoc Lifts	Western
Challenger	Mohawk	Westinghouse
Force	Nussbaum	Wheeltronic
Ford Smith	OMA	Worth
Forward	OMCN	Zippo
Fuchs / Zippo	PMW	

IN-GROUND LIFT PARTS FOR:

Benwil	Gilbarco	PKS Lifts
Challenger	Globe	Rotary
Cochin	HDL/ISS Innovative	US Hoist
Curtis	Joyce	Weaver
Ford Smith	Manitowoc Lifts	Western

AIR COMPRESSOR PARTS

- Air Receiver Tanks • Compressor Mufflers
- Automatic Tank Drain Valve for Champion Compressors
- Filters—Many OEM Ref Available!
- Filters, Regulators, Lubricators
- Intake Filter Products
- Milton Air System Products
- Re-Coil Hose • Valves
- Vibration Dampening Pads & much more!

BRAKE LATHES REPAIR PARTS

- Brake Lathe Repair Parts and Accessories for All Makes 

EXHAUST REMOVAL SYSTEMS & PRODUCTS

FLUID DELIVERY

- Lenz Fittings
- Steel Hydraulic Line Tubing and Fittings
- Strut and Hangers

HOSE REELS BY REELCRAFT®

HYDRAULIC CYLINDERS—

- Custom Single-Acting Large Bore Cylinders
- Also see "Lifting Equipment"

LIFTING EQUIPMENT

- New In-Ground Lifts—Car, Truck & Bus
- Small Equipment Shop Maintenance (SESM) Lifts for lifting Landscape Equip. ATVs / UTVs, Motorcycles, Lawn Mowers, Golf Carts and More!
- Custom Lifting Equipment incl. Production Line Lifts, Rail Car Lifts and More
- Custom Hydraulic Cylinders for Various Applications
- Turf Attachments for 2-Post Lifts
- In-Ground Lift Sections and Kits
- And more!

EASY TO ORDER:

800-321-8173

815-748-0200

Fax: 800-899-1784 • 815-748-0210

E-Mail: parts@sviintl.com

www.sviinternational.com

LUBRICATION & PAINT / FOAM SPRAY REPAIR PARTS & KITS FOR:

- Alemite • ARO • Balcrank • Graco • Lincoln

PETROLEUM EQUIPMENT & REPAIR PARTS FOR:

- Gas Pump & Meter Kits and Parts for Gasboy • Tokheim • Fill-Rite
- Including Parts for Older Pumps: Wayne • Bennett • Gilbarco • Bowser A.O. Smith (Geosource) • Southwest

SEAL KITS

SHOP EQUIPMENT

- Hein-Werner Products • Omega Products
- Porto-Power • Pro-Lift

TIRE EQUIPMENT REPAIR PARTS

- Tire Changer and Wheel Balancer

Parts for All Makes

Accu-Turn	FMC	Nussbaum
All Tool	Giuliano	Ranger
Ammco®*	Hofmann	Sicam
BaseLine®*	Hunter	Sice
Bosch	John Bean /	Snap-On
Cemb	(JBC)	Teco
Coats®*	Kwik-Way	Tuxedo
Corgi	Launch	

VALVES

- Air Compressor Valves of All Types
- Air and Hoist Control Valves
- Ball Valves • Check Valves
- Kingston Valves • Pressure Relief Valves
- Relief Valves • Safety Valves
- Solenoid Valves
- Tire Changer Valves • And More!

CUSTOM PRODUCTS

And let us know if you want something you use in your shop to be added to our product line!

DIRECT FIT™

In addition to SVI's DIRECT FIT™ BRAND, we are proud to be a one-stop shop for many other great products including:



B-Line
by E.T.N



and many more!

3 Ready-Ship Warehouses for Faster Shipping! | **BALTIMORE • CHICAGO • LOS ANGELES**

Main Office: 155 Harvestore Drive • DeKalb, IL 60115

All names, numbers, symbols and descriptions are used for reference purposes only. It is not implied that any part listed is the product of these manufacturers.

SVI does not represent and is not associated in any way with any other companies. Entire contents copyright © 2020, SVI International, Inc. Prices subject to change without notice.

*AMMCO, BASELINE, COATS and DUCKHEAD are registered trademarks of Hennessy Industries, Inc. SVI International, Inc. is not associated in any way with Hennessy Industries, Inc.

**TERMS AND CONDITIONS OF THE
SALES ORDER
FOR SVI INTERNATIONAL, INC.**

1. **GENERAL.** The terms and conditions of sales order outlined herein shall apply to the sale by SVI INTERNATIONAL, INC. (hereinafter referred to as "Company") of the items described on the facing page (hereinafter referred to as "Merchandise") to Purchaser.
2. **DELIVERY.** Delivery shall be deemed to be complete when the Merchandise has been shipped F.O.B. Company's plants in DeKalb, Illinois, Montclair, California; and Hanover, Maryland ("Company's plants"). Shipments are subject to delays from causes or contingencies beyond the reasonable control of the Company. When otherwise not specified, shipments will be made in standard containers via carrier which, in the judgment of the Company, will result in the most practical method. Title and right of possession will pass to the Purchaser upon receipt by the carrier at the shipping point. If a customer of the Company should specify a specific carrier's method of shipment (i.e. UPS Next Day Air) and that carrier does not perform to the customer's expectations, freight credit to a customer's account will not be issued unless the Company can first obtain a credit.
3. **RISK OF LOSS.** Identification of the Merchandise under Uniform Commercial Code (hereinafter referred to as "UCC") Section 2-501 shall take place at the moment of shipment F.O.B. Company's plants. Risk of loss shall pass to the Purchaser when the Merchandise is shipped from the Company's plants.
4. **TITLE.** Title to the merchandise shall transfer to the Purchaser when the Merchandise is shipped from the Company's plants.
5. **WARRANTIES.** The Company guarantees its products to be free from defects in workmanship and raw materials for a period of one year from date of purchase. THIS WARRANTY IS EXPRESSLY IN LIEU OF ANY AND ALL WARRANTIES EXPRESS OR IMPLIED. COMPANY DOES NOT WARRANT THE MERCHANDISE IS MERCHANTABLE OR FIT FOR ANY PARTICULAR PURPOSE. Company's liability for breach of the terms of this Agreement, including any warranty, is limited to either refund of the invoice price of the Merchandise or at Company's option, replacement of the Merchandise free of charge, including transportation charges but not including the cost of labor. Purchaser has not relied on any statement or upon the conduct of Company with respect to the prospective use of the merchandise. Company shall not be liable for and Purchaser waives any and all claims for any loss or damage, directly or indirectly, arising from the use of the Merchandise and for punitive, incidental or consequential damages, including, but not limited to, damages to property, for loss of use, loss of time, loss of profit or loss of income. The Company does not authorize the sale of our products under any other warranty, expressed or implied. **Please note:** Electrical components and cylinder or shaft seals are not covered under warranty.
6. **SETOFF.** All claims for money due or to become due from the Company shall be subject to deduction by the Company for any setoff or counterclaim arising out of this or any other claims of the Company or its affiliated companies, whether such setoff or counterclaim arose before or after any assignment by Purchaser.
7. **INDEMNIFICATION.** Purchaser agrees to indemnify the Company and hold it harmless from and against all claims, liability, loss, damage or expense, including reasonable counsel fees, arising from or by reason of any modifications or alterations made by Purchaser. If a customer of the Company modifies or alters any part, in any manner whatsoever, or uses any part in departure from recommended performance specifications, said customer agrees to indemnify and hold the Company harmless from and against all liability and expenses based on damage to property or injury to or death of any person arising out of or attributable to such modified or altered part. Further, the Company will not accept any such modified or altered part for credit to a customer's account.
8. **FREIGHT POLICY.** Freight charges are prepaid and added to invoice or collect FOB shipping point. Note: All customers are responsible for all carrier shipping costs, fees, surcharges, etc. including order refusal and return fees.
9. **RETURN POLICY.** To return a part for credit or inspection, Purchaser must first contact our Main Office in Illinois, to obtain a Return Merchandise Form. Once Purchaser has obtained this form, the parts can be returned freight prepaid only. The Return form must be included with the shipment. Parts returned to the Company without the approved form will be returned freight collect to the shipper or refused. Returns must be initiated within 30 days of the invoice date. The Return Forms are valid for 30 days, from the date of issue. All Returns are subject to restocking charges. Return parts brought into our remote warehouses, will not be accepted by our personnel, without a Return Merchandise Form from the Main Office. Parts which have been used in any way or manner, including any installation or incorporation into a lift, hoist, or other equipment, shall NOT be eligible for return whether or not a Return form has been assigned. **Please note:** Electrical parts or components are not returnable for credit. This includes all switches, pushbuttons, relays, electric motors, capacitors, fuses, solenoids, power units with wiring issues or any other electrical items. Custom, built to order, special order, and non-stocked genuine parts are non-returnable.
10. **RESTOCK CHARGE.** Returns are subject to a restocking charge. Refusals are subject to the same restocking charge plus the cost of outbound and return freight charges and/or fees incurred by the Company due to shipment refusal.
11. **PRICES AND PAYMENTS.** All prices are subject to change without notice. All prices are F.O.B. shipping point. The Company standard terms are net 30 days, C.O.D. company check, C.O.D. cash, VISA, MasterCard, Discover or American Express. However, if in the judgment of the Company, the financial condition of the Purchaser at any time does not justify shipment according to standard terms of payment, the Company may require full or partial payment in advance.
12. **INTERPRETATION.** This sales order is intended by the parties as a complete and exclusive statement of the terms of their agreement. It supersedes all prior agreements, written or oral. No course of prior dealings between the parties and no usage of the trade shall be relevant to supplement or explain any terms used in this sales order. Acceptance or acquiescence in a course of performance rendered under this purchase order shall not be relevant to determine the meaning of this sales order even though the accepting or acquiescing party has knowledge of the nature of the performance and opportunity for objection. Whenever a term defined by the UCC is used in this sales order the definition contained in the UCC shall control.
13. **MODIFICATION.** This sales order can be modified or rescinded only by a writing signed by both parties.
14. **WAIVER.** No claim or right arising out of a breach of this sales order can be discharged in whole or in part by a waiver or renunciation of the claim or right unless such waiver or renunciation is supported by consideration and is in writing signed by the aggrieved party.
15. **ASSIGNMENT.** No right or interest in this sales order shall be assigned by either party without the written consent of the other and no delegation of any obligation owed, or of the performance of any obligation by either the Company or Purchaser shall be made without the written consent of the other party. Any attempted assignment or delegation not made in conformity with this paragraph shall be wholly void and totally ineffective for all purposes.
16. **TIME TO PERFORM AND BRING ACTION.** Time is of the essence of this sales order. Any action for breach of this sales order shall be commenced within two (2) years after the cause of action has accrued. Any party who loses any litigation shall reimburse the other party for costs including reasonable attorney's fees. The exclusive jurisdiction for any legal action shall be the Circuit Court of DeKalb County, Illinois.
17. **APPLICABLE LAW.** This sales order shall be governed by the UCC of Illinois as effective and in force on the date of this sales order.



Fax: 800-899-1784 • 815-748-0210

Information and Catalogs Online:
www.sviinternational.com