



# Technical Specification



## SwipBox<sup>®</sup> Infinity – range overview

SwipBox Infinity  
IN180-14

SwipBox Infinity  
IN180-16

SwipBox Infinity  
IN180-20


SwipBox Infinity  
IN180-22

SwipBox Infinity  
IN180-32


# SwipBox® Infinity range

Measurements (same for all models)

## Infinity parcel locker - indoor Outer dimensions



## Infinity parcel locker - outdoor Outer dimensions








IN180 - 14 Outdoor  
14 compartments

IN180 - 16 Outdoor  
16 compartments

IN180 - 20 Outdoor  
20 compartments

IN180 - 22 Outdoor  
22 compartments

IN180 - 32 Outdoor  
32 compartments



# Infinity models and compartments sizes\*

	Small (HxWxD) 110x440x590mm	Medium (HxWxD) 240x440x590mm	Large (HxWxD) 500x440x590mm
14 compartments	6	6	2
16 compartments	8	7	1
20 compartments	16	3	1
22 compartments	18	4	-

	Small slim (HxWxD) 110x270x590mm	Medium slim (HxWxD) 240x270x590mm
32 compartments**	25	7

\*There should always be at least 1cm free space on either side of the parcel

\*\*NOTE REGARDING CENTRE COMPARTMENTS: The top six open from the left, the bottom five open from the right

# Infinity models and weight

	Indoor (kg)	Outdoor (kg)
14 + 16 compartments	130	300
20 + 22 compartments	160	330
32 compartments	196	366

# Data

	SwipBox Infinity
Power input	Battery operated. Min. lifespan of 10 years
Bluetooth® communication range	3m from the parcel locker
Storage/transport temp.	-20°C to +50°C
Operating temp.	-20°C to +50°C
Operating humidity max.	95% (non-condensing)
Max. weight on shelf	32kg
Paint	Powder coating
Material	Aluminium



SwipBox International A/S  
Ellegaardvej 7  
DK-6400 Sønderborg

[international@swipbox.com](mailto:international@swipbox.com)  
[www.swipbox.com](http://www.swipbox.com)