



TEXAS ALCOHOLIC BEVERAGE COMMISSION

Texans Helping Businesses & Protecting Communities

CERTIFICATE OF APPROVAL OF LABELS FOR MALT BEVERAGES

Date: July 17, 2019

Label Certificate Number: 1060829

Pursuant to the application of : ELYSIAN BREWING COMPANY INC.
Holder of permit/license number : S908884

Brand : ELYSIAN SUPERFUZZ BLOOD ORANGE PALE ALE
(REVISION)
Class : FLAVORED ALE - MALT BEVERAGE GREATER THAN
4.0% ALC/WT
Style : PALE ALE
Size(s) : 12FL OZ, 5.16GAL, 15.5GAL
Container Type : CAN, KEG
Container Material : ALUMINUM
Stated Alc. Content : 6.4% ALC/VOL
Tested Alc. Content : (PT) 6.49% ALC/VOL
TTB Number : 19127001000695, 19122001000913

are hereby approved with the same conditions and restrictions as the Federal Certificate of Label Approval (COLA) issued by the Department of Treasury (TTB). If label changes require a new Federal COLA(s) to be obtained, new Texas label approval will also be required.

Labels approved by this certificate are for use on containers having the same capacity as represented hereon.

This certificate shall not operate to relieve any person from liability for any violation of the Federal Alcohol Administration Act, the Texas Alcoholic Beverage Code, or any Rules and Regulations thereunder, resulting from the failure of any container bearing the labels herein approved, or the contents of such container, to conform to the statements and representations made on such labels.

APPROVAL OF THIS LABEL DOES NOT SIGNIFY COMPLIANCE WITH TABC'S CODES AND RULES.

Label Approval Section
Tax Division
Label.Approval@tabc.state.tx.us

c/o ELYSIAN BREWING COMPANY INC.
1 BUSCH PL #202-1
ONE BUSCH PLACE
SAINT LOUIS, MO 63118-1849



TEXAS ALCOHOLIC BEVERAGE COMMISSION

Texans Helping Businesses & Protecting Communities

GROK THIS! WHAT IF? The world were an orange - a Blood Orange - with hop cones orbiting around it, AND IT'S ALL LIKE AN ATOM. ALE BREWED with BLOOD ORANGE. ELYSIANBREWING.COM 844-HOP-LINE

FLYSIAN SUPERFUZZ
BLOOD ORANGE PALE

GOVERNMENT WARNING: (1) ACCORDING TO THE SURGEON GENERAL, WOMEN SHOULD NOT DRINK ALCOHOLIC BEVERAGES DURING PREGNANCY BECAUSE OF THE RISK OF BIRTH DEFECTS. (2) CONSUMPTION OF ALCOHOLIC BEVERAGES IMPAIRS YOUR ABILITY TO DRIVE A CAR OR OPERATE MACHINERY, AND MAY CAUSE HEALTH PROBLEMS.

BREWED AND CANNED BY ELYSIAN BREWING COMPANY, INC., SEATTLE, WA & FORT COLLINS, CO.

12 FL. OZ. • 6.4% ALC./VOL. PLEASE RECYCLE UNFILTERED, MAY CONTAIN SEDIMENT. SEE BOTTOM OF CAN FOR EXPERIENCE BY DATE 667522 ABC

8 17904 00109 1
PRODUCED ON

FLYSIAN SUPERFUZZ MB
BLOOD ORANGE PALE 5.16 GALLONS

8 17904 00108 4
PRODUCED ON

FLYSIAN SUPERFUZZ MB
BLOOD ORANGE PALE 15.5 GALLONS

FLYSIAN SUPERFUZZ MB
BLOOD ORANGE PALE

ALE BREWED WITH BLOOD ORANGE
6.4% ALC./VOL. • ELYSIAN BREWING COMPANY, INC., SEATTLE, WA & FORT COLLINS, CO • MUST KEEP REFRIGERATED • 844-HOP-LINE

GOVERNMENT WARNING: (1) ACCORDING TO THE SURGEON GENERAL, WOMEN SHOULD NOT DRINK ALCOHOLIC BEVERAGES DURING PREGNANCY BECAUSE OF THE RISK OF BIRTH DEFECTS. (2) CONSUMPTION OF ALCOHOLIC BEVERAGES IMPAIRS YOUR ABILITY TO DRIVE A CAR OR OPERATE MACHINERY, AND MAY CAUSE HEALTH PROBLEMS.

PRODUCED ON

FLYSIAN SUPERFUZZ MB
BLOOD ORANGE PALE

ALE BREWED WITH BLOOD ORANGE
6.4% ALC./VOL. • ELYSIAN BREWING COMPANY, INC., SEATTLE, WA & FORT COLLINS, CO • MUST KEEP REFRIGERATED • 844-HOP-LINE

GOVERNMENT WARNING: (1) ACCORDING TO THE SURGEON GENERAL, WOMEN SHOULD NOT DRINK ALCOHOLIC BEVERAGES DURING PREGNANCY BECAUSE OF THE RISK OF BIRTH DEFECTS. (2) CONSUMPTION OF ALCOHOLIC BEVERAGES IMPAIRS YOUR ABILITY TO DRIVE A CAR OR OPERATE MACHINERY, AND MAY CAUSE HEALTH PROBLEMS.

PRODUCED ON

FLYSIAN SUPERFUZZ MB
BLOOD ORANGE PALE

ATTENTION
READ BEFORE TAPPING

This keg will rupture and may cause injury if overpressurized with compressed air or CO₂. Tapping system and pressure regulator both should be equipped with a pressure relief (blow-off) device. If you are not familiar with tapping equipment, consult your retailer or the local beer distributor.

MUST KEEP REFRIGERATED
ELYSIAN BREWING
COMPANY, INC., SEATTLE, WA
& FORT COLLINS, CO

PLEASE DISPOSE OF PROPERLY

FLYSIAN SUPERFUZZ MB
BLOOD ORANGE PALE

ATTENTION
READ BEFORE TAPPING

This keg will rupture and may cause injury if overpressurized with compressed air or CO₂. Tapping system and pressure regulator both should be equipped with a pressure relief (blow-off) device. If you are not familiar with tapping equipment, consult your retailer or the local beer distributor.

MUST KEEP REFRIGERATED
ELYSIAN BREWING
COMPANY, INC., SEATTLE, WA
& FORT COLLINS, CO

PLEASE DISPOSE OF PROPERLY