



TEXAS ALCOHOLIC BEVERAGE COMMISSION

Texans Helping Businesses & Protecting Communities

CERTIFICATE OF APPROVAL OF LABELS FOR MALT BEVERAGES

Date: April 11, 2018

Label Certificate Number: 1012206

Pursuant to the application of : 903 BREWERS

Holder of permit/license number : BG971594

Brand : 903 MANTICORE IMPERIAL COFFEE STOUT (ADD SIZE)

**Class : FLAVORED ALE - MALT BEVERAGE GREATER THAN
4.0% ALC/WT**

Style : STOUT

Size(s) : 1PT 6FL OZ

Container Type : BOTTLE

Container Material : GLASS

Stated Alc. Content : N/A

Tested Alc. Content : 15.76% ALC/VOL

TTB Number : TEXAS ONLY

are hereby approved with the same conditions and restrictions as the Federal Certificate of Label Approval (COLA) issued by the Department of Treasury (TTB). If label changes require a new Federal COLA(s) to be obtained, new Texas label approval will also be required.

Labels approved by this certificate are for use on containers having the same capacity as represented hereon.

This certificate shall not operate to relieve any person from liability for any violation of the Federal Alcohol Administration Act, the Texas Alcoholic Beverage Code, or any Rules and Regulations thereunder, resulting from the failure of any container bearing the labels herein approved, or the contents of such container, to conform to the statements and representations made on such labels.

**APPROVAL OF THIS LABEL DOES NOT SIGNIFY COMPLIANCE WITH TABC'S CODES
AND RULES.**

Label Approval Section

Tax Division

Label.Approval@tabc.state.tx.us

**c/o 903 BREWERS
1718 S ELM STREET
SHERMAN, TX 75090**



TEXAS ALCOHOLIC BEVERAGE COMMISSION

Texans Helping Businesses & Protecting Communities



GOVERNMENT WARNING: (1) According to the Surgeon General, women should not drink alcoholic beverages during pregnancy because of the risk of birth defects. (2) Drinking too much alcohol can lead to serious and permanent health problems. (3) It is dangerous to drive a car or operate machinery, and may cause health problems.

1 pint; 6 fl. oz.
16.55% Alc. by Vol.