



TEXAS ALCOHOLIC BEVERAGE COMMISSION

Texans Helping Businesses & Protecting Communities

CERTIFICATE OF APPROVAL OF LABELS FOR MALT BEVERAGES

Date: July 19, 2019

Label Certificate Number: 1061122

Pursuant to the application of : ACOPON BREWING
Holder of permit/license number : BG978288

**Brand : ACOPON RAT KING DOUBLE INDIA PALE ALE (ADD
SIZE)**
Class : ALE - MALT BEVERAGE GREATER THAN 4.0% ALC/WT
Style : IPA
Size(s) : 5.16GAL
Container Type : KEG
Container Material : ALUMINUM
Stated Alc. Content : N/A
Tested Alc. Content : (PT) 9.14% ALC/VOL
TTB Number : TEXAS ONLY

are hereby approved with the same conditions and restrictions as the Federal Certificate of Label Approval (COLA) issued by the Department of Treasury (TTB). If label changes require a new Federal COLA(s) to be obtained, new Texas label approval will also be required.

Labels approved by this certificate are for use on containers having the same capacity as represented hereon.

This certificate shall not operate to relieve any person from liability for any violation of the Federal Alcohol Administration Act, the Texas Alcoholic Beverage Code, or any Rules and Regulations thereunder, resulting from the failure of any container bearing the labels herein approved, or the contents of such container, to conform to the statements and representations made on such labels.

**APPROVAL OF THIS LABEL DOES NOT SIGNIFY COMPLIANCE WITH TABC'S CODES
AND RULES.**

Label Approval Section
Tax Division
Label.Approval@tabc.state.tx.us

c/o ACOPON BREWING
100 COMMONS RD STE 7-213
DRIPPING SPRINGS, TX 78620



TEXAS ALCOHOLIC BEVERAGE COMMISSION

Texans Helping Businesses & Protecting Communities

BREWED & PACKAGED: JUL | AUG | SEP | OCT | NOV | DEC | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | JAN | FEB | MAR | APR | MAY | JUN

Acopon Brewing Company

211 Mercer St. Dripping Springs TX
www.acoponbrewing.com | 512-829-4723 | info@acoponbrewing.com

GOVERNMENT WARNING:
(1) According to the Surgeon General, women should not drink alcoholic beverages during pregnancy because of the risk of birth defects.
(2) Consumption of alcoholic beverages impairs your ability to drive a car or operate machinery, and may cause health problems.

ATTENTION - READ BEFORE TAPPING:
This keg may rupture and cause injury if over-pressurized with compressed air or CO₂. Tapping system and pressurized regulator should each be equipped with a pressure relief (blow off) device. If you are not familiar with tapping equipment, consult your retailer or local beer distributor.

Net Contents: ☒ 5.16 U.S. Gallons ☐ 7.75 U.S. Gallons ☐ 13.2 U.S. Gallons

Rat King

Double India Pale Ale