



**TEXAS ALCOHOLIC BEVERAGE COMMISSION
CERTIFICATE OF APPROVAL OF LABELS FOR
VINOUS LIQUOR**

Date: 06/05/2007

Label License Number: 661867

Pursuant to the application of : D.C. FLYNT M.W. SELECTIONS

Holder of permit/license number : S460831

**Brand : PHILIPPE GIRARD PREMIER CRU-LES LAVIERES
Class : RED BURGUNDY WINE
Vintage :
Appellation : SAVIGNY-LES-BEAUNE PREMIER CRU
Style : N/A
Size(s) : 750 ML
Container Type : BOTTLE
Container Material : GLASS
Stated Alc. Content : 13%
Tested Alc. Content : N/A
TTB Number : 03140003000022**

are hereby approved.

This approval is issued only for the above name applicant and shall remain in effect unless there be a change in the label, contents, style, or size of the container or unless otherwise stated herein.

Labels approved by this certificate are for use on containers having the same capacity as represented hereon.


This certificate shall not operate to relieve any person from liability for any violation of the Federal Alcohol Administration Act, the Texas Alcoholic Beverage Code, or any Rules and Regulations thereunder, resulting from the failure of any container bearing the labels herein approved, or the contents of such container, to conform to the statements and representations made on such labels.

**Steve Greinert
Compliance Manager**

**c/o D.C. FLYNT M.W. SELECTIONS
PO BOX 3046
LAKE CHARLES, LA 70602-3046**



TEXAS ALCOHOLIC BEVERAGE COMMISSION



MASTER OF WINE

GREAT DOMAINES OF BURGUNDY

ONLY THE PUREST EXPRESSIONS OF REGION, AUTHENTICITY,
AND THE VINTNER'S ART ARE INCLUDED IN
D.C. FLYNT M.W. SELECTIONS

GOVERNMENT WARNING: (1) ACCORDING TO
THE SURGEON GENERAL, WOMEN SHOULD NOT
DRINK ALCOHOLIC BEVERAGES DURING
PREGNANCY BECAUSE OF THE RISK OF BIRTH
DEFECTS. (2) CONSUMPTION OF ALCOHOLIC
BEVERAGES IMPAIRS YOUR ABILITY TO DRIVE A
CAR OR OPERATE MACHINERY, AND MAY
CAUSE HEALTH PROBLEMS.

CONTAINS SULFITES

IMPORTED BY PELCO INC.
LAKE CHARLES, LOUISIANA
IMPORTED BY PELCO INC.
LAKE CHARLES, LOUISIANA

DCFLYNTMW@GREATBURGUNDY.WINE.NET