



# TEXAS ALCOHOLIC BEVERAGE COMMISSION

*Texans Helping Businesses & Protecting Communities*

## CERTIFICATE OF APPROVAL OF LABELS FOR MALT BEVERAGES

**Date:** March 14, 2019

**Label Certificate Number:** 1047219

**Pursuant to the application of :** COMMUNITY BEER COMPANY  
**Holder of permit/license number :** B823789

---

**Brand :** COMMUNITY 3D IPA TRIPLE INDIA PALE ALE  
**Class :** ALE - MALT BEVERAGE GREATER THAN 4.0% ALC/WT  
**Style :** IPA  
**Size(s) :** 16FL OZ, 7.75GAL, 15.5GAL  
**Container Type :** CAN, KEG  
**Container Material :** OTHER, ALUMINUM  
**Stated Alc. Content :** 12% ALC/VOL  
**Tested Alc. Content :** (IA) 11.89% ALC/VOL  
**TTB Number :** TEXAS ONLY

---

are hereby approved with the same conditions and restrictions as the Federal Certificate of Label Approval (COLA) issued by the Department of Treasury (TTB). If label changes require a new Federal COLA(s) to be obtained, new Texas label approval will also be required.

Labels approved by this certificate are for use on containers having the same capacity as represented hereon.

This certificate shall not operate to relieve any person from liability for any violation of the Federal Alcohol Administration Act, the Texas Alcoholic Beverage Code, or any Rules and Regulations thereunder, resulting from the failure of any container bearing the labels herein approved, or the contents of such container, to conform to the statements and representations made on such labels.

**APPROVAL OF THIS LABEL DOES NOT SIGNIFY COMPLIANCE WITH TABC'S CODES AND RULES.**

**Label Approval Section**  
**Tax Division**  
[Label.Approval@tabc.state.tx.us](mailto:Label.Approval@tabc.state.tx.us)

**c/o COMMUNITY BEER COMPANY**  
**1530 INSPIRATION DR STE 200**  
**DALLAS, TX 75207**



# TEXAS ALCOHOLIC BEVERAGE COMMISSION

Texans Helping Businesses & Protecting Communities

**BREWED BY COMMUNITY BEER COMPANY\***  
1530 INSPIRATION DR., SUITE 200, DALLAS, TX 75207

**COMMUNITY BEER CO.**

**3D IPA**  
TRIPLE INDIA PALE ALE

**COMMUNITY BEER CO.**  
SMALL BATCH SERIES

16 FL. OZ. 473 ML.

**3D IPA**  
ALC. / VOL.: 12%

Strap on your 3D glasses and get ready for one heck of a hoppy ride! This triple IPA features six of the most flavorful & aromatic specialty hops from the Yakima Valley: Cashmere, Idaho 7, Citra, Centennial, Simcoe & Motoc. A clean malt backbone yields to dominant flavors of kiwi, cantaloupe & honeydew melon coming at you from all dimensions!

**GOVERNMENT WARNING:** (1) According to the Surgeon General, women should not drink alcoholic beverages during pregnancy because of the risk of birth defects. (2) Consumption of alcoholic beverages impairs your ability to drive a car or operate machinery, and may cause health problems.



**COMMUNITY BEER COMPANY**

Brewed in the U.S.A. by:  
Community Brewing Co., LLC  
1530 Inspiration Dr., #200  
Dallas, TX 75207  
CommunityBeer.com

**NET CONTENTS:** ☐ 15.5 Gallons  
☒ 7.75 Gallons

**GOVERNMENT WARNING:**  
(1) According to the Surgeon General, women should not drink alcoholic beverages during pregnancy because of the risk of birth defects. (2) Consumption of alcoholic beverages impairs your ability to drive a car or operate machinery, and may cause health problems.

**ATTENTION - READ BEFORE TAPPING:**  
THIS KEA MAY RUPTURE AND CAUSE INJURY IF OVER-PRESSURIZED WITH COMPRESSED CO<sub>2</sub>. TAPPING SYSTEM AND PRESSURE REGULATOR SHOULD BE EQUIPPED WITH A PRESSURE RELEASE (BLOW OFF) DEVICE. IF YOU ARE NOT FAMILIAR WITH TAPPING EQUIPMENT, CONSULT YOUR RETAILER OR LOCAL STORE DISTRIBUTOR.

**3D IPA**  
Triple India Pale Ale  
12% Alcohol by Volume

**COMMUNITY BEER COMPANY**

Brewed in the U.S.A. by:  
Community Brewing Co., LLC  
1530 Inspiration Dr., #200  
Dallas, TX 75207  
CommunityBeer.com

**NET CONTENTS:** ☒ 15.5 Gallons  
☐ 7.75 Gallons

**GOVERNMENT WARNING:**  
(1) According to the Surgeon General, women should not drink alcoholic beverages during pregnancy because of the risk of birth defects. (2) Consumption of alcoholic beverages impairs your ability to drive a car or operate machinery, and may cause health problems.

**ATTENTION - READ BEFORE TAPPING:**  
THIS KEA MAY RUPTURE AND CAUSE INJURY IF OVER-PRESSURIZED WITH COMPRESSED CO<sub>2</sub>. TAPPING SYSTEM AND PRESSURE REGULATOR SHOULD BE EQUIPPED WITH A PRESSURE RELEASE (BLOW OFF) DEVICE. IF YOU ARE NOT FAMILIAR WITH TAPPING EQUIPMENT, CONSULT YOUR RETAILER OR LOCAL STORE DISTRIBUTOR.

**3D IPA**  
Triple India Pale Ale  
12% Alcohol by Volume