



**TEXAS ALCOHOLIC BEVERAGE COMMISSION
CERTIFICATE OF APPROVAL OF LABELS FOR
WINE**

Date: 05/26/2009

Label Certificate Number: 722597

Pursuant to the application of : ARCHE

Holder of permit/license number : G671937

**Brand : ARCHE'-RYAN'S RED
Class : CABERNET SAUVIGNON
Vintage : 2007
Appellation : MONTAGUE COUNTY
Style : N/A
Size(s) : 750 ML
Container Type : BOTTLE
Container Material : GLASS
Stated Alc. Content : 14.1%
Tested Alc. Content : N/A
TTB Number : 09128001000255**

are hereby approved with the same conditions and restrictions as the Federal Certificate of Label Approval (COLA) issued by the Department of Treasury (TTB). If label changes require a new Federal COLA(s) to be obtained, new Texas label approval will also be required.

This certificate shall not operate to relieve any person from liability for any violation of the Federal Alcohol Administration Act, the Texas Alcoholic Beverage Code, or any Rules and Regulations thereunder, resulting from the failure of any container bearing the labels herein approved, or the contents of such container, to conform to the statements and representations made on such labels.

Label Approval Section

Tax Division

Label.Approval@tabc.state.tx.us

**c/o ARCHE
228 WAGNER ROAD
SAINT JO, TX 76265-6329**



TEXAS ALCOHOLIC BEVERAGE COMMISSION

PART III - TTB CERTIFICATE	
to applicable laws, regulations and conditions as set forth in the instructions portion of this	
24. AUTHORIZED SIGNATURE, ALCOHOL AND TOBACCO TAX AND TRADE BUREAU	
<i>T. McNeill</i>	

FOR TTB USE ONLY	
QUALIFICATIONS	EXPIRATION DATE (if any)
STATUS THE STATUS IS APPROVED.	
CLASS/TYPE DESCRIPTION DESSERT /PORT/SHERRY/(COOKING) WINE	

AFFIX COMPLETE SET OF LABELS BELOW

Image Type: Brand (front)

Actual Dimensions: 4 inches W X 5 inches H

GOVERNMENT WARNING: (1) ACCORDING TO THE SURGEON GENERAL, WOMEN SHOULD NOT DRINK ALCOHOLIC BEVERAGES DURING PREGNANCY BECAUSE OF THE RISK OF BIRTH DEFECTS. (2) CONSUMPTION OF ALCOHOLIC BEVERAGES IMPAIRS YOUR ABILITY TO DRIVE A CAR OR OPERATE MACHINERY, AND MAY CAUSE HEALTH PROBLEMS.	<i>Arché</i>
	2007
	RYAN'S RED
	MONTAGUE COUNTY
	CABERNET SAUVIGNON
	
	PRODUCED AND BOTTLED BY ARCHÉ, SAINT JO, TEXAS 750 ML CONTAINS SULFITES ALC. 14.1% BY VOLUME
	