



**TEXAS ALCOHOLIC BEVERAGE COMMISSION
CERTIFICATE OF APPROVAL OF LABELS FOR
MALT BEVERAGES**

Date: July 14, 2014

Label Certificate Number: 877975

**Pursuant to the application of : ALASKAN BREWING CO.
Holder of permit/license number : S796795**

**Brand : ALASKAN FREERIDE APA
Class : ALE
Vintage : N/A
Appellation : N/A
Style : N/A
Size(s) : 22 OZ
Container Type : BOTTLE
Container Material : GLASS
Stated Alc. Content : 5.3% ALC/VOL
Tested Alc. Content : 5.30% ALC/VOL - IA
TTB Number : 14111001000206**

are hereby approved with the same conditions and restrictions as the Federal Certificate of Label Approval (COLA) issued by the Department of Treasury (TTB). If label changes require a new Federal COLA(s) to be obtained, new Texas label approval will also be required.

Labels approved by this certificate are for use on containers having the same capacity as represented hereon.

This certificate shall not operate to relieve any person from liability for any violation of the Federal Alcohol Administration Act, the Texas Alcoholic Beverage Code, or any Rules and Regulations thereunder, resulting from the failure of any container bearing the labels herein approved, or the contents of such container, to conform to the statements and representations made on such labels.

**Label Approval Section
Tax Division
Label.Approval@tabc.state.tx.us**

**c/o ALASKAN BREWING CO.
5429 SHAUNE DR
JUNEAU, AK 99801-9540**



TABC

TEXAS ALCOHOLIC BEVERAGE COMMISSION

service ★ courtesy ★ integrity ★ accountability

TEXAS ALCOHOLIC BEVERAGE COMMISSION

GOVERNMENT WARNING: (1) ACCORDING TO THE SURGEON GENERAL, WOMEN SHOULD NOT DRINK ALCOHOLIC BEVERAGES DURING PREGNANCY BECAUSE OF THE RISK OF BIRTH DEFECTS. (2) CONSUMPTION OF ALCOHOLIC BEVERAGES IMPAIRS YOUR ABILITY TO DRIVE A CAR OR OPERATE MACHINERY, AND MAY CAUSE HEALTH PROBLEMS.

ALASKAN BREWING CO.

ALASKAN BREWING CO.
alaskanbeer.com

CA 6PV CT MEVTTC MAWMA OR 50°/MIN 100 REF
BREWED & BOTTLED IN JUNEAU, ALASKA

FREERIDE APA

american pale ale

5.3% ALC/VOL
1 PINT 6 FL. OZ., (651 ML)

