



**TEXAS ALCOHOLIC
BEVERAGE COMMISSION**

Texans Helping Businesses & Protecting Communities

**CERTIFICATE OF APPROVAL OF LABELS FOR
MALT BEVERAGES**

Date: March 12, 2020

Label Certificate Number: 1083775

Pursuant to the application of : ODD MUSE BREWING COMPANY
Holder of permit/license number : BG1072533

Brand : ODD MUSE LAGER
Class : ALE - MALT BEVERAGE GREATER THAN 4.0% ALC/WT
Style : LAGER
Size(s) : 5.16 GAL, 15.5 GAL
Container Type : KEG
Container Material : ALUMINUM
Stated Alc. Content : 5.3% ALC/VOL
Tested Alc. Content : (IA) 5.54% ALC/VOL
TTB Number : TEXAS ONLY

are hereby approved with the same conditions and restrictions as the Federal Certificate of Label Approval (COLA) issued by the Department of Treasury (TTB). If label changes require a new Federal COLA(s) to be obtained, new Texas label approval will also be required.

Labels approved by this certificate are for use on containers having the same capacity as represented hereon.

This certificate shall not operate to relieve any person from liability for any violation of the Federal Alcohol Administration Act, the Texas Alcoholic Beverage Code, or any Rules and Regulations thereunder, resulting from the failure of any container bearing the labels herein approved, or the contents of such container, to conform to the statements and representations made on such labels.

**APPROVAL OF THIS LABEL DOES NOT SIGNIFY COMPLIANCE WITH TABC'S CODES
AND RULES.**

Label Approval Section
Tax Division
Label.Approval@tabc.texas.gov

c/o ODD MUSE BREWING COMPANY
4488 SPRING VALLEY RD
FARMERS BRANCH, TX 75244



TEXAS ALCOHOLIC BEVERAGE COMMISSION

Texans Helping Businesses & Protecting Communities

BREWED & PACKAGED: JUL AUG SEP OCT NOV DEC

JAN FEB MAR APR MAY JUN

 **ODD MUSE**
BREWING COMPANY
4488 SPRING VALLEY RD.
FARMERS BRANCH, TX 75244

GOVERNMENT WARNING:
(1) According to the Surgeon General, women should not drink alcoholic beverages during pregnancy because of the risk of birth defects.
(2) Consumption of alcoholic beverages impairs your ability to drive a car or operate machinery, and may cause health problems.

ATTENTION - READ BEFORE TAPPING:
This keg may rupture and cause injury if over-pressurized with compressed air or CO₂. Tapping system and pressurized regulator should each be equipped with a pressure relief (blow off) device. If you are not familiar with tapping equipment, consult your retailer or local beer distributor.

11796
KEG COLLARS
net

NET CONTENTS: ☐ 5.16 U.S. GALLONS ☐ 15.5 U.S. GALLONS

☐ DOUBLE IPA (8.5% ALC./VOL.)
☐ PALE ALE (6.7% ALC./VOL.)
☒ LAGER (5.3% ALC./VOL.)
☐ IPA (7.0% ALC./VOL.)

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31