



TEXAS ALCOHOLIC BEVERAGE COMMISSION

Texans Helping Businesses & Protecting Communities

CERTIFICATE OF APPROVAL OF LABELS FOR MALT BEVERAGES

Date: December 12, 2018

Label Certificate Number: 1039799

Pursuant to the application of : WILD ACRE BREWING COMPANY
Holder of permit/license number : B924486

Brand : WILD ACRE RESILIENCE IPA
Class : ALE - MALT BEVERAGE GREATER THAN 4.0% ALC/WT
Style : IPA
Size(s) : 15.5GAL
Container Type : KEG
Container Material : ALUMINUM
Stated Alc. Content : N/A
Tested Alc. Content : 7.23% ALC/VOL
TTB Number : TEXAS ONLY

are hereby approved with the same conditions and restrictions as the Federal Certificate of Label Approval (COLA) issued by the Department of Treasury (TTB). If label changes require a new Federal COLA(s) to be obtained, new Texas label approval will also be required.

Labels approved by this certificate are for use on containers having the same capacity as represented hereon.

This certificate shall not operate to relieve any person from liability for any violation of the Federal Alcohol Administration Act, the Texas Alcoholic Beverage Code, or any Rules and Regulations thereunder, resulting from the failure of any container bearing the labels herein approved, or the contents of such container, to conform to the statements and representations made on such labels.

APPROVAL OF THIS LABEL DOES NOT SIGNIFY COMPLIANCE WITH TABC'S CODES AND RULES.

Label Approval Section
Tax Division
Label.Approval@tabc.state.tx.us

c/o WILD ACRE BREWING COMPANY
1734 E EL PASO ST STE 190
FORT WORTH, TX 76102



TEXAS ALCOHOLIC BEVERAGE COMMISSION

Texans Helping Businesses & Protecting Communities

**WILD ACRE
BREWING
- CO -**

BATCH# _____

☐ 5.16 GAL
☒ 15.5 GAL

GOVERNMENT WARNING:
(1) ACCORDING TO THE SURGEON
GENERAL, WOMEN SHOULD NOT
DRINK ALCOHOLIC BEVERAGES
DURING PREGNANCY BECAUSE OF
THE RISK OF BIRTH DEFECTS.
(2) CONSUMPTION OF ALCOHOLIC
BEVERAGES IMPAIRS YOUR ABILITY
TO DRIVE A CAR OR OPERATE
MACHINERY, AND MAY
CAUSE HEALTH PROBLEMS.

WARNINGS:
(1) THIS CONTAINER WILL RUPTURE
IF PRESSURIZED ABOVE 60 P.S.I.
(2) DO NOT REMOVE VALVE.
CONTENTS UNDER PRESSURE.
(3) USE ONLY TAPPING EQUIPMENT
AND PRESSURE REGULATOR EACH
EQUIPPED WITH A PRESSURE
RELIEF VALVE.

TX
76102

FT. WORTH

SEASONAL BREW

RESILIENCE IPA

☒ ALE
☐ BEER

JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31