



**TEXAS ALCOHOLIC BEVERAGE COMMISSION
CERTIFICATE OF APPROVAL OF LABELS FOR
VINOUS LIQUOR**

Date: 06/19/2008

Label License Number: 696052

Pursuant to the application of : ROBERT CHADDERDON SELECTIONS INC.

Holder of permit/license number : S687150

**Brand : ALBERT BOXLER-GRAND CRU BRAND
Class : GEWURZTRAMINER
Vintage : 2004
Appellation : ALSACE GRAND CRU
Style : N/A
Size(s) : 750 ML
Container Type : BOTTLE
Container Material : GLASS
Stated Alc. Content : 13.5%
Tested Alc. Content : N/A
TTB Number : 06017003000079**

are hereby approved.

This approval is issued only for the above name applicant and shall remain in effect unless there be a change in the label, contents, style, or size of the container or unless otherwise stated herein.

Labels approved by this certificate are for use on containers having the same capacity as represented hereon.

This certificate shall not operate to relieve any person from liability for any violation of the Federal Alcohol Administration Act, the Texas Alcoholic Beverage Code, or any Rules and Regulations thereunder, resulting from the failure of any container bearing the labels herein approved, or the contents of such container, to conform to the statements and representations made on such labels.



**Steve Greinert
Compliance Manager**

**c/o ROBERT CHADDERDON SELECTIONS INC.
30 ROCKEFELLER PLAZA SUITE 2815
NEW YORK, NY 10112-0015**



TEXAS ALCOHOLIC BEVERAGE COMMISSION

AFFIX COMPLETE SET OF LABELS BELOW (See General Instructions 4, 6 and 7)



VIN D'ALSACE
GEWURZTRAMINER
GRAND CRU
BRAND

APPELLATION ALSACE GRAND CRU CONTRÔLÉE
2004

ALBERT BOXLER, PROPRIÉTAIRE VITICULTEUR
À 68230 NIEDERMORSCHWIHR
PRODUIT D'ORIGINE
13,5% BY VOL. 750 ML
WHITE WINE CONTAINS SULFITES
IMPORTED BY
ROBERT CHADDERDON SELECTIONS NEW YORK, N.Y.

GOVERNMENT WARNING: ACCORDING TO THE SURGEON GENERAL, WOMEN SHOULD NOT DRINK ALCOHOLIC BEVERAGES DURING PREGNANCY BECAUSE OF THE RISK OF BIRTH DEFECTS. CONSUMPTION OF ALCOHOLIC BEVERAGES IMPAIRS YOUR ABILITY TO DRIVE A CAR OR OPERATE MACHINERY AND MAY CAUSE HEALTH PROBLEMS.