



**TEXAS ALCOHOLIC BEVERAGE COMMISSION
CERTIFICATE OF APPROVAL OF LABELS FOR
WINE**

Date: 06/03/2011

Label Certificate Number: 776357

Pursuant to the application of : ROBERT KACHER SELECTIONS

Holder of permit/license number : S469231

**Brand : ALBERT MOROT-BEAUNE MACRONNETS 1ER CRU
Class : RED BURGUNDY WINE
Vintage : 2002
Appellation : BEAUNE 1ER CRU
Style : N/A
Size(s) : 750 ML
Container Type : BOTTLE
Container Material : GLASS
Stated Alc. Content : 13%
Tested Alc. Content : N/A
TTB Number : 04240000000003**

are hereby approved with the same conditions and restrictions as the Federal Certificate of Label Approval (COLA) issued by the Department of Treasury (TTB). If label changes require a new Federal COLA(s) to be obtained, new Texas label approval will also be required.

This certificate shall not operate to relieve any person from liability for any violation of the Federal Alcohol Administration Act, the Texas Alcoholic Beverage Code, or any Rules and Regulations thereunder, resulting from the failure of any container bearing the labels herein approved, or the contents of such container, to conform to the statements and representations made on such labels.

Label Approval Section

Tax Division

Label.Approval@tabc.state.tx.us

**c/o ROBERT KACHER SELECTIONS
1801 NW CONNECTICUT AVE STE 3
WASHINGTON, DC 20009**



TEXAS ALCOHOLIC BEVERAGE COMMISSION

1. NAME OF THE PRODUCER OR IMPORTER 2500 V ST. NE, UNIT E WASHINGTON, DC 20018		7a. MAILING ADDRESS, IF DIFFERENT	
2. TYPE OF BEVERAGE DISTILLED SPIRITS BEVERAGE		3. FORMULA/SOP NO. (if any)	
4. TYPE OF APPLICATION (Check applicable box) ☒ a. CERTIFICATE OF LABEL APPROVAL ☐ b. CERTIFICATE OF EXEMPTION FROM LABEL "For sale in _____ only" (fill in State ab ☐ c. DISTINCTIVE LIQUOR BOTTLE APPROVAL BOTTLE CAPACITY BEFORE CLOSURE _____ (fill in amount) ☐ d. RESUBMISSION AFTER REJECTION TTB ID _____			
5. VINTAGE 2002	6. ALCOHOL CONTENT 13%	7. WINE APPELLATION (if on label) Beaune 1er Cru	8. FAX NUMBER (202) 529-2579
9. SHOW ANY WORDING (S) APPEARING ON MATERIALS FIRMLY AFFIXED TO THE CONTAINER (e.g., caps, corks, etc.) OTHER THAN THE LABELS & BELOW, OR (b) BLOWN, BRANDED OR EMBOSSED ON THE CONTAINER (e.g., net contents, etc.) THIS WORDING MUST BE NOTED HERE EVEN IF IT DUPLICATES PORTIONS OF THE LABELS AFFIXED BELOW. ALSO, PROVIDE TRANSLATIONS OF FOREIGN LANGUAGE TEXT APPEARING ON LABELS.			

PART II - APPLICANT'S CERTIFICATION

Under the penalties of perjury, I declare: that all statements appearing on this application are true and correct to the best of my knowledge and and, that the representations on the labels attached to this form, including supplemental documents, truly and correctly represent the content of containers to which these labels will be applied. I also certify that I have read, understood and complied with the conditions and instructions with attached to an original TTB F 5100.31, Certificate/Exemption of Label/Bottle Approval

18. DATE OF APPLICATION 8/27/04 19. SIGNATURE OF APPLICANT OR AUTHORIZED AGENT [Signature] 20. PRINT NAME OF APPLICANT OR AUTHORIZED AGENT Sharlyn Elieche

PART III - TTB CERTIFICATE

This certificate is issued subject to applicable laws, regulations and conditions as set forth in the instructions portion of this form.

21. DATE ISSUED 8/27/04 22. AUTHORIZED SIGNATURE [Signature] ALCOHOL AND TOBACCO TAX AND TRADE BUREAU

FOR TTB USE ONLY

QUALIFICATIONS

EXPIRATION DATE

AFFIX COMPLETE SET OF LABELS BELOW (See General Instructions 4, 6 and 7)

2002
PRODUCE
TIRAGE DU



2002
OF FRANCE
DOMAINE

Beaune-Marcconnets 1er Cru

APPELLATION BEAUNE 1^{er} CRU CONTRÔLÉE
RED BURGUNDY
mis en bouteilles par

Albert Morot

Végusant au Château de la Breusette à Beaune (Côte-d'Or), France
IMPORTED BY
ROBERT KACHER SELECTIONS - WASHINGTON, D.C.
CONTAINS SULFITES

ALC.13% BY VOL. CONT. NET 750 ML

GOVERNMENT WARNING: (1) ACCORDING TO THE SURGEON GENERAL WOMEN SHOULD NOT DRINK ALCOHOLIC BEVERAGES DURING PREGNANCY BECAUSE OF THE RISK OF BIRTH DEFECTS. (2) CONSUMPTION OF ALCOHOLIC BEVERAGES IMPAIRS YOUR ABILITY TO DRIVE A CAR OR OPERATE MACHINERY, AND MAY CAUSE HEALTH PROBLEMS.