



TEXAS ALCOHOLIC BEVERAGE COMMISSION

Texans Helping Businesses & Protecting Communities

CERTIFICATE OF APPROVAL OF LABELS FOR MALT BEVERAGES

Date: September 26, 2019

Label Certificate Number: 1067361

Pursuant to the application of : OAK CLIFF BREWING COMPANY LLC
Holder of permit/license number : B1011522

Brand : OAK CLIFF BIOREACTOR
Class : ALE - MALT BEVERAGE GREATER THAN 4.0% ALC/WT
Style : IPA
Size(s) : 5.16 GAL, 15.5 GAL
Container Type : KEG
Container Material : ALUMINUM
Stated Alc. Content : N/A
Tested Alc. Content : 9.60% ALC/VOL
TTB Number : TEXAS ONLY

are hereby approved with the same conditions and restrictions as the Federal Certificate of Label Approval (COLA) issued by the Department of Treasury (TTB). If label changes require a new Federal COLA(s) to be obtained, new Texas label approval will also be required.

Labels approved by this certificate are for use on containers having the same capacity as represented hereon.

This certificate shall not operate to relieve any person from liability for any violation of the Federal Alcohol Administration Act, the Texas Alcoholic Beverage Code, or any Rules and Regulations thereunder, resulting from the failure of any container bearing the labels herein approved, or the contents of such container, to conform to the statements and representations made on such labels.

APPROVAL OF THIS LABEL DOES NOT SIGNIFY COMPLIANCE WITH TABC'S CODES AND RULES.

Label Approval Section
Tax Division
Label.Approval@tabc.state.tx.us

c/o OAK CLIFF BREWING COMPANY LLC
2222 SOUTHERN OAKS DR
CEDAR HILL, TX 75104



TEXAS ALCOHOLIC BEVERAGE COMMISSION

Texans Helping Businesses & Protecting Communities

OAK CLIFF BREWING COMPANY

MADE IN OAK CLIFF BY:
OAK CLIFF BREWING COMPANY, LLC
1300 S POLK ST #222, DALLAS, TX 75224
WWW.OAKCLIFFBREWING.CO

ATTENTION - READ BEFORE TAPPING:
THIS KEG MAY RUPTURE AND CAUSE INJURY
IF OVER-PRESSURIZED WITH COMPRESSED AIR
OR CO2. TAPPING SYSTEM AND PRESSURIZED
REGULATOR SHOULD EACH BE EQUIPPED WITH A
PRESSURE RELIEF (BLOW OFF) DEVICE. IF YOU ARE
NOT FAMILIAR WITH TAPPING EQUIPMENT, CONSULT
YOUR RETAILER OR LOCAL BEER DISTRIBUTOR.

GOVERNMENT WARNING:
(1) ACCORDING TO THE SURGEON
GENERAL, WOMEN SHOULD NOT
DRINK ALCOHOLIC BEVERAGES
DURING PREGNANCY BECAUSE OF
THE RISK OF BIRTH DEFECTS.
(2) CONSUMPTION OF ALCOHOLIC
BEVERAGES IMPAIRS YOUR ABILITY
TO DRIVE A CAR OR OPERATE
MACHINERY, AND MAY CAUSE
HEALTH PROBLEMS.

OAK CLIFF
• BREWING CO. •

NET CONTENTS: ☐ 15.5 U.S. GALLONS ☐ 5.16 U.S. GALLONS

☐ IPA (ALE)	☐ SOMBRE (ALE)
☐ LAGER (ALE)	☐ LADY GLASSES (ALE)
☐ BLACK LAGER (BEER)	☐ HEFEWEIZEN (ALE)
☐ FARMHOUSE ALE	☐ RUBY'S LAST SHOT (BEER)
☒ BIOREACTOR (ALE)	