



**TEXAS ALCOHOLIC BEVERAGE COMMISSION
CERTIFICATE OF APPROVAL OF LABELS FOR
WINE**

Date: April 25, 2017

Label Certificate Number: 979648

**Pursuant to the application of : OLD BRIDGE CELLARS
Holder of permit/license number : S484728**

**Brand : CHAMPAGNE COLLET
Fanciful Name : BRUT MILLESIME 2006
Vineyard : N/A
Class : SPARKLING WINE/CHAMPAGNE
Vintage : 2006
Appellation : CHAMPAGNE
Size(s) : 50ML-30L
Stated Alc. Content : 12.5% ALC/VOL
Tested Alc. Content : N/A
TTB Number : 1636001000155**

are hereby approved with the same conditions and restrictions as the Federal Certificate of Label Approval (COLA) issued by the Department of Treasury (TTB). If label changes require a new Federal COLA(s) to be obtained, new Texas label approval will also be required.

This certificate shall not operate to relieve any person from liability for any violation of the Federal Alcohol Administration Act, the Texas Alcoholic Beverage Code, or any Rules and Regulations thereunder, resulting from the failure of any container bearing the labels herein approved, or the contents of such container, to conform to the statements and representations made on such labels.

APPROVAL OF THIS LABEL DOES NOT SIGNIFY COMPLIANCE WITH TABC'S CODES AND RULES.

**Label Approval Section
Tax Division
Label.Approval@tabc.state.tx.us**

**c/o OLD BRIDGE CELLARS
703 JEFFERSON ST
NAPA, CA 94559**



TEXAS ALCOHOLIC BEVERAGE COMMISSION

CHAMPAGNE
COLLET
a Aÿ
BRUT MILLESIME 2006

GOVERNMENT WARNING : (1) ACCORDING TO THE SURGEON GENERAL, WOMEN SHOULD NOT DRINK ALCOHOLIC BEVERAGES DURING PREGNANCY BECAUSE OF THE RISK OF BIRTH DEFECTS. (2) CONSUMPTION OF ALCOHOLIC BEVERAGES IMPAIRS YOUR ABILITY TO DRIVE A CAR OR OPERATE MACHINERY, AND MAY CAUSE HEALTH PROBLEMS.

 IMPORTED BY OLD BRIDGE CELLARS, NAPA, CALIFORNIA
Tel (707) 258 9552 www.obcwines.com

Alc. 12.5% by Vol.  750ml

8 50709 00229 0

CONTIENT DES SULFITES - CONTAINS SULPHITES - PRODUCT OF FRANCE
SERVE CHILLED (8 TO 10°C)
ELABORATED BY COGEVI - Aÿ - FRANCE - CM-805-018

