



**TEXAS ALCOHOLIC
BEVERAGE COMMISSION**

Texans Helping Businesses & Protecting Communities

**CERTIFICATE OF APPROVAL OF LABELS FOR
WINE**

Date: October 25, 2018

Label Certificate Number: 1035262

Pursuant to the application of : GABART LAVAL EXPORT
Holder of permit/license number : S992135

**Brand : CHATEAU DAUZAC ANDRE LURTON MARGAUX RED
WINE**
Fanciful Name : ANDRE LURTON
Vineyard : N/A
Class : RED BORDEAUX
Vintage : 1995
Appellation : MARGAUX
Size(s) : 50ML-58L
Stated Alc. Content : 12.8% ALC/VOL
Tested Alc. Content : N/A
TTB Number : 13218001000205

are hereby approved with the same conditions and restrictions as the Federal Certificate of Label Approval (COLA) issued by the Department of Treasury (TTB). If label changes require a new Federal COLA(s) to be obtained, new Texas label approval will also be required.

This certificate shall not operate to relieve any person from liability for any violation of the Federal Alcohol Administration Act, the Texas Alcoholic Beverage Code, or any Rules and Regulations thereunder, resulting from the failure of any container bearing the labels herein approved, or the contents of such container, to conform to the statements and representations made on such labels.

**APPROVAL OF THIS LABEL DOES NOT SIGNIFY COMPLIANCE WITH TABC'S CODES
AND RULES.**

Label Approval Section

Tax Division

Label.Approval@tabc.state.tx.us

c/o GABART LAVAL EXPORT
79 AVENUE DE VERDUN
LIBOURNE, 33500



TEXAS ALCOHOLIC BEVERAGE COMMISSION

Texans Helping Businesses & Protecting Communities

CHATEAU DAUZAC 1995

APPELLATION MARGAUX CONTROLEE - RED BORDEAUX WINE

IMPORTED BY : MEDALLION GLOBAL, HOUSTON, TX

ALC. BY VOL. 12.8%

CONTAINS SULFITES

NET CONTENTS 750 ML

PRODUCT OF FRANCE

Medallion Global



GOVERNMENT WARNING: (1) ACCORDING TO THE SURGEON GENERAL, WOMEN SHOULD NOT DRINK ALCOHOLIC BEVERAGES DURING PREGNANCY BECAUSE OF THE RISK OF BIRTH DEFECTS. (2) CONSUMPTION OF ALCOHOLIC BEVERAGES IMPAIRS YOUR ABILITY TO DRIVE A CAR OR OPERATE MACHINERY, AND MAY CAUSE HEALTH PROBLEMS.

