TEXAS ALCOHOLIC BEVERAGE COMMISSION
Texans Helping Businesses & Protecting Communities

PRODUCT REGISTRATION CERTIFICATE FOR MALT BEVERAGES

Date: January 15, 2021 **Label Certificate Number: 1106645**

Pursuant to the application of : KUENSTLER BREWING LLC
Holder of permit/license number : BG960314

Brand	**: KUENSTLER SECOND SHUTDOWN**
Class	**: ALE - MALT BEVERAGE GREATER THAN 4.0% ALC/WT**
Style	**: IPA**
Size(s)	**: 7.75 GAL, 15.5 GAL**
Container Type	**: KEG**
Container Material	**: ALUMINUM**
Stated Alc. Content	**: 5.2% ALC/VOL**
Tested Alc. Content	**: (IA)5.21% ALC/VOL**
TTB Number	**: TEXAS ONLY**

---

are hereby approved with the same conditions and restrictions as the Federal Certificate of Label Approval (COLA) issued by the Department of Treasury (TTB). If label changes require a new Federal COLA to be obtained, new Texas product registration will also be required.

The certificate issued for this product is for use on containers having the same capacity as represented hereon.

This certificate shall not operate to relieve any person from liability for any violation of the Federal Alcohol Administration Act, the Texas Alcoholic Beverage Code, or any Rules and Regulations thereunder, resulting from the failure of any container bearing the label herein approved, or the contents of such container, to conform to the statements and representations made on such label.

APPROVAL OF THIS PRODUCT DOES NOT SIGNIFY COMPLIANCE WITH TABC'S CODE AND RULES.

Product Registration
Excise Tax and Marketing Practices Division
Product.Registration@tabc.texas.gov

c/o KUENSTLER BREWING LLC
323 WICKES ST
SAN ANTONIO, TX 78210-1247

JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC
KÜNSTLER BREWING
ATTENTION - READ BEFORE TAPPING: This keg may rupture and cause injury if over-pressurized with compressed air or CO2. Tapping system and pressurized regulator should each be equipped with a pressure relief (blow off) device. If you are not familiar with tapping equipment, consult your retailer or local beer distributor.
orders@kegcollars.net | 877-300-2405
10710
KEG COLLARS .net
Keg Collars - Keg Wraps - Growler Tags - Can & Bottle Labels
GOVERNMENT WARNING: (1) According to the Surgeon General, women should not drink alcoholic beverages during pregnancy because of the risk of birth defects. (2) Consumption of alcoholic beverages impairs your ability to drive a car or operate machinery, and may cause health problems.
303 E. LACHAPELLE SAN ANTONIO, TX 78204
SECOND SHUTDOWN
5.2% ALCOHOL BY VOLUME
7.75 GALLONS
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC
KÜNSTLER BREWING
GOVERNMENT WARNING: (1) According to the Surgeon General, women should not drink alcoholic beverages during pregnancy because of the risk of birth defects. (2) Consumption of alcoholic beverages impairs your ability to drive a car or operate machinery, and may cause health problems.
orders@kegcollars.net | 877-300-2405
10710
KEG COLLARS .net
Keg Collars - Keg Wraps - Growler Tags - Can & Bottle Labels
ATTENTION - READ BEFORE TAPPING: This keg may rupture and cause injury if over-pressurized with compressed air or CO2. Tapping system and pressurized regulator should each be equipped with a pressure relief (blow off) device. If you are not familiar with tapping equipment, consult your retailer or local beer distributor.
303 E. LACHAPELLE SAN ANTONIO, TX 78204
SECOND SHUTDOWN
5.2% ALCOHOL BY VOLUME
15.5 GALLONS
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31