



**TEXAS ALCOHOLIC
BEVERAGE COMMISSION**

Texans Helping Businesses & Protecting Communities

**CERTIFICATE OF APPROVAL OF LABELS FOR
MALT BEVERAGES**

Date: March 29, 2018

Label Certificate Number: 1011135

Pursuant to the application of : 10 BARREL BREWING LLC

Holder of permit/license number : S913138

Brand : 10 BARREL BLOOD RUNS COLD IPA WITH ORANGE

**Class : FLAVORED ALE - MALT BEVERAGE GREATER THAN
4.0% ALC/WT**

Style : IPA

Size(s) : 12FL OZ, 5.16GAL, 15.5GAL

Container Type : BOTTLE, KEG

Container Material : GLASS, ALUMINUM

Stated Alc. Content : 5.3% ALC/VOL

Tested Alc. Content : (IA) 5.2% ALC/VOL

TTB Number : 18031001000439, 18031001000423, 18031001000429

are hereby approved with the same conditions and restrictions as the Federal Certificate of Label Approval (COLA) issued by the Department of Treasury (TTB). If label changes require a new Federal COLA(s) to be obtained, new Texas label approval will also be required.

Labels approved by this certificate are for use on containers having the same capacity as represented hereon.

This certificate shall not operate to relieve any person from liability for any violation of the Federal Alcohol Administration Act, the Texas Alcoholic Beverage Code, or any Rules and Regulations thereunder, resulting from the failure of any container bearing the labels herein approved, or the contents of such container, to conform to the statements and representations made on such labels.

**APPROVAL OF THIS LABEL DOES NOT SIGNIFY COMPLIANCE WITH TABC'S CODES
AND RULES.**

Label Approval Section

Tax Division

Label.Approval@tabc.state.tx.us

**c/o 10 BARREL BREWING LLC
ATTN: SECRETARY 202-1
ONE BUSCH PLACE
SAINT LOUIS, MO 63118**



TEXAS ALCOHOLIC BEVERAGE COMMISSION

Texans Helping Businesses & Protecting Communities

CHANCE MOUNT 5.3% ALC. 100% C2H6 OK+

Beer Questions?
Call 1-844-DRINK10

PLEASE RECYCLE

BEST BEFORE:

10 BARREL
BREWING CO

BLOOD RUNS COLD
IPA

INDIA PALE ALE WITH ORANGE

10 BARREL BREWING CO.
BEND, OREGON SINCE 2006
10BARREL.COM

6
00826
50162
8

5.3% ALC./VOL.
12 FL. OZ.

DRINK BEER OUTSIDE

BLOOD RUNS COLD
IPA
INDIA PALE ALE WITH ORANGE

OK+

10 BARREL
BREWING CO

☒ 5.16 US GALLONS
☐ 15.5 US GALLONS

BLOOD RUNS COLD
IPA
INDIA PALE ALE WITH ORANGE

OK+

10 BARREL
BREWING CO

☐ 5.16 US GALLONS
☒ 15.5 US GALLONS

GOVERNMENT WARNING: (1) ACCORDING TO THE SURGEON GENERAL, WOMEN SHOULD NOT DRINK ALCOHOLIC BEVERAGES DURING PREGNANCY BECAUSE OF THE RISK OF BIRTH DEFECTS. (2) CONSUMPTION OF ALCOHOLIC BEVERAGES IMPAIRS YOUR ABILITY TO DRIVE A CAR OR OPERATE MACHINERY, AND MAY CAUSE HEALTH PROBLEMS.

ATTENTION-READ BEFORE TAPPING: THIS KEG MAY RUPTURE AND CAUSE INJURY IF OVER-PRESSURIZED WITH COMPRESSED AIR OR CO₂. TAPPING SYSTEM AND PRESSURE REGULATOR SHOULD BE EQUIPPED WITH A PRESSURE RELIEF (BLOW OFF) DEVICE. IF YOU ARE NOT FAMILIAR WITH TAPPING EQUIPMENT, CONSULT YOUR RETAILER OR LOCAL BEER DISTRIBUTOR.

**BLOOD RUNS COLD / INDIA PALE ALE WITH ORANGE / ALC. 5.3% BY VOL.
BREWED BY 10 BARREL BREWING CO. BEND, OREGON**

GOVERNMENT WARNING: (1) ACCORDING TO THE SURGEON GENERAL, WOMEN SHOULD NOT DRINK ALCOHOLIC BEVERAGES DURING PREGNANCY BECAUSE OF THE RISK OF BIRTH DEFECTS. (2) CONSUMPTION OF ALCOHOLIC BEVERAGES IMPAIRS YOUR ABILITY TO DRIVE A CAR OR OPERATE MACHINERY, AND MAY CAUSE HEALTH PROBLEMS.

ATTENTION-READ BEFORE TAPPING: THIS KEG MAY RUPTURE AND CAUSE INJURY IF OVER-PRESSURIZED WITH COMPRESSED AIR OR CO₂. TAPPING SYSTEM AND PRESSURE REGULATOR SHOULD BE EQUIPPED WITH A PRESSURE RELIEF (BLOW OFF) DEVICE. IF YOU ARE NOT FAMILIAR WITH TAPPING EQUIPMENT, CONSULT YOUR RETAILER OR LOCAL BEER DISTRIBUTOR.

**BLOOD RUNS COLD / INDIA PALE ALE WITH ORANGE / ALC. 5.3% BY VOL.
BREWED BY 10 BARREL BREWING CO. BEND, OREGON**

JAN			FEB			MAR			APR			MAY			JUN			JUL			AUG			SEPT			OCT			NOV			DEC			JAN			FEB			MAR			APR			MAY			JUN			JUL			AUG			SEPT			OCT			NOV			DEC		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31										