



TEXAS ALCOHOLIC BEVERAGE COMMISSION

Texans Helping Businesses & Protecting Communities

CERTIFICATE OF APPROVAL OF LABELS FOR MALT BEVERAGES

Date: July 13, 2020

Label Certificate Number: 1093236

Pursuant to the application of : THE BROOKLYN BREWERY
Holder of permit/license number : S692235

Brand : BROOKLYN LAGER (REVISION)
Class : ALE - MALT BEVERAGE GREATER THAN 4.0% ALC/WT
Style : LAGER
Size(s) : 12 FL OZ, 1 PT
Container Type : CAN
Container Material : ALUMINUM
Stated Alc. Content : 5.2% ALC/VOL
Tested Alc. Content : (PT)5.25% ALC/VOL
TTB Number : 20106001000591, 20112001000633

are hereby approved with the same conditions and restrictions as the Federal Certificate of Label Approval (COLA) issued by the Department of Treasury (TTB). If label changes require a new Federal COLA(s) to be obtained, new Texas label approval will also be required.

Labels approved by this certificate are for use on containers having the same capacity as represented hereon.

This certificate shall not operate to relieve any person from liability for any violation of the Federal Alcohol Administration Act, the Texas Alcoholic Beverage Code, or any Rules and Regulations thereunder, resulting from the failure of any container bearing the labels herein approved, or the contents of such container, to conform to the statements and representations made on such labels.

APPROVAL OF THIS LABEL DOES NOT SIGNIFY COMPLIANCE WITH TABC'S CODES AND RULES.

Label Approval Section
Tax Division
Label.Approval@tabc.texas.gov

c/o THE BROOKLYN BREWERY
79 N 11TH ST
BROOKLYN, NY 11249




TEXAS ALCOHOLIC BEVERAGE COMMISSION

Texans Helping Businesses & Protecting Communities



BREWED BY THE BROOKLYN BREWERY, UTICA, NY
5.2% ALC. BY VOL.

FL




BREWED BY THE BROOKLYN BREWERY, UTICA, NY
5.2% ALC. BY VOL.

GOVERNMENT WARNING: (1) ACCORDING TO THE SURGEON GENERAL, WOMEN SHOULD NOT
DRINK ALCOHOLIC BEVERAGES DURING PREGNANCY BECAUSE OF THE RISK OF BIRTH DEFECTS.
(2) CONSUMPTION OF ALCOHOLIC BEVERAGES IMPAIRS YOUR ABILITY TO DRIVE A CAR OR
OPERATE MACHINERY, AND MAY CAUSE HEALTH PROBLEMS.
BEST BEFORE DATE PRINTED ON BOTTOM OF CAN



BREWED BY THE BROOKLYN BREWERY, UTICA, NY
5.2% ALC. BY VOL.



FL



BREWED BY THE BROOKLYN BREWERY, UTICA, NY
5.2% ALC. BY VOL.

GOVERNMENT WARNING: (1) ACCORDING TO THE SURGEON GENERAL, WOMEN SHOULD NOT DRINK ALCOHOLIC BEVERAGES
DURING PREGNANCY BECAUSE OF THE RISK OF BIRTH DEFECTS. (2) CONSUMPTION OF ALCOHOLIC BEVERAGES IMPAIRS YOUR
ABILITY TO DRIVE A CAR OR OPERATE MACHINERY, AND MAY CAUSE HEALTH PROBLEMS.
BEST BEFORE DATE PRINTED ON BOTTOM OF CAN