



**TEXAS ALCOHOLIC
BEVERAGE COMMISSION**

Texans Helping Businesses & Protecting Communities

**CERTIFICATE OF APPROVAL OF LABELS FOR
MALT BEVERAGES**

Date: September 06, 2019

Label Certificate Number: 1065984

Pursuant to the application of : THE BROOKLYN BREWERY
Holder of permit/license number : BS692236

Brand : BROOKLYN PILSNER (ADD SIZE)
**Class : BEER - MALT BEVERAGE LESS THAN OR EQUAL TO
4.0% ALC/WT**
Style : PILSNER
Size(s) : 12 FL OZ
Container Type : CAN
Container Material : ALUMINUM
Stated Alc. Content : 5.1% ALC/VOL
Tested Alc. Content : (IA)5.07% ALC/VOL
TTB Number : 17319001000103

are hereby approved with the same conditions and restrictions as the Federal Certificate of Label Approval (COLA) issued by the Department of Treasury (TTB). If label changes require a new Federal COLA(s) to be obtained, new Texas label approval will also be required.

Labels approved by this certificate are for use on containers having the same capacity as represented hereon.

This certificate shall not operate to relieve any person from liability for any violation of the Federal Alcohol Administration Act, the Texas Alcoholic Beverage Code, or any Rules and Regulations thereunder, resulting from the failure of any container bearing the labels herein approved, or the contents of such container, to conform to the statements and representations made on such labels.

**APPROVAL OF THIS LABEL DOES NOT SIGNIFY COMPLIANCE WITH TABC'S CODES
AND RULES.**

Label Approval Section
Tax Division
Label.Approval@tabc.state.tx.us

c/o THE BROOKLYN BREWERY
79 N 11TH ST
BROOKLYN, NY 11249



TEXAS ALCOHOLIC BEVERAGE COMMISSION

Texans Helping Businesses & Protecting Communities



BREWED BY THE BROOKLYN BREWERY, UTICA, NY
5.1% ALC. BY VOL.

FL



BREWED BY THE BROOKLYN BREWERY, UTICA, NY
5.1% ALC. BY VOL.

GOVERNMENT WARNING: (1) ACCORDING TO THE SURGEON GENERAL, WOMEN SHOULD NOT
DRINK ALCOHOLIC BEVERAGES DURING PREGNANCY BECAUSE OF THE RISK OF BIRTH DEFECTS.
(2) CONSUMPTION OF ALCOHOLIC BEVERAGES IMPAIRS YOUR ABILITY TO DRIVE A CAR OR
OPERATE MACHINERY, AND MAY CAUSE HEALTH PROBLEMS.
BEST BEFORE DATE PRINTED ON BOTTOM OF CAN