

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Purpose

The Example Client APIs manage user activities and provide the integration with an operator's back-end servers.

### HTTPS Request and Response formats

Every **Request** is built according to the HTTPS Method (GET, POST, PUT, PATCH, DELETE) employed by the API, and contains:

1. Description of the API.
2. Request URI endpoint with parameters (if any) enclosed in curly brackets { }.
3. Request cURL syntax.
4. Request body attribute definitions (if any) table.
5. Request body with headers.

Every **Response** with appropriate HTTPS Status codes (400 - Bad Request / 500 - Internal Server Error / 404 - Not Found / 200 - Success / etc.) will be in HTTPS and JSON formats and contains:

1. Response header and status code.
2. Response body in JSON format.

For example, an API using the HTTPS PUT Method would be detailed as follows.

#### PUT Change an Admin User Password

##### Description

Changes an admin user password.

##### Request Endpoint

PUT `https://<Example api server address>/admin/user/{id}/password/change`

##### Parameters

Parameter	Type	Use	Description
id	String	Required	uuid of the admin user.

##### cURL syntax

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |     \"oldPassword\": \"hello\",  
6 |     \"newPassword\": \"whatever\"  
7 | }" \  
8 | 'https://core.dev.Example.net/api/admin/user/id/password/change'
```

curl

## PUT body attributes (JSON)

Attribute	Type	Use	Description
oldPassword	String	Required	The old password.
newPassword	String	Required	The new password.

## PUT body

Headers: Content-Type: application/json

```
1 | {
2 |   "oldPassword": "hello",
3 |   "newPassword": "whatever"
4 | }
```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {
2 |   "data": {
3 |     "id": "6e99ee70-8094-4c3c-b42f-bd2a7c144b87",
4 |     "email": "admin@gmail.com",
5 |     "firstName": "Admin",
6 |     "loginId": "admin",
7 |     "lastName": "User",
8 |     "role": "SUPER_ADMIN"
9 |   },
10 |   "detail": null,
11 |   "error": false,
12 |   "message": "Changing admin user password successful"
13 | }
```

json

## Client APIs v5.51

Released: **2011-01-10** | **Sprint 51**  
Security classification: **PUBLIC**

### Changelog

**Wednesday, 2011-01-10**

The new Example Client APIs v5.51 was released on Monday, 2011-01-10. The following changes have been made from Client APIs v5.50 to v5.51.

#### Added New Client APIs

The following new APIs have been added to the Client APIs family.

##### Create WebHook APIs

<b>POST</b>	Create Casino Notification History
<b>POST</b>	Create Casino WebHook
<b>DELETE</b>	Delete Casino WebHook
<b>GET</b>	Find All Casino WebHooks
<b>GET</b>	Find One Casino WebHook
<b>GET</b>	Fetch All Casino Notification History
<b>GET</b>	Fetch Casino Notification History By Casino
<b>GET</b>	Fetch Casino Notification History By User
<b>PUT</b>	Update Casino WebHook

##### Game App APIs

<b>PUT</b>	Enable / Disable Bonus
<b>GET</b>	Fetch Promotions By Application ID

##### Game App Review APIs

<b>POST</b>	Find Application Review Of A User
-------------	-----------------------------------

##### Promotions APIs

<b>POST</b>	Create Promotion - Incentive
<b>GET</b>	Fetch All Promotions
<b>PUT</b>	Update Promotion
<b>DELETE</b>	Delete Promotion
<b>GET</b>	Fetch Promotion Details
<b>POST</b>	Search Promotion
<b>GET</b>	Fetch Promotion By Promotion Code
<b>GET</b>	Fetch Promotion By Promotion Name
<b>POST</b>	Fetch Promotion By Promotion Type

##### User Promotion APIs

<b>POST</b>	Create User Promotion
<b>DELETE</b>	Delete All Promotions From User Promotion
<b>GET</b>	Delete User Promotion
<b>GET</b>	Fetch All User Promotions
<b>GET</b>	Fetch One User Promotion
<b>GET</b>	Fetch User Promotions By Promotion Code
<b>GET</b>	Fetch User Promotions By Promotion Id
<b>GET</b>	Fetch User Promotions By Promotion Name
<b>POST</b>	Fetch User Promotions By User And Promotion ID
<b>GET</b>	Find All Saved Promotions of User
<b>PUT</b>	Remove Promotion From User Promotion List

#### User Transactions APIs

<b>POST</b>	Apply Promotion
<b>POST</b>	Fetch User Transactions By Promotion Type
<b>GET</b>	Fetch User Transactions By Promotion Name

---

### Modified Existing Client APIs

The following APIs have been modified in the Client APIs family.

#### Game App APIs

<b>GET</b>	Fetch Detail - Added "bonusCount" attribute logic to the Response body.
------------	---

#### Game App Review APIs

<b>POST</b>	Create (App Review):
-------------	----------------------

1. Fixed comments updating and rating issues.
2. Modified existing "creatApplicationReview" for updating app reviews and rating for an application.

---

### Removed Existing Client APIs

The following API group has been removed from the Client APIs family.

#### Promotions and Incentives APIs

<b>POST</b>	Create Promotion - Incentive
<b>DELETE</b>	Delete Promotion - Incentive
<b>GET</b>	Fetch Promotion - Incentive
<b>POST</b>	Search Promotion - Incentive
<b>PUT</b>	Update Promotion - Incentive

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Endpoint Index

The following HTTPS Request Endpoints are used in the Client APIs.

---

#### Admin Portal Functionalities APIs

POST	/admin/language	Add Languages
PUT	/admin/language/{id}	Edit Language
POST	/admin/location	Add Location
PUT	/admin/location/{id}	Edit Location
POST	/admin/promocode	Add Promo Code Info
DELETE	/admin/promocode/{id}	Delete Promo Code Info
GET	/admin/blocked/user	Fetch all Blocked Users
GET	/admin/blocked/userpaymentinfo	Fetch all Blocked Users Payment Info
GET	/admin/used/promocode	Fetch Used Promocode Info
POST	/admin/app/by/{tag}	Fetching Tagged Application
GET	/admin/language/codes	Get All Language Codes
GET	/admin/language/names	Get All Language Names
GET	/admin/location/codes	Get All Location Codes
GET	/admin/location/names	Get All Location Names
GET	/admin/promocode	Get All Promo Code Info
GET	/admin/language	Get Languages

GET	/admin/blacklist?{offset}&{limit}   Get List of Blacklisted Users
GET	/admin/location   Get Locations
GET	/admin/promocode/{id}   Get Promo Code Info by ID
GET	/admin/promocode/by/app/{applicationid}   Get Promo Code Info by App ID
GET	/admin/promocode/by/{promocode}   Get Promo Code Info by Promo Code
GET	/admin/promocode/{promocode}/by/app/{applicationid}   Get PromoCodeInfo by ...
POST	/admin/app/starter/pack   Get Starter Pack Applications
PUT	/admin/app/tag   Set Tags for Application
PUT	/admin/promocode/{id}   Update Promo Code

#### Admin User Functionalities APIs

POST	/admin/reject/reason   Add / Reject Transaction Reason
POST	/admin/paymentoption   Add Payment Options (Create)
POST	/admin/payment/provider/gateway   Add Payment Provider Gateway
POST	/admin/user/blacklist   Blacklisting an Existing User
POST	/admin/user/payment/info/blacklist   Blacklisting an Existing User Payment Method
PUT	/admin/user/{id}/password/change   Change an Admin User Password
PUT	/admin/user/registration   Complete Admin User Registration
POST	/admin/affiliate   Create Affiliate
POST	/admin/user   Create an Admin User
POST	/admin/application/affiliate   Create (Application Affiliate)
POST	/admin/user/password   Create Password for an Admin User
DELETE	/admin/affiliate/{id}   Delete Affiliate
DELETE	/admin/user/{id}   Delete an Admin User

<b>DELETE</b>	<b>/admin/application/affiliate/{id}</b>   Delete (Application Affiliate)
<b>DELETE</b>	<b>/admin/paymentoption/{id}</b>   Delete Payment Option
<b>DELETE</b>	<b>/admin/payment/provider/gateway/{id}</b>   Delete Payment Provider Gateway
<b>DELETE</b>	<b>/admin/reject/reason/{id}</b>   Delete Reject Transaction Reason
<b>PUT</b>	<b>/admin/enable/disable/password</b>   Disable / Enable Admin Change Password
<b>POST</b>	<b>/admin/user/actions</b>   Fetch Admin User Actions
<b>GET</b>	<b>/admin/user</b>   Fetch All Admin Users
<b>GET</b>	<b>/admin/application/affiliate</b>   Fetch All
<b>GET</b>	<b>/admin/affiliate</b>   Fetch All Affiliates
<b>GET</b>	<b>/admin/deleted</b>   Fetch All Deleted Admin Users
<b>GET</b>	<b>/admin/paymentoption/</b>   Fetch All Payment Options
<b>GET</b>	<b>/admin/payment/provider/gateway</b>   Fetch All Payment Provider Gateway Detail
<b>GET</b>	<b>/admin/reasons</b>   Fetch All Reject Reasons
<b>GET</b>	<b>/admin/reject/reason</b>   Fetch All Reject Transaction Reasons
<b>GET</b>	<b>/admin/blacklists</b>   Fetch Blacklisted Users
<b>GET</b>	<b>/admin/blacklisted/payment/info</b>   Fetch Blacklisted Payment Methods
<b>GET</b>	<b>/admin/user/{id}/blacklisted/payment/info</b>   Fetch Blacklisted User's Payment Method
<b>GET</b>	<b>/admin/application/affiliate/{id}</b>   Fetch By ID
<b>GET</b>	<b>/admin/application/default/affiliate</b>   Fetch Current Application Affiliate
<b>GET</b>	<b>/admin/casino/default/affiliate</b>   Fetch Payment Options By Country
<b>GET</b>	<b>/admin/payment/provider/gateway/{id}</b>   Fetch Payment Provider Gateway Detail
<b>GET</b>	<b>/admin/services</b>   Fetch Project Service Names
<b>GET</b>	<b>/admin/reject/reason/{id}</b>   Fetch Reject Transaction Reason Detail

GET	<b>/admin/user/{id}</b>   Fetch Single Admin User
GET	<b>/admin/affiliate/{id}</b>   Find One Affiliate (By ID)
GET	<b>/logout/admin/{id}</b>   Logout Admin User
POST	<b>/admin/user/resend/email/token</b>   Resend Admin Email Token
POST	<b>/admin/user/reset/password</b>   Resetting an Admin User Password
GET	<b>/admin/user/search?{searchType}&amp;{keyword}&amp;{offset}&amp;{limit}</b>   Search Admin Users
PUT	<b>/admin/update/password</b>   Update Admin User Password After Force Reset PIN
PUT	<b>/admin/affiliate/{id}</b>   Update Affiliate
PUT	<b>/admin/user/{id}</b>   Update An Admin User
PUT	<b>/admin/application/affiliate/{id}</b>   Update (Application Affiliate)
PUT	<b>/admin/paymentoption/{id}</b>   Update Payment Options
PUT	<b>/admin/payment/provider/gateway/{id}</b>   Update Payment Provider Gateway
PUT	<b>/admin/reject/reason</b>   Update Reject Transaction Reason
GET	<b>/admin/user/email/verify/{token}/</b>   Verify Admin User Email Token
PUT	<b>/admin/user/whitelist</b>   Whitelisting an Existing User
PUT	<b>/admin/{id}/user/{paymentid}/whitelist</b>   Whitelisting an Existing User ...

## Authentication APIs

POST	<b>/login/admin</b>   Admin Login
POST	<b>/login/admin/2fa</b>   Admin Two Factor Authentication Login
POST	<b>/login/sdk</b>   Casino or SDK Login
POST	<b>/login/token/new</b>   Get New Access Token
POST	<b>/login/operator</b>   Operator Login
POST	<b>/login/publisher</b>   Publisher Login



**POST** /login/sdk/user | SDK / Casino User Login

**POST** /login/admin/2fa/create | Setup Two Factor Authentication

**POST** /login/store | Store Login

**POST** /login/store/user | Store User Login

**POST** /login/developer | Third Party Developer Login

**POST** /login/admin/2fa/verify | Verify 2FA Setup

### Casino APIs

**POST** /user/casino/pin/verify | Authenticate User

**POST** /casino | Create

**DELETE** /casino/{id} | Delete

**GET** /casino | Fetch All

**GET** /casino/{id}/search | Fetch Casino With Featured and Latest App

**GET** /application/by/casino/{id} | Fetch Categories with List of Apps for ...

**GET** /casino/{id} | Fetch Details

**GET** /casino/by/name/{name} | Filter by Name

**GET** /user/{id}/casino/credentials | Prefill User Detail

**PUT** /casino/{id} | Update

### Casino API Keys APIs

**POST** /casino/{casinoId}/developer/key | Create New API Key

**GET** /casino/{casinoId}/developer/key | Fetch API Key

### Casino User Wallet APIs

**POST** /user/wallet | Adding Funds To Wallet

**POST** /user/wallet/deduct | Deducting Funds From Wallet

**GET** /**user/wallet/{userId}/transactions** | Fetch All User Transactions

**GET** /**user/wallet/{id}** | Fetch All User Wallets

**GET** /**user/wallet/transactions/{orderNumber}** | Fetch User Transactions By Order Number

**GET** /**user/wallet?{userId}&{applicationId}&{currency}** | Fetch User Wallet

### Casino WebHook APIs

**POST** /**casino/notification/history** | Create Casino Notification History

**POST** /**admin/casino/webhook** | Create Casino WebHook

**DELETE** /**admin/casino/webhook/{casinoWebHookId}** | Delete Casino WebHook

**GET** /**casino/notification/histories** | Fetch All Casino Notification History

**GET** /**casino/notification/history/by/casino/{id}** | Fetch Casino Notification History By Casino

**GET** /**casino/notification/history/by/user/{id}** | Fetch Casino Notification History By User

**GET** /**admin/casino/webhooks** | Find All Casino WebHooks

**GET** **admin/casino/webhook/{casinoWebHookId}** | Find One Casino WebHook

**PUT** /**admin/casino/webhook** | Update Casino WebHook

### Category APIs

**POST** /**category** | Create

**GET** /**category** | Fetch All

**PUT** /**category/{id}** | Update

**DELETE** /**category/{id}** | Delete

### ChargeBack Transaction APIs

**POST** /**user/chargeback/transaction** | ChargeBack User Transaction

**POST** /**user/chargeback/transaction/history** | Fetch User Transaction ChargeBack History

**GET** /**user/{userid}/chargeback/user/history** | Fetch ChargeBack History By UserId

**GET** **/user/{transactionid}/chargeback/transaction/history** | Fetch ChargeBack History By ...

**GET** **/user/chargeback/history** | Fetch User ChargeBack History

### Client App Config APIs

**POST** **/appconfig/** | Create App Config

**GET** **/appconfig/** | Fetch All App Config

**GET** **/appconfig/type/{type}** | Fetch App Config By Type

**GET** **/appconfig/full** | Fetch Full App Config

### Client Home Config APIs

**POST** **/homeconfig/** | Create Home Config

**GET** **/homeconfig/** | Fetch All Home Config

**GET** **/type/{type}** | Fetch Home Config By Type

### Common Functionality APIs

**PUT** **/common/country/mobile/enable/disable** | Enable / Disable Mobile for Countries

**PUT** **/common/country/payment/enable/disable** | Enable / Disable Payment for Countries

**GET** **/common/country** | Fetch All Countries

**GET** **/common/currency** | Fetch All Currencies

**GET** **/common/all/timezones** | Fetch All Timezones

**GET** **/common/country/mobile/allowed** | Fetch Allowed Countries for Mobile

**GET** **/common/country/payment/allowed** | Fetch Allowed Countries for Payment

### Customer Support APIs

**POST** **/user/log/message** | Create Customer Support

**POST** **/admin/fetch/customer/support** | Search Customer Support

**POST** **/user/help/file/upload/{feedbackId}/{HelpSupportFileType}** | Upload Customer ...

**GET** /aws/download/support/file/{coreTicketId}/{HelpSupportFileType} | Download Customer ...

### Developer Keys - Admin Functionality APIs

**POST** /admin/developer/key | Create a New API Key for Example or Third Party Developer

**PATCH** /admin/casino/key/{casinoKeyId}/disable | Disable an API Key for Casino

**PATCH** /admin/developer/key/{developerKeyId}/disable | Disable an API Key for Developer

**PATCH** /admin/casino/key/{casinoKeyId}/enable | Enable an API Key for Casino

**PATCH** /admin/developer/key/{developerKeyId}/enable | Enable an API Key for Developer

**GET** /admin/casino/keys | Fetch API Keys for Casinos

**GET** /admin/developer/keys?{offset}&{limit} | Fetch API Keys for Developers

**PATCH** /admin/casino/key/{casinoKeyId}/generate | Generate a New API Key for Casino

**PATCH** /admin/developer/key/{developerKeyId}/generate | Generate a New API Key for Developer

### Device APIs

**GET** /device/by/{udid} | Fetch Device By UDID

**GET** /device/sim/state/change/{UDID} | Fetch PIN Challenge for SIM Card State Changes

**POST** /device/sim/state/change | PIN Challenge

### Device Application APIs

**POST** /user/device/application/history/create | Create Device Application History

### Game App APIs

**PUT** /application/approve | Approve (a game application)

**POST** /application/assign/category | Assigning Categories to Application

**POST** /application/associate/category | Associate/Disassociate Applications With Category

**POST** /application/update/check | Check Bulk Updates

**POST** /application | Create (a game application)

<b>DELETE</b>	<b>/application/sliderimage/delete</b>   Delete Slider Image
<b>PUT</b>	<b>/application/{id}/enable/disable/bonus</b>   Enable / Disable Bonus
<b>PUT</b>	<b>/application/{id}/editors/pick</b>   Enable or Disable Editors Pick of an Application
<b>PUT</b>	<b>/application/{id}/live</b>   Enable or Disable Live Tab of an Application
<b>GET</b>	<b>/application</b>   Fetch All
<b>POST</b>	<b>/application/version/signature</b>   Fetch App Signature & Signing Algorithm
<b>GET</b>	<b>/application/signing/key</b>   Fetch App Signing Key
<b>POST</b>	<b>/application/by/criteria</b>   Fetch Applications by Criteria
<b>GET</b>	<b>/application/month</b>   Fetch Application by Month Updates
<b>GET</b>	<b>/application/week</b>   Fetch Application by Week Updates
<b>GET</b>	<b>/application/attributes</b>   Fetch Application Criteria Attributes
<b>GET</b>	<b>/application/{id}</b>   Fetch Detail
<b>GET</b>	<b>/application/featured</b>   Fetch Featured Applications
<b>POST</b>	<b>/application/latest</b>   Fetch Latest Apps
<b>GET</b>	<b>/application/{id}/most/downloaded</b>   Fetch Most Downloaded Application of Casino
<b>GET</b>	<b>/application/promotions/{applicationId}</b>   Fetch Promotions By Application ID
<b>GET</b>	<b>/application/casino/{id}</b>   Filter by Casino
<b>POST</b>	<b>/application/find/by/category</b>   Filter by Category
<b>POST</b>	<b>/application/by/language</b>   Filter by Language
<b>POST</b>	<b>/application/featured</b>   Mark an Application as Featured
<b>POST</b>	<b>/application/{id}/presetprice</b>   Set Preset Amount
<b>PUT</b>	<b>/application/sliderimage/update/{applicationId}</b>   Update Slider Image
<b>PUT</b>	<b>/application/{id}/version</b>   Update Version

**POST** /**application/video/upload** | Upload Application Video

**POST** /**application/{id}/version/upload** | Upload Latest Version

**POST** /**application/slider/upload** | Upload Slider Images

### Game App Events APIs

**POST** /**application/live/events** | Check Live Application Events Exists

**POST** /**application/{id}/event/create** | Create Application Event

**DELETE** /**application/{id}/event/delete** | Delete Application Event

**POST** /**application/events** | Fetch Events

**GET** /**application/{id}/events** | Fetch Events for Game App

**POST** /**application/{id}/event/update** | Update Application Event

**PATCH** /**application/{id}/event/partial/update** | Update Partial Application Event

### Game App Messages APIs

**POST** /**admin/message** | Add App Message

**DELETE** /**admin/message/{id}** | Delete App Message

**GET** /**admin/lang/message?{langCode}&{context}** | Export App Messages

**GET** /**admin/message** | Fetch All App Messages

**POST** /**admin/message/by/action** | Fetch by Action

**POST** /**admin/lang/message?{langCode}&{context}** | Import App Messages

**PUT** /**admin/message/{id}** | Update App Message

### Game App Packs APIs

**POST** /**admin/app/pack** | Create App Pack

**DELETE** /**admin/app/packs/{id}** | Delete (an existing App Pack)

**GET** /**admin/app/pack?{offset}&{limit}** | Fetch All App Packs

**GET** /admin/app/pack/{id} | Fetch One

**GET** /admin/find/app/packs/{title} | Fetch by Title

**PUT** /admin/app/packs/{id} | Update

### Game App Review APIs

**POST** /application/review | Create (App Review)

**GET** /application/review?{appId}&{appVersion}&{appBuild}&{pagesToSkip}&{recordsPerPage} | Filter by Criteria

**GET** /application/review/user?{userId}&{pagesToSkip}&{recordsPerPage} | Filter By User

**POST** /application/review/find/user | Find Application Review of a User

**PUT** /application/review | Update (Existing App Review)

### Global Search APIs

**GET** /search/keyword/{userId} | By Keyword

**DELETE** /search/user/{userId}/history | Clear Search History

**GET** /search/{keyword} | Fetch (common keywords)

**GET** /search/user/{userId}/history | Fetch (user search history)

**GET** /search/category/{categoryName}/{userId} | Fetch (filter by category)

**GET** /search/popular | Fetch (trending)

**GET** /search/related/{keyword} | Fetch Related Search Keywords

### Incentives APIs

**PUT** /admin/set/incentives/application | Associate with Application

**POST** /admin/incentive | Create

**DELETE** /admin/incentive/{id} | Delete

**GET** /admin/incentives | Fetch All

**GET** /application/{id}/incentives | Fetch by Application

**PUT** /admin/incentive/{id} | Update

**POST** /user/apply/incentives | Use with Deposit

### Payout Transaction APIs

**POST** /user/payout/transaction | Payout User Transaction

**GET** /user/{userid}/paymentinfos/payout | Fetch User Payment Method for Payout

**POST** /user/payout/transaction/history | Fetch User Transaction Payout History

**GET** /user/{userid}/payout/user/history | Fetch Payout History By UserId

**GET** /user/{paymentinfoid}/payout/transaction/history | Fetch Payout History By User PaymentInfoId

**GET** /user/payout/history | Fetch User Payout History

### Promotions APIs

**POST** /admin/promotion | Create Promotion - Incentive

**GET** /admin/promotion | Fetch All Promotions

**PUT** /admin/promotion/{id} | Update Promotion

**DELETE** /admin/promotion/{id} | Delete Promotion

**GET** /admin/promotion/{id} | Fetch Promotion Details

**POST** /admin/promotion/search | Search Promotion

**GET** /admin/promotion/by/code/{code} | Fetch Promotion By Promotion Code

**GET** /admin/promotion/by/name/{name} | Fetch Promotion By Promotion Name

**POST** /admin/promotions/by/type | Fetch Promotion By Promotion Type

### Refund Transaction APIs

**POST** /user/refund/transaction | Refund User Transaction

**POST** /user/refund/transaction/history | Fetch User Transaction Refund History

**GET** /user/{userid}/refund/user/history | Fetch Refund History By UserId



**GET** `/user/{transactionid}/refund/transaction/history` | Fetch Refund History By User TransactionId

**GET** `/user/refund/history` | Fetch User Refund History

### Reject Transaction APIs

**GET** `/user/reject/transaction` | Fetch All Rejected Transactions

**GET** `/user/{id}/reject/transactions` | Fetch User's Rejected Transactions

**POST** `/user/reject/transaction` | Reject User Transaction

### Store App APIs

**POST** `/store` | Create Store App

**POST** `/store/version` | Create Store App Version

**GET** `/store` | Find All Stores

**GET** `/store/{id}` | Find One Store App

**PUT** `/store/{id}` | Update Store App

**PUT** `/store/version/{id}` | Update Store App Version

**GET** `/store/version/{id}` | Find Store App Version

**PUT** `/store/version/{id}/publish` | Publish Store App Version

**GET** `store/{id}/versions` | Find Store Versions

**PUT** `/store/update` | Check Store Updates

**GET** `/store/default` | Find Default Store

### System Settings APIs

**GET** `/setting` | Fetch System Settings

**PUT** `/setting/{id}` | Update a System Setting

### Terms APIs

**GET** `common/fetch/terms/{countryCode}/{language}` | By Country and Language

**GET** /common/fetch/all/terms | Fetch All

## User APIs

**POST** /user/auth | Add Authentication Channel

**POST** /user/{id}/profile/pic | Change Pic

**POST** /user/pin | Create

**POST** /user/sdkinfo | Create SDK Record

**POST** /user/note | Create User Note

**DELETE** /user/{id} | Delete Account

**DELETE** /user/{id}/profile/pic | Delete User Profile Image

**GET** /user/{id}/app/downloads/category | Fetch Categories With ...

**GET** /user/{id}/app/downloads/category/{categoryId} | Fetch Category With ...

**GET** /user/attributes | Fetch User Criteria Attributes

**GET** /user/{id} | Fetch User Information

**GET** /user/login/types | Fetch User Login Types

**GET** /user/note/{userId} | Fetch User Notes

**GET** /user/{userid}/private/info | Fetch User Private Information

**GET** /user/sdkinfo | Fetch SDK Information

**GET** /user/{id}/other/app/{appid}/downloads | Fetching Applications Downloaded By Other Users

**GET** /user/{id}/starter/packs | Fetching Starter Packs By User

**GET** /user/sdkinfo/byuserid/{id} | Get SDK Information Based on UserId

**GET** /user/sdkinfo/bydeviceudid/{id} | Get SDK Information Based on DeviceUDID

**GET** /user/{id}/verification/pending/credential | Get Verification Pending Credentials ...

**POST** /user/login | Registration / Login

**DELETE** /**user/auth** | Remove Authentication Channel

**POST** /**user/auth/email/token** | Resend Email Code

**POST** /**user/auth/mobile/code** | Resend SMS Code

**POST** /**user/auth/pin/reset** | Reset PIN

**POST** /**user/casino/data** | Set / Update Casino User Data

**POST** /**user/casino/register/info** | Update Privacy Setting

**PUT** /**user/profile** | Update Profile

**PUT** /**user/pin** | Update (user PIN)

**PUT** /**user/{id}/settings** | Update User Settings

**POST** /**user/auth/email/verify** | Verify Email Address

**POST** /**user/auth/mobile/verify** | Verify Mobile Number

**POST** /**user/auth/pin/verify** | Verify PIN

### User Acquisition APIs

**PUT** /**acquisition/app/launched** | User Acquisition AppLaunched

**PUT** /**acquisition/download/started** | User Acquisition Download Started

**PUT** /**acquisition/download/page** | User Acquisition DownloadPage

**GET** /**acquisition/{id}** | User Acquisition Fetch

**POST** /**acquisition/landing** | User Acquisition Landing Page

**PUT** /**acquisition/link/sent** | User Acquisition Link Sent

### User - Admin Portal Functionalities APIs

**PUT** /**user/blacklist** | Blacklist a User or Device

**PUT** /**user/by/email** | Delete by Email

**PUT** /**user/by/mobile** | Delete by Mobile

**PUT** /**user/by/social** | Delete by Social ID

**POST** /**user/getUsersByGroup** | Fetch by Tags

**GET** /**user/emailverificationstatus** | Fetch Email Verification Status

**GET** /**user/mobileverificationstatus** | Fetch Mobile Verification Status

**GET** /**user/paymentinfostatus** | Fetch Payment Method Status

**GET** /**user/data/trail/{userId}?{offset}&{limit}** | Fetch User Audit Trail Data

**GET** /**user/userstatus** | Fetch User Statuses

**GET** /**admin/deleted/user** | Get Deleted Users

**PUT** /**user/credential/status** | Update (authentication channel status)

**PUT** /**user/payment/status** | Update User PM Status

**PUT** /**user/status** | Update (user status)

**PUT** /**user/{id}/whitelist** | Whitelist a User or Device

### User Events APIs

**POST** /**event** | Create Event

**POST** /**user/device/application/history** | Fetch User Device Game App History

### User Game App Downloads APIs

**GET** /**user/app/downloads** | Fetch All

**GET** /**user/app/downloads/{id}** | Fetch Details

**GET** /**user/{id}/app/downloads** | Filter by User

**POST** /**user/app/downloads/find** | Find by Criteria

### User KYC Check APIs

**PUT** /**user/{userid}/kyc/history** | Fetch User KYC History

**POST** /**user/kyc/check** | KYC Check During Creation of User's 1st PM

**PUT** /**user/kyc/mobile/email** | KYC Check When User Updates KYC Info

## User Payment Methods APIs

**POST** /**user/paymentinfo** | Create

**DELETE** /**user/paymentinfo/{providerPaymentId}** | Delete

**GET** /**user/{id}/paymentinfo/{paymentId}** | Fetch a Payment Method Details

**GET** /**user/paymentinfo?{offset}&{limit}** | Fetch All

**GET** /**user/deleted/payment/info** | Fetch All Deleted Payment Methods

**GET** /**user/{userId}/paymentinfo/expiry/check** | Fetch Expiring Payment Methods

**GET** /**user/{id}/deleted/payment/info** | Fetch User's Deleted Payment Methods

**PUT** /**user/paymentinfo** | Update

**POST** /**user/cvvfraud** | Update Client with Status

## User Personalization APIs

**POST** /**user/wish/list** | Add Application to Wish List

**DELETE** /**user/{userid}/wish/list/{applicationid}** | Delete Game App

**POST** /**user/application/notification** | Fetch App Notification Updates

**GET** /**user/promotion/app** | Fetch Applicable Incentives

**GET** /**user/{id}/application/{applicationId}/lastusedamount** | Fetch Last Used Amount

**GET** /**user/report** | Fetch Reported Applications

**GET** /**user/{id}/wish/list** | Fetch Wishlist

**GET** /**user/report** | Filter Application Reports by User

**GET** /**user/report/by/app/{applicationId}** | Filter by Game App

**GET** /**user/{id}/casino/register** | Prefill Casino Registration Form

**POST** /**user/report** | Report as Spam

**PUT** /**user/category/preferred** | Set Preferred Categories

**PUT** /**user/{id}/currency/preferred** | Set Preferred Currency

### User Promotion APIs

**POST** /**user/promotion** | Create User Promotion

**PUT** /**user/remove/promotion** | Remove Promotion From User Promotion List

**GET** /**user/promotions** | Fetch All User Promotions

**GET** /**user/promotion/{id}** | Fetch One User Promotion

**GET** /**user/promotion/{id}** | Delete User Promotion

**DELETE** /**user/id/promotions** | Delete All Promotions From User Promotion

**GET** /**user/{id}/promotions** | Find All Saved Promotions Of User

**GET** /**user/promotions/{id}** | Fetch User Promotions By Promotion Id

**GET** /**user/promotions/by/code/{code}** | Fetch User Promotions By Promotion Code

**GET** /**user/promotions/by/name/{name}** | Fetch User Promotions By Promotion Name

**POST** /**user/promotion/by/user** | Fetch User Promotions By User And Promotion ID

### User Transactions APIs

**POST** /**user/casino/deposit** | Add Deposit

**POST** /**user/apply/promotion** | Apply Promotion

**POST** /**user/apply/promotional/app/bonus** | Apply Promotional Application Bonus While Depositing

**GET** /**{id}/user/casino/deposit/card/status** | Check Card Verification Status

**GET** /**user/{id}/casino/deposit/cvv/status** | Check is CVV required

**POST** /**user/transaction/note** | Create User Transaction Note

**GET** /**user/transaction/{id}/disbursements** | Fetch Disbursement Transactions

**POST** /**user/{id}/purchase?{offset}&{limit}** | Fetch Purchase History

GET	<b>/admin/user/transaction/attributes</b>   Fetch Transaction Criteria Attributes
GET	<b>/user/deleted/payment/info/transactions</b>   Fetch Transactions of All Deleted Payment Methods
GET	<b>/user/{id}/deleted/payment/info/transactions</b>   Fetch Transactions of User's Deleted Payment Methods
GET	<b>/user/transaction</b>   Fetch User Transaction Detail
GET	<b>/user/transaction/note/{userTransactionId}</b>   Fetch User Transaction Notes
POST	<b>/user/transaction/payment/event</b>   Fetch User Transaction / Payment Events
POST	<b>/user/transaction</b>   Fetch User Transactions By Criteria (1)
POST	<b>/user/transactions/by/criteria</b>   Fetch User Transactions By Criteria (2)
POST	<b>/user/transaction/history</b>   Fetch User Transactions By Criteria for Consumer
POST	<b>/user/transactions</b>   Fetch User Transactions By Filter or Group
POST	<b>/user/transactions/by/criteria</b>   Fetch User Transactions By Multiple Criteria
GET	<b>/user/transactions/by/promotion/name/{name}</b>   Fetch User Transactions By Promotion Name
POST	<b>/user/transactions/by/promotion/type</b>   Fetch User Transactions By Promotion Type
GET	<b>/user/transaction/category</b>   Fetch User Transactions Category Attributes
POST	<b>/user/promocode/bonus/amount</b>   Get Amount With Promo Code Bonus Amount
POST	<b>/user/promocode/bonus</b>   Get Promo Code Bonus Amount
POST	<b>/user/promocode/amount</b>   Get Total Amount With Promo Code Bonus
POST	<b>/user/transactions/sort</b>   Get User Transactions By User ID and Sort
POST	<b>/user/transaction/events</b>   Save User's Transaction or Payment Method Events
POST	<b>/user/transaction/status</b>   Update User Transaction Status

### Utility Functionality APIs

GET	<b>/app/version</b>   Check App Version
GET	<b>/health</b>   Check Health





## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Admin Portal Functionalities APIs

#### POST Add Languages

##### Description

Adds languages.

##### Request Endpoint

POST `https://<Example api server address>/admin/language`

##### Parameters

None.

##### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"language\" : \"french\",  
6 |         \"code\" : \"FR\"  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/admin/language'
```

curl

##### POST body attributes (JSON)

Attribute	Type	Use	Description
language	String	Required	The language name.
code	String	Required	The language code.

##### POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "language": "french",  
3 |     "code": "FR"  
4 | }
```

json

##### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1  {
2    "data": {
3      "id": "4b7573b8-46eb-4cab-aae5-6b0269712ad0",
4      "updatedBy": "",
5      "language": "french",
6      "code": "FR"
7    },
8    "detail": null,
9    "error": false,
10   "message": "Language added successful"
11 }
```

## POST Add Location

### Description

Adds location.

### Request Endpoint

POST <https://<Example api server address>/admin/location>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"location\" : \"Bangalore\",  
6 |         \"code\" : \"BR\"  
7 |     }" \  
8 |     'https://core.dev.Example.net/api/admin/location'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
location	String	Required	The location name.
code	String	Required	The location code.

### POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "location": "Bangalore",  
3 |     "code": "BR"  
4 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     "data": {  
3 |         "id": "dc8cbf9f-5edd-4625-a7ad-9dd38937449a",  
4 |         "updatedBy": "",  
5 |         "location": "Bangalore",  
6 |         "code": "BR"  
7 |     },  
8 |     "detail": null,  
9 |     "error": false,  
10 |     "message": "Location added successful"  
11 | }
```

json

## POST Add Promo Code Information

### Description

Allows an Admin to add multiple promo code information for an application at once.

### Request Endpoint

POST <https://<Example api server address>/admin/promocode>

### Parameters

None.

### cURL syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "[  
5     {  
6         \"promoCode\": \"PC1234\",  
7         \"amount\":10.25,  
8         \"applicationId\" : \"cbab1a87-243a-4319-8ae4-e93ca5cc3f6f\",  
9         \"validity\" : \"2016-03-20\",  
10        \"expired\" : false  
11    },  
12    {  
13        \"promoCode\": \"sfghfwe\",  
14        \"amount\":15.25,  
15        \"applicationId\" : \"b4724f5c-a88f-485e-9629-094afec84bee\",  
16        \"validity\" : \"2016-03-20\",  
17        \"expired\" : false  
18    },  
19    {  
20        \"promoCode\": \"erg35yy5\",  
21        \"amount\":30.25,  
22        \"applicationId\" : \"e827e521-0484-479b-a389-8c4d6116dbec\",  
23        \"validity\" : \"2016-03-20\",  
24        \"expired\" : false  
25    }  
26 ]" \  
27 'https://core.dev.Example.net/api/admin/promocode'
```

### POST body attributes (JSON)

Attribute	Type	Use	Description
<b>promoCode</b>	String	Required	Any string (string should be between 6-32 characters).
<b>amount</b>	Number	Required	The bonus amount associated with promocode.
<b>applicationId</b>	String	Required	An application UDID to which you want to apply the promo code.
<b>validity</b>	String	Optional	Expiry date of the promocode.
<b>expired</b>	String	Optional	True/false, whether the promocode is expired or not.

### POST body [array]

**Headers:** Content-Type: application/json

```

1  [
2    {
3      "promoCode": "PC1234",
4      "amount": 10.25,
5      "applicationId": "cbab1a87-243a-4319-8ae4-e93ca5cc3f6f",
6      "validity": "2016-03-20",
7      "expired": false
8    },
9    {
10     "promoCode": "sfgfhwe",
11     "amount": 15.25,
12     "applicationId": "b4724f5c-a88f-485e-9629-094afec84bee",
13     "validity": "2016-03-20",
14     "expired": false
15   },
16   {
17     "promoCode": "erg35yy5",
18     "amount": 30.25,
19     "applicationId": "e827e521-0484-479b-a389-8c4d6116dbec",
20     "validity": "2016-03-20",
21     "expired": false
22   }
23 ]

```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2    "data": [
3      {
4        "id": "b73ad568-d84e-4db2-a86d-58cf92e601e3",
5        "updatedBy": "",
6        "application": {
7          "id": "cbab1a87-243a-4319-8ae4-e93ca5cc3f6f",
8          "updatedBy": "",
9          "appPackage": null,
10         "banner": null,
11         "bundleIdentifier": "bundle123",
12         "casino": {
13           "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",
14           "updatedBy": "",
15           "imageUrl": "UserAppCas",
16           "name": "UserAppCas",
17           "videoUrl": "UserAppCas"
18         },
19         "casinoId": null,
20         "category": {
21           "id": "5a1e1b8b-db12-4f64-a6ae-85cf1c6dbc90",
22           "updatedBy": "",
23           "imageUrl": "UserAppCat",
24           "name": "UserAppCat",
25           "videoUrl": "UserAppCat"
26         },
27         "categoryId": null,
28         "description": null,
29         "downloads": null,
30         "featured": null,
31         "gameAppVersions": null,

```

```

32     "image": null,
33     "keywords": null,
34     "latestBuild": null,
35     "latestVersion": null,
36     "name": "Useful",
37     "order": null,
38     "paragraph1": null,
39     "paragraph2": null,
40     "paragraph3": null,
41     "paragraph4": null,
42     "presetPriceList": null,
43     "price": null,
44     "publisher": null,
45     "ranking": null,
46     "rating": null,
47     "sliderImages": null,
48     "subtitle": null,
49     "updated": null,
50     "video": null,
51     "status": null,
52     "downloadLink": null
53 },
54 "promoCode": "PC1264",
55 "amount": 10.25,
56 "validity": 1458432000000,
57 "expired": false,
58 "applicationId": "cbab1a87-243a-4319-8ae4-e93ca5cc3f6f"
59 },
60 {
61     "id": "cc910a26-b818-4c9c-b02b-53bffc9d3420",
62     "updatedBy": "",
63     "application": {
64         "id": "b4724f5c-a88f-485e-9629-094afec84bee",
65         "updatedBy": "",
66         "appPackage": null,
67         "banner": null,
68         "bundleIdentifier": "bundle56",
69         "casino": {
70             "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",
71             "updatedBy": "",
72             "imageUrl": "UserAppCas",
73             "name": "UserAppCas",
74             "videoUrl": "UserAppCas"
75         },
76         "casinoId": null,
77         "category": {
78             "id": "5a1e1b8b-db12-4f64-a6ae-85cf1c6dbc90",
79             "updatedBy": "",
80             "imageUrl": "UserAppCat",
81             "name": "UserAppCat",
82             "videoUrl": "UserAppCat"
83         },
84         "categoryId": null,
85         "description": null,
86         "downloads": null,
87         "featured": null,
88         "gameAppVersions": null,
89         "image": null,
90         "keywords": null,
91         "latestBuild": null,
92         "latestVersion": null,

```

```

93     "name": "Useless",
94     "order": null,
95     "paragraph1": null,
96     "paragraph2": null,
97     "paragraph3": null,
98     "paragraph4": null,
99     "presetPriceList": null,
100    "price": null,
101    "publisher": null,
102    "ranking": null,
103    "rating": null,
104    "sliderImages": null,
105    "subtitle": null,
106    "updated": null,
107    "video": null,
108    "status": null,
109    "downloadLink": null
110  },
111  "promoCode": "sfgdshfwe",
112  "amount": 15.25,
113  "validity": 1458432000000,
114  "expired": false,
115  "applicationId": "b4724f5c-a88f-485e-9629-094afec84bee"
116 },
117 {
118   "id": "9d5f08bf-e22e-4185-9984-3006dbb071bf",
119   "updatedBy": "",
120   "application": {
121     "id": "e827e521-0484-479b-a389-8c4d6116dbec",
122     "updatedBy": "",
123     "appPackage": null,
124     "banner": null,
125     "bundleIdentifier": "bundle129",
126     "casino": {
127       "id": "d07de3bd-f1f2-48c9-b880-97c8649ced97",
128       "updatedBy": "",
129       "imageUrl": "UserAppCas1",
130       "name": "UserAppCas1",
131       "videoUrl": "UserAppCas1"
132     },
133     "casinoId": null,
134     "category": {
135       "id": "0bcf2e95-d4bc-4cc3-9480-4d9b774055c3",
136       "updatedBy": "",
137       "imageUrl": "UserAppCat1",
138       "name": "UserAppCat1",
139       "videoUrl": "UserAppCat1"
140     },
141     "categoryId": null,
142     "description": null,
143     "downloads": null,
144     "featured": null,
145     "gameAppVersions": null,
146     "image": null,
147     "keywords": null,
148     "latestBuild": null,
149     "latestVersion": null,
150     "name": "Usenone",
151     "order": null,
152     "paragraph1": null,
153     "paragraph2": null,

```

```
154     "paragraph3": null,
155     "paragraph4": null,
156     "presetPriceList": null,
157     "price": null,
158     "publisher": null,
159     "ranking": null,
160     "rating": null,
161     "sliderImages": null,
162     "subtitle": null,
163     "updated": null,
164     "video": null,
165     "status": null,
166     "downloadLink": null
167   },
168   "promoCode": "ergsf35yy5",
169   "amount": 30.25,
170   "validity": 1458432000000,
171   "expired": false,
172   "applicationId": "e827e521-0484-479b-a389-8c4d6116dbec"
173 }
174 ],
175 "detail": null,
176 "error": false,
177 "message": "Promo code info added successfully"
178 }
```



## DELETE Delete Promo Code Information

### Description

Allows an Admin to delete promo code information.

### Request Endpoint

DELETE <https://<Example api server address>/admin/promocode/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	Unique id of promo code information.

### cURL syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 | 'https://core.dev.Example.net/api/admin/promocode/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": null,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Deleting promo code successful"  
6 | }
```

json

**PUT****Edit Language****Description**

Updates the language.

**Request Endpoint**

PUT <https://<Example api server address>/admin/language/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	The language id.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |       \"language\" : \"Spanish\"  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/admin/language/id'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
language	String	Required	The language name.
code	String	Required	The language code.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   \"language\": \"Spanish\"  
3 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   \"data\": {  
3 |     \"id\": \"4b7573b8-46eb-4cab-aae5-6b0269712ad0\",  
4 |     \"updatedAt\": \"\",  
5 |     \"language\": \"Spanish\",  
6 |     \"code\": \"FR\"  
7 |   },  
8 |   \"detail\": null,  
9 |   \"error\": false,  
10 |  \"message\": \"Language updated successful\"  
11 | }
```

json



**PUT****Edit Location****Description**

Updates a location.

**Request Endpoint**

PUT <https://<Example api server address>/admin/location/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	The location id.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |       \"location\" : \"Italy\  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/admin/location/id'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
location	String	Required	The location name.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   \"location\": \"Italy\"  
3 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   \"data\": {  
3 |     \"id\": \"dc8cbf9f-5edd-4625-a7ad-9dd38937449a\",  
4 |     \"updatedAt\": \"\",  
5 |     \"location\": \"Italy\",  
6 |     \"code\": \"BR\"  
7 |   },  
8 |   \"detail\": null,  
9 |   \"error\": false,  
10 |  \"message\": \"Location updated successful\"  
11 | }
```

json



**GET****Fetch all Blocked Users****Description**

Fetches all blocked users.

**Request Endpoint**

GET <https://<Example api server address>/admin/blocked/user>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/blocked/user'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "dc26a81a-c3c3-41eb-951c-e1a27fa4ba92",  
5 |       "updatedBy": "",  
6 |       "addresses": [  
7 |         {  
8 |           "id": "f694a645-de3e-4972-ac23-f86a597d2929",  
9 |           "updatedBy": "",  
10 |          "addressType": "HOME",  
11 |          "city": "Bangalore",  
12 |          "country": null,  
13 |          "countryCode": null,  
14 |          "county": null,  
15 |          "postal": "560073",  
16 |          "state": null,  
17 |          "street1": "Wilson garden",  
18 |          "street2": null,  
19 |          "street3": null  
20 |        },  
21 |        {  
22 |          "id": "29b5e7df-7f07-4bf2-9464-d1ef74d67445",  
23 |          "updatedBy": "",  
24 |          "addressType": "HOME",  
25 |          "city": "Bangalore",  
26 |          "country": null,  
27 |          "countryCode": null,  
28 |          "county": null,  
29 |          "postal": "560073",  
30 |          "state": null,  
31 |          "street1": "Wilson garden",  
32 |          "street2": null,  
33 |          "street3": null  
34 |        }  
35 |     ],  
36 |     "birthDateDay": 15,  
37 |     "birthDateMonth": 9,  
38 |     "birthDateYear": 1991,
```

json

```

39     "devices": [
40         {
41             "id": "b125de88-9964-4d66-b098-40bbf5507819",
42             "updatedBy": "",
43             "description": null,
44             "deviceStatus": "NORMAL",
45             "manufacturer": "manufacturer",
46             "model": "model",
47             "os": "some os",
48             "udid": "udid-12345",
49             "simStateHashCode": null,
50             "simCardState": null
51         }
52     ],
53     "emailAuthenticationChannels": [
54         {
55             "addedOn": 1455625239183,
56             "blockStatus": "NORMAL",
57             "deletedOn": null,
58             "emailAddress": "rn.shruti@gmail.com",
59             "emailPinResetStatus": "RESET_NA",
60             "emailVerificationStatus": "VERIFIED",
61             "lastUsedOn": 1455625239183,
62             "loginType": "EMAIL",
63             "primary": null
64         }
65     ],
66     "firstName": "Shruti",
67     "fullName": "Shruti Nagarkar",
68     "groupTag": [
69         "some os",
70         1991,
71         "model",
72         "560073",
73         "581320",
74         "India",
75         "MOBILE",
76         "Bangalore",
77         "manufacturer",
78         "1991",
79         "EMAIL"
80     ],
81     "lastName": "Nagarkar",
82     "locationCountry": "India",
83     "locationZipCode": "581320",
84     "mobileAuthenticationChannels": [
85         {
86             "addedOn": 1455625239183,
87             "blockStatus": "NORMAL",
88             "deletedOn": null,
89             "lastUsedOn": 1463722890666,
90             "loginType": "MOBILE",
91             "mobileNumber": "+918050022027",
92             "mobilePinResetStatus": "RESET_PROGRESS",
93             "mobileVerificationStatus": "VERIFICATION_PENDING",
94             "primary": false
95         }
96     ],
97     "pinCreated": true,
98     "profileImagePath": "www.google.com",
99     "profileName": "ShrutiN",

```

```

100     "registrationDate": 1455625239181,
101     "socialAuthenticationChannels": [
102         {
103             "addedOn": 1455625239183,
104             "blockStatus": "NORMAL",
105             "deletedOn": null,
106             "lastUsedOn": 1455625239183,
107             "loginType": "FACEBOOK",
108             "socialId": "12937219837213"
109         }
110     ],
111     "status": "BLOCKED",
112     "timezone": "IST",
113     "userSetting": {
114         "autoUpdateBetcadeApp": true,
115         "autoUpdateDownloadedApps": true,
116         "monthlyDepositMaxLimit": 2414,
117         "monthlyDepositMaxLimitCurrency": "USD",
118         "prefillUserInfoInCasino": false,
119         "receiveEmailReceipt": true,
120         "receiveNotifications": false,
121         "shareRegistrationInfo": true,
122         "userEmailProvided": false,
123         "versionOfDownloadedBetcadeApp": "sg34",
124         "wifiDownloadLimitInMB": 232,
125         "preferredCategories": [
126             "UserAppCat",
127             "lottery",
128             "mad",
129             "dog"
130         ],
131         "autoSaveCard": null,
132         "autoAddHomeIcon": null,
133         "receiveUpdateNotifications": null,
134         "receiveAutoUpdatedNotifications": null,
135         "receiveRecommendationNotifications": null
136     },
137     "verified": true,
138     "pinResetDate": null,
139     "testUser": null
140 }
141 ],
142 "detail": null,
143 "error": false,
144 "message": "Fetching blocked users successful"
145 }

```



**GET**

## Fetch all Blocked Users Payment Info

### Description

Fetches all blocked users payment info.

### Request Endpoint

GET <https://<Example api server address>/admin/blocked/userpaymentinfo>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/blocked/userpaymentinfo'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "14120512-8f45-4bb7-b6f8-49c7a2d2f4ae",  
5 |       "updatedBy": "",  
6 |       "addedOn": null,  
7 |       "defaultPaymentInfo": true,  
8 |       "fullName": "Nagarkar Soumya",  
9 |       "issuingAuthority": "Visa",  
10 |      "lastUsedOn": 1455690558521,  
11 |      "nickName": "Vishwas S",  
12 |      "paymentInfoStatus": "BLOCKED",  
13 |      "paymentProvider": null,  
14 |      "paymentType": "CREDITCARD",  
15 |      "providerPaymentId": "c020757b-adb0-4754-adab-fccd0610eb4f",  
16 |      "providerPaymentNumber": "2006",  
17 |      "paymentAddress": null,  
18 |      "providerToken": "100000000000043"  
19 |     },  
20 |     {  
21 |       "id": "14120512-8f45-4bb7-b6f8-49c7a2d2f4af",  
22 |       "updatedBy": "",  
23 |       "addedOn": null,  
24 |       "defaultPaymentInfo": false,  
25 |       "fullName": "Nagarkar Soumya",  
26 |       "issuingAuthority": "ICIC",  
27 |       "lastUsedOn": 1455690558521,  
28 |       "nickName": "SRN",  
29 |       "paymentInfoStatus": "BLOCKED",  
30 |       "paymentProvider": null,  
31 |       "paymentType": "DEBITCARD",  
32 |       "providerPaymentId": "c020757b-adb0-4754-adab-fccd0610eb4f",  
33 |       "providerPaymentNumber": "2353",  
34 |       "paymentAddress": null,  
35 |       "providerToken": null  
36 |     }  
37 |   ],  
38 |   "detail": null,
```

json

```
39 | "error": false,  
40 | "message": "Fetching blocked user payment info successful"  
41 | }
```

**GET****Fetch Used Promocode Info****Description**

Returns a list of promocodes that have already been used by the user. It supports pagination.

**Request Endpoint**

GET <https://<Example api server address>/admin/used/promocode>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/used/promocode'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "65e6d7ca-c765-4e32-9679-223d254c3116",  
5 |       "updatedBy": "",  
6 |       "application": {  
7 |         "id": "cbab1a87-243a-4319-8ae4-e93ca5cc3f6f",  
8 |         "updatedBy": "",  
9 |         "appPackage": null,  
10 |        "banner": null,  
11 |        "bundleIdentifier": "bundle123",  
12 |        "casino": {  
13 |          "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",  
14 |          "updatedBy": "",  
15 |          "imageUrl": "UserAppCas",  
16 |          "name": "UserAppCas",  
17 |          "videoUrl": "UserAppCas"  
18 |        },  
19 |        "casinoId": null,  
20 |        "categories": null,  
21 |        "categoryIds": null,  
22 |        "description": null,  
23 |        "downloads": null,  
24 |        "featured": null,  
25 |        "versionHistories": null,  
26 |        "image": null,  
27 |        "keywords": null,  
28 |        "latestBuild": null,  
29 |        "latestVersion": null,  
30 |        "name": "Useful",  
31 |        "order": null,  
32 |        "paragraph1": null,  
33 |        "paragraph2": null,  
34 |        "paragraph3": null,  
35 |        "paragraph4": null,  
36 |        "presetPriceList": null,  
37 |        "price": null,  
38 |        "publisher": null,  
39 |      }  
40 |     ]  
41 |   }  
42 | }
```

json

```
39     "ranking": null,
40     "rating": null,
41     "sliderImages": null,
42     "subtitle": null,
43     "updated": null,
44     "video": null,
45     "status": null,
46     "downloadLink": null,
47     "compatibility": null,
48     "sizeOnDisk": null,
49     "permissionDetails": null,
50     "locationSupported": null,
51     "languageSupported": null,
52     "additionalDetails": null,
53     "tags": [
54         "live",
55         "dong",
56         "bing"
57     ],
58     "promotionalBonus": 20.45
59 },
60 "promoCode": "PROMO123",
61 "amount": 30.25,
62 "validity": 1458432000000,
63 "expired": true,
64 "applicationId": null,
65 "usedOn": 1460875915778
66 }
67 ],
68 "detail": null,
69 "error": false,
70 "message": "Fetching used promocode details successful"
71 }
```

## POST Fetching Tagged Application

### Description

Fetches a tagged application.

### Request Endpoint

POST `https://<Example api server address>/admin/app/by/{tag}`

### Parameters

Parameter	Type	Use	Description
tag	String	Required	An application's tag.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"categoryId\" : \"d236c555-4308-4371-aca7-f01118b46ebb\"  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/admin/app/by/tag'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
categoryId	String	Optional	UUID of the category.

### POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "categoryId": "d236c555-4308-4371-aca7-f01118b46ebb"  
3 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     "data": [  
3 |         {  
4 |             "id": "221ae573-813c-4f96-a89f-26397fa8781b",  
5 |             "updatedBy": "",  
6 |             "appPackage": "appPac",  
7 |             "banner": "banner",  
8 |             "bundleIdentifier": "ewedg43t34",  
9 |             "casino": {  
10 |                 "id": "002e9474-7086-42c0-bf7c-13264d082ea6",  
11 |                 "updatedBy": "",  
12 |                 "imageUrl": "www.app.com",  
13 |                 "name": "AppCasino",
```

json

```
14     "videoUrl": "www.abc.com"
15 },
16 "casinoId": null,
17 "category": {
18     "id": "d236c555-4308-4371-aca7-f01118b46ebb",
19     "updatedBy": "",
20     "imageUrl": "http://www.gmail.com",
21     "name": "Doodlebug",
22     "videoUrl": "http://www.facebook.com"
23 },
24 "categoryId": null,
25 "description": "description about application 1",
26 "downloads": 4646,
27 "featured": null,
28 "gameAppVersions": [
29     {
30         "build": 18,
31         "version": "v0.3",
32         "versionDate": 1459411315203
33     }
34 ],
35 "image": "www.google.com",
36 "keywords": [
37     "key1",
38     "key2",
39     "key3",
40     "key4",
41     "key5"
42 ],
43 "latestBuild": 18,
44 "latestVersion": "v0.3",
45 "name": "Application",
46 "order": 345,
47 "paragraph1": "1 paragraph",
48 "paragraph2": "2st paragraph",
49 "paragraph3": "3st paragraph",
50 "paragraph4": "4th para",
51 "presetPricelist": null,
52 "price": 3436,
53 "publisher": null,
54 "ranking": 23,
55 "rating": 23523,
56 "sliderImages": [
57     "url 1",
58     "url 2",
59     "url 3"
60 ],
61 "subtitle": "subtitle",
62 "updated": null,
63 "video": "www.youtube.com",
64 "status": "SUBMITTED",
65 "downloadLink": null,
66 "compatibility": "kitkat",
67 "sizeOnDisk": "12MB",
68 "permissionDetails": "You should have kitkat version to run this app",
69 "locationSupported": [
70     "India",
71     "UK"
72 ],
73 "languageSupported": null,
74 "additionalDetails": "This application is very popular",
```

```
75     "tags": [  
76         "tes"  
77     ]  
78 }  
79 ],  
80 "detail": null,  
81 "error": false,  
82 "message": "Fetching tagged application successful"  
83 }
```

**GET****Get All Language Codes****Description**

Gets all language codes.

**Request Endpoint**

GET <https://<Example api server address>/admin/language/codes>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/language/codes'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     "KA",  
4 |     "KA",  
5 |     "dfhgd",  
6 |     "FR",  
7 |     "FR"  
8 |   ],  
9 |   "detail": null,  
10 |  "error": false,  
11 |  "message": "Fetching language codes successful"  
12 | }
```

json



**GET**

## Get All Language Names

### Description

Gets all language names.

### Request Endpoint

GET <https://<Example api server address>/admin/language/names>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/language/names'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     "Kannada",  
4 |     "Kannada",  
5 |     "hsfdffdjd",  
6 |     "hindi"  
7 |   ],  
8 |   "detail": null,  
9 |   "error": false,  
10 |  "message": "Fetching language names successful "  
11 | }
```

json

**GET****Get All Location Codes****Description**

Gets all location codes.

**Request Endpoint**

GET <https://<Example api server address>/admin/location/codes>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/location/codes'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     "dfhgd",  
4 |     "BR"  
5 |   ],  
6 |   "detail": null,  
7 |   "error": false,  
8 |   "message": "Fetching location codes successful"  
9 | }
```

json

**GET****Get All Location Names****Description**

Gets all location names.

**Request Endpoint**

GET <https://<Example api server address>/admin/location/names>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/location/names'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     "hsfdffdjd",  
4 |     "Italy"  
5 |   ],  
6 |   "detail": null,  
7 |   "error": false,  
8 |   "message": "Fetching location names successful"  
9 | }
```

json

**GET**

## Get All Promo Code Information

### Description

Allows an Admin to fetch multiple promo code information for an application at once.

### Request Endpoint

GET <https://<Example api server address>/admin/promocode>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/promocode'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "a0af7c03-dd91-4f71-b156-1c173149e745",  
5 |       "updatedBy": "",  
6 |       "application": {  
7 |         "id": "0e358e8e-4f2f-4c67-affb-ccbd5847eb14",  
8 |         "updatedBy": "",  
9 |         "appPackage": "appPac",  
10 |        "banner": "banner",  
11 |        "bundleIdentifier": "app.123",  
12 |        "casino": null,  
13 |        "casinoId": null,  
14 |        "category": null,  
15 |        "categoryId": null,  
16 |        "description": "description about application 1",  
17 |        "downloads": 4649,  
18 |        "featured": true,  
19 |        "gameAppVersions": [  
20 |          {  
21 |            "build": 19,  
22 |            "version": "v0.6",  
23 |            "versionDate": 1455772929680  
24 |          },  
25 |          {  
26 |            "build": 191,  
27 |            "version": "v1.1",  
28 |            "versionDate": 1455772969943  
29 |          }  
30 |        ],  
31 |        "image": "www.google.com",  
32 |        "keywords": [  
33 |          "key1",  
34 |          "key2",  
35 |          "key3",  
36 |          "key4",  
37 |          "key5"  
38 |        ],  
39 |      }  
40 |     ]  
41 |   }  
42 | }
```

json

```

39     "latestBuild": 191,
40     "latestVersion": "v1.1",
41     "name": "Eden",
42     "order": 345,
43     "paragraph1": "1 paragraph",
44     "paragraph2": "2st paragraph",
45     "paragraph3": "3st paragraph",
46     "paragraph4": "4th para",
47     "presetPriceList": [
48         20,
49         25,
50         15,
51         30
52     ],
53     "price": 3436,
54     "publisher": null,
55     "ranking": 23,
56     "rating": 23523,
57     "sliderImages": [
58         "url 1",
59         "url 2",
60         "url 3"
61     ],
62     "subtitle": "subtitle",
63     "updated": 1455181600352,
64     "video": "www.youtube.com",
65     "status": null,
66     "downloadLink": null
67 },
68 "promoCode": "BZRP82",
69 "amount": 30,
70 "validity": null,
71 "expired": false,
72 "applicationId": null
73 },
74 {
75     "id": "72742c47-be57-4931-9b0f-cd642aa683e2",
76     "updatedBy": "",
77     "application": {
78         "id": "28c10107-298d-499d-8d6c-e1d138782179",
79         "updatedBy": "",
80         "appPackage": "appPac",
81         "banner": "banner",
82         "bundleIdentifier": "qwe",
83         "casino": {
84             "id": "7a8d9f34-64d3-4641-9d66-63ad85768dd2",
85             "updatedBy": "",
86             "imageUrl": "http://www.google.com",
87             "name": "SRS",
88             "videoUrl": "http://www.facebook.com"
89         },
90         "casinoId": null,
91         "category": {
92             "id": "b8ed89e5-c5cd-4700-9a79-4e6e9b68bb29",
93             "updatedBy": "",
94             "imageUrl": "www.google.com",
95             "name": "OceanLander",
96             "videoUrl": "www.youtube.com"
97         },
98         "categoryId": null,
99         "description": "description about application 1",

```

```

100     "downloads": 4646,
101     "featured": null,
102     "gameAppVersions": [
103         {
104             "build": 18,
105             "version": "v0.3",
106             "versionDate": 1455774460972
107         },
108         {
109             "build": 191,
110             "version": "v1.1",
111             "versionDate": 1455774508678
112         },
113         {
114             "build": 299,
115             "version": "v1.6",
116             "versionDate": 1455774544665
117         }
118     ],
119     "image": "www.google.com",
120     "keywords": [
121         "key1",
122         "key2",
123         "key3",
124         "key4",
125         "key5"
126     ],
127     "latestBuild": 299,
128     "latestVersion": "v1.6",
129     "name": "App 1.1 Version Earth Edit",
130     "order": 345,
131     "paragraph1": "1 paragraph",
132     "paragraph2": "2st paragraph",
133     "paragraph3": "3st paragraph",
134     "paragraph4": "4th para",
135     "presetPriceList": null,
136     "price": 3436,
137     "publisher": null,
138     "ranking": 23,
139     "rating": 23523,
140     "sliderImages": [
141         "url 1",
142         "url 2",
143         "url 3"
144     ],
145     "subtitle": "subtitle",
146     "updated": null,
147     "video": "www.youtube.com",
148     "status": null,
149     "downloadLink": null
150 },
151     "promoCode": "BRP082",
152     "amount": 45,
153     "validity": null,
154     "expired": false,
155     "applicationId": null
156 }
157 ]
158 "detail": null,
159 "error": false,
160

```

```
161 | "message": "Fetched all promo code info successfully"  
    | }
```

## GET

## Get Languages

### Description

Gets a language.

### Request Endpoint

GET <https://<Example api server address>/admin/language>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/language'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "a4b9bbe2-ef30-4418-8a39-1b6debd78068",  
5 |       "updatedBy": "",  
6 |       "language": "Kannada",  
7 |       "code": "KA"  
8 |     },  
9 |     {  
10 |      "id": "30810966-9800-4ada-b498-a05a5062891d",  
11 |      "updatedBy": "",  
12 |      "language": "Kannada",  
13 |      "code": "KA"  
14 |    },  
15 |    {  
16 |      "id": "a5fa28b1-5dc3-4d25-8e3a-bc6c98e7d7a6",  
17 |      "updatedBy": "",  
18 |      "language": "hsfdfffdjd",  
19 |      "code": "dfhgd"  
20 |    },  
21 |    {  
22 |      "id": "4b7573b8-46eb-4cab-aae5-6b0269712ad0",  
23 |      "updatedBy": "",  
24 |      "language": "hindi",  
25 |      "code": "FR"  
26 |    }  
27 |  ],  
28 |  "detail": null,  
29 |  "error": false,  
30 |  "message": "Fetching language info successful"  
31 | }
```

json



**GET**

## Get List Of Blacklisted Users

### Description

Returns list of blacklisted users.

### Request Endpoint

GET <https://<Example api server address>/admin/blacklist?offset=0&limit=100>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/blacklist?offset=0&limit=100'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "error": false,  
3 |   "message": "Fetching blacklist users successful",  
4 |   "detail": null,  
5 |   "data": {  
6 |     "content": [  
7 |       {  
8 |         "id": "d6141c5a-5b15-4795-a3cf-56f443ae7b28",  
9 |         "updatedAt": "",  
10 |        "firstName": "Shruti",  
11 |        "lastName": "Nagarkar",  
12 |        "fullName": "Shruti Nagarkar",  
13 |        "profileName": "ShrutiN",  
14 |        "registrationDate": 1452598336325,  
15 |        "birthDateDay": 15,  
16 |        "birthDateMonth": 9,  
17 |        "birthDateYear": 1991,  
18 |        "locationCountry": "India",  
19 |        "locationZipCode": "581320",  
20 |        "timezone": "IST",  
21 |        "profileImagePath": "www.google.com",  
22 |        "userSetting": {  
23 |          "autoUpdateBetcadeApp": true,  
24 |          "autoUpdateDownloadedApps": false,  
25 |          "userEmailProvided": false,  
26 |          "monthlyDepositMaxLimit": null,  
27 |          "monthlyDepositMaxLimitCurrency": "USD",  
28 |          "wifiDownloadLimitInMB": 23,  
29 |          "prefillUserInfoInCasino": true,  
30 |          "versionOfDownloadedBetcadeApp": null,  
31 |          "receiveEmailReceipt": null,  
32 |          "receiveNotifications": null,  
33 |          "shareRegistrationInfo": true  
34 |        },  
35 |        "socialAuthenticationChannels": [  
36 |          {  
37 |            "loginType": "FACEBOOK",  
38 |            "socialId": "social12345",
```

json

```
39         "addedOn": 1452598336349,
40         "lastUsedOn": 1452598336349,
41         "deletedOn": null
42     }
43 ],
44 "emailAuthenticationChannels": [
45     {
46         "loginType": "EMAIL",
47         "primary": null,
48         "emailAddress": "rn.shruti@gmail.com",
49         "emailVerificationStatus": "VERIFIED",
50         "emailPinResetStatus": null,
51         "addedOn": 1452598336349,
52         "lastUsedOn": 1452598336349,
53         "deletedOn": null
54     }
55 ],
56 "mobileAuthenticationChannels": [
57     {
58         "loginType": "MOBILE",
59         "primary": false,
60         "mobileNumber": "+918050022027",
61         "mobileVerificationStatus": "VERIFIED",
62         "mobilePinResetStatus": null,
63         "addedOn": 1452598336349,
64         "lastUsedOn": 1452598336349,
65         "deletedOn": null
66     }
67 ],
68 "addresses": [
69     {
70         "id": "f378d8ea-b112-4cc9-95e1-6ffa2c9be48b",
71         "updatedAt": "",
72         "street1": "Wilson garden",
73         "street2": null,
74         "street3": null,
75         "city": "Bangalore",
76         "state": null,
77         "county": null,
78         "postal": "560073",
79         "country": null,
80         "addressType": "HOME"
81     },
82     {
83         "id": "789ddb6c-0999-4b07-8221-4bb1c4f9f933",
84         "updatedAt": "",
85         "street1": "Wilson garden",
86         "street2": null,
87         "street3": null,
88         "city": "Bangalore",
89         "state": null,
90         "county": null,
91         "postal": "560073",
92         "country": null,
93         "addressType": "HOME"
94     }
95 ],
96 "status": "EXISTING",
97 "verified": true,
98 "blockStatus": "BLACKLIST",
99 "pinCreated": true,
```

```
100     "reasonForDeleting": null,
101     "lastWrongPinAttemptTime": null,
102     "blockedMinutes": 0,
103     "userBlockedNumber": 0,
104     "userBlockedTime": null
105   }
106 ],
107 "last": true,
108 "totalElements": 1,
109 "totalPages": 1,
110 "size": 50,
111 "number": 0,
112 "sort": null,
113 "first": true,
114 "numberOfElements": 1
115 }
116 }
```

**GET****Get Locations****Description**

Gets location information.

**Request Endpoint**

GET <https://<Example api server address>/admin/location>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/location'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "5706575e554a53f669b2328b",  
5 |       "updatedBy": "",  
6 |       "location": "hsfdffdjd",  
7 |       "code": "dfhgd"  
8 |     },  
9 |     {  
10 |      "id": "dc8cbf9f-5edd-4625-a7ad-9dd38937449a",  
11 |      "updatedBy": "",  
12 |      "location": "Italy",  
13 |      "code": "BR"  
14 |    }  
15 |  ],  
16 |  "detail": null,  
17 |  "error": false,  
18 |  "message": "Fetching locations info successful"  
19 | }
```

json

**GET****Get Promo Code Information by ID****Description**

Allows an Admin to get promo code information based on promoCodeInfoId.

**Request Endpoint**

GET <https://<Example api server address>/admin/promocode/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	Unique id of a

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/promocode/id'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "6179009a-849a-44e3-acde-d645954bade1",  
4 |     "updatedBy": "",  
5 |     "application": {  
6 |       "id": "cbab1a87-243a-4319-8ae4-e93ca5cc3f6f",  
7 |       "updatedBy": "",  
8 |       "appPackage": null,  
9 |       "banner": null,  
10 |      "bundleIdentifier": "bundle123",  
11 |      "casino": {  
12 |        "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",  
13 |        "updatedBy": "",  
14 |        "imageUrl": "UserAppCas",  
15 |        "name": "UserAppCas",  
16 |        "videoUrl": "UserAppCas"  
17 |      },  
18 |      "casinoId": null,  
19 |      "category": {  
20 |        "id": "5a1e1b8b-db12-4f64-a6ae-85cf1c6dbc90",  
21 |        "updatedBy": "",  
22 |        "imageUrl": "UserAppCat",  
23 |        "name": "UserAppCat",  
24 |        "videoUrl": "UserAppCat"  
25 |      },  
26 |      "categoryId": null,  
27 |      "description": null,  
28 |      "downloads": null,  
29 |      "featured": null,  
30 |      "gameAppVersions": null,  
31 |      "image": null,  
32 |      "keywords": null,  
33 |      "latestBuild": null,  
34 |      "latestVersion": null,  
35 |    }  
36 |   }  
37 | }
```

json

```
35     "name": "Useful",
36     "order": null,
37     "paragraph1": null,
38     "paragraph2": null,
39     "paragraph3": null,
40     "paragraph4": null,
41     "presetPriceList": null,
42     "price": null,
43     "publisher": null,
44     "ranking": null,
45     "rating": null,
46     "sliderImages": null,
47     "subtitle": null,
48     "updated": null,
49     "video": null,
50     "status": null,
51     "downloadLink": null
52 },
53     "promoCode": "PC1234",
54     "amount": 10.25,
55     "validity": null,
56     "expired": false,
57     "applicationId": null
58 },
59     "detail": null,
60     "error": false,
61     "message": "Fetching promo code info successful"
62 }
```

## Description

Allows an Admin to get promo code information based on an applicationId.

## Request Endpoint

GET <https://<Example api server address>/admin/promocode/by/app/{applicationid}>

## Parameters

Parameter	Type	Use	Description
applicationid	String	Required	A unique id of an application.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/promocode/by/app/applicationid'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "6179009a-849a-44e3-acde-d645954bade1",  
4 |     "updatedBy": "",  
5 |     "application": {  
6 |       "id": "cbab1a87-243a-4319-8ae4-e93ca5cc3f6f",  
7 |       "updatedBy": "",  
8 |       "appPackage": null,  
9 |       "banner": null,  
10 |      "bundleIdentifier": "bundle123",  
11 |      "casino": {  
12 |        "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",  
13 |        "updatedBy": "",  
14 |        "imageUrl": "UserAppCas",  
15 |        "name": "UserAppCas",  
16 |        "videoUrl": "UserAppCas"  
17 |      },  
18 |      "casinoId": null,  
19 |      "category": {  
20 |        "id": "5a1e1b8b-db12-4f64-a6ae-85cf1c6dbc90",  
21 |        "updatedBy": "",  
22 |        "imageUrl": "UserAppCat",  
23 |        "name": "UserAppCat",  
24 |        "videoUrl": "UserAppCat"  
25 |      },  
26 |      "categoryId": null,  
27 |      "description": null,  
28 |      "downloads": null,  
29 |      "featured": null,  
30 |      "gameAppVersions": null,  
31 |      "image": null,  
32 |      "keywords": null,  
33 |      "latestBuild": null,  
34 |      "latestVersion": null,
```

json

```
35     "name": "Useful",
36     "order": null,
37     "paragraph1": null,
38     "paragraph2": null,
39     "paragraph3": null,
40     "paragraph4": null,
41     "presetPriceList": null,
42     "price": null,
43     "publisher": null,
44     "ranking": null,
45     "rating": null,
46     "sliderImages": null,
47     "subtitle": null,
48     "updated": null,
49     "video": null,
50     "status": null,
51     "downloadLink": null
52 },
53     "promoCode": "PC1234",
54     "amount": 10.25,
55     "validity": null,
56     "expired": false,
57     "applicationId": null
58 },
59     "detail": null,
60     "error": false,
61     "message": "Fetching promo code info successful"
62 }
```



**GET**

## Get Promo Code Information by Promo Code

### Description

Allows an Admin to get promo code information based on a promoCode.

### Request Endpoint

GET <https://<Example api server address>/admin/promocode/by/{promocode}>

### Parameters

Parameter	Type	Use	Description
promocode	String	Required	A unique promo code.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/promocode/by/promocode'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "6179009a-849a-44e3-acde-d645954bade1",  
4 |     "updatedBy": "",  
5 |     "application": {  
6 |       "id": "cbab1a87-243a-4319-8ae4-e93ca5cc3f6f",  
7 |       "updatedBy": "",  
8 |       "appPackage": null,  
9 |       "banner": null,  
10 |      "bundleIdentifier": "bundle123",  
11 |      "casino": {  
12 |        "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",  
13 |        "updatedBy": "",  
14 |        "imageUrl": "UserAppCas",  
15 |        "name": "UserAppCas",  
16 |        "videoUrl": "UserAppCas"  
17 |      },  
18 |      "casinoId": null,  
19 |      "category": {  
20 |        "id": "5a1e1b8b-db12-4f64-a6ae-85cf1c6dbc90",  
21 |        "updatedBy": "",  
22 |        "imageUrl": "UserAppCat",  
23 |        "name": "UserAppCat",  
24 |        "videoUrl": "UserAppCat"  
25 |      },  
26 |      "categoryId": null,  
27 |      "description": null,  
28 |      "downloads": null,  
29 |      "featured": null,  
30 |      "gameAppVersions": null,  
31 |      "image": null,  
32 |      "keywords": null,  
33 |      "latestBuild": null,  
34 |      "latestVersion": null,
```

json

```
35     "name": "Useful",
36     "order": null,
37     "paragraph1": null,
38     "paragraph2": null,
39     "paragraph3": null,
40     "paragraph4": null,
41     "presetPriceList": null,
42     "price": null,
43     "publisher": null,
44     "ranking": null,
45     "rating": null,
46     "sliderImages": null,
47     "subtitle": null,
48     "updated": null,
49     "video": null,
50     "status": null,
51     "downloadLink": null
52 },
53     "promoCode": "PC1234",
54     "amount": 10.25,
55     "validity": null,
56     "expired": false,
57     "applicationId": null
58 },
59     "detail": null,
60     "error": false,
61     "message": "Fetching promo code info successful"
62 }
```

**GET**

## Get Promo Code Information by Promo Code and Application ID

### Description

Allows an Admin to get promo code information based on promoCode and unique application id.

### Request Endpoint

GET <https://<Example api server address>/admin/promocode/{promocode}/by/app/{applicationid}>

### Parameters

Parameter	Type	Use	Description
promocode	String	Required	A unique promo code.
applicationid	String	Required	A unique application id.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/promocode/promocode/by/app/applicationid'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "6179009a-849a-44e3-acde-d645954bade1",  
4 |     "updatedBy": "",  
5 |     "application": {  
6 |       "id": "cbab1a87-243a-4319-8ae4-e93ca5cc3f6f",  
7 |       "updatedBy": "",  
8 |       "appPackage": null,  
9 |       "banner": null,  
10 |      "bundleIdentifier": "bundle123",  
11 |      "casino": {  
12 |        "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",  
13 |        "updatedBy": "",  
14 |        "imageUrl": "UserAppCas",  
15 |        "name": "UserAppCas",  
16 |        "videoUrl": "UserAppCas"  
17 |      },  
18 |      "casinoId": null,  
19 |      "category": {  
20 |        "id": "5a1e1b8b-db12-4f64-a6ae-85cf1c6dbc90",  
21 |        "updatedBy": "",  
22 |        "imageUrl": "UserAppCat",  
23 |        "name": "UserAppCat",  
24 |        "videoUrl": "UserAppCat"  
25 |      },  
26 |      "categoryId": null,  
27 |      "description": null,  
28 |      "downloads": null,  
29 |      "featured": null,  
30 |      "gameAppVersions": null,  
31 |      "image": null,  
32 |      "keywords": null,  
33 |    }  
34 |   }  
35 | }
```

json

```
33     "latestBuild": null,
34     "latestVersion": null,
35     "name": "Useful",
36     "order": null,
37     "paragraph1": null,
38     "paragraph2": null,
39     "paragraph3": null,
40     "paragraph4": null,
41     "presetPriceList": null,
42     "price": null,
43     "publisher": null,
44     "ranking": null,
45     "rating": null,
46     "sliderImages": null,
47     "subtitle": null,
48     "updated": null,
49     "video": null,
50     "status": null,
51     "downloadLink": null
52 },
53     "promoCode": "PC1234",
54     "amount": 10.25,
55     "validity": null,
56     "expired": false,
57     "applicationId": null
58 },
59     "detail": null,
60     "error": false,
61     "message": "Fetching promo code info successful"
62 }
```

## POST Get Starter Pack Applications

### Description

An Admin can fetch a set of applications as a starter pack based on the values sent.

- If `userId` is passed, applications based on `preferredCategory` and `starter` (tag) will be returned.
- If `categoryId` is passed, applications based on `category` and `starter` (tag) will be returned.
- If none is passed, or if no data is found based on the above scenario, applications which are tagged as top will be returned.

### Request Endpoint

POST `https://<Example api server address>/admin/app/starter/pack`

### Parameters

None.

### cURL syntax

```
1 | curl --include \
2 |     --request POST \
3 |     --header "Content-Type: application/json" \
4 |     --data-binary "{
5 |     \"userId\" : \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",
6 |     \"categoryId\" : \"5a1e1b8b-db12-4f64-a6ae-85cf1c6dbc90\"
7 | }" \
8 | 'https://core.dev.Example.net/api/admin/app/starter/pack'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
<code>userId</code>	String	Optional	UUID of a user.
<code>categoryId</code>	String	Optional	UUID of a category.

### POST body

```
Headers: Content-Type: application/json
```

https

```
1 | {
2 |   \"userId\": \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",
3 |   \"categoryId\": \"5a1e1b8b-db12-4f64-a6ae-85cf1c6dbc90\"
4 | }
```

json

### Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {
2 |   \"data\": [
3 |     {
4 |       \"id\": \"52cf7331-01ee-4452-a2c7-4bca40c4abe1\",
5 |       \"updatedBy\": \"\",
```

json

```

6   "appPackage": "appPac",
7   "banner": "banner",
8   "bundleIdentifier": "ewedg43t34",
9   "casino": {
10    "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",
11    "updatedAt": "",
12    "imageUrl": "UserAppCas",
13    "name": "UserAppCas",
14    "videoUrl": "UserAppCas"
15  },
16  "casinoId": null,
17  "category": {
18    "id": "ebc1ed80-fae8-4201-8a2f-c79ada095d7f",
19    "updatedAt": "",
20    "imageUrl": "www.google.com",
21    "name": "categoryName",
22    "videoUrl": "www.youtube.com"
23  },
24  "categoryId": null,
25  "description": "description about application 1",
26  "downloads": 4646,
27  "featured": null,
28  "gameAppVersions": [
29    {
30      "build": 18,
31      "version": "v0.3",
32      "versionDate": 1459231629908
33    }
34  ],
35  "image": "www.google.com",
36  "keywords": [
37    "key1",
38    "key2",
39    "key3",
40    "key4",
41    "key5"
42  ],
43  "latestBuild": 18,
44  "latestVersion": "v0.3",
45  "name": "Applicat",
46  "order": 345,
47  "paragraph1": "1 paragraph",
48  "paragraph2": "2st paragraph",
49  "paragraph3": "3st paragraph",
50  "paragraph4": "4th para",
51  "presetPricelist": null,
52  "price": 3436,
53  "publisher": null,
54  "ranking": 23,
55  "rating": 23523,
56  "sliderImages": [
57    "url 1",
58    "url 2",
59    "url 3"
60  ],
61  "subtitle": "subtitle",
62  "updated": null,
63  "video": "www.youtube.com",
64  "status": "SUBMITTED",
65  "downloadLink": null,
66  "compatibility": "kitkat",

```

```
67     "sizeOnDisk": "12MB",
68     "permissionDetails": "You should have kitkat version to run this app",
69     "locationSupported": [
70         "India",
71         "UK"
72     ],
73     "languageSupported": null,
74     "additionalDetails": "This application is very popular",
75     "tags": [
76         "Top"
77     ]
78     }
79 ],
80 "detail": null,
81 "error": false,
82 "message": "Fetching Starter pack applications successful"
83 }
```

**PUT****Set Tags for Application****Description**

Sets tags for an application.

**Request Endpoint**

PUT <https://<Example api server address>/admin/app/tag>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |     \"applications\" : [\"a6fc30e1-41c3-462b-9109-f48d2945d5fd\"],  
6 |     \"tags\" : [\"live\", \"featured\"]  
7 | }" \  
8 | 'https://core.dev.Example.net/api/admin/app/tag'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
applications	Array	Required	UUID of the application.
tags	Array	Required	Any string can be passed, for example: popular, featured, live.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "applications": [  
3 |     "a6fc30e1-41c3-462b-9109-f48d2945d5fd"  
4 |   ],  
5 |   "tags": [  
6 |     "live",  
7 |     "featured"  
8 |   ]  
9 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "a6fc30e1-41c3-462b-9109-f48d2945d5fd",  
5 |       "updatedBy": "",  
6 |       "appPackage": "appPac",  
7 |       "banner": "banner",  
8 |       "bundleIdentifier": "e43t34",  
9 |       "casino": {
```

json



```

10     "id": "d07de3bd-f1f2-48c9-b880-97c8649ced97",
11     "updatedBy": "",
12     "imageUrl": "UserAppCas1",
13     "name": "UserAppCas1",
14     "videoUrl": "UserAppCas1"
15 },
16 "casinoId": null,
17 "category": {
18     "id": "5a1e1b8b-db12-4f64-a6ae-85cf1c6dbc90",
19     "updatedBy": "",
20     "imageUrl": "UserAppCat",
21     "name": "UserAppCat",
22     "videoUrl": "UserAppCat"
23 },
24 "categoryId": null,
25 "description": "description about application 1",
26 "downloads": 4646,
27 "featured": null,
28 "gameAppVersions": [
29     {
30         "build": 18,
31         "version": "v0.3",
32         "versionDate": 1459411655124
33     }
34 ],
35 "image": "www.google.com",
36 "keywords": [
37     "key1",
38     "key2",
39     "key3",
40     "key4",
41     "key5"
42 ],
43 "latestBuild": 18,
44 "latestVersion": "v0.3",
45 "name": "Application",
46 "order": 345,
47 "paragraph1": "1 paragraph",
48 "paragraph2": "2st paragraph",
49 "paragraph3": "3st paragraph",
50 "paragraph4": "4th para",
51 "presetPricelist": null,
52 "price": 3436,
53 "publisher": null,
54 "ranking": 23,
55 "rating": 23523,
56 "sliderImages": [
57     "url 1",
58     "url 2",
59     "url 3"
60 ],
61 "subtitle": "subtitle",
62 "updated": null,
63 "video": "www.youtube.com",
64 "status": "SUBMITTED",
65 "downloadLink": null,
66 "compatibility": "kitkat",
67 "sizeOnDisk": "12MB",
68 "permissionDetails": "You should have kitkat version to run this app",
69 "locationSupported": [
70     "India",

```

```
71     "UK"
72   ],
73   "languageSupported": null,
74   "additionalDetails": "This application is very popular",
75   "tags": [
76     "live",
77     "featured"
78   ]
79 }
80 ],
81 "detail": null,
82 "error": false,
83 "message": "Application is tagged successfully"
84 }
```

**PUT****Update Promo Code****Description**

Allows an Admin to update Promo code.

**Request Endpoint**

PUT <https://<Example api server address>/admin/promocode/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Optional	Unique id of promo code info.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |     \"amount\" : 32.65,  
6 |     \"validity\" : \"2016-03-29\",  
7 |     \"expired\" : false  
8 | }" \  
9 | 'https://core.dev.Example.net/api/admin/id/promocode'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
amount	String	Required	Double value you want to set for a promo code.
validity	String	Optional	Date when the promo code expires.
expired	String	Optional	Boolean value saying it is expired or not.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "amount": 32.65,  
3 |   "validity": "2016-03-29",  
4 |   "expired": false  
5 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "6179009a-849a-44e3-acde-d645954bade1",  
4 |     "updatedBy": "",  
5 |     "application": {  
6 |       "id": "cbab1a87-243a-4319-8ae4-e93ca5cc3f6f",
```

json

```

7     "updatedBy": "",
8     "appPackage": null,
9     "banner": null,
10    "bundleIdentifier": "bundle123",
11    "casino": {
12        "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",
13        "updatedBy": "",
14        "imageUrl": "UserAppCas",
15        "name": "UserAppCas",
16        "videoUrl": "UserAppCas"
17    },
18    "casinoId": null,
19    "category": {
20        "id": "5a1e1b8b-db12-4f64-a6ae-85cf1c6dbc90",
21        "updatedBy": "",
22        "imageUrl": "UserAppCat",
23        "name": "UserAppCat",
24        "videoUrl": "UserAppCat"
25    },
26    "categoryId": null,
27    "description": null,
28    "downloads": null,
29    "featured": null,
30    "gameAppVersions": null,
31    "image": null,
32    "keywords": null,
33    "latestBuild": null,
34    "latestVersion": null,
35    "name": "Useful",
36    "order": null,
37    "paragraph1": null,
38    "paragraph2": null,
39    "paragraph3": null,
40    "paragraph4": null,
41    "presetPricelist": null,
42    "price": null,
43    "publisher": null,
44    "ranking": null,
45    "rating": null,
46    "sliderImages": null,
47    "subtitle": null,
48    "updated": null,
49    "video": null,
50    "status": null,
51    "downloadLink": null
52    },
53    "promoCode": "PC1234",
54    "amount": 32.65,
55    "validity": 1459209600000,
56    "expired": false,
57    "applicationId": null
58    },
59    "detail": null,
60    "error": false,
61    "message": "Updated promo code info successfully"
62 }

```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Admin User Functionalities APIs

#### POST Add Payment Options (Create)

##### Description

Creates a userPaymentOptions record in the Core Service.

##### Request Endpoint

POST <https://<Example api server address>/admin/paymentoption>

##### Parameters

None.

##### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"name\": \"PYZFEEIGNZ\",  
6 |         \"countries\": [  
7 |             \"India\",  
8 |             \"USA\",  
9 |             \"England\"  
10 |         ],  
11 |         \"logo\": \"logoimage\"  
12 |     }" \  
13 | 'https://core.dev.Example.net/api/admin/paymentoption'
```

curl

##### POST body attributes (JSON)

Attribute	Type	Use	Description
name	String	Required	Payment method name.
countries	Array	Optional	An array of country names.
logo	String	Optional	Logo image name of payment method.

##### POST body

Headers: Content-Type: application/json

```
1 | {  
2 |     "name": "PYZFEEIGNZ",  
3 |     "countries": [  
4 |         "India",  
5 |         "USA",  
6 |         "England"  
7 |     ]  
8 | }
```

json

```
4 |     "India",
5 |     "USA",
6 |     "England"
7 | ],
8 | "logo": "logoimagenname"
9 | }
```

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {
2 |   "name": "PYZfEE1GNZ",
3 |   "countries": [{
4 |     "data": {
5 |       "id": "3ed17309-945d-4e7d-bf5a-a3832007b303",
6 |       "deleted": false,
7 |       "name": "PYZfEE1GNZ",
8 |       "countries": [
9 |         "India",
10 |        "USA",
11 |        "England"
12 |      ],
13 |      "logo": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/logoimagenname",
14 |      "enabled": true
15 |    },
16 |    "detail": null,
17 |    "error": false,
18 |    "message": "Adding payment options successful."
19 |  }
20 |   "India",
21 |   "USA",
22 |   "England"
23 | ],
24 | "logo": "logoimagenname"
25 | }
```

json

## POST Add Payment Provider Gateway

### Description

Adds a new payment provider gateway.

### Request Endpoint

POST <https://<Example api server address>/admin/payment/provider/gateway>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |       \"name\" : \"psp123\",\  
6 |       \"externalId\" : \"EX123\"\  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/admin/payment/provider/gateway'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
name	String	Required	A unique name for a payment provider gateway.
externalId	String	Required	External Id for the payment provider gateway.

### POST body

**Headers:** Content-Type: application/json

```
1 | {\  
2 |   "name": "psp123",\  
3 |   "externalId": "EX123"  
4 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |   "data": {\  
3 |     "id": "5c0d464a-ce3d-408c-858b-ab7fa465d13e",\  
4 |     "deleted": false,  
5 |     "name": "psp123",  
6 |     "externalId": "EX123"  
7 |   },  
8 |   "detail": null,  
9 |   "error": false,  
10 |   "message": "Adding new payment provider gateway successful."  
11 | }
```

json

## POST Add / Reject Transaction Reason

### Description

Adds a new reject reason for a transaction.

### Request Endpoint

POST <https://<Example api server address>/admin/reject/reason>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"reason\" : \"Rejected by casino - Fraud\  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/admin/reject/reason'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
reason	String	Required	Reason for a reject transaction.

### POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "reason": "Rejected by casino - Fraud"  
3 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     "data": {  
3 |         "id": "153fb4ea-96b9-4ec9-b5d9-1f1324d56192",  
4 |         "deleted": false,  
5 |         "reason": "Rejected by casino - Fraud"  
6 |     },  
7 |     "detail": null,  
8 |     "error": false,  
9 |     "message": "Adding reject transaction reason successful."  
10 | }
```

json



**POST****Blacklisting an Existing User****Description**

Blacklists an existing user.

**Request Endpoint**

POST <https://<Example api server address>/admin/user/blacklist>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"userId\" : \"784095a0-1771-4e7a-a3fd-f9335125c0c2\",\  
6 |         \"userStatus\" : \"BLACKLISTED_CS\  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/admin/user/blacklist'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
userId	String	Required	UUID of an existing user.
userStatus	String	Required	Status to blacklist. It can be either "BLACKLISTED", "BLACKLISTED_CS", or "BLACKLISTED_FRAUD".

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "userId": "784095a0-1771-4e7a-a3fd-f9335125c0c2",  
3 |   "userStatus": "BLACKLISTED_CS"  
4 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Blacklisting an User successful."  
6 | }
```

json

**POST****Blacklisting an Existing User Payment Method****Description**

Blacklists an existing user payment method.

**Request Endpoint**

POST <https://<Example api server address>/admin/user/payment/info/blacklist>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |     \"userId\" : \"577e3736-2394-47be-9e3f-29142b4d49fd\",\  
6 |     \"blacklistedPMS\" : [  
7 |         {\  
8 |             \"paymentId\" : \"d6d1daa8-e6fd-43ad-af98-18221dc41632\",\  
9 |             \"status\" : \"BLACKLISTED_CS\"\  
10 |         }\  
11 |     ]\  
12 | }" \  
13 | 'https://core.dev.Example.net/api/admin/user/payment/info/blacklist'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
<b>userId</b>	String	Required	UUID of an existing user.
<b>blacklistPMS</b>	Array	Required	An array of the following objects.
<b>paymentId</b>	String	Optional	UUID of a user payment info.
<b>status</b>	String	Optional	Status to blacklist. It can be either "BLACKLISTED", "BLACKLISTED_CS", or "BLACKLISTED_FRAUD".

**POST body**

**Headers:** Content-Type: application/json

```
1 | {\  
2 |   \"userId\": \"577e3736-2394-47be-9e3f-29142b4d49fd\",\  
3 |   \"blacklistedPMS\": [  
4 |     {\  
5 |       \"paymentId\": \"d6d1daa8-e6fd-43ad-af98-18221dc41632\",\  
6 |       \"status\": \"BLACKLISTED_CS\"\  
7 |     }\  
8 |   ]\  
9 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Blacklisting an User payment method successful."  
6 | }
```

**PUT****Change an Admin User Password****Description**

Changes an admin user password.

**Request Endpoint**

PUT <https://<Example api server address>/admin/user/{id}/password/change>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	uuid of the admin user.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"oldPassword\": \"hello\",  
6 |         \"newPassword\": \"whatever\"  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/admin/user/id/password/change'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
oldPassword	String	Required	The old password.
newPassword	String	Required	The new password.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "oldPassword": "hello",  
3 |   "newPassword": "whatever"  
4 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "6e99ee70-8094-4c3c-b42f-bd2a7c144b87",  
4 |     "email": "admin@gmail.com",  
5 |     "firstName": "Admin",  
6 |     "loginId": "admin",  
7 |     "lastName": "User",  
8 |     "role": "SUPER_ADMIN"  
9 |   },  
10 |   "detail": null,
```

json

```
11 | "error": false,  
12 | "message": "Changing admin user password successful"  
13 | }
```

## Description

Completes an admin user registration.

## Request Endpoint

PUT <https://<Example api server address>/admin/user/registration>

## Parameters

None.

## cURL syntax

```
1 curl --include \  
2     --request PUT \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5         \"email\": \"shruthi.hebbalkar@innoflexion.com\",  
6         \"firstName\": \"Admin\",  
7         \"lastName\": \"User\",  
8         \"loginId\": \"admin\",  
9         \"password\": \"hello4\",  
10        \"confirmPassword\": \"hello4\",  
11        \"phoneNumber\": \"+919886916543\"  
12    }" \  
13 'https://core.dev.Example.net/api/admin/user/registration'
```

curl

## PUT body attributes (JSON)

Attribute	Type	Use	Description
email	String	Required	Email address of an admin user.
firstname	String	Required	First name of an admin user.
lastname	String	Required	Last name of an admin user.
loginId	String	Required	Unique login id of an admin user.
password	String	Required	6 digit alpha numeric password.
confirmpassword	String	Required	6 digit alpha numeric password.
phoneNumber	String	Required	The phone number.

## PUT body

**Headers:** Content-Type: application/json

```
1 {  
2     \"email\": \"shruthi.hebbalkar@innoflexion.com\",  
3     \"firstName\": \"Admin\",  
4     \"lastName\": \"User\",  
5     \"loginId\": \"admin\",  
6     \"password\": \"hello4\",  
7     \"confirmPassword\": \"hello4\"  
8 }
```

json

## Response body

```
1  {
2    "data": {
3      "id": "f3f3228a-2bce-4fab-a15e-0cec4e819aea",
4      "email": "shruthi.hebbalkar@innoflexion.com",
5      "firstName": "Admin",
6      "loginId": "admin",
7      "lastName": "User",
8      "role": "MARKETING_ADMIN",
9      "lastEmailSent": 1471598902742,
10     "emailToken": "992a246e-46c2-4f04-8114-268483c97bbd",
11     "emailVerificationStatus": "VERIFIED",
12     "emailPinResetStatus": "RESET_NA",
13     "twoFactorEnabled": false,
14     "attemptsBeforeTwoFactor": 0,
15     "twoFactorLoginExpiryDate": null,
16     "passwordCreated": true,
17     "passwordResetDate": null
18   },
19   "detail": null,
20   "error": false,
21   "message": "Admin user registration completed successfully."
22 }
```

**POST****Create Affiliate****Description**

Creates a new affiliate.

**Request Endpoint**

POST <https://<Example api server address>/admin/affiliate>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |       \"launchMode\" : \"DEEPLINK\  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/admin/affiliate'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
launchMode	String	Required	Unique launchMode. It can be "INTENT", "DEEPLINK", or "API".

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   \"launchMode\": \"DEEPLINK\"  
3 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   \"data\": {  
3 |     \"id\": \"ffe5c6a3-58b6-4636-88fe-6bcc168e0758\",  
4 |     \"deleted\": false,  
5 |     \"launchMode\": \"DEEPLINK\"  
6 |   },  
7 |   \"detail\": null,  
8 |   \"error\": false,  
9 |   \"message\": \"Creating affiliate successful.\"  
10 | }
```

json



**POST****Create An Admin User****Description**

Creates an admin user. This role can be either:

- "SUPER\_ADMIN"
- "MARKETING\_ADMIN"
- "CUSTOMER\_SUPPORT\_USER"

**Request Endpoint**

POST <https://<Example api server address>/admin/user>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |     \"email\": \"shruthi.hebbalkar@innoflexion.com\",  
6 |     \"role\": \"MARKETING_ADMIN\"  
7 | }" \  
8 | 'https://core.dev.Example.net/api/admin/user'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
email	String	Required	Email address of an admin user.
role	String	Required	Role required for an admin user.

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "loginId": "manishm7",  
3 |   "email": "manish7@gmail.com",  
4 |   "firstName": "manish",  
5 |   "lastName": "manwani",  
6 |   "role": "MARKETING_ADMIN"  
7 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "ac35adb7-3b2d-42a7-bff2-d7d858a334e2",  
4 |     "updatedBy": "",  
5 |     "blockStatus": "NORMAL",
```

json

```
6     "email": "manish7@gmail.com",
7     "firstName": "manish",
8     "loginId": "manishm7",
9     "lastName": null,
10    "password": "1000:ca894118deef83fa829ff3b9f9b968d8a8660a360306d0cb:98927ea4a1f16b6d68758353032e670d1e
11    "registrationDate": 1460354771195
12  },
13  "detail": null,
14  "error": false,
15  "message": "Admin user create successfully"
16 }
```

## POST Create (Application Affiliate)

### Description

Creates a new application affiliate.

### Request Endpoint

POST <https://<Example api server address>/admin/application/affiliate>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"current\":true,  
6 |         \"affiliateLaunchMode\": \"xngfwVGtUM\",  
7 |         \"applicationId\": \"d53ade49-1d66-4732-b9c7-0952b2b0e0b2\",  
8 |         \"affiliateLaunchData\": {  
9 |             \"data\": \"SDKFG\"  
10 |        }  
11 |     }" \  
12 | 'https://core.dev.Example.net/api/admin/application/affiliate'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
affiliateLaunchMode	String	Required	Unique launchMode. It can be "INTENT", "DEEPLINK", or "API".
affiliateLaunchData	String	Required	Unique launch data.
applicationId	String	Required	UUID of a game app.

### POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |   \"current\": true,  
3 |   \"affiliateLaunchMode\": \"xngfwVGtUM\",  
4 |   \"applicationId\": \"d53ade49-1d66-4732-b9c7-0952b2b0e0b2\",  
5 |   \"affiliateLaunchData\": {  
6 |     \"data\": \"SDKFG\"  
7 |   }  
8 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   \"data\": {  
3 |     \"id\": \"1a26523b-d413-49f7-8b44-245ad050ad37\",  
4 |     \"createdOn\": 1479717735208,  
5 |   }  
6 | }
```

json

```

5  "lastModifiedOn": 1479717735208,
6  "updatedBy": "",
7  "deleted": false,
8  "affiliateLaunchMode": "xngfwVGtUM",
9  "affiliateLaunchData": {
10     "data": "SDKFG"
11 },
12 "current": true,
13 "application": {
14     "id": "d53ade49-1d66-4732-b9c7-0952b2b0e0b2",
15     "createdOn": 1479717725614,
16     "lastModifiedOn": 1479717725614,
17     "updatedBy": "",
18     "deleted": false,
19     "name": "WvBeuKPEGR",
20     "appPackage": "appPac",
21     "bundleIdentifier": "IDKLbvNgpH",
22     "casino": {
23         "id": "94055132-d0f5-468d-a78f-19be20e92b42",
24         "createdOn": 1479717725210,
25         "lastModifiedOn": 1479717725210,
26         "updatedBy": "",
27         "deleted": false,
28         "name": "IZLsUCofyP",
29         "videoUrl": null,
30         "imageUrl": null,
31         "description": null,
32         "website": null,
33         "icon": null,
34         "banner": null,
35         "deletedBy": null,
36         "deletedOn": null,
37         "operatorStatus": "VERIFIED",
38         "email": "970143f64ef441e5bc131414c9051670@gmail.com",
39         "userRole": "OPERATOR",
40         "firstName": null,
41         "lastName": null,
42         "address": null,
43         "externalId": "94055132-d0f5-468d-a78f-19be20e92b42",
44         "featuredAppId": null,
45         "latestAppId": null
46     },
47     "casinoId": null,
48     "categories": [
49         {
50             "id": "2b88659c-ea30-4590-9d78-6c167e93d965",
51             "createdOn": 1479717725161,
52             "lastModifiedOn": 1479717725161,
53             "updatedBy": "",
54             "deleted": false,
55             "imageUrl": "http://www.google.com/betting.png",
56             "name": "yUrRqXlpQx",
57             "description": "Some poker category",
58             "videoUrl": "https://www.google.com/betting-video.mov",
59             "iconUrl": "https://www.google.com/betting-icon.png",
60             "colorCode": "#FFFFFF",
61             "heroImageReference": "https://www.google.com/hero.png",
62             "priority": 1,
63             "deletedBy": null,
64             "deletedOn": null,
65             "apps": null

```

```

66     }
67 ],
68 "categoryIds": null,
69 "downloads": 0,
70 "featured": false,
71 "applicationVersionIds": null,
72 "keywords": null,
73 "latestBuild": null,
74 "latestVersion": "v0.3",
75 "initialVersionPublishDate": null,
76 "latestVersionPublishDate": null,
77 "order": null,
78 "paragraph1": "1 paragraph",
79 "paragraph2": "2st paragraph",
80 "paragraph3": "4th para",
81 "paragraph4": null,
82 "presetPricelist": null,
83 "price": 3436,
84 "publisherId": "a62fdb51-068f-4889-956f-a6c83cc0d29a",
85 "publisher": {
86   "id": "a62fdb51-068f-4889-956f-a6c83cc0d29a",
87   "createdOn": 1479717725502,
88   "lastModifiedOn": 1479717725502,
89   "updatedBy": "",
90   "deleted": false,
91   "name": "CcEtQndXOH",
92   "description": null,
93   "email": "e1fb177c226349a1a4779040b907b062@gmail.com",
94   "website": null,
95   "phone": null,
96   "publisherStatus": "VERIFIED",
97   "operatorId": "94055132-d0f5-468d-a78f-19be20e92b42",
98   "userRole": "PUBLISHER"
99 },
100 "ranking": null,
101 "subtitle": null,
102 "updated": null,
103 "status": "DRAFTED",
104 "downloadLink": null,
105 "compatibility": "kitkat",
106 "sizeOnDisk": null,
107 "permissionDetails": null,
108 "additionalDetails": "This application is very popular",
109 "tags": null,
110 "rating": {
111   "count": 0,
112   "overall": 0,
113   "gamePlay": 0,
114   "design": 0,
115   "ease": 0
116 },
117 "silent": null,
118 "normal": {
119   "min": 1,
120   "max": 1
121 },
122 "mandatory": null,
123 "downgrade": null,
124 "deletedBy": null,
125 "deletedOn": null,
126 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.png",

```

```
127     "sliderImages": [  
128         {  
129             "id": "feb8961b-5be0-4510-bca8-f313b3df9521",  
130             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",  
131             "order": 1  
132         },  
133         {  
134             "id": "fda65759-38eb-4b85-8b45-c02e0e6332bd",  
135             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",  
136             "order": 0  
137         }  
138     ],  
139     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner1.png",  
140     "video": null,  
141     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon.png",  
142     "featuredImage": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.jpeg",  
143     "privacyPolicy": "www.privacypolicy.com/2345",  
144     "locationSupported": [  
145         "India",  
146         "UK"  
147     ],  
148     "languageSupported": [  
149         "English",  
150         "French"  
151     ],  
152     "affiliateLaunchMode": null,  
153     "affiliateLaunchData": null,  
154     "editorsPick": false,  
155     "live": false,  
156     "reviewer": null  
157 }  
158 },  
159 "detail": null,  
160 "error": false,  
161 "message": "Creating application affiliate successful",  
162 "code": "1000"  
163 }
```

**POST****Create Password for an Admin User****Description**

Creates a 6 digit alpha numeric password for an existing admin user. Role can be one of:

- "SUPER\_ADMIN" or
- "MARKETING\_ADMIN" or
- "CUSTOMER\_SUPPORT\_USER"

**Request Endpoint**

POST <https://<Example api server address>/admin/user/password>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |     \"emailAddress\": \"san.sh555@gmail.com\",  
6 |     \"password\": \"shruti\"  
7 | }" \  
8 | 'https://core.dev.Example.net/api/admin/user/password'
```

curl

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "emailAddress": "san.sh555@gmail.com",  
3 |     "password": "shruti"  
4 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     "data": true,  
3 |     "detail": null,  
4 |     "error": false,  
5 |     "message": "creating password successful"  
6 | }
```

json

## DELETE Delete Affiliate

### Description

Deletes an existing affiliate.

### Request Endpoint

DELETE <https://<Example api server address>/admin/affiliate/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of an affiliate.

### cURL syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 | 'https://core.dev.Example.net/api/admin/affiliate/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Deleting an incentive successful."  
6 | }
```

json



## DELETE Delete an Admin User

### Description

Deletes an existing admin user.

### Request Endpoint

DELETE <https://<Example api server address>/admin/user/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	uuid of the admin user.

### cURL syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 | 'https://core.dev.Example.net/api/admin/user/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Deleting admin user successful"  
6 | }
```

json

## DELETE Delete (Application Affiliate)

### Description

Deletes an existing application affiliate.

### Request Endpoint

DELETE <https://<Example api server address>/admin/application/affiliate/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of an casino affiliate.

### cURL syntax

```
1 curl --include \  
2 --request DELETE \  
3 'https://core.dev.Example.net/api/admin/application/affiliate/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 {  
2   "data": {  
3     "id": "1a26523b-d413-49f7-8b44-245ad050ad37",  
4     "createdOn": 1479717735208,  
5     "lastModifiedOn": 1479717735890,  
6     "updatedBy": "",  
7     "deleted": true,  
8     "affiliateLaunchMode": "2648fee2-b9df-44ca-8fdf-18b7ab42e169",  
9     "affiliateLaunchData": {  
10      "data": "SDKFG"  
11    },  
12     "current": true,  
13     "application": {  
14       "id": "d53ade49-1d66-4732-b9c7-0952b2b0e0b2",  
15       "createdOn": 1479717725614,  
16       "lastModifiedOn": 1479717725614,  
17       "updatedBy": "",  
18       "deleted": false,  
19       "name": "WvBeuKPEGR",  
20       "appPackage": "appPac",  
21       "bundleIdentifier": "IDKLbvNgpH",  
22       "casino": {  
23         "id": "94055132-d0f5-468d-a78f-19be20e92b42",  
24         "createdOn": 1479717725210,  
25         "lastModifiedOn": 1479717725210,  
26         "updatedBy": "",  
27         "deleted": false,  
28         "name": "IZLsUCofyP",  
29         "videoUrl": null,  
30         "imageUrl": null,  
31         "description": null,  
32         "website": null,  
33         "icon": null,
```

json

```

34     "banner": null,
35     "deletedBy": null,
36     "deletedOn": null,
37     "operatorStatus": "VERIFIED",
38     "email": "970143f64ef441e5bc131414c9051670@gmail.com",
39     "userRole": "OPERATOR",
40     "firstName": null,
41     "lastName": null,
42     "address": null,
43     "externalId": "94055132-d0f5-468d-a78f-19be20e92b42",
44     "featuredAppId": null,
45     "latestAppId": null
46 },
47 "casinoId": null,
48 "categories": [
49   {
50     "id": "2b88659c-ea30-4590-9d78-6c167e93d965",
51     "createdOn": 1479717725161,
52     "lastModifiedOn": 1479717725161,
53     "updatedBy": "",
54     "deleted": false,
55     "imageUrl": "http://www.google.com/betting.png",
56     "name": "yUrRqXlpQx",
57     "description": "Some poker category",
58     "videoUrl": "https://www.google.com/betting-video.mov",
59     "iconUrl": "https://www.google.com/betting-icon.png",
60     "colorCode": "#FFFFFF",
61     "heroImageReference": "https://www.google.com/hero.png",
62     "priority": 1,
63     "deletedBy": null,
64     "deletedOn": null,
65     "apps": null
66   }
67 ],
68 "categoryIds": null,
69 "downloads": 0,
70 "featured": false,
71 "applicationVersionIds": null,
72 "keywords": null,
73 "latestBuild": null,
74 "latestVersion": "v0.3",
75 "initialVersionPublishDate": null,
76 "latestVersionPublishDate": null,
77 "order": null,
78 "paragraph1": "1 paragraph",
79 "paragraph2": "2st paragraph",
80 "paragraph3": "4th para",
81 "paragraph4": null,
82 "presetPricelist": null,
83 "price": 3436,
84 "publisherId": "a62fdb51-068f-4889-956f-a6c83cc0d29a",
85 "publisher": {
86   "id": "a62fdb51-068f-4889-956f-a6c83cc0d29a",
87   "createdOn": 1479717725502,
88   "lastModifiedOn": 1479717725502,
89   "updatedBy": "",
90   "deleted": false,
91   "name": "CcEtQndXOH",
92   "description": null,
93   "email": "e1fb177c226349a1a4779040b907b062@gmail.com",
94   "website": null,

```

```
95     "phone": null,
96     "publisherStatus": "VERIFIED",
97     "operatorId": "94055132-d0f5-468d-a78f-19be20e92b42",
98     "userRole": "PUBLISHER"
99   },
100  "ranking": null,
101  "subtitle": null,
102  "updated": null,
103  "status": "DRAFTED",
104  "downloadLink": null,
105  "compatibility": "kitkat",
106  "sizeOnDisk": null,
107  "permissionDetails": null,
108  "additionalDetails": "This application is very popular",
109  "tags": null,
110  "rating": {
111    "count": 0,
112    "overall": 0,
113    "gamePlay": 0,
114    "design": 0,
115    "ease": 0
116  },
117  "silent": null,
118  "normal": {
119    "min": 1,
120    "max": 1
121  },
122  "mandatory": null,
123  "downgrade": null,
124  "deletedBy": null,
125  "deletedOn": null,
126  "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.png",
127  "sliderImages": [
128    {
129      "id": "feb8961b-5be0-4510-bca8-f313b3df9521",
130      "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
131      "order": 1
132    },
133    {
134      "id": "fda65759-38eb-4b85-8b45-c02e0e6332bd",
135      "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
136      "order": 0
137    }
138  ],
139  "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner1.png",
140  "video": null,
141  "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon.png",
142  "featuredImage": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.jpeg",
143  "privacyPolicy": "www.privecypolicy.com/2345",
144  "locationSupported": [
145    "India",
146    "UK"
147  ],
148  "languageSupported": [
149    "English",
150    "French"
151  ],
152  "affiliateLaunchMode": null,
153  "affiliateLaunchData": null,
154  "editorsPick": false,
155  "live": false,
```

```
156     "reviewer": null
157   }
158 },
159 "detail": null,
160 "error": false,
161 "message": "Deleting application affiliate successful",
162 "code": "1000"
163 }
```

## DELETE Delete Payment Option

### Description

### Request Endpoint

DELETE https://<Example api server address>/admin/paymentoption/{id}

### Parameters

Parameter	Type	Use	Description
id	String	Required	Payment ID that was created.

### cURL syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 | 'https://core.dev.Example.net/api/admin/paymentoption/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Payment Option delete successful"  
6 | }
```

json

## DELETE Delete Payment Provider Gateway

### Description

Deletes a payment provider gateway.

### Request Endpoint

DELETE <https://<Example api server address>/admin/payment/provider/gateway/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	A gateway id.

### cURL syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 | 'https://core.dev.Example.net/api/admin/payment/provider/gateway/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Deleting provider gateway successful."  
6 | }
```

json

## DELETE Delete Reject Transaction Reason

### Description

Deletes an existing reject transaction reason.

### Request Endpoint

DELETE <https://<Example api server address>/admin/reject/reason/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of an existing reject transaction reason.

### cURL syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 | 'https://core.dev.Example.net/api/admin/reject/reason/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Deleting reject transaction reason successful."  
6 | }
```

json



**PUT****Disable / Enable Admin Change Password****Description**

Allows an admin to enable or disable changing of a password.

**Request Endpoint**

PUT <https://<Example api server address>/admin/enable/disable/password>

**Parameters**

None.

**cURL Syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |     \"adminUserId\": [\"82be048c-afaf-477d-a207-abbc8dd7f425\"],\  
6 |     \"changePassword\": \"true\"\  
7 | }" \  
8 | 'https://core.dev.Example.net/api/admin/enable/disable/password'
```

https

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
adminUserId	String (Array)	Optional	UUID of an admin user.
changePassword	Boolean	Required	Choose to change the password.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {\  
2 |   \"adminUserId\": [\  
3 |     \"82be048c-afaf-477d-a207-abbc8dd7f425\"\  
4 |   ],\  
5 |   \"changePassword\": \"true\"\  
6 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |   \"data\": true,  
3 |   \"detail\": null,  
4 |   \"error\": false,  
5 |   \"message\": \"Enable/Disable change password successful\",  
6 |   \"code\": \"1000\"\  
7 | }
```

json

**POST****Fetch Admin User Actions****Description**

Fetches an Admin User's actions/activities based on a time filter. At least one of the values should be passed.

**Request Endpoint**

POST <https://<Example api server address>/admin/user/actions>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"adminUserId\" : \"612d0cac-92e3-41b4-a0dc-beac308dfa1e\",  
6 |         \"field\" : \"createdOn\",  
7 |         \"operation\" : \"EQUAL\",  
8 |         \"startDate\" : \"2016-08-10\",  
9 |         \"endDate\" : \"2016-08-30\"  
10 |     }" \  
11 | 'https://core.dev.Example.net/api/admin/user/actions'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
adminUserId	String	Optional	UUID of an Admin user.
field	String	Optional	Field can be addedOn.
operation	String	Optional	Can be either EQUAL or RANGE.
startDate	String	Optional	Start date of a user action to filter.
endDate	String	Optional	End date till user actions are to be filtered.

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |     \"adminUserId\": \"612d0cac-92e3-41b4-a0dc-beac308dfa1e\",  
3 |     \"field\": \"createdOn\",  
4 |     \"operation\": \"EQUAL\",  
5 |     \"startDate\": \"2016-08-10\",  
6 |     \"endDate\": \"2016-08-30\"  
7 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     \"data\": [  
3 |         {
```

json

```
4     "id": "cc43b065-841f-4c35-b511-a420a90326ed",
5     "action": "createAdminUser",
6     "error": null,
7     "addedOn": 1471549066862
8   }
9 ],
10 "detail": null,
11 "error": false,
12 "message": "Fetching Admin User's actions successful."
13 }
```

**GET****Fetch All (Application Affiliate)****Description**

Fetches all existing affiliates.

**Request Endpoint**

GET <https://<Example api server address>/admin/application/affiliate>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/application/affiliate'
```

curl

**Response body**

**Headers:** Content-Type: application/json | **HTTPS Status Code:** 200

```
1 | 200  
2 | Headers  
3 | Content-Type:application/json  
4 | Body  
5 | {  
6 |   "data": [  
7 |     {  
8 |       "id": "51608b02-344e-4ba1-81a9-79c2488e03e5",  
9 |       "createdOn": 1479714219989,  
10 |      "lastModifiedOn": 1479714220944,  
11 |      "updatedBy": "",  
12 |      "deleted": false,  
13 |      "affiliateLaunchMode": "JmWDG0piGe",  
14 |      "affiliateLaunchData": {  
15 |        "data": "SDKFG"  
16 |      },  
17 |      "current": true,  
18 |      "application": {  
19 |        "id": "9ba2ad5c-a75a-4a24-88ea-7ef4694ccfaa",  
20 |        "createdOn": 1479714201879,  
21 |        "lastModifiedOn": 1479714201879,  
22 |        "updatedBy": "",  
23 |        "deleted": false,  
24 |        "name": "vTTNwlfIQV",  
25 |        "appPackage": "appPac",  
26 |        "bundleIdentifier": "iiHJZXvEkI",  
27 |        "casino": {  
28 |          "id": "002feecb-c1de-40d5-9f01-6e27922d61ef",  
29 |          "createdOn": 1479714201430,  
30 |          "lastModifiedOn": 1479714201430,  
31 |          "updatedBy": "",  
32 |          "deleted": false,  
33 |          "name": "bG0hvyHAHQ",  
34 |          "videoUrl": null,  
35 |          "imageUrl": null,  
36 |          "description": null,  
37 |          "website": null,  
38 |          "icon": null,  

```

json

```

39     "banner": null,
40     "deletedBy": null,
41     "deletedOn": null,
42     "operatorStatus": "VERIFIED",
43     "email": "64fc7a16e2c446e5a27ec6d92b1bdcf3@gmail.com",
44     "userRole": "OPERATOR",
45     "firstName": null,
46     "lastName": null,
47     "address": null,
48     "externalId": "002feecb-c1de-40d5-9f01-6e27922d61ef",
49     "featuredAppId": null,
50     "latestAppId": null
51 },
52 "casinoId": null,
53 "categories": [
54   {
55     "id": "38595f25-855d-4360-9bf5-5d8f389a6092",
56     "createdOn": 1479714201387,
57     "lastModifiedOn": 1479714201387,
58     "updatedBy": "",
59     "deleted": false,
60     "imageUrl": "http://www.google.com/betting.png",
61     "name": "luxdJIBFAf",
62     "description": "Some poker category",
63     "videoUrl": "https://www.google.com/betting-video.mov",
64     "iconUrl": "https://www.google.com/betting-icon.png",
65     "colorCode": "#FFFFFF",
66     "heroImageReference": "https://www.google.com/hero.png",
67     "priority": 1,
68     "deletedBy": null,
69     "deletedOn": null,
70     "apps": null
71   }
72 ],
73 "categoryIds": null,
74 "downloads": 0,
75 "featured": false,
76 "applicationVersionIds": null,
77 "keywords": null,
78 "latestBuild": null,
79 "latestVersion": "v0.3",
80 "initialVersionPublishDate": null,
81 "latestVersionPublishDate": null,
82 "order": null,
83 "paragraph1": "1 paragraph",
84 "paragraph2": "2st paragraph",
85 "paragraph3": "4th para",
86 "paragraph4": null,
87 "presetPriceList": null,
88 "price": 3436,
89 "publisherId": "c190dfe0-7ed2-4f9b-aeb6-ca8f32cdf86d",
90 "publisher": {
91   "id": "c190dfe0-7ed2-4f9b-aeb6-ca8f32cdf86d",
92   "createdOn": 1479714201699,
93   "lastModifiedOn": 1479714201699,
94   "updatedBy": "",
95   "deleted": false,
96   "name": "CsMOzTuBDk",
97   "description": null,
98   "email": "c327492acff341c1a9c6bef76d44364f@gmail.com",
99   "website": null,

```

```
100     "phone": null,
101     "publisherStatus": "VERIFIED",
102     "operatorId": "002feecb-c1de-40d5-9f01-6e27922d61ef",
103     "userRole": "PUBLISHER"
104 },
105 "ranking": null,
106 "subtitle": null,
107 "updated": null,
108 "status": "DRAFTED",
109 "downloadLink": null,
110 "compatibility": "kitkat",
111 "sizeOnDisk": null,
112 "permissionDetails": null,
113 "additionalDetails": "This application is very popular",
114 "tags": null,
115 "rating": {
116     "count": 0,
117     "overall": 0,
118     "gamePlay": 0,
119     "design": 0,
120     "ease": 0
121 },
122 "silent": null,
123 "normal": {
124     "min": 1,
125     "max": 1
126 },
127 "mandatory": null,
128 "downgrade": null,
129 "deletedBy": null,
130 "deletedOn": null,
131 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.png",
132 "sliderImages": [
133     {
134         "id": "71f92f16-5653-4f5c-9d99-aa8bfbff5c95",
135         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
136         "order": 1
137     },
138     {
139         "id": "5bee363f-b47e-4a0f-98ca-a587b6d70334",
140         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
141         "order": 0
142     }
143 ],
144 "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner1.png",
145 "video": null,
146 "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon.png",
147 "featuredImage": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.jpeg",
148 "privacyPolicy": "www.privecypolicy.com/2345",
149 "locationSupported": [
150     "India",
151     "UK"
152 ],
153 "languageSupported": [
154     "English",
155     "French"
156 ],
157 "affiliateLaunchMode": null,
158 "affiliateLaunchData": null,
159 "editorsPick": false,
160 "live": false,
```

```

161     "reviewer": null
162   }
163 },
164 {
165   "id": "1a26523b-d413-49f7-8b44-245ad050ad37",
166   "createdOn": 1479717735208,
167   "lastModifiedOn": 1479717735710,
168   "updatedBy": "",
169   "deleted": false,
170   "affiliateLaunchMode": "xngfwVGtUM",
171   "affiliateLaunchData": {
172     "data": "SDKFG"
173   },
174   "current": true,
175   "application": {
176     "id": "d53ade49-1d66-4732-b9c7-0952b2b0e0b2",
177     "createdOn": 1479717725614,
178     "lastModifiedOn": 1479717725614,
179     "updatedBy": "",
180     "deleted": false,
181     "name": "WvBeuKPEGR",
182     "appPackage": "appPac",
183     "bundleIdentifier": "IDKLbvNgpH",
184     "casino": {
185       "id": "94055132-d0f5-468d-a78f-19be20e92b42",
186       "createdOn": 1479717725210,
187       "lastModifiedOn": 1479717725210,
188       "updatedBy": "",
189       "deleted": false,
190       "name": "IZLsUCofyP",
191       "videoUrl": null,
192       "imageUrl": null,
193       "description": null,
194       "website": null,
195       "icon": null,
196       "banner": null,
197       "deletedBy": null,
198       "deletedOn": null,
199       "operatorStatus": "VERIFIED",
200       "email": "970143f64ef441e5bc131414c9051670@gmail.com",
201       "userRole": "OPERATOR",
202       "firstName": null,
203       "lastName": null,
204       "address": null,
205       "externalId": "94055132-d0f5-468d-a78f-19be20e92b42",
206       "featuredAppId": null,
207       "latestAppId": null
208     },
209     "casinoId": null,
210     "categories": [
211       {
212         "id": "2b88659c-ea30-4590-9d78-6c167e93d965",
213         "createdOn": 1479717725161,
214         "lastModifiedOn": 1479717725161,
215         "updatedBy": "",
216         "deleted": false,
217         "imageUrl": "http://www.google.com/betting.png",
218         "name": "yUrRqXlpQx",
219         "description": "Some poker category",
220         "videoUrl": "https://www.google.com/betting-video.mov",
221         "iconUrl": "https://www.google.com/betting-icon.png",

```

```

222         "colorCode": "#FFFFFF",
223         "heroImageReference": "https://www.google.com/hero.png",
224         "priority": 1,
225         "deletedBy": null,
226         "deletedOn": null,
227         "apps": null
228     }
229 ],
230 "categoryIds": null,
231 "downloads": 0,
232 "featured": false,
233 "applicationVersionIds": null,
234 "keywords": null,
235 "latestBuild": null,
236 "latestVersion": "v0.3",
237 "initialVersionPublishDate": null,
238 "latestVersionPublishDate": null,
239 "order": null,
240 "paragraph1": "1 paragraph",
241 "paragraph2": "2st paragraph",
242 "paragraph3": "4th para",
243 "paragraph4": null,
244 "presetPriceList": null,
245 "price": 3436,
246 "publisherId": "a62fdb51-068f-4889-956f-a6c83cc0d29a",
247 "publisher": {
248     "id": "a62fdb51-068f-4889-956f-a6c83cc0d29a",
249     "createdOn": 1479717725502,
250     "lastModifiedOn": 1479717725502,
251     "updatedBy": "",
252     "deleted": false,
253     "name": "CcEtQndXOH",
254     "description": null,
255     "email": "e1fb177c226349a1a4779040b907b062@gmail.com",
256     "website": null,
257     "phone": null,
258     "publisherStatus": "VERIFIED",
259     "operatorId": "94055132-d0f5-468d-a78f-19be20e92b42",
260     "userRole": "PUBLISHER"
261 },
262 "ranking": null,
263 "subtitle": null,
264 "updated": null,
265 "status": "DRAFTED",
266 "downloadLink": null,
267 "compatibility": "kitkat",
268 "sizeOnDisk": null,
269 "permissionDetails": null,
270 "additionalDetails": "This application is very popular",
271 "tags": null,
272 "rating": {
273     "count": 0,
274     "overall": 0,
275     "gamePlay": 0,
276     "design": 0,
277     "ease": 0
278 },
279 "silent": null,
280 "normal": {
281     "min": 1,
282     "max": 1

```



```
283     },
284     "mandatory": null,
285     "downgrade": null,
286     "deletedBy": null,
287     "deletedOn": null,
288     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.png",
289     "sliderImages": [
290       {
291         "id": "Feb8961b-5be0-4510-bca8-f313b3df9521",
292         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
293         "order": 1
294       },
295       {
296         "id": "fda65759-38eb-4b85-8b45-c02e0e6332bd",
297         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
298         "order": 0
299       }
300     ],
301     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner1.png",
302     "video": null,
303     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon.png",
304     "featuredImage": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.jpeg",
305     "privacyPolicy": "www.privecypolicy.com/2345",
306     "locationSupported": [
307       "India",
308       "UK"
309     ],
310     "languageSupported": [
311       "English",
312       "French"
313     ],
314     "affiliateLaunchMode": null,
315     "affiliateLaunchData": null,
316     "editorsPick": false,
317     "live": false,
318     "reviewer": null
319   }
320 }
321 ],
322 "detail": null,
323 "error": false,
324 "message": "Fetching application affiliates info successful",
325 "code": "1000"
326 }
```

**GET**

## Fetch All Admin Users

### Description

Fetches all of the admin users. Supports pagination with the "offset" and "limit" parameters (attributes).

### Request Endpoint

GET <https://<Example api server address>/admin/user>

### Parameters

Parameter	Type	Use	Description
offset	Integer	Optional	Enables an offset to the pagination.
limit	Integer	Optional	Sets a limit to the pagination.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/user' curl
```

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | { json  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "6e99ee70-8094-4c3c-b42f-bd2a7c144b87",  
6 |         "email": "admin@gmail.com",  
7 |         "firstName": "Admin",  
8 |         "loginId": "admin",  
9 |         "lastName": "User",  
10 |        "role": "SUPER_ADMIN"  
11 |      },  
12 |      {  
13 |        "id": "780e10d4-5a0d-4f0c-aa9c-a9325709e6f6",  
14 |        "email": "nagamohan1986@gmail.com",  
15 |        "firstName": "Jack",  
16 |        "loginId": "jcryan",  
17 |        "lastName": "Ryan",  
18 |        "role": "SUPER_ADMIN"  
19 |      },  
20 |      {  
21 |        "id": "9b4d2556-e307-4c2b-8d56-7216170e4b5c",  
22 |        "email": "ivishwas.s@gmail.com",  
23 |        "firstName": "Vishwas",  
24 |        "loginId": "vishwas",  
25 |        "lastName": "Shashidhar",  
26 |        "role": "MARKETING_ADMIN"  
27 |      }  
28 |    ],  
29 |    "last": true,  
30 |    "totalPages": 1,  
31 |    "totalElements": 3,  
32 |    "size": 70,  
33 |  }  
34 | }
```

```
33     "number": 0,  
34     "sort": null,  
35     "first": true,  
36     "numberOfElements": 3  
37   },  
38   "detail": null,  
39   "error": false,  
40   "message": "Fetching admin users successful"  
41 }
```

**GET****Fetch All Affiliates****Description**

Fetches all existing affiliates.

**Request Endpoint**

GET <https://<Example api server address>/admin/affiliate>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/affiliate'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "64c8058a-5a33-4d4d-9e82-2609faab602f",  
5 |       "deleted": false,  
6 |       "launchMode": "INTENT"  
7 |     },  
8 |     {  
9 |       "id": "ffe5c6a3-58b6-4636-88fe-6bcc168e0758",  
10 |      "deleted": false,  
11 |      "launchMode": "DEEPLINKS"  
12 |    }  
13 |  ],  
14 |  "detail": null,  
15 |  "error": false,  
16 |  "message": "Fetching affiliates info successful"  
17 | }
```

json

**GET****Fetch All Deleted Admin User's****Description**

Fetches all deleted admin user's actions.

**Request Endpoint**

GET <https://<Example api server address>/admin/deleted>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/deleted'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "c260b1a6-b9b6-40c7-9efb-606169811f34",  
5 |       "deleted": true,  
6 |       "email": "san.sh555@gmail.com",  
7 |       "firstName": null,  
8 |       "loginId": null,  
9 |       "lastName": null,  
10 |      "role": "MARKETING_ADMIN",  
11 |      "lastEmailSent": 1472114854802,  
12 |      "emailToken": "9b9ff174-e996-432a-b261-4e972a32bdfc",  
13 |      "emailVerificationStatus": "VERIFICATION_PENDING",  
14 |      "emailPinResetStatus": "RESET_NA",  
15 |      "twoFactorEnabled": false,  
16 |      "attemptsBeforeTwoFactor": 0,  
17 |      "twoFactorLoginExpiryDate": null,  
18 |      "passwordCreated": null,  
19 |      "passwordResetDate": null  
20 |     }  
21 |   ],  
22 |   "detail": null,  
23 |   "error": false,  
24 |   "message": "Fetching deleted admin user successful"  
25 | }
```

json

**GET**

## Fetch All Payment Options

### Description

Fetches all the payment options available.

### Request Endpoint

GET <https://<Example api server address>/admin/paymentoption/>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/paymentoption/'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "26eff59f-7675-4723-b723-1a3219ec3792",  
6 |         "deleted": false,  
7 |         "name": "tLRZfpqogB",  
8 |         "countries": [],  
9 |         "logo": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/logoimagename",  
10 |        "enabled": true  
11 |      },  
12 |      {  
13 |        "id": "a401dbd7-f67a-419f-85a5-6dc150597fe7",  
14 |        "deleted": false,  
15 |        "name": "spqcrcCrNz",  
16 |        "countries": [  
17 |          "India",  
18 |          "USA",  
19 |          "England"  
20 |        ],  
21 |        "logo": null,  
22 |        "enabled": true  
23 |      },  
24 |      {  
25 |        "id": "95576c54-d5fd-4e21-add0-328a68072186",  
26 |        "deleted": false,  
27 |        "name": "gJtGhoAZCH",  
28 |        "countries": [  
29 |          "India",  
30 |          "USA",  
31 |          "England"  
32 |        ],  
33 |        "logo": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/logoimagename",  
34 |        "enabled": true  
35 |      },  
36 |      {  
37 |        "id": "a17a3460-a099-4b23-9d66-8c1efa8065f1",  
        "deleted": false,
```

json

```

38     "name": "zUDbLdJ0cM",
39     "countries": [],
40     "logo": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/logoimagenam",
41     "enabled": true
42 },
43 {
44     "id": "09971624-2fd9-418f-9ac5-c11c37f66b68",
45     "deleted": false,
46     "name": "uXZTORoMJk",
47     "countries": [
48         "India",
49         "USA",
50         "England"
51     ],
52     "logo": null,
53     "enabled": true
54 },
55 {
56     "id": "3ed17309-945d-4e7d-bf5a-a3832007b303",
57     "deleted": false,
58     "name": "IYhZ0tucPk",
59     "countries": [
60         "India",
61         "USA",
62         "England"
63     ],
64     "logo": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/logoimagenam",
65     "enabled": false
66 },
67 {
68     "id": "decb2b30-5628-47ae-91e4-1c0ea7207aba",
69     "deleted": false,
70     "name": "pINacktkJF",
71     "countries": [],
72     "logo": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/logoimagenam",
73     "enabled": true
74 },
75 {
76     "id": "65c60c64-5a81-44e7-91f4-9bda50384b47",
77     "deleted": false,
78     "name": "oWUFLctem",
79     "countries": [
80         "India",
81         "USA",
82         "England"
83     ],
84     "logo": null,
85     "enabled": true
86 }
87 ],
88 "totalPages": 1,
89 "last": true,
90 "totalElements": 8,
91 "size": 70,
92 "number": 0,
93 "sort": null,
94 "first": true,
95 "numberOfElements": 8
96 },
97 "detail": null,
98 "error": false,

```

```
99 | "message": "Fetching all payment options successful."  
100 | }  
101
```



**GET**

## Fetch All Payment Provider Gateway Detail

### Description

Fetches a payment provider gateway.

### Request Endpoint

GET <https://<Example api server address>/admin/payment/provider/gateway>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/paymentoption/'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "5c0d464a-ce3d-408c-858b-ab7fa465d13e",  
5 |       "deleted": false,  
6 |       "name": "psp123",  
7 |       "externalId": "EX123"  
8 |     }  
9 |   ],  
10 |   "detail": null,  
11 |   "error": false,  
12 |   "message": "Fetching all payment provider gateway successful."  
13 | }
```

json

**GET**

## Fetch All Reject Reasons

### Description

Fetches all reject reasons.

### Request Endpoint

GET <https://<Example api server address>/admin/reasons>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/reasons'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     "Rejected by casino",  
4 |     "Rejected by Casino - Fraud"  
5 |   ],  
6 |   "detail": null,  
7 |   "error": false,  
8 |   "message": "Fetching all reject transaction reasons successful."  
9 | }
```

json

**GET**

## Fetch All Reject Transaction Reasons

### Description

Fetches all reject transaction reasons.

### Request Endpoint

GET <https://<Example api server address>/admin/reject/reason>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/reject/reason'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "75552c7b-ccc4-42db-88fa-83d321b76883",  
5 |       "deleted": false,  
6 |       "reason": "Rejected by casino"  
7 |     },  
8 |     {  
9 |       "id": "3ad8fb65-8e3f-4792-99e9-5e623a701425",  
10 |      "deleted": false,  
11 |      "reason": "Rejected by Casino - Fraud"  
12 |    }  
13 |  ],  
14 |  "detail": null,  
15 |  "error": false,  
16 |  "message": "Fetching all reject transaction reasons successful."  
17 | }
```

json

**GET**

## Fetch Blacklisted Users

### Description

Fetches blacklisted users.

### Request Endpoint

GET <https://<Example api server address>/admin/blacklists>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/blacklists'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "784095a0-1771-4e7a-a3fd-f9335125c0c2",  
5 |       "deleted": false,  
6 |       "addresses": null,  
7 |       "devices": [  
8 |         {  
9 |           "id": "9146350a-8104-4fd3-aa2c-601afc43f2a9",  
10 |          "deleted": false,  
11 |          "description": "Old Device",  
12 |          "deviceStatus": "NORMAL",  
13 |          "manufacturer": "Apple",  
14 |          "model": "iPhone 5",  
15 |          "os": "iOS 9",  
16 |          "udid": "2083718938012321038243",  
17 |          "simStateHashCode": null,  
18 |          "simCardState": null,  
19 |          "deletedUdid": null,  
20 |          "deletedBy": null,  
21 |          "deletedOn": null,  
22 |          "name": null,  
23 |          "brand": null,  
24 |          "androidID": null,  
25 |          "advertiserID": null,  
26 |          "operator": null,  
27 |          "country": null,  
28 |          "language": null,  
29 |          "screenWidthInPixels": null,  
30 |          "screenHeightInPixels": null,  
31 |          "screenWidthInInches": null,  
32 |          "screenHeightInInches": null  
33 |        }  
34 |      ],  
35 |       "emailAuthenticationChannels": [],  
36 |       "firstName": "Shruti",  
37 |       "fullName": "Shruti Nagarkar",  
38 |       "groupTag": [  
39 |
```

json

```

39     "FACEBOOK",
40     "Apple",
41     "United Kingdom",
42     "iOS 9",
43     "1234234",
44     "iPhone 5"
45 ],
46 "lastName": "Nagarkar",
47 "locationCountry": "United Kingdom",
48 "locationZipCode": "1234234",
49 "mobileAuthenticationChannels": [],
50 "pinCreated": true,
51 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-image.p
52 "profileName": "RN Shruti",
53 "registrationDate": 1475233003451,
54 "socialAuthenticationChannels": [
55     {
56         "addedOn": 1475233006112,
57         "blockStatus": "NORMAL",
58         "deletedOn": null,
59         "lastUsedOn": 1475233006112,
60         "loginType": "FACEBOOK",
61         "socialId": "sfwef34535xe",
62         "deleted": false,
63         "recycleSocialId": null,
64         "emailAddress": null,
65         "profileName": null
66     }
67 ],
68 "status": "BLACKLISTED_FRAUD",
69 "timezone": null,
70 "userSetting": {
71     "autoUpdateBetcadeApp": true,
72     "autoUpdateDownloadedApps": true,
73     "monthlyDepositMaxLimit": 0,
74     "monthlyDepositMaxLimitCurrency": "GBP",
75     "prefillUserInfoInCasino": true,
76     "receiveEmailReceipt": true,
77     "receiveNotifications": true,
78     "shareRegistrationInfo": true,
79     "userEmailProvided": true,
80     "versionOfDownloadedBetcadeApp": "v1",
81     "wifiDownloadLimitInMB": 0,
82     "preferredCategories": [],
83     "autoSaveCard": true,
84     "autoAddHomeIcon": true,
85     "receiveUpdateNotifications": true,
86     "receiveAutoUpdatedNotifications": true,
87     "receiveRecommendationNotifications": true,
88     "appSetting": {
89         "autoUpdateApps": 2,
90         "addIconHomeScreen": false,
91         "saveNewCreditOrDebitCards": true,
92         "appUpdatesAvailable": true,
93         "appsWereAutoUpdated": true,
94         "recommendedContentAvailable": true
95     }
96 },
97 "verified": true,
98 "pinResetDate": null,
99 "kycStatus": null,

```

```
100     "singularId": null,
101     "acquisitionIds": null,
102     "userAuditInfo": {
103         "initialLoginDate": 1475233003451,
104         "initialLoginIp": "127.0.0.1",
105         "initialLoginLocation": " ",
106         "initialRegistrationDate": 1475240921772,
107         "initialRegistrationIp": "127.0.0.1",
108         "initialRegistrationLocation": " "
109     },
110     "email": "rn.shruti@gmail.com",
111     "phone": "+918050022027",
112     "dob": 663878340000,
113     "statusBeforeBlacklisting": "ACTIVE",
114     "testUser": null
115 }
116 ],
117 "detail": null,
118 "error": false,
119 "message": "Fetching blacklisted Users successful."
120 }
```

**GET**

## Fetch Blacklisted Payment Methods

### Description

Fetches all blacklisted payment methods.

### Request Endpoint

GET <https://<Example api server address>/admin/blacklisted/payment/info>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/blacklisted/payment/info'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "d6d1daa8-e6fd-43ad-af98-18221dc41632",  
5 |       "deleted": false,  
6 |       "addedOn": 1474964779435,  
7 |       "defaultPaymentInfo": true,  
8 |       "fullName": "Shruthi",  
9 |       "issuingAuthority": "HDFC",  
10 |      "lastUsedOn": 147496477785,  
11 |      "nickName": "Vishwas Shashidhar",  
12 |      "paymentInfoStatus": "BLACKLISTED_CS",  
13 |      "paymentProvider": "PAYLETTER",  
14 |      "paymentType": "CREDITCARD",  
15 |      "providerPaymentId": "dcssd5a3",  
16 |      "providerPaymentNumber": "2006",  
17 |      "providerToken": "100000000005331",  
18 |      "deletedBy": null,  
19 |      "deletedOn": null,  
20 |      "extRisk3DSEnrolledCard": null,  
21 |      "extRisk3DSResult": null,  
22 |      "deviceUdid": "2083718938012321038243",  
23 |      "cardBrand": "Visa",  
24 |      "cardBinCountry": "India",  
25 |      "originalCardNumber": null,  
26 |      "statusBeforeBlacklisting": "VERIFIED"  
27 |     }  
28 |   ],  
29 |   "detail": null,  
30 |   "error": false,  
31 |   "message": "Fetching blacklisted payment methods successful."  
32 | }
```

json

## Description

Fetches a blacklisted user's payment method.

## Request Endpoint

GET <https://<Example api server address>/admin/user/{id}/blacklisted/payment/info>

## Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of an existing user.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/user/id/blacklisted/payment/info'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "d6d1daa8-e6fd-43ad-af98-18221dc41632",  
5 |       "deleted": false,  
6 |       "addedOn": 1474964779435,  
7 |       "defaultPaymentInfo": true,  
8 |       "fullName": "Shruthi",  
9 |       "issuingAuthority": "HDFC",  
10 |      "lastUsedOn": 147496477785,  
11 |      "nickName": "Vishwas Shashidhar",  
12 |      "paymentInfoStatus": "BLACKLISTED_CS",  
13 |      "paymentProvider": "PAYLETTER",  
14 |      "paymentType": "CREDITCARD",  
15 |      "providerPaymentId": "dcssd5a3",  
16 |      "providerPaymentNumber": "2006",  
17 |      "providerToken": "100000000005331",  
18 |      "deletedBy": null,  
19 |      "deletedOn": null,  
20 |      "extRisk3DSEnrolledCard": null,  
21 |      "extRisk3DSResult": null,  
22 |      "deviceUdid": "2083718938012321038243",  
23 |      "cardBrand": "Visa",  
24 |      "cardBinCountry": "India",  
25 |      "originalCardNumber": null,  
26 |      "statusBeforeBlacklisting": "VERIFIED"  
27 |     }  
28 |   ],  
29 |   "detail": null,  
30 |   "error": false,  
31 |   "message": "Fetching blacklisted payment methods successful."  
32 | }
```

json





## GET Fetch By ID (Application Affiliate)

### Description

Fetches an existing application affiliate By ID.

### Request Endpoint

GET <https://<Example api server address>/admin/application/affiliate/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of an application affiliate

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/application/affiliate/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "1a26523b-d413-49f7-8b44-245ad050ad37",  
4 |     "createdOn": 1479717735208,  
5 |     "lastModifiedOn": 1479717735208,  
6 |     "updatedBy": "",  
7 |     "deleted": false,  
8 |     "affiliateLaunchMode": "xngfwVGtUM",  
9 |     "affiliateLaunchData": {  
10 |       "data": "SDKFG"  
11 |     },  
12 |     "current": true,  
13 |     "application": {  
14 |       "id": "d53ade49-1d66-4732-b9c7-0952b2b0e0b2",  
15 |       "createdOn": 1479717725614,  
16 |       "lastModifiedOn": 1479717725614,  
17 |       "updatedBy": "",  
18 |       "deleted": false,  
19 |       "name": "WvBeuKPEGR",  
20 |       "appPackage": "appPac",  
21 |       "bundleIdentifier": "IDKLbvNgpH",  
22 |       "casino": {  
23 |         "id": "94055132-d0f5-468d-a78f-19be20e92b42",  
24 |         "createdOn": 1479717725210,  
25 |         "lastModifiedOn": 1479717725210,  
26 |         "updatedBy": "",  
27 |         "deleted": false,  
28 |         "name": "IZLsUCofyP",  
29 |         "videoUrl": null,  
30 |         "imageUrl": null,  
31 |         "description": null,  
32 |         "website": null,  
33 |         "icon": null,  
34 |         "banner": null,  
34 |       }  
34 |     }  
34 |   }  
34 | }
```

json

```

35     "deletedBy": null,
36     "deletedOn": null,
37     "operatorStatus": "VERIFIED",
38     "email": "970143f64ef441e5bc131414c9051670@gmail.com",
39     "userRole": "OPERATOR",
40     "firstName": null,
41     "lastName": null,
42     "address": null,
43     "externalId": "94055132-d0f5-468d-a78f-19be20e92b42",
44     "featuredAppId": null,
45     "latestAppId": null
46 },
47 "casinoId": null,
48 "categories": [
49   {
50     "id": "2b88659c-ea30-4590-9d78-6c167e93d965",
51     "createdOn": 1479717725161,
52     "lastModifiedOn": 1479717725161,
53     "updatedBy": "",
54     "deleted": false,
55     "imageUrl": "http://www.google.com/betting.png",
56     "name": "yUrRqXlpQx",
57     "description": "Some poker category",
58     "videoUrl": "https://www.google.com/betting-video.mov",
59     "iconUrl": "https://www.google.com/betting-icon.png",
60     "colorCode": "#FFFFFF",
61     "heroImageReference": "https://www.google.com/hero.png",
62     "priority": 1,
63     "deletedBy": null,
64     "deletedOn": null,
65     "apps": null
66   }
67 ],
68 "categoryIds": null,
69 "downloads": 0,
70 "featured": false,
71 "applicationVersionIds": null,
72 "keywords": null,
73 "latestBuild": null,
74 "latestVersion": "v0.3",
75 "initialVersionPublishDate": null,
76 "latestVersionPublishDate": null,
77 "order": null,
78 "paragraph1": "1 paragraph",
79 "paragraph2": "2st paragraph",
80 "paragraph3": "4th para",
81 "paragraph4": null,
82 "presetPricelist": null,
83 "price": 3436,
84 "publisherId": "a62fdb51-068f-4889-956f-a6c83cc0d29a",
85 "publisher": {
86   "id": "a62fdb51-068f-4889-956f-a6c83cc0d29a",
87   "createdOn": 1479717725502,
88   "lastModifiedOn": 1479717725502,
89   "updatedBy": "",
90   "deleted": false,
91   "name": "CcEtQndXOH",
92   "description": null,
93   "email": "e1fb177c226349a1a4779040b907b062@gmail.com",
94   "website": null,
95   "phone": null,

```

```

96     "publisherStatus": "VERIFIED",
97     "operatorId": "94055132-d0f5-468d-a78f-19be20e92b42",
98     "userRole": "PUBLISHER"
99 },
100 "ranking": null,
101 "subtitle": null,
102 "updated": null,
103 "status": "DRAFTED",
104 "downloadLink": null,
105 "compatibility": "kitkat",
106 "sizeOnDisk": null,
107 "permissionDetails": null,
108 "additionalDetails": "This application is very popular",
109 "tags": null,
110 "rating": {
111     "count": 0,
112     "overall": 0,
113     "gamePlay": 0,
114     "design": 0,
115     "ease": 0
116 },
117 "silent": null,
118 "normal": {
119     "min": 1,
120     "max": 1
121 },
122 "mandatory": null,
123 "downgrade": null,
124 "deletedBy": null,
125 "deletedOn": null,
126 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.png",
127 "sliderImages": [
128     {
129         "id": "feb8961b-5be0-4510-bca8-f313b3df9521",
130         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
131         "order": 1
132     },
133     {
134         "id": "fda65759-38eb-4b85-8b45-c02e0e6332bd",
135         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
136         "order": 0
137     }
138 ],
139 "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner1.png",
140 "video": null,
141 "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon.png",
142 "featuredImage": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.jpeg",
143 "privacyPolicy": "www.privecypolicy.com/2345",
144 "locationSupported": [
145     "India",
146     "UK"
147 ],
148 "languageSupported": [
149     "English",
150     "French"
151 ],
152 "affiliateLaunchMode": null,
153 "affiliateLaunchData": null,
154 "editorsPick": false,
155 "live": false,
156 "reviewer": null

```

```
157     }
158   },
159   "detail": null,
160   "error": false,
161   "message": "Fetching application affiliates info successful",
162   "code": "1000"
163 }
```

## Description

Fetches an existing current application affiliate.

## Request Endpoint

GET `https://<Example api server address>/admin/application/default/affiliate`

## Parameters

None.

## cURL Syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/application/default/affiliate'
```

https

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "3b548093-97ff-44a6-8503-1b14fd0a5963",  
4 |     "createdOn": 1479714177013,  
5 |     "lastModifiedOn": 1479714177830,  
6 |     "updatedBy": "",  
7 |     "deleted": true,  
8 |     "affiliateLaunchMode": "1bf0aa0d-b0b2-42e3-8ff6-0545c511a8c2",  
9 |     "affiliateLaunchData": {  
10 |       "data": "SDKFG"  
11 |     },  
12 |     "current": true,  
13 |     "application": {  
14 |       "id": "805e61fe-2254-4c30-a7da-c50cff8bbb1e",  
15 |       "createdOn": 1479714163755,  
16 |       "lastModifiedOn": 1479714163755,  
17 |       "updatedBy": "",  
18 |       "deleted": false,  
19 |       "name": "NAvcEZbbPw",  
20 |       "appPackage": "appPac",  
21 |       "bundleIdentifier": "fscWqaZYWx",  
22 |       "casino": {  
23 |         "id": "e81fc854-6bbf-4eb1-9438-c7ff4242b8bd",  
24 |         "createdOn": 1479714163008,  
25 |         "lastModifiedOn": 1479714163008,  
26 |         "updatedBy": "",  
27 |         "deleted": false,  
28 |         "name": "EUXmwoonOY",  
29 |         "videoUrl": null,  
30 |         "imageUrl": null,  
31 |         "description": null,  
32 |         "website": null,  
33 |         "icon": null,  
34 |         "banner": null,  
35 |         "deletedBy": null,  
36 |         "deletedOn": null,  
37 |         "operatorStatus": "VERIFIED",  
38 |         "email": "de785f96e960423482e68bbbb93154f7@gmail.com",
```

json

```

39     "userRole": "OPERATOR",
40     "firstName": null,
41     "lastName": null,
42     "address": null,
43     "externalId": "e81fc854-6bbf-4eb1-9438-c7ff4242b8bd",
44     "featuredAppId": null,
45     "latestAppId": null
46 },
47 "casinoId": null,
48 "categories": [
49     {
50         "id": "39524ef3-3875-44e5-8b39-c59862c0a8e3",
51         "createdOn": 1479714162848,
52         "lastModifiedOn": 1479714162848,
53         "updatedBy": "",
54         "deleted": false,
55         "imageUrl": "http://www.google.com/betting.png",
56         "name": "sPhaZYEvYJ",
57         "description": "Some poker category",
58         "videoUrl": "https://www.google.com/betting-video.mov",
59         "iconUrl": "https://www.google.com/betting-icon.png",
60         "colorCode": "#FFFFFF",
61         "heroImageReference": "https://www.google.com/hero.png",
62         "priority": 1,
63         "deletedBy": null,
64         "deletedOn": null,
65         "apps": null
66     }
67 ],
68 "categoryIds": null,
69 "downloads": 0,
70 "featured": false,
71 "applicationVersionIds": null,
72 "keywords": null,
73 "latestBuild": null,
74 "latestVersion": "v0.3",
75 "initialVersionPublishDate": null,
76 "latestVersionPublishDate": null,
77 "order": null,
78 "paragraph1": "1 paragraph",
79 "paragraph2": "2st paragraph",
80 "paragraph3": "4th para",
81 "paragraph4": null,
82 "presetPricelist": null,
83 "price": 3436,
84 "publisherId": "79a6a4a0-d759-4486-a814-ae65501748d1",
85 "publisher": {
86     "id": "79a6a4a0-d759-4486-a814-ae65501748d1",
87     "createdOn": 1479714163464,
88     "lastModifiedOn": 1479714163464,
89     "updatedBy": "",
90     "deleted": false,
91     "name": "MCzfkNuKIe",
92     "description": null,
93     "email": "4621c41e67f04d03933746530d1fada5@gmail.com",
94     "website": null,
95     "phone": null,
96     "publisherStatus": "VERIFIED",
97     "operatorId": "e81fc854-6bbf-4eb1-9438-c7ff4242b8bd",
98     "userRole": "PUBLISHER"
99 },

```

```

100     "ranking": null,
101     "subtitle": null,
102     "updated": null,
103     "status": "DRAFTED",
104     "downloadLink": null,
105     "compatibility": "kitkat",
106     "sizeOnDisk": null,
107     "permissionDetails": null,
108     "additionalDetails": "This application is very popular",
109     "tags": null,
110     "rating": {
111         "count": 0,
112         "overall": 0,
113         "gamePlay": 0,
114         "design": 0,
115         "ease": 0
116     },
117     "silent": null,
118     "normal": {
119         "min": 1,
120         "max": 1
121     },
122     "mandatory": null,
123     "downgrade": null,
124     "deletedBy": null,
125     "deletedOn": null,
126     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.png",
127     "sliderImages": [
128         {
129             "id": "4fe1dfbf-ee7a-4703-a79e-998a87e9cedb",
130             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
131             "order": 1
132         },
133         {
134             "id": "44250dfe-e412-4648-be98-064c5376c916",
135             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
136             "order": 0
137         }
138     ],
139     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner1.png",
140     "video": null,
141     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon.png",
142     "featuredImage": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.jpeg",
143     "privacyPolicy": "www.privecypolicy.com/2345",
144     "locationSupported": [
145         "India",
146         "UK"
147     ],
148     "languageSupported": [
149         "English",
150         "French"
151     ],
152     "affiliateLaunchMode": null,
153     "affiliateLaunchData": null,
154     "editorsPick": false,
155     "live": false,
156     "reviewer": null
157 }
158 },
159 "detail": null,
160 "error": false,

```



```
161 | "message": "Fetching default casino affiliates info successful",  
162 | "code": "1000"  
163 | }
```

**GET**

## Fetch Payment Options By Country Name

### Description

Help the admin to get the existing Fetch Payment Options by passing a country name.

### Request Endpoint

GET <https://<Example api server address>/admin/paymentoption/{country}>

### Parameters

Parameter	Type	Use	Description
country	String	Required	The country name.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/paymentoption/country'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "a401dbd7-f67a-419f-85a5-6dc150597fe7",  
5 |       "deleted": false,  
6 |       "name": "spqcrCcrNz",  
7 |       "countries": [  
8 |         "India",  
9 |         "USA",  
10 |        "England"  
11 |      ],  
12 |       "logo": null,  
13 |       "enabled": true  
14 |     },  
15 |     {  
16 |       "id": "95576c54-d5fd-4e21-add0-328a68072186",  
17 |       "deleted": false,  
18 |       "name": "gJtGhoAZCH",  
19 |       "countries": [  
20 |         "India",  
21 |         "USA",  
22 |         "England"  
23 |      ],  
24 |       "logo": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/logoimagenam",  
25 |       "enabled": true  
26 |     },  
27 |     {  
28 |       "id": "09971624-2fd9-418f-9ac5-c11c37f66b68",  
29 |       "deleted": false,  
30 |       "name": "uXZTORoMJk",  
31 |       "countries": [  
32 |         "India",  
33 |         "USA",  
34 |         "England"  
35 |      ]  
36 |     }  
37 |   ]  
38 | }
```

json

```
35     ],
36     "logo": null,
37     "enabled": true
38   },
39   {
40     "id": "3ed17309-945d-4e7d-bf5a-a3832007b303",
41     "deleted": false,
42     "name": "IYhZ0tucPk",
43     "countries": [
44       "India",
45       "USA",
46       "England"
47     ],
48     "logo": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/logoimagenam",
49     "enabled": false
50   },
51   {
52     "id": "65c60c64-5a81-44e7-91f4-9bda50384b47",
53     "deleted": false,
54     "name": "oWUFNLctem",
55     "countries": [
56       "India",
57       "USA",
58       "England"
59     ],
60     "logo": null,
61     "enabled": true
62   }
63 ],
64 "detail": null,
65 "error": false,
66 "message": "Fetching payment option successful."
67 }
```

**GET****Fetch Project Service Names****Description**

Gives a list of service names present in the Client project which will be useful for fetching admin user actions by eventType.

**Request Endpoint**

GET <https://<Example api server address>/admin/services>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/services'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     "changePublisherPassword",  
4 |     "moveTransactionsToPast",  
5 |     "fetchAppByLocation",  
6 |     "addLanguage",  
7 |     "chargeBack",  
8 |     "fetchApplicationReviews",  
9 |     "getUserStatus",  
10 |     "create",  
11 |     "saveSdkInfo",  
12 |     "transferCredentialsToCasino",  
13 |     "setCasinoUserData",  
14 |     "getApplicationsFromWishList",  
15 |     "disablePaymentForCountries",  
16 |     "uploadMessagesForContextAndLanguage",  
17 |     "createBetcadeAppVersion",  
18 |     "deleteByEmailAddressesIn",  
19 |     "fetchAllIncentives",  
20 |     "loginPublisher",  
21 |     "sendInvitation",  
22 |     "reinvitePublisher",  
23 |     "checkForPaymentInfoExpiry",  
24 |     "getUsersByCohort",  
25 |     "deleteIncentive",  
26 |     "addMessage",  
27 |     "fetchAllPublishersAndOperators",  
28 |     "createDeviceAppHistory",  
29 |     "findByUserAndApplicationsIn",  
30 |     "deleteProfileImage",  
31 |     "getUserPMForPayout",  
32 |     "updateSliderImage",  
33 |     "updateLanguage",  
34 |     "createCohortCriteria",  
35 |     "editUserCredentialStatus",  
36 |     "getStarterPacks",  
37 |     "fetchTransactionHistoryByUserId",  
38 |     "blacklistUserOrDeviceOrPayment",
```

json

39 "getCohort",  
40 "fetchUserAttributes",  
41 "fetchUserSearchHistory",  
42 "purgeAllDeletedUser",  
43 "deletePromoCode",  
44 "fetchApplicationsAttributes",  
45 "uaAcquisitionDownloadPage",  
46 "updatePublisher",  
47 "fetchApplicationsByMonthUpdates",  
48 "purgeUser",  
49 "fetchAllDeveloperApiKeys",  
50 "create",  
51 "setIncentives",  
52 "findOne",  
53 "getNotifications",  
54 "fetchAllAdminUsers",  
55 "getApplicationEventsByApplication",  
56 "getUserTransactionRefundHistory",  
57 "updateUserPin",  
58 "fetchUserApplicationReview",  
59 "fetchApplicationsByOperator",  
60 "deleteSliderImage",  
61 "whiteListUserOrDeviceOrPayment",  
62 "getAllLanguageCodes",  
63 "getUserChargeBackHistory",  
64 "setShareRegistrationInfo",  
65 "fetchPopularSearch",  
66 "getPromoCodeInfoByPC",  
67 "logoutAdminUser",  
68 "addApplicationReview",  
69 "fetchPublisherByOperator",  
70 "getReportsByApplication",  
71 "fetchAuditTrailDataForUser",  
72 "addOrUpdateDevice",  
73 "saveAdminLoginLogoutAction",  
74 "uploadUserHelpSupportFile",  
75 "getCohortCriteria",  
76 "updateApplicationReview",  
77 "findByCategories",  
78 "createBulk",  
79 "addLogin",  
80 "publisherSetUpAccount",  
81 "updateCohortCriteria",  
82 "dropDatabase",  
83 "getUsedPromocodeDetails",  
84 "generateXlsxReport",  
85 "findAll",  
86 "getApplicationEvents",  
87 "verifyEmailLogin",  
88 "addPaymentMethod",  
89 "loginOperator",  
90 "fetchAllowedCountriesForPayment",  
91 "resetPublisherPasswordRequest",  
92 "delete",  
93 "saveUserAction",  
94 "updateJobInfo",  
95 "findByCasino",  
96 "delete",  
97 "checkPaymentInfoExists",  
98 "resetPasswordSendAuthentication",  
99 "getSimCardStateChange",

```
100 "create",
101 "findByModel",
102 "setCredential",
103 "loginAdminUserFromTwoFactorAuth",
104 "create",
105 "uploadTerms",
106 "deleteImage",
107 "getAllLanguageNames",
108 "createNewJob",
109 "findByUserAndApplication",
110 "findAllPaymentMethodsForUser",
111 "withdrawSuspendCasino",
112 "updatePaymentMethod",
113 "applyPromoCodeBonus",
114 "addToWishList",
115 "removeLogin",
116 "getByPassSMSCodeSetting",
117 "createPassword",
118 "updatePartialApplicationEvent",
119 "getChargeBackHistoryByUser",
120 "disableDeveloperApiKey",
121 "loginStore",
122 "findByName",
123 "fetchAllTerms",
124 "findAllTickets",
125 "purgeAllInactiveUser",
126 "generateDeveloperApiKey",
127 "findByTag",
128 "updateContactDetails",
129 "fetchCommonKeywords",
130 "saveKeyword",
131 "create",
132 "tagApplication",
133 "getAllChargeBackTransactions",
134 "create",
135 "uaAcquisitionLinkSent",
136 "payout",
137 "fetchBlockedUser",
138 "approve",
139 "completeAdminRegistration",
140 "findByName",
141 "updateCasino",
142 "withdrawPublisherInvitation",
143 "findByName",
144 "createBetcadeApp",
145 "fetchByCriteria",
146 "getAllRefundTransactions",
147 "getAllUserTags",
148 "getChargeBackHistoryByTransactionId",
149 "fetchAllCountries",
150 "findAllSdkInfo",
151 "checkUserStatus",
152 "getAllReports",
153 "reportApp",
154 "findAllUser",
155 "resetPublisherPasswordRequestVerify",
156 "fetchUserActions",
157 "getRefundHistoryByTransactionId",
158 "updateUserGroup",
159 "fetchAll",
160 "updateUser",
```

```
161 "delete",
162 "getUserByGroup",
163 "saveKycInfo",
164 "delete",
165 "fetchAllCasinoApiKeys",
166 "verifyAdminEmailLogin",
167 "getAllLocationCodes",
168 "createPreRegistrationUser",
169 "rescheduleJob",
170 "fetchUserCasinoWallet",
171 "loginThirdParty",
172 "refund",
173 "findSdkInfoByDevice",
174 "fetchDeveloperKey",
175 "addPromoCodeInfo",
176 "fetchApplicationsByWeekUpdates",
177 "loginStoreUser",
178 "deleteUserGroup",
179 "communicateUserUser",
180 "findSdkInfoByUser",
181 "fetchTerms",
182 "fetchUserTransactionAttributes",
183 "getMobileVerificationStatus",
184 "deletePaymentMethod",
185 "findBlacklistUsers",
186 "fetchUserSearchHistory",
187 "verifyOperator",
188 "edit",
189 "fetchAllMessages",
190 "addDeposit",
191 "edit",
192 "getUserTransactionPayoutHistory",
193 "findAll",
194 "editUserStatus",
195 "setDefaultPaymentAmount",
196 "deletePublisher",
197 "getPromoCodeInfoByPCAndAppId",
198 "deleteAdminUser",
199 "updateUserSettings",
200 "fetchDeletedUser",
201 "fetchCusomerSupport",
202 "resetAdminUserPassword",
203 "deleteAppEvent",
204 "verifyUserLogin",
205 "findAll",
206 "uploadProfileImage",
207 "getAllLocationNames",
208 "fetchAdminUser",
209 "resendSmsCode",
210 "enablePaymentForCountries",
211 "findAll",
212 "logoutAdminUser",
213 "fetchIncentivesOfApplication",
214 "getAppDownloadsByUserId",
215 "doKycCheckDuringPMCreation",
216 "fetchAppByLanguage",
217 "deleteByMobileNumbersIn",
218 "deleteAllPaymentMethodsForUser",
219 "addLocation",
220 "fetchLastUsedAmountForUserAndApp",
221 "delete",
```

222 "validateTwoFactorAuthToken",  
223 "findByCasinoId",  
224 "findAllUserMessageWihLog",  
225 "searchApplicationsByCategory",  
226 "verifyCasinoResetPassword",  
227 "getPromoCodeInfoByAppId",  
228 "findAll",  
229 "changeAdminUserPassword",  
230 "deleteApplicationEvent",  
231 "updateAdminUser",  
232 "uaAcquisitionCampaignLandingPage",  
233 "disableRefreshTokensForApiKey",  
234 "findAll",  
235 "createDeveloperApiKey",  
236 "communicateUserByCohortView",  
237 "monitorCVVFraud",  
238 "createAdminUser",  
239 "generateCasinoKey",  
240 "createCohort",  
241 "enableDeveloperApiKey",  
242 "saveActions",  
243 "saveUserTransactionEvent",  
244 "getMessageByAction",  
245 "fetchByCriteria",  
246 "search",  
247 "fetchVersionDetails",  
248 "uaAcquisitionDownloadStarted",  
249 "applyIncentive",  
250 "fetchBlockedPaymentInfo",  
251 "addUserMessageWihLog",  
252 "withdrawSuspendPublisher",  
253 "updateUserKycMobileOrEmail",  
254 "setPreferredCategories",  
255 "edit",  
256 "casinoVerifyPin",  
257 "addImage",  
258 "updateApplicationEvent",  
259 "addEditSimCardStateChange",  
260 "suspendCasino",  
261 "getUserPrivateInfoFromSaka",  
262 "findByUser",  
263 "edit",  
264 "getAllLanguages",  
265 "getAllTimezonesGroupdByCountry",  
266 "getUserDeviceAppHistory",  
267 "resendEmailToken",  
268 "getPromoCodeInfoById",  
269 "fetchProjectServiceNames",  
270 "findOne",  
271 "getPayoutHistoryByUserPaymentInfoId",  
272 "uploadUserByXLS",  
273 "updateMessage",  
274 "findOne",  
275 "addApplicationEvent",  
276 "findAll",  
277 "readXLSFromFolderAndAddUser",  
278 "generatePdfReport",  
279 "getAllPromoCodeInfo",  
280 "generateApiKey",  
281 "saveUserEvents",  
282 "searchAdminUser",



283 "createTwoFactorToken",  
284 "getEmailVerificationStatus",  
285 "uaAcquisitionOnUserLogin",  
286 "edit",  
287 "verifyPublisher",  
288 "enableCasinoKey",  
289 "updateLocation",  
290 "prefillCasinoRegistrationForm",  
291 "getPayoutHistoryByUser",  
292 "getRefundHistoryByUser",  
293 "deleteUser",  
294 "disableCasinoKey",  
295 "fetchPublisher",  
296 "uaAcquisitionAppLaunched",  
297 "deleteFromWishList",  
298 "searchByKeyword",  
299 "resendEmailCode",  
300 "createPublisher",  
301 "deleteMessage",  
302 "getCriteriaFields",  
303 "loginAdminUser",  
304 "getUserTransactions",  
305 "getAllLocation",  
306 "updatePromoCodeInfo",  
307 "fetchMessagesForLanguageAndContext",  
308 "login",  
309 "updateIncentive",  
310 "uploadLatestVersion",  
311 "loginSdkUser",  
312 "fetchApplicationsByPublisher",  
313 "createIncentive",  
314 "findByUdid",  
315 "fetchUserTransactionEvent",  
316 "createPin",  
317 "updateGameAppVersion",  
318 "findOne",  
319 "createAnalyticsEvent",  
320 "uploadFiles",  
321 "uploadFiles",  
322 "getVerificationPendingCredentials",  
323 "updatePaymentMethodStatus",  
324 "deleteBySocialIdIn",  
325 "loginSdk",  
326 "downloadLogFile",  
327 "getReportsByUser",  
328 "verifyMobile",  
329 "checkForUpdates",  
330 "getLiveApplicationEvents",  
331 "verifyPublisherStatus",  
332 "updateUserSearchHistory",  
333 "createNewAccessTokenFromRefreshToken",  
334 "resetCasinoPasswordRequest",  
335 "findByBanner",  
336 "assignNewPublisherToGameApp",  
337 "changeCasinoPassword",  
338 "findPaymentMethodInfo",  
339 "forcePurgeUser",  
340 "findByCriteria",  
341 "findOne",  
342 "suspendPublisher",  
343 "findOne",

```
344     "fetchPaymentMethodStatus",
345     "getAllPayoutTransactions",
346     "findOne",
347     "getBetcadeAppInfo",
348     "fetchUserKYCHistory",
349     "create"
350 ],
351 "detail": null,
352 "error": false,
353 "message": "Fetching project service names successful."
354 }
```

**GET**

## Fetch Payment Provider Gateway Detail

### Description

Fetches a payment provider gateway by passing an id.

### Request Endpoint

GET <https://<Example api server address>/admin/payment/provider/gateway/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	The gateway id.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/payment/provider/gateway/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "5c0d464a-ce3d-408c-858b-ab7fa465d13e",  
4 |     "deleted": false,  
5 |     "name": "psp123",  
6 |     "externalId": "EX123"  
7 |   },  
8 |   "detail": null,  
9 |   "error": false,  
10 |   "message": "Fetching payment provider gateway successful."  
11 | }
```

json

**GET**

## Fetch Reject Transaction Reason Detail

### Description

Fetches details of an existing reject transaction reason.

### Request Endpoint

GET <https://<Example api server address>/admin/reject/reason/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of an existing reject transaction reason.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/reject/reason/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "3ad8fb65-8e3f-4792-99e9-5e623a701425",  
4 |     "deleted": false,  
5 |     "reason": "Rejected by Casino - Fraud"  
6 |   },  
7 |   "detail": null,  
8 |   "error": false,  
9 |   "message": "Fetching reject transaction reason detail successful."  
10 | }
```

json

**GET**

## Fetch Single Admin User

### Description

Fetch a single admin user record.

### Request Endpoint

GET `https://<Example api server address>/admin/user/{id}`

### Parameters

Parameter	Type	Use	Description
id	String	Required	uuid of the admin user.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/user/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "6e99ee70-8094-4c3c-b42f-bd2a7c144b87",  
4 |     "email": "admin@gmail.com",  
5 |     "firstName": "Admin",  
6 |     "loginId": "admin",  
7 |     "lastName": "User",  
8 |     "role": "SUPER_ADMIN"  
9 |   },  
10 |   "detail": null,  
11 |   "error": false,  
12 |   "message": "Fetching single admin user record successful"  
13 | }
```

json

**GET**

## Find One Affiliate (By Id)

### Description

Fetches an existing affiliate by Id.

### Request Endpoint

GET <https://<Example api server address>/admin/affiliate/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of an affiliate.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/affiliate/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "ffe5c6a3-58b6-4636-88fe-6bcc168e0758",  
5 |       "deleted": false,  
6 |       "launchMode": "DEEPLINKS"  
7 |     }  
8 |   ],  
9 |   "detail": null,  
10 |  "error": false,  
11 |  "message": "Fetching affiliates info successful"  
12 | }
```

json

**GET**

## Logout Admin User

### Description

Logout an admin user from the Example account.

### Request Endpoint

GET `https://<Example api server address>/logout/admin/{id}`

### Parameters

Parameter	Type	Use	Description
id	String	Required	The UUID of an admin user.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/logout/admin/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Admin user logout successful."  
6 | }
```

json

**POST****Resend Admin Email Token****Description**

Resends a token to the email address. Role can be one of:

- "SUPER\_ADMIN" or
- "MARKETING\_ADMIN" or
- "CUSTOMER\_SUPPORT\_USER"

**Request Endpoint**

POST <https://<Example api server address>admin/user/resend/email/token>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |   \"emailActionType\": \"REGISTER\",  
6 |   \"emailAddress\": \"san.sh555@gmail.com\"  
7 | }" \  
8 | 'https://core.dev.Example.net/api/admin/user/resend/email/token'
```

curl

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "emailActionType": "REGISTER",  
3 |   "emailAddress": "san.sh555@gmail.com"  
4 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Resending email token successful"  
6 | }
```

json



**POST**

## Resetting an Admin User Password

### Description

A link is sent to an email address to reset the password when an admin user forgets his password. Use the token sent to your email address to verify the admin user.

### Request Endpoint

POST `https://<Example api server address>/admin/user/reset/password`

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 | 'https://core.dev.Example.net/api/admin/user/reset/password'
```

curl

### POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "emailAddress": "san.sh555@gmail.com"  
3 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Resetting the admin user password link successful"  
6 | }
```

json

## Description

Search for admin users.

## Request Endpoint

GET <https://<Example api server address>/admin/user/search?searchType=EMAIL&keyword=abc@gmail.com&offset=0&limit=1>

## Parameters

Parameter	Type	Use	Description
searchType	String	Required	Search by type, for example "EMAIL".
keyword	String	Required	The type's format, for example "abc@gmail.com"
offset	Integer	Optional	Enables an offset to the pagination.
limit	Integer	Optional	Sets a limit to the pagination.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/user/search?searchType=EMAIL&keyword=abc@gmail.com&offset=0&limit=1'
```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "9b4d2556-e307-4c2b-8d56-7216170e4b5c",  
6 |         "email": "ivishwas.s@gmail.com",  
7 |         "firstName": "Vishwas",  
8 |         "loginId": "vishwas",  
9 |         "lastName": "Shashidhar",  
10 |        "role": "MARKETING_ADMIN"  
11 |      }  
12 |    ],  
13 |    "last": true,  
14 |    "totalPages": 1,  
15 |    "totalElements": 1,  
16 |    "size": 70,  
17 |    "number": 0,  
18 |    "sort": null,  
19 |    "first": true,  
20 |    "numberOfElements": 1  
21 |  },  
22 |  "detail": null,  
23 |  "error": false,  
24 |  "message": "Searching admin users successful"  
25 | }
```



**PUT****Update Admin User Password After Force Reset PIN****Description**

Changes the admin user password to those who are intimated to change their password.

**Request Endpoint**

PUT <https://<Example api server address>/admin/update/password>

**Parameters**

None.

**cURL Syntax**

```
1 curl --include \  
2     --request PUT \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5         \"email\": \"shruti@gmial.com\",  
6         \"password\": \"Dbq@124\",  
7         \"confirmPassword\": \"Dbq@124\"  
8     }" \  
9     'https://core.dev.Example.net/api/admin/update/password'
```

https

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
email	String	Required	Email address of an Admin User.
password	String	Required	Password for an admin user. Must contain a combination of at least: an upper character, a lower character, a number, a symbol, and must be a minimum of 6 characters.
confirmPassword	String	Required	Re-enter the password.

**PUT body**

**Headers:** Content-Type: application/json

```
1 {  
2     "email": "shruti@gmial.com",  
3     "password": "Dbq@124",  
4     "confirmPassword": "Dbq@124"  
5 }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 {  
2     "data": true,  
3     "detail": null,  
4     "error": false,  
5     "message": "Updating Admin User password successful.",  
6     "code": "1000"  
7 }
```

json

**PUT**

## Update Affiliate

### Description

### Request Endpoint

PUT <https://<Example api server address>/admin/affiliate/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of an affiliate.

### cURL syntax

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |     \"launchMode\" : \"API\  
6 | }" \  
7 | 'https://core.dev.Example.net/api/admin/affiliate/id'
```

curl

### PUT body attributes (JSON)

Attribute	Type	Use	Description
launchMode	String	Required	Unique launchMode. It can be "INTENT", "DEEPLINK", or "API".

### PUT body

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "launchMode": "API"  
3 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "ffe5c6a3-58b6-4636-88fe-6bcc168e0758",  
4 |     "deleted": false,  
5 |     "launchMode": "API"  
6 |   },  
7 |   "detail": null,  
8 |   "error": false,  
9 |   "message": "Updating affiliate successful."  
10 | }
```

json

**PUT****Update an Admin User****Description**

Updates an existing admin user. This role can be either:

- "SUPER\_ADMIN"
- "MARKETING\_ADMIN"
- "CUSTOMER\_SUPPORT\_USER"

**Request Endpoint**

PUT <https://<Example api server address>/admin/user/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	uuid of the admin user.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |     \"firstName\": \"manish\",\  
6 |     \"lastName\": \"akshdkas\",\  
7 |     \"loginId\": \"manishm7\",\  
8 |     \"role\": \"MARKETING_ADMIN\"\  
9 | }" \  
10 | 'https://core.dev.Example.net/api/admin/user/id' curl
```

**PUT body**

**Headers:** Content-Type: application/json

```
1 | { json  
2 |   "firstName": "manish",  
3 |   "lastName": "akshdkas",  
4 |   "role": "MARKETING_ADMIN"  
5 | }
```

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | { json  
2 |   "data": {  
3 |     "id": "ac35adb7-3b2d-42a7-bff2-d7d858a334e2",  
4 |     "updatedBy": "",  
5 |     "blockStatus": "NORMAL",  
6 |     "email": "manish7@gmail.com",  
7 |     "firstName": "manish",  
8 |     "loginId": "manishm7",  
9 |     "lastName": "akshdkas",  
10 |    "registrationDate": 1460354771195
```

```
11 | },
12 | "detail": null,
13 | "error": false,
14 | "message": "Updating admin user successful"
15 | }
```

## PUT Update (Application Affiliate)

### Description

Updates an existing application affiliate.

### Request Endpoint

PUT <https://<Example api server address>/admin/application/affiliate/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of a casino affiliate.

### cURL syntax

```
curl --include \  
  --request PUT \  
  --header "Content-Type: application/json" \  
  --data-binary "{  
    \"current\":true,  
    \"affiliateLaunchMode\": \"xngfwVGtUM\",  
    \"affiliateLaunchData\":{  
      \"data\": \"SDKFG\"  
    }  
  }" \  
'https://core.dev.Example.net/api/admin/application/affiliate/id'
```

### PUT body attributes (JSON)

Attribute	Type	Use	Description
affiliateLaunchMode	String	Required	Unique launchMode. It can be "INTENT", "DEEPLINK", or "API".
affiliateLaunchData	String	Required	Unique launch data.
current	Boolean	Required	Sets whether current or not.

### PUT body

**Headers:** Content-Type: application/json

```
{  
  \"affiliateLaunchMode\": \"INTENT\",  
  \"affiliateLaunchData\": {  
    \"data\": \"SDKFG\"  
  },  
  \"current\": true  
}
```

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
{  
  \"data\": {
```



```
3   "id": "2ccf4cc3-55a5-471c-93c0-85f3ad9d4e7b",
4   "deleted": false,
5   "affiliateLaunchMode": "INTENT",
6   "affiliateLaunchData": {
7     "data": "SDKFG"
8   },
9   "casino": {
10    "id": "2ffc77e5-6dea-45a7-8b40-bb19e9b2615a",
11    "deleted": false,
12    "name": "DgDvmvkDXG",
13    "videoUrl": null,
14    "imageUrl": null,
15    "description": null,
16    "website": null,
17    "icon": null,
18    "banner": null,
19    "deletedBy": null,
20    "deletedOn": null,
21    "operatorStatus": "INVITED",
22    "email": "5b5afdb68dc4469d93432c263e57625b@gmail.com",
23    "userRole": "OPERATOR",
24    "firstName": null,
25    "lastName": null,
26    "address": null,
27    "externalId": null,
28    "featuredAppId": null,
29    "latestAppId": null
30  },
31  "current": true
32 },
33 "detail": null,
34 "error": false,
35 "message": "Updating casino affiliate successful"
36 }
```

**PUT****Update Payment Options****Description****Request Endpoint**

PUT <https://<Example api server address>/admin/paymentoption/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	The payment id that was created.

**cURL syntax**

```
1 curl --include \  
2     --request PUT \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \"name\": \"MasterCard\",  
6     \"countries\": [  
7         \"India\",  
8         \"USA\",  
9         \"England\"  
10    ] ,  
11     \"logo\": \"logoimagename\",  
12     \"enabled\": true  
13 }" \  
14 'https://core.dev.Example.net/api/admin/paymentoption/id'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
name	String	Required	The payment method name.
countries	Array	Optional	An array of country names.
logo	String	Optional	Logo image name of the payment method.
enabled	Boolean	Optional	True / false.

**PUT body**

**Headers:** Content-Type: application/json

```
1 {  
2     "name": "MasterCard",  
3     "countries": [  
4         "India",  
5         "USA",  
6         "England"  
7     ] ,  
8     "logo": "logoimagename",  
9     "enabled": true  
10 }
```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

json

```
1  {
2  | "data": {
3  |   "id": "3ed17309-945d-4e7d-bf5a-a3832007b303",
4  |   "deleted": false,
5  |   "name": "MasterCard",
6  |   "countries": [
7  |     "India",
8  |     "USA",
9  |     "England"
10 |   ],
11 |   "logo": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/logoimagename",
12 |   "enabled": true
13 | },
14 | "detail": null,
15 | "error": false,
16 | "message": "Updating payment options successful."
17 | }
```

**PUT****Update Payment Provider Gateway****Description**

Adds a new payment provider gateway.

**Request Endpoint**

PUT <https://<Example api server address>/admin/payment/provider/gateway/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	UUID of an existing payment provider gateway.

**cURL syntax**

```
curl --include \  
  --request PUT \  
  --header "Content-Type: application/json" \  
  --data-binary "{  
    \"name\" : \"psp123\",  
    \"externalId\" : \"EX456\"  
  }" \  
  'https://core.dev.Example.net/api/admin/payment/provider/gateway/id'
```

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
name	String	Required	An unique name for the payment provider gateway.
externalId	String	Required	External Id for the payment provider gateway.

**PUT body**

**Headers:** Content-Type: application/json

```
{  
  "name": "psp123",  
  "externalId": "EX456"  
}
```

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
{  
  "data": {  
    "id": "5c0d464a-ce3d-408c-858b-ab7fa465d13e",  
    "deleted": false,  
    "name": "psp123",  
    "externalId": "EX456"  
  },  
  "detail": null,  
  "error": false,  
}
```

```
11 | "message": "Updating payment provider gateway successful."  
    | }
```

## PUT Update Reject Transaction Reason

### Description

Updates an existing reject reason.

### Request Endpoint

PUT <https://<Example api server address>/admin/reject/reason>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"rejectReasonId\" : \"153fb4ea-96b9-4ec9-b5d9-1f1324d56192\",\  
6 |         \"reason\" : \"Rejected by Casino - Fraud\"\  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/admin/reject/reason'
```

curl

### PUT body attributes (JSON)

Attribute	Type	Use	Description
rejectReasonId	String	Required	UUID of an existing reject reason.
reason	String	Required	Reason for rejecting the transaction.

### PUT body

**Headers:** Content-Type: application/json

```
1 | {\  
2 |     \"rejectReasonId\": \"153fb4ea-96b9-4ec9-b5d9-1f1324d56192\",\  
3 |     \"reason\": \"Rejected by Casino - Fraud\"\  
4 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |     \"data\": {\  
3 |         \"id\": \"153fb4ea-96b9-4ec9-b5d9-1f1324d56192\",\  
4 |         \"deleted\": false,  
5 |         \"reason\": \"Rejected by Casino - Fraud\"\  
6 |     },\  
7 |     \"detail\": null,  
8 |     \"error\": false,  
9 |     \"message\": \"Updating reject transaction reason successful.\"\  
10 | }
```

json

**GET**

## Verify Admin User Email Token

### Description

Verifies the admin user by token which is sent to the given email address. This role can be either:

- "SUPER\_ADMIN"
- "MARKETING\_ADMIN"
- "CUSTOMER\_SUPPORT\_USER"

### Request Endpoint

GET <https://<Example api server address>/admin/user/email/verify/{token}/>

### Parameters

Parameter	Type	Use	Description
token	String	Required	Token that is sent to the email address.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/user/email/verify/encodedEmail/token/actionType'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Admin email token verified successfully"  
6 | }
```

json

**PUT****Whitelisting an Existing User****Description**

Whitelists an existing user.

**Request Endpoint**

PUT <https://<Example api server address>/admin/user/whitelist>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 | 'https://core.dev.Example.net/api/admin/user/id/whitelist'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Whitelisting an User successful."  
6 | }
```

json



**PUT**

## Whitelisting an Existing User Payment Method

### Description

Whitelists an existing user payment method.

### Request Endpoint

PUT `https://<Example api server address>/admin/{id}/user/{paymentid}/whitelist`

### Parameters

Parameter	Type	Use	Description
<code>id</code>	String	Required	UUID of an existing user.
<code>paymentId</code>	String	Required	UUID of a payment method of a user.

### cURL syntax

```
1 | curl --include \  
2 |     --request PUT \  
3 | 'https://core.dev.Example.net/api/admin/id/user/paymentid/whitelist'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Whitelisting an User Payment method successful."  
6 | }
```

json

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Authentication APIs

#### POST Admin Login

##### Description

Creates a token for an administrator user.

##### Request Endpoint

POST <https://<Example api server address>/login/admin>

##### Parameters

None.

##### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"loginId\": \"abc\",  
6 |         \"password\": \"abc@123\"  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/login/admin'
```

curl

##### POST body

Headers: Content-Type: application/json

```
1 | {  
2 |   "loginId": "abc",  
3 |   "password": "abc@123"  
4 | }
```

json

##### Response body A

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "adminUser": {  
4 |       "id": "e20771d1-e58a-462b-bc9e-30f74be3926e",  
5 |       "email": "ivishwas.s@gmail.com",  
6 |       "firstName": "Vishwas",  
7 |       "loginId": "vishwas",  
8 |       "lastName": "Shashidhar",
```

json

```
9     "role": "SUPER_ADMIN",
10    "twoFactorEnabled": true,
11    "attemptsBeforeTwoFactor": 2,
12    "twoFactorLoginExpiryDate": 1469029431110
13  },
14  "token": null,
15  "twoFactorCheckRequired": true
16 },
17 "detail": null,
18 "error": false,
19 "message": "Admin user login successful"
20 }
```

## Response body B

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1  {
2  "data": {
3    "adminUser": {
4      "id": "e20771d1-e58a-462b-bc9e-30f74be3926e",
5      "email": "ivishwas.s@gmail.com",
6      "firstName": "Vishwas",
7      "loginId": "vishwas",
8      "lastName": "Shashidhar",
9      "role": "SUPER_ADMIN",
10     "twoFactorEnabled": false,
11     "attemptsBeforeTwoFactor": 1,
12     "twoFactorLoginExpiryDate": null
13   },
14   "token": "eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiJlMjA3ZmFkMS1lNThhLTQ2MmItYmM5ZS0zMGY3NGJlMzkyNmUiLCJpYXQiOiJkbnV5IiwiaWF0IjoiMTY5MjY1MjY1LjE2In0",
15   "twoFactorCheckRequired": false
16 },
17 "detail": null,
18 "error": false,
19 "message": "Admin user login successful"
20 }
```

## POST Admin Two Factor Authentication Login

### Description

Allows a two factor login.

### Request Endpoint

POST <https://<Example api server address>/login/admin/2fa>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"adminUserId\": \"e20771d1-e58a-462b-bc9e-30f74be3926e\",  
6 |         \"token\": 173876  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/login/admin/2fa'
```

curl

### POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |     \"adminUserId\": \"e20771d1-e58a-462b-bc9e-30f74be3926e\",  
3 |     \"token\": 173876  
4 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     \"data\": {  
3 |         \"adminUser\": {  
4 |             \"id\": \"e20771d1-e58a-462b-bc9e-30f74be3926e\",  
5 |             \"email\": \"ivishwas.s@gmail.com\",  
6 |             \"firstName\": \"Vishwas\",  
7 |             \"loginId\": \"vishwas\",  
8 |             \"lastName\": \"Shashidhar\",  
9 |             \"role\": \"SUPER_ADMIN\",  
10 |            \"twoFactorEnabled\": true,  
11 |            \"attemptsBeforeTwoFactor\": 2,  
12 |            \"twoFactorLoginExpiryDate\": null  
13 |         },  
14 |         \"token\": \"eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiJlMjA3Zm5kMS1lNTlhLTQ2MmItYm5kMGY3NGJlMzkyNmUiLCJpYXQiOiJj  
15 |         \"twoFactorCheckRequired\": false  
16 |     },  
17 |     \"detail\": null,  
18 |     \"error\": false,  
19 |     \"message\": \"Admin user login successful\"  
20 | }
```

json



**POST****Casino or SDK Login****Request****Description**

Creates a token for the sdk / casino app

**Request Endpoint**

POST <https://<Example api server address>/login/sdk>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"developerKey\": \"1f5d5a52c6963200d70a937d7fb2458aacac11c8e99e88b667f6799951503583\"\  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/login/sdk'
```

curl

**POST body**

**Headers:** Content-Type: application/json

```
1 | {\  
2 |     \"developerKey\": \"1f5d5a52c6963200d70a937d7fb2458aacac11c8e99e88b667f6799951503583\"\  
3 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |     \"data\": {\  
3 |         \"token\": \"eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiIyNjA2ODAyOS05YTNI1LTQxZWYtYjFmZC01NDEwODUyZjU5ZDgiLCJpYXQiOiJ\  
4 |         \"refreshToken\": \"a6849f39800c7321bc9750e68acabe7c77907c0dad80590cbcb41a322b0e8e7\"\  
5 |     },\  
6 |     \"detail\": null,  
7 |     \"error\": false,  
8 |     \"message\": \"SDK login successful\"\  
9 | }
```

json



**POST****Operator Login****Request****Description**

Creates a token for an operator user.

**Request Endpoint**

POST <https://<Example api server address>/login/operator>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"email\": \"operator@casino.com\",  
6 |         \"password\": \"pass1\"  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/login/operator'
```

curl

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "email": "operator@casino.com",  
3 |   "password": "pass1"  
4 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "token": "eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiIyNjA2ODAyOS05YTNI1LTQxZWYtYjFmZC01NDEwODUyZjU5ZDgiLCJpYXQiOiJ1OTY5LWVudC01NDEwODUyZjU5ZDgiLCJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9",  
4 |   },  
5 |   "detail": null,  
6 |   "error": false,  
7 |   "message": "Operator login successful"  
8 | }
```

json





**POST****SDK / Casino User Login****Request****Description**

Creates a token for the sdk / casino user.

**Request Endpoint**

POST <https://<Example api server address>/login/sdk/user>

**Parameters**

None.

**cURL syntax**

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5         \"developerKey\": \"1084d1aa4a5be05b562368aa6577896d378ecea3d0651815d68bf97ebb07664e\",  
6         \"userId\": \"c3da6ce7-0576-4772-93c1-dac0b3816fbf\"  
7     }" \  
8 'https://core.dev.Example.net/api/login/sdk/user'
```

curl

**POST body**

**Headers:** Content-Type: application/json

```
1 {  
2     \"developerKey\": \"1084d1aa4a5be05b562368aa6577896d378ecea3d0651815d68bf97ebb07664e\",  
3     \"deviceUdid\": \"20837189380123210382438129\",  
4     \"socialId\": \"3084721083890128309130921u3\",  
5     \"loginType\": \"GOOGLE\",  
6     \"pin\": \"8702\"  
7 }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 {  
2     \"data\": {  
3         \"token\": \"eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiIyNjA2ODAyOS05YTNIUzI1NiJ9.eyJqdGkiOiIyNjA2ODAyOS05YTNIUzI1NiJ9.eyJqdGkiOiIyNjA2ODAyOS05YTNIUzI1NiJ9\",  
4         \"user\": {  
5             \"id\": \"c3da6ce7-0576-4772-93c1-dac0b3816fbf\",  
6             \"firstName\": \"John\",  
7             \"lastName\": \"Nair\",  
8             \"fullName\": \"John Nair\",  
9             \"profileName\": \"John\",  
10            \"profileImagePath\": null,  
11            \"registrationDate\": 1448898079793,  
12            \"birthDateDay\": 12,  
13            \"birthDateMonth\": 1,  
14            \"birthDateYear\": 1945,  
15            \"locationCountry\": \"India\",  
16            \"locationZipCode\": \"1234234\",  
17            \"timezone\": null,  
18            \"userSetting\": null,
```

json

```
19     "socialAuthenticationChannels": [  
20         {  
21             "loginType": "FACEBOOK",  
22             "socialId": "123456789",  
23             "addedOn": 1448898079793,  
24             "lastUsedOn": 1448898079793  
25         }  
26     ],  
27     "emailAuthenticationChannels": [],  
28     "mobileAuthenticationChannels": [],  
29     "addresses": null,  
30     "status": "EXISTING",  
31     "verified": true,  
32     "pinResetDate": null  
33 },  
34     "refreshToken": "a6849f39800c7321bc9750e68acabe7c77907c0dad80590cbcb41a322b0e8e7"  
35 },  
36 "detail": null,  
37 "error": false,  
38 "message": "Store login successful"  
39 }
```

## POST Setup Two Factor Authentication

### Request

#### Description

Allows an admin user to setup 2FA.

#### Request Endpoint

POST <https://<Example api server address>/login/admin/2fa/create>

#### Parameters

None.

#### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |     \"adminUserId\": \"e20771d1-e58a-462b-bc9e-30f74be3926e\  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/login/admin/2fa/create'
```

curl

### POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |   \"adminUserId\": \"e20771d1-e58a-462b-bc9e-30f74be3926e\"  
3 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   \"data\": {  
3 |     \"key\": \"BWPXG5HEYMAZGURM\",  
4 |     \"qrCode\": \"https://chart.googleapis.com/chart?  
5 |         chs=200x200&  
6 |         chld=M%7C0&  
7 |         cht=qr&  
8 |         chl=otpaauth%3A%2F%2Ftotp%2FBetcade%3Aivishwas.s%40gmail.com%3Fsecret%3DBWPXG5HEYMAZGURM%26i  
9 |     },  
10 |   \"detail\": null,  
11 |   \"error\": false,  
12 |   \"message\": \"Setting up two factor successful\"  
13 | }
```

json

**POST****Store Login****Request****Description**

Creates a token for the store APK.

**Request Endpoint**

POST `https://<Example api server address>/login/store`

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"developerKey\": \"1f5d5a52c6963200d70a937d7fb2458aacac11c8e99e88b667f6799951503583\  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/login/store'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
developerKey	String	Required	The developer key used to enable the login.

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |     \"developerKey\": \"1f5d5a52c6963200d70a937d7fb2458aacac11c8e99e88b667f6799951503583\"  
3 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     \"data\": {  
3 |         \"token\": \"eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiIyNjA2ODAyOS05YTU1LTQxZWYtYjFmZmZC01NDEwODUyZjU5ZDgiLCJpYXQiOiJ1OTY5LWVudC01NDEwODUyZjU5ZDgiLCJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9\"  
4 |     },  
5 |     \"detail\": null,  
6 |     \"error\": false,  
7 |     \"message\": \"Store login successful\"  
8 | }
```

json

## POST Store User Login

### Request

#### Description

Creates a token for the store APK.

#### Request Endpoint

POST <https://<Example api server address>/login/store/user>

#### Parameters

None.

#### cURL syntax

```
1 curl --include \  
2   --request POST \  
3   --header "Content-Type: application/json" \  
4   --data-binary "{  
5     \"developerKey\": \"1084d1aa4a5be05b562368aa6577896d378ecea3d0651815d68bf97ebb07664e\",  
6     \"deviceUdid\": \"20837189380123210382438129\",  
7     \"socialId\": \"3084721083890128309130921u3\",  
8     \"loginType\": \"GOOGLE\",  
9     \"pin\": \"8702\"  
10  }" \  
11  'https://core.dev.Example.net/api/login/store/user'
```

### POST body

Headers: Content-Type: application/json

```
1 {  
2   \"developerKey\": \"1084d1aa4a5be05b562368aa6577896d378ecea3d0651815d68bf97ebb07664e\",  
3   \"deviceUdid\": \"20837189380123210382438129\",  
4   \"socialId\": \"3084721083890128309130921u3\",  
5   \"loginType\": \"GOOGLE\",  
6   \"pin\": \"8702\"  
7 }
```

### Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 {  
2   \"data\": {  
3     \"token\": \"eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiIyNjA2ODAyOS05YTl1LTQxZWYtYjFmZC01NDUwODUyZjU5ZDgiLCJpYXQiOiJj  
4     \"user\": {  
5       \"id\": \"c3da6ce7-0576-4772-93c1-dac0b3816fbf\",  
6       \"firstName\": \"John\",  
7       \"lastName\": \"Nair\",  
8       \"fullName\": \"John Nair\",  
9       \"profileName\": \"John\",  
10      \"profileImagePath\": null,  
11      \"registrationDate\": 1448898079793,  
12      \"birthDateDay\": 12,  
13      \"birthDateMonth\": 1,  
14      \"birthDateYear\": 1945,  
15      \"locationCountry\": \"India\",
```

```
16     "locationZipCode": "1234234",
17     "timezone": null,
18     "userSetting": null,
19     "socialAuthenticationChannels": [
20       {
21         "loginType": "FACEBOOK",
22         "socialId": "123456789",
23         "addedOn": 1448898079793,
24         "lastUsedOn": 1448898079793
25       }
26     ],
27     "emailAuthenticationChannels": [],
28     "mobileAuthenticationChannels": [],
29     "addresses": null,
30     "status": "EXISTING",
31     "verified": true,
32     "pinResetDate": null
33   }
34 },
35 "detail": null,
36 "error": false,
37 "message": "Store User login successful"
38 }
```

**POST****Third Party Developer Login****Request****Description**

Creates a token for the third party developer.

**Request Endpoint**

POST <https://<Example api server address>/login/developer>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"developerKey\": \"1f5d5a52c6963200d70a937d7fb2458aacac11c8e99e88b667f6799951503583\"  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/login/developer'
```

curl**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |     \"developerKey\": \"1f5d5a52c6963200d70a937d7fb2458aacac11c8e99e88b667f6799951503583\"  
3 | }
```

json**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     \"data\": {  
3 |         \"token\": \"eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiIyNjA2ODAyOS05YTNIbGQxZWYtYjFmZC01NDEwODUyZjU5ZDgiLCJpYXQiOiJ  
4 |     },  
5 |     \"detail\": null,  
6 |     \"error\": false,  
7 |     \"message\": \"SDK login successful\"  
8 | }
```

json



**POST****Verify 2FA Setup****Request****Description**

Allows an admin user to verify the setup of 2FA.

**Request Endpoint**

POST <https://<Example api server address>/login/admin/2fa/verify>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"adminUserId\": \"e20771d1-e58a-462b-bc9e-30f74be3926e\",\  
6 |         \"token\": 173876\  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/login/admin/2fa/verify'
```

curl

**POST body**

**Headers:** Content-Type: application/json

```
1 | {\  
2 |     \"adminUserId\": \"e20771d1-e58a-462b-bc9e-30f74be3926e\",\  
3 |     \"token\": 173876\  
4 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |     \"data\": {\  
3 |         \"id\": \"e20771d1-e58a-462b-bc9e-30f74be3926e\",\  
4 |         \"email\": \"ivishwas.s@gmail.com\",\  
5 |         \"firstName\": \"Vishwas\",\  
6 |         \"loginId\": \"vishwas\",\  
7 |         \"lastName\": \"Shashidhar\",\  
8 |         \"role\": \"SUPER_ADMIN\",\  
9 |         \"twoFactorEnabled\": true,\  
10 |        \"attemptsBeforeTwoFactor\": 2,\  
11 |        \"twoFactorLoginExpiryDate\": null\  
12 |     },\  
13 |     \"detail\": null,\  
14 |     \"error\": false,\  
15 |     \"message\": \"Verifying two factor token successful\"\  
16 | }
```

json

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Casino API Keys APIs

#### POST Create New API Key

##### Description

Allows a casino operator to generate a long lasting API key for accessing the sdk related APIs.

- You can use the same method to create a new API key
- The old key will be replaced with the new one.

##### Request Endpoint

POST `https://<Example api server address>/casino/{casinoId}/developer/key`

##### Parameters

Parameter	Type	Use	Description
casinoId	String	Required	The casino id.

##### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 | 'https://core.dev.Example.net/api/casino/casinoId/developer/key' curl
```

##### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | { json  
2 |   "data": {  
3 |     "id": "e61f2c4c-6931-4141-a96f-9abce60b3b24",  
4 |     "casino": {  
5 |       "id": "85444112-4ab7-4239-92f5-bc320b7a44ba",  
6 |       "name": "Casino 1",  
7 |       "videoUrl": null,  
8 |       "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/image2.jpeg",  
9 |       "description": "desc1",  
10 |      "website": "http://google.com",  
11 |      "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/image1.jpeg",  
12 |      "banner": null,  
13 |      "deletedBy": null,  
14 |      "deletedOn": null,  
15 |      "operatorStatus": "VERIFIED",
```

```
16     "email": "sudipta.bhaumik@innoflexion.com",
17     "userRole": "OPERATOR",
18     "firstName": "Sudipta",
19     "lastName": "Bhaumik",
20     "address": "address"
21   },
22   "apiKey": "0856b17e735b6935b996b20ef5e8b2b6a636d044fc85abffc87d4036cbac81c8",
23   "disabled": false,
24   "generatedOn": 1470040771197
25 },
26 "detail": null,
27 "error": false,
28 "message": "Generating developer key successful."
29 }
```

**GET**

## Fetch API Key

### Description

Gets a casino's existing developer key.

### Request Endpoint

GET <https://<Example api server address>/casino/{casinoId}/developer/key>

### Parameters

Parameter	Type	Use	Description
casinoId	String	Required	The casino id.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/casino/casinoId/developer/key'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "e61f2c4c-6931-4141-a96f-9abce60b3b24",  
4 |     "casino": {  
5 |       "id": "85444112-4ab7-4239-92f5-bc320b7a44ba",  
6 |       "name": "Casino 1",  
7 |       "videoUrl": null,  
8 |       "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/image2.jpeg",  
9 |       "description": "desc1",  
10 |      "website": "http://google.com",  
11 |      "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/image1.jpeg",  
12 |      "banner": null,  
13 |      "deletedBy": null,  
14 |      "deletedOn": null,  
15 |      "operatorStatus": "VERIFIED",  
16 |      "email": "sudipta.bhaumik@innoflexion.com",  
17 |      "userRole": "OPERATOR",  
18 |      "firstName": "Sudipta",  
19 |      "lastName": "Bhaumik",  
20 |      "address": "address"  
21 |    },  
22 |    "apiKey": "0856b17e735b6935b996b20ef5e8b2b6a636d044fc85abffc87d4036cbac81c8",  
23 |    "disabled": false,  
24 |    "generatedOn": 1470040771197  
25 |  },  
26 |  "detail": null,  
27 |  "error": false,  
28 |  "message": "Fetching developer key successful."  
29 | }
```

json

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Casino APIs

#### POST Authenticate User

##### Description

Allows a casino app to authenticate a user.

##### Request Endpoint

POST `https://<Example api server address>/user/casino/pin/verify`

##### Parameters

None.

##### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"loginType\": \"FACEBOOK\",  
6 |         \"socialId\": \"social12345\",  
7 |         \"pin\" : \"2344\"  
8 |     }" \  
9 | 'https://core.dev.Example.net/api/user/casino/pin/verify'
```

curl

##### POST body attributes (JSON)

Attribute	Type	Use	Description
loginType	String	Required	Login Type (Can be "EMAIL", "MOBILE", "GOOGLE", "FACEBOOK", or "TWITTER").
userId	String	Required	UUID of a user.
socialId	String	Conditional	Social ID of the user (Only applicable and mandatory for login types "GOOGLE", "FACEBOOK" and "TWITTER").
mobileNumber	String	Conditional	Mobile number of the user (Only applicable and mandatory for the login type "MOBILE").
emailAddress	String	Conditional	Email address of the user (Only applicable and mandatory for the login type "EMAIL").
pin	String	Required	PIN provided by the user to authenticate.

##### POST Request body

Headers: Content-Type: application/json

```
1 | {  
2 |     \"loginType\": \"FACEBOOK\",
```

json

```
3 | "socialId": "social12345",
4 | "pin": "2344"
5 | }
```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {
2 |   "error": false,
3 |   "message": "Verified Pin successfully",
4 |   "detail": null,
5 |   "data": true
6 | }
```

json

**POST****Create (Casino)****Description**

Creates a new casino.

**Request Endpoint**

POST <https://<Example api server address>/casino>

**Parameters**

None.

**cURL syntax**

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \"name\" : \"UserApps\",  
6     \"videoUrl\" : \"www.youtube.com\",  
7     \"imageUrl\" : \"www.google.com\",  
8     \"description\" : \"This casino has lot of game apps\",  
9     \"website\" : \"www.casino.com\",  
10    \"icon\" : \"icon123\",  
11    \"banner\" : \"banner234\"  
12 }" \  
13 'https://core.dev.Example.net/api/casino'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
name	String	Required	The name of a casino.
imageUrl	String	Optional	Image url of a casino.
videoUrl	String	Optional	Video url of a casino.
description	String	Optional	Description of a casino.
website	String	Optional	Website of a casino.
icon	String	Optional	Icon of a casino.
banner	String	Optional	Banner of a casino.

**POST body**

**Headers:** Content-Type: application/json

```
1 {  
2     "name": "UserApps",  
3     "videoUrl": "www.youtube.com",  
4     "imageUrl": "www.google.com",  
5     "description": "This casino has lot of game apps",  
6     "website": "www.casino.com",  
7     "icon": "icon123",  
8     "banner": "banner234"  
9 }
```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

json

```
1  {
2    "data": {
3      "id": "1ec790fa-7f01-4f40-8483-c0c2797c1346",
4      "updatedBy": "",
5      "name": "UserApps",
6      "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/www.youtube.com",
7      "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/www.google.com",
8      "description": "This casino has lot of game apps",
9      "website": "www.casino.com",
10     "icon": "icon123",
11     "banner": "banner234"
12   },
13   "detail": null,
14   "error": false,
15   "message": "Creating casino successful"
16 }
```



## DELETE Delete (Existing Casino)

### Description

Deletes an existing casino.

### Request Endpoint

DELETE <https://<Example api server address>/casino/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of an existing casino.

### cURL syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 | 'https://core.dev.Example.net/api/casino/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Deleting casino successful"  
6 | }
```

json

**GET****Fetch All (Existing Casinos)****Description**

Gets all existing casinos.

**Request Endpoint**

GET <https://<Example api server address>/casino>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/casino'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",  
5 |       "updatedBy": "",  
6 |       "name": "UserAppCas",  
7 |       "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/UserAppCas",  
8 |       "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/UserAppCas",  
9 |       "description": null,  
10 |      "website": null,  
11 |      "icon": null,  
12 |      "banner": null  
13 |    },  
14 |    {  
15 |      "id": "d07de3bd-f1f2-48c9-b880-97c8649ced97",  
16 |      "updatedBy": "",  
17 |      "name": "UserAppCas1",  
18 |      "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/UserAppCas1",  
19 |      "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/UserAppCas1",  
20 |      "description": null,  
21 |      "website": null,  
22 |      "icon": null,  
23 |      "banner": null  
24 |    },  
25 |    {  
26 |      "id": "1ec790fa-7f01-4f40-8483-c0c2797c1346",  
27 |      "updatedBy": "",  
28 |      "name": "UserApps",  
29 |      "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/www.youtube.com",  
30 |      "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/www.google.com",  
31 |      "description": "icon123.com",  
32 |      "website": "www.casino.com",  
33 |      "icon": "icon123.com",  
34 |      "banner": "banner234.com"  
35 |    }  
36 |  ],  
37 |   "detail": null,  
38 |   "error": false,
```

json

```
39 | "message": "Fetching casinos successful"  
40 | }
```

**GET**

## Fetch Casino With Featured And Latest Application

### Description

Fetches a Casino with a featured and latest application.

### Request Endpoint

GET <https://<Example api server address>/casino/{id}/search>

### Parameters

Parameter	Type	Use	Description
id	String	Required	The application id.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/casino/id/search'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",  
4 |     "deleted": false,  
5 |     "name": "Poker 26",  
6 |     "videoUrl": "https://www.google.com/betting-video.mov",  
7 |     "imageUrl": "http://www.google.com/betting.png",  
8 |     "description": "This casino has lot of game apps1",  
9 |     "website": "http://www.casino1.com",  
10 |    "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",  
11 |    "banner": "banner2345",  
12 |    "deletedBy": null,  
13 |    "deletedOn": null,  
14 |    "operatorStatus": "NEW",  
15 |    "email": null,  
16 |    "userRole": "OPERATOR",  
17 |    "firstName": null,  
18 |    "lastName": null,  
19 |    "address": null,  
20 |    "externalId": null,  
21 |    "featuredAppId": "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",  
22 |    "latestAppId": "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7"  
23 |  },  
24 |   "detail": null,  
25 |   "error": false,  
26 |   "message": "Fetching casino detail successful"  
27 | }
```

json

## Description

Fetches categories with a list of applications for a particular casinoId.

## Request Endpoint

GET <https://<Example api server address>/application/by/casino/{id}>

## Parameters

Parameter	Type	Use	Description
id	String	Required	Id of a casino.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/application/by/casino/id'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "e068a967-4da6-40b3-ae83-f7c3d4af533e",  
6 |         "deleted": false,  
7 |         "imageUrl": "http://www.google.com/betting.png",  
8 |         "name": "Poker 1",  
9 |         "description": "Some poker category",  
10 |        "videoUrl": "https://www.google.com/betting-video.mov",  
11 |        "iconUrl": "https://www.google.com/betting-icon.png",  
12 |        "colorCode": "#FFFFFF",  
13 |        "heroImageReference": "https://www.google.com/hero.png",  
14 |        "priority": 1,  
15 |        "deletedBy": null,  
16 |        "deletedOn": null,  
17 |        "apps": [  
18 |          "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",  
19 |          "1bbba7f9-a8dd-4b84-abc8-19899b2cf0a7"  
20 |        ]  
21 |      },  
22 |     },  
23 |     {  
24 |       "id": "86714a54-7325-4b63-b188-05e62d928539",  
25 |       "deleted": false,  
26 |       "imageUrl": "http://www.google.com/betting.png",  
27 |       "name": "EMkudkOYhw",  
28 |       "description": "Some poker category",  
29 |       "videoUrl": "https://www.google.com/betting-video.mov",  
30 |       "iconUrl": "https://www.google.com/betting-icon.png",  
31 |       "colorCode": "#FFFFFF",  
32 |       "heroImageReference": "https://www.google.com/hero.png",  
33 |       "priority": 1,  
34 |       "deletedBy": null,  
35 |       "deletedOn": null,  
36 |     }  
37 |   ]  
38 | }  
39 | }
```

json

```
35     "apps": [  
36         "1bbba7f9-a8dd-4b84-abc8-19899b2cf0a7"  
37     ]  
38     }  
39 ],  
40 "last": true,  
41 "totalPages": 1,  
42 "totalElements": 2,  
43 "numberOfElements": 2,  
44 "sort": null,  
45 "first": true,  
46 "size": 70,  
47 "number": 0  
48 },  
49 "detail": null,  
50 "error": false,  
51 "message": "Fetching casino applications by category successful."  
52 }
```

**GET****Fetch Details****Description**

Fetches all the details of an existing casino.

**Request Endpoint**

GET <https://<Example api server address>/casino/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	UUID of an existing casino.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/casino/id'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "d07de3bd-f1f2-48c9-b880-97c8649ced97",  
4 |     "updatedBy": "",  
5 |     "name": "UserAppCas1",  
6 |     "videoUrl": "UserAppCas1",  
7 |     "imageUrl": "UserAppCas1",  
8 |     "description": null,  
9 |     "website": null,  
10 |    "icon": null,  
11 |    "banner": null  
12 |   },  
13 |   "detail": null,  
14 |   "error": false,  
15 |   "message": "Fetching casino detail successful"  
16 | }
```

json

**GET**

## Filter by Name

### Description

Gets an existing casino by the name passed.

### Request Endpoint

GET <https://<Example api server address>/casino/by/name/{name}>

### Parameters

Parameter	Type	Use	Description
name	String	Required	Name of an existing casino.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/casino/by/name/name'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "1ec790fa-7f01-4f40-8483-c0c2797c1346",  
5 |       "updatedBy": "",  
6 |       "name": "UserApps",  
7 |       "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/www.youtube.com",  
8 |       "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/www.google.com",  
9 |       "description": "This casino has lot of game apps",  
10 |      "website": "www.casino.com",  
11 |      "icon": "icon123",  
12 |      "banner": "banner234"  
13 |     }  
14 |   ],  
15 |   "detail": null,  
16 |   "error": false,  
17 |   "message": "Fetching casino detail successful"  
18 | }
```

json



**GET**

## Prefill User Detail

### Description

Allows a casino to fetch a user's information.

### Request Endpoint

GET <https://<Example api server address>/user/{id}/casino/credentials>

### Parameters

Parameter	Type	Use	Description
id	String	Required	The UUID of a user.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/id/casino/credentials'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "error": false,  
3 |   "message": "Transferred Credentials to Casino successfully",  
4 |   "detail": null,  
5 |   "data": {  
6 |     "id": "0bdfddfd-8dcd-4744-95e3-a6a3c74ac7b5",  
7 |     "firstName": null,  
8 |     "lastName": null,  
9 |     "fullName": null,  
10 |    "profileName": null,  
11 |    "profileImagePath": null,  
12 |    "registrationDate": null,  
13 |    "birthDateDay": null,  
14 |    "birthDateMonth": null,  
15 |    "birthDateYear": null,  
16 |    "locationCountry": null,  
17 |    "locationZipCode": null,  
18 |    "timezone": null,  
19 |    "userSetting": null,  
20 |    "socialAuthenticationChannels": [  
21 |      {  
22 |        "loginType": "FACEBOOK",  
23 |        "socialId": "social12345",  
24 |        "addedOn": 1450074164767,  
25 |        "lastUsedOn": 1450074164767,  
26 |        "deletedOn": null  
27 |      }  
28 |    ],  
29 |    "emailAuthenticationChannels": [  
30 |      {  
31 |        "loginType": "EMAIL",  
32 |        "primary": null,  
33 |        "emailAddress": "rn.shruti@gmail.com",  
34 |        "emailVerificationStatus": "VERIFIED",
```

json

```
35     "emailPinResetStatus": null,
36     "addedOn": 1450074164767,
37     "lastUsedOn": 1450074164767,
38     "deletedOn": null
39   }
40 ],
41 "mobileAuthenticationChannels": [
42   {
43     "loginType": "MOBILE",
44     "primary": null,
45     "mobileNumber": "+918050022027",
46     "mobileVerificationStatus": "VERIFIED",
47     "mobilePinResetStatus": null,
48     "addedOn": 1450074164767,
49     "lastUsedOn": 1450074164767,
50     "deletedOn": null
51   }
52 ],
53 "addresses": null,
54 "status": null,
55 "verified": false,
56 "wrongPinAttempts": 0,
57 "pinCreated": false,
58 "paymentMethods": null
59 }
60 }
```

**PUT**

## Update (Casino Info)

### Description

Updates an existing casino's information.

### Request Endpoint

PUT <https://<Example api server address>/casino/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of an existing casino.

### cURL syntax

```
1 curl --include \  
2     --request PUT \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \"icon\": \"icon\",  
6     \"banner\": \"banner\",  
7     \"makeActive\": true  
8     }" \  
9     'https://core.dev.Example.net/api/casino/id'
```

curl

### PUT body

**Headers:** Content-Type: application/json

```
1 {  
2     "icon": "icon",  
3     "banner": "banner",  
4     "makeActive": true  
5 }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 {  
2     "data": {  
3         "id": "1ec790fa-7f01-4f40-8483-c0c2797c1346",  
4         "updatedBy": "",  
5         "name": "UserApps",  
6         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/www.youtube.com",  
7         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/www.google.com",  
8         "description": "icon123.com",  
9         "website": "www.casino.com",  
10        "icon": "icon123",  
11        "banner": "banner234"  
12    },  
13    "detail": null,  
14    "error": false,  
15    "message": "Editing casino successful"  
16 }
```

json



## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Casino WebHook APIs

#### POST Create Casino Notification History

##### Description

Records the data which failed to notify a casino as related to a user's payment/transaction. Basically records all the data which is in the queue.

##### Request Endpoint

POST `https://<Example api server address>/casino/notification/history`

##### Parameters

None.

##### cURL Syntax

```
1 curl --include \
2     --request POST \
3     --header "Content-Type: application/json" \
4     --data-binary "{
5     \"userId\" : \"2880b416-177d-445f-838f-c414aea3b94a\",
6     \"applicationId\" : \"8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7\",
7     \"currency\" : \"GBP\",
8     \"amount\" : \"10.0\",
9     \"orderId\" : \"6s773sss05dabd\",
10    \"extCasinoUserId\" : \"cwr33r3c\",
11    \"extCasinoTransId\" : \"ppi12345\",
12    \"timeStamp\" : \"1483351249\",
13    \"casinoWebHookUrl\" : \"http://localhost:6060/casino/wallet\",
14    \"token\" : \"eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiI2ZTk5ZWU3MC04MDk0LTRjM2MtYjYyZi1iZDh2MmNDRiODciLCJpYX
15    \"attempts\" : 3,
16    \"maxAttempts\" : 3
17  }" \
18  'https://private-5f8be-betcadessdkapi.apiary-mock.com/api/casino/notification/history'
```

##### POST body attributes (JSON)

Attribute	Type	Use	Description
userId	String	Required	UUID of a user.
applicationId	String	Required	UUID of an application.
currency	String	Required	Currency of the user that is used to deposit.
amount	String	Required	The deposit amount.

Attribute	Type	Use	Description
orderId	String	Required	The ProviderOrderId of the transaction.
extCasinoUserId	String	Optional	The extCasinoUserId of a user.
extCasinoTransId	String	Required	The extCasinoTransId of a user.
timeStamp	String	Required	The timestamp when the data is put in the queue.
casinoWebHookUrl	String	Optional	The webhook url of a casino.
token	String	Optional	The token to be sent to the webhook along with the data.
attempts	Number	Required	The number of failed attempts a listener made to send data to the webhook.
maxAttempts	Number	Required	The maximum number of retry attempts that the listener can use to send data to the web-hook.

## POST body

Headers: Content-Type: application/json

```

1  {
2    "userId": "2880b416-177d-445f-838f-c414aea3b94a",
3    "applicationId": "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",
4    "currency": "GBP",
5    "amount": "10.0",
6    "orderId": "6s773sss05dabd",
7    "extCasinoUserId": "cwr33r3c",
8    "extCasinoTransId": "ppi12345",
9    "timeStamp": "1483351249",
10   "casinoWebHookUrl": "http://localhost:6060/casino/wallet",
11   "token": "eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiI2ZTk5ZWU3MC04MDk0LTRjM2MtYjQyZi1iZDJhN2MxNDRIODciLCJpYXQiOiJlE0
12   "attempts": 3,
13   "maxAttempts": 3
14 }

```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2    "data": {
3      "id": "a4204e00-d21d-41ee-a895-f477bef2e239",
4      "createdOn": 1483448997242,
5      "lastModifiedOn": 1483448997242,
6      "updatedBy": "",
7      "deleted": false,
8      "user": {
9        "id": "2880b416-177d-445f-838f-c414aea3b94a",
10       "createdOn": 1481536739007,
11       "lastModifiedOn": 1481539408963,
12       "updatedBy": "",
13       "deleted": false,
14       "addresses": null,
15       "devices": [
16         {
17           "id": "cd6c04e3-ea77-41b4-8ab4-aac729306ec5",
18           "createdOn": 1481536734856,
19           "lastModifiedOn": 1481536734856,
20           "updatedBy": "",

```

json

```

21     "deleted": false,
22     "description": "Old Device",
23     "deviceStatus": "NORMAL",
24     "manufacturer": "Apple",
25     "model": "iPhone 5",
26     "os": "iOS 9",
27     "udid": "2083718938038243",
28     "simStateHashCode": null,
29     "simCardState": null,
30     "deletedUdid": null,
31     "deletedBy": null,
32     "deletedOn": null,
33     "name": "Moto",
34     "brand": null,
35     "androidID": "etr657y",
36     "advertiserID": null,
37     "operator": null,
38     "country": "India",
39     "language": "English",
40     "screenWidthInPixels": null,
41     "screenHeightInPixels": null,
42     "screenWidthInInches": null,
43     "screenHeightInInches": null
44   }
45 ],
46 "emailAuthenticationChannels": [],
47 "firstName": "Reeth",
48 "fullName": "Reeth H",
49 "groupTag": [
50   "FACEBOOK",
51   "Apple",
52   "United Kingdom",
53   "iOS 9",
54   "1234234",
55   "iPhone 5"
56 ],
57 "lastName": "H",
58 "locationCountry": "United Kingdom",
59 "locationZipCode": "1234234",
60 "mobileAuthenticationChannels": [],
61 "pinCreated": true,
62 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://jfhj.jdhhg.png",
63 "profileName": "ABC",
64 "registrationDate": 1481536734888,
65 "socialAuthenticationChannels": [
66   {
67     "addedOn": 1481536739002,
68     "blockStatus": "NORMAL",
69     "deletedOn": null,
70     "lastUsedOn": 1481536739002,
71     "loginType": "FACEBOOK",
72     "socialId": "zdg4ds5yf",
73     "deleted": false,
74     "recycleSocialId": null,
75     "emailAddress": "san.sh555@gmail.com",
76     "profileName": "facebook"
77   }
78 ],
79 "status": "ACTIVE",
80 "timezone": null,
81 "userSetting": {

```

```

82     "autoUpdateBetcadeApp": true,
83     "autoUpdateDownloadedApps": true,
84     "monthlyDepositMaxLimit": 0,
85     "monthlyDepositMaxLimitCurrency": "GBP",
86     "prefillUserInfoInCasino": true,
87     "receiveEmailReceipt": true,
88     "receiveNotifications": true,
89     "shareRegistrationInfo": true,
90     "userEmailProvided": true,
91     "versionOfDownloadedBetcadeApp": "v1",
92     "wifiDownloadLimitInMB": 0,
93     "preferredCategories": [],
94     "autoSaveCard": true,
95     "autoAddHomeIcon": true,
96     "receiveUpdateNotifications": true,
97     "receiveAutoUpdatedNotifications": true,
98     "receiveRecommendationNotifications": true,
99     "preferredCurrency": null,
100    "appSetting": {
101        "autoUpdateApps": 2,
102        "addIconHomeScreen": false,
103        "saveNewCreditOrDebitCards": true,
104        "appUpdatesAvailable": true,
105        "appsWereAutoUpdated": true,
106        "recommendedContentAvailable": true
107    },
108    "allowLargeFilesOverWifiOnly": true
109 },
110 "verified": true,
111 "pinResetDate": null,
112 "pinChangeDate": 1481536775580,
113 "singularId": null,
114 "acquisitionIds": null,
115 "userAuditInfo": {
116     "initialLoginDate": 1481536734888,
117     "initialLoginIp": "127.0.0.1",
118     "initialLoginLocation": " ",
119     "initialRegistrationDate": null,
120     "initialRegistrationIp": null,
121     "initialRegistrationLocation": null
122 },
123 "email": "san.sh555@gmail.com",
124 "phone": "+919874654244",
125 "dob": 663359640000,
126 "statusBeforeBlacklisting": null,
127 "muid": "07a5d35f-ebfb-4912-9302-88b82baa9d8e",
128 "testUser": null
129 },
130 "casino": {
131     "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
132     "createdOn": 1472021963085,
133     "lastModifiedOn": 1472021963085,
134     "updatedBy": "",
135     "deleted": false,
136     "name": "Poker 26",
137     "videoUrl": "https://www.google.com/betting-video.mov",
138     "imageUrl": "http://www.google.com/betting.png",
139     "description": "This casino has lot of game apps1",
140     "website": "http://www.casino1.com",
141     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
142     "banner": "banner2345",

```



```

143     "deletedBy": null,
144     "deletedOn": null,
145     "operatorStatus": "NEW",
146     "email": null,
147     "userRole": "OPERATOR",
148     "firstName": null,
149     "lastName": null,
150     "address": null,
151     "externalId": null,
152     "featuredAppId": null,
153     "latestAppId": null
154 },
155 "application": {
156     "id": "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",
157     "createdOn": 1472021965228,
158     "lastModifiedOn": 1472021965228,
159     "updatedBy": "",
160     "deleted": false,
161     "name": "Application Recent",
162     "description": "description about application 1",
163     "appPackage": "appPac",
164     "bundleIdentifier": "app",
165     "casino": {
166         "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
167         "createdOn": 1472021963085,
168         "lastModifiedOn": 1472021963085,
169         "updatedBy": "",
170         "deleted": false,
171         "name": "Poker 26",
172         "videoUrl": "https://www.google.com/betting-video.mov",
173         "imageUrl": "http://www.google.com/betting.png",
174         "description": "This casino has lot of game apps1",
175         "website": "http://www.casino1.com",
176         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
177         "banner": "banner2345",
178         "deletedBy": null,
179         "deletedOn": null,
180         "operatorStatus": "NEW",
181         "email": null,
182         "userRole": "OPERATOR",
183         "firstName": null,
184         "lastName": null,
185         "address": null,
186         "externalId": null,
187         "featuredAppId": null,
188         "latestAppId": null
189     },
190     "casinoId": null,
191     "categories": [
192         null
193     ],
194     "categoryIds": null,
195     "downloads": 4646,
196     "featured": false,
197     "applicationVersionIds": null,
198     "keywords": [
199         "key1",
200         "key2",
201         "key3"
202     ],
203     "latestBuild": 18,

```

```

204     "latestVersion": "v0.3",
205     "latestApkFileSize": null,
206     "initialVersionPublishDate": null,
207     "latestVersionPublishDate": null,
208     "order": 345,
209     "paragraph1": "1 paragraph",
210     "paragraph2": "2st paragraph",
211     "paragraph3": "3st paragraph",
212     "paragraph4": "4th para",
213     "presetPricelist": null,
214     "price": 3436,
215     "publisherId": null,
216     "publisher": null,
217     "ranking": 23,
218     "subtitle": "subtitle",
219     "updated": null,
220     "status": "PUBLISHED",
221     "downloadLink": null,
222     "compatibility": "kitkat",
223     "sizeOnDisk": "12MB",
224     "permissionDetails": "You should have kitkat version to run this app",
225     "additionalDetails": "This application is very popular",
226     "tags": null,
227     "rating": {
228         "count": 0,
229         "overall": 0,
230         "gamePlay": 0,
231         "design": 0,
232         "ease": 0
233     },
234     "silent": {
235         "min": 1,
236         "max": 1
237     },
238     "normal": {
239         "min": 1,
240         "max": 1
241     },
242     "mandatory": {
243         "min": 1,
244         "max": 1
245     },
246     "downgrade": {
247         "min": null,
248         "max": null
249     },
250     "deletedBy": null,
251     "deletedOn": null,
252     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
253     "sliderImages": [
254         {
255             "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
256             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
257             "order": 1
258         },
259         {
260             "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
261             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
262             "order": 0
263         }
264     ],

```

```

265     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
266     "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
267     "icon": null,
268     "featuredImage": null,
269     "privacyPolicy": null,
270     "locationSupported": [
271         "India",
272         "UK"
273     ],
274     "languageSupported": [
275         "English",
276         "French"
277     ],
278     "affiliateLaunchMode": null,
279     "affiliateLaunchData": null,
280     "editorsPick": false,
281     "live": false,
282     "reviewer": null,
283     "certificates": null,
284     "bonusValue": false,
285     "bonus": null,
286     "bonusCount": null
287 },
288 "userTransaction": {
289     "id": "3d29d849-d20e-4e9b-b3e6-6dcb225b6908",
290     "createdOn": 1483349861741,
291     "lastModifiedOn": 1483349861741,
292     "updatedBy": "",
293     "deleted": false,
294     "additionalIdentifier": "CUSTOM",
295     "amount": 10,
296     "application": {
297         "id": "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",
298         "createdOn": 1472021965228,
299         "lastModifiedOn": 1472021965228,
300         "updatedBy": "",
301         "deleted": false,
302         "name": "Application Recent",
303         "description": "description about application 1",
304         "appPackage": "appPac",
305         "bundleIdentifier": "app",
306         "casino": {
307             "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
308             "createdOn": 1472021963085,
309             "lastModifiedOn": 1472021963085,
310             "updatedBy": "",
311             "deleted": false,
312             "name": "Poker 26",
313             "videoUrl": "https://www.google.com/betting-video.mov",
314             "imageUrl": "http://www.google.com/betting.png",
315             "description": "This casino has lot of game apps1",
316             "website": "http://www.casino1.com",
317             "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
318             "banner": "banner2345",
319             "deletedBy": null,
320             "deletedOn": null,
321             "operatorStatus": "NEW",
322             "email": null,
323             "userRole": "OPERATOR",
324             "firstName": null,
325             "lastName": null,

```

```

326     "address": null,
327     "externalId": null,
328     "featuredAppId": null,
329     "latestAppId": null
330 },
331 "casinoId": null,
332 "categories": [
333     null
334 ],
335 "categoryIds": null,
336 "downloads": 4646,
337 "featured": false,
338 "applicationVersionIds": null,
339 "keywords": [
340     "key1",
341     "key2",
342     "key3"
343 ],
344 "latestBuild": 18,
345 "latestVersion": "v0.3",
346 "latestApkFileSize": null,
347 "initialVersionPublishDate": null,
348 "latestVersionPublishDate": null,
349 "order": 345,
350 "paragraph1": "1 paragraph",
351 "paragraph2": "2st paragraph",
352 "paragraph3": "3st paragraph",
353 "paragraph4": "4th para",
354 "presetPriceList": null,
355 "price": 3436,
356 "publisherId": null,
357 "publisher": null,
358 "ranking": 23,
359 "subtitle": "subtitle",
360 "updated": null,
361 "status": "PUBLISHED",
362 "downloadLink": null,
363 "compatibility": "kitkat",
364 "sizeOnDisk": "12MB",
365 "permissionDetails": "You should have kitkat version to run this app",
366 "additionalDetails": "This application is very popular",
367 "tags": null,
368 "rating": {
369     "count": 0,
370     "overall": 0,
371     "gamePlay": 0,
372     "design": 0,
373     "ease": 0
374 },
375 "silent": {
376     "min": 1,
377     "max": 1
378 },
379 "normal": {
380     "min": 1,
381     "max": 1
382 },
383 "mandatory": {
384     "min": 1,
385     "max": 1
386 },

```

```

387     "downgrade": {
388         "min": null,
389         "max": null
390     },
391     "deletedBy": null,
392     "deletedOn": null,
393     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
394     "sliderImages": [
395         {
396             "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
397             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
398             "order": 1
399         },
400         {
401             "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
402             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
403             "order": 0
404         }
405     ],
406     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
407     "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
408     "icon": null,
409     "featuredImage": null,
410     "privacyPolicy": null,
411     "locationSupported": [
412         "India",
413         "UK"
414     ],
415     "languageSupported": [
416         "English",
417         "French"
418     ],
419     "affiliateLaunchMode": null,
420     "affiliateLaunchData": null,
421     "editorsPick": false,
422     "live": false,
423     "reviewer": null,
424     "certificates": null,
425     "bonusValue": false,
426     "bonus": null,
427     "bonusCount": null
428 },
429     "currencyCode": "GBP",
430     "orderDate": 1483349861741,
431     "orderNumber": "9a7c7b6b-29eb-4511-90c9-78d158ef972c",
432     "paymentType": "Consumer Debit E-Comm",
433     "providerPaymentId": "75760916-7154-43cd-b9e0-f04778c91bfc",
434     "providerTransactionId": "zasfs03s5646qwtf",
435     "remarks": null,
436     "transactionType": "EXISTING",
437     "past": false,
438     "user": {
439         "id": "2880b416-177d-445f-838f-c414aea3b94a",
440         "createdOn": 1481536739007,
441         "lastModifiedOn": 1481539408963,
442         "updatedBy": "",
443         "deleted": false,
444         "addresses": null,
445         "devices": [
446             {
447                 "id": "cd6c04e3-ea77-41b4-8ab4-aac729306ec5",

```

```

448         "createdOn": 1481536734856,
449         "lastModifiedOn": 1481536734856,
450         "updatedBy": "",
451         "deleted": false,
452         "description": "Old Device",
453         "deviceStatus": "NORMAL",
454         "manufacturer": "Apple",
455         "model": "iPhone 5",
456         "os": "iOS 9",
457         "udid": "2083718938038243",
458         "simStateHashCode": null,
459         "simCardState": null,
460         "deletedUdid": null,
461         "deletedBy": null,
462         "deletedOn": null,
463         "name": "Moto",
464         "brand": null,
465         "androidID": "etr657y",
466         "advertiserID": null,
467         "operator": null,
468         "country": "India",
469         "language": "English",
470         "screenWidthInPixels": null,
471         "screenHeightInPixels": null,
472         "screenWidthInInches": null,
473         "screenHeightInInches": null
474     }
475 ],
476 "emailAuthenticationChannels": [],
477 "firstName": "Reeth",
478 "fullName": "Reeth H",
479 "groupTag": [
480     "FACEBOOK",
481     "Apple",
482     "United Kingdom",
483     "iOS 9",
484     "1234234",
485     "iPhone 5"
486 ],
487 "lastName": "H",
488 "locationCountry": "United Kingdom",
489 "locationZipCode": "1234234",
490 "mobileAuthenticationChannels": [],
491 "pinCreated": true,
492 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://jfjh.jdhhg.pn
493 "profileName": "ABC",
494 "registrationDate": 1481536734888,
495 "socialAuthenticationChannels": [
496     {
497         "addedOn": 1481536739002,
498         "blockStatus": "NORMAL",
499         "deletedOn": null,
500         "lastUsedOn": 1481536739002,
501         "loginType": "FACEBOOK",
502         "socialId": "zdg4ds5yf",
503         "deleted": false,
504         "recycleSocialId": null,
505         "emailAddress": "san.sh555@gmail.com",
506         "profileName": "facebook"
507     }
508 ],

```

```

509     "status": "ACTIVE",
510     "timezone": null,
511     "userSetting": {
512         "autoUpdateBetcadeApp": true,
513         "autoUpdateDownloadedApps": true,
514         "monthlyDepositMaxLimit": 0,
515         "monthlyDepositMaxLimitCurrency": "GBP",
516         "prefillUserInfoInCasino": true,
517         "receiveEmailReceipt": true,
518         "receiveNotifications": true,
519         "shareRegistrationInfo": true,
520         "userEmailProvided": true,
521         "versionOfDownloadedBetcadeApp": "v1",
522         "wifiDownloadLimitInMB": 0,
523         "preferredCategories": [],
524         "autoSaveCard": true,
525         "autoAddHomeIcon": true,
526         "receiveUpdateNotifications": true,
527         "receiveAutoUpdatedNotifications": true,
528         "receiveRecommendationNotifications": true,
529         "preferredCurrency": null,
530         "appSetting": {
531             "autoUpdateApps": 2,
532             "addIconHomeScreen": false,
533             "saveNewCreditOrDebitCards": true,
534             "appUpdatesAvailable": true,
535             "appsWereAutoUpdated": true,
536             "recommendedContentAvailable": true
537         },
538         "allowLargeFilesOverWifiOnly": true
539     },
540     "verified": true,
541     "pinResetDate": null,
542     "pinChangeDate": 1481536775580,
543     "singularId": null,
544     "acquisitionIds": null,
545     "userAuditInfo": {
546         "initialLoginDate": 1481536734888,
547         "initialLoginIp": "127.0.0.1",
548         "initialLoginLocation": " ",
549         "initialRegistrationDate": null,
550         "initialRegistrationIp": null,
551         "initialRegistrationLocation": null
552     },
553     "email": "san.sh555@gmail.com",
554     "phone": "+919874654244",
555     "dob": 663359640000,
556     "statusBeforeBlacklisting": null,
557     "muid": "07a5d35f-ebfb-4912-9302-88b82baa9d8e",
558     "testUser": null
559 },
560 "extCasinoPaymentGatewayID": "w123",
561 "deviceUdid": "2083718938038243",
562 "promoCodes": null,
563 "extCasinoUserID": "token",
564 "extCasinoTransID": "ppi12345",
565 "providerOrderId": "6s773sssws05dabd",
566 "pspCode": "PPG002",
567 "pspTID": "tid123",
568 "incentiveAppliedList": null,
569 "applicationVersion": "v12",

```

```
570 "transactionResult": "SUCCESS",
571 "amlData": {
572   "extRiskCheckResult": "PASS",
573   "extRiskCheckScore": 1,
574   "extRiskCheckDateTime": 1462361924,
575   "extRiskCheckData": {
576     "data": "sample",
577     "result": false
578   }
579 },
580 "threeDSData": {
581   "extRisk3DSTransaction": true,
582   "extRisk3DSSecureTransId": "tr123",
583   "extRisk3DSEnrolledCard": true,
584   "extRisk3DSResult": "Success",
585   "extRisk3DSData": {
586     "data": "sample",
587     "result": false
588   }
589 },
590 "casino": {
591   "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
592   "createdOn": 1472021963085,
593   "lastModifiedOn": 1472021963085,
594   "updatedBy": "",
595   "deleted": false,
596   "name": "Poker 26",
597   "videoUrl": "https://www.google.com/betting-video.mov",
598   "imageUrl": "http://www.google.com/betting.png",
599   "description": "This casino has lot of game apps1",
600   "website": "http://www.casino1.com",
601   "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
602   "banner": "banner2345",
603   "deletedBy": null,
604   "deletedOn": null,
605   "operatorStatus": "NEW",
606   "email": null,
607   "userRole": "OPERATOR",
608   "firstName": null,
609   "lastName": null,
610   "address": null,
611   "externalId": null,
612   "featuredAppId": null,
613   "latestAppId": null
614 },
615 "transactionCategory": "DEPOSIT",
616 "parentTransactionId": null,
617 "refundedAmount": null,
618 "manual": false,
619 "notes": null,
620 "reason": null,
621 "erpId": null,
622 "region": "International",
623 "cardScheme": "MASTERCARD",
624 "transactionStatus": "Authorized",
625 "geoLocation": {
626   "x": 132424,
627   "y": 2354635
628 },
629 "appliedPromoCodes": null,
630 "appliedIncentives": null
```



```
631     },
632     "timeStamp": 1483351249,
633     "casinoWebHookUrl": "http://localhost:6060/casino/wallet",
634     "token": "eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiI2ZTk5ZWU3MC04MDk0LTRjM2MtYjQyZi1iZDZJhN2MxNDRIODciLCJpYXQiOiJmYXN0IiwiaWF0IjoiMTY3OTY2MjY1LjE0In0",
635     "attempts": 3,
636     "maxAttempts": 3,
637     "validAttempts": null,
638     "valid": false
639   },
640   "detail": null,
641   "error": false,
642   "message": "Creating casino notification history successful.",
643   "code": "1000"
644 }
```

**POST****Create Casino WebHook****Description**

Creates a casino webHook.

**Request Endpoint**

POST <https://<Example api server address>/admin/casino/webhook>

**Parameters**

None.

**cURL Syntax**

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5         \"casinoId\" : \"dcc8bbfd-3ed6-4ce5-a671-f26151c356c3\",  
6         \"webHookUrl\" : \"http://localhost:8080/casino/wallet\",  
7         \"token\" : \"eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiI2ZTk5ZWU3MC04MDk0LTR\"  
8     }" \  
9     'https://core.dev.Example.net/api/admin/casino/webhook'
```

https

**POST body attributes (JSON)**

Attribute	Type	Use	Description
casinoId	String	Required	UUID of a casino.
webHookUrl	String	Required	The webHook url.
token	String	Optional	The token.

**POST body**

**Headers:** Content-Type: application/json

```
1 {  
2     \"casinoId\": \"dcc8bbfd-3ed6-4ce5-a671-f26151c356c3\",  
3     \"webHookUrl\": \"http://localhost:8080/casino/wallet\",  
4     \"token\": \"eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiI2ZTk5ZWU3MC04MDk0LTR\"  
5 }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 {  
2     \"data\": {  
3         \"id\": \"e23b3779-0b57-4623-96bb-cddae29f9268\",  
4         \"createdOn\": 1482384806353,  
5         \"lastModifiedOn\": 1482384806353,  
6         \"updatedBy\": \"\",  
7         \"deleted\": false,  
8         \"casino\": {  
9             \"id\": \"dcc8bbfd-3ed6-4ce5-a671-f26151c356c3\",  
10            \"createdOn\": 1478262739694,
```

json

```
11     "lastModifiedOn": 1478262739694,  
12     "updatedBy": "",  
13     "deleted": false,  
14     "name": "HfWJyewOIGs",  
15     "videoUrl": null,  
16     "imageUrl": null,  
17     "description": null,  
18     "website": null,  
19     "icon": null,  
20     "banner": null,  
21     "deletedBy": null,  
22     "deletedOn": null,  
23     "operatorStatus": "INVITED",  
24     "email": "1d4fc6ba44a04762a5e0b97827f98696@gmail.com",  
25     "userRole": "OPERATOR",  
26     "firstName": null,  
27     "lastName": null,  
28     "address": null,  
29     "externalId": null,  
30     "featuredAppId": null,  
31     "latestAppId": null  
32   },  
33   "webHookUrl": "http://localhost:8080/casino/wallet",  
34   "token": "eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiI2ZTk5ZWU3MC04MDk0LTR"  
35 },  
36 "detail": null,  
37 "error": false,  
38 "message": "Creating casino webHook successful.",  
39 "code": "1000"  
40 }
```

## DELETE Delete Casino WebHook

### Description

Deletes a casino webhook by passing its webhook id.

### Request Endpoint

DELETE `https://<Example api server address>/admin/casino/webhook/{casinoWebHookId}`

### Parameters

Parameter	Type	Use	Description
casinoWebHookId	String	Required	UUID of a casino webhook id.

### cURL Syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 | 'https://core.dev.Example.net/api/admin/casino/webhook/casinoWebHookId'
```

https

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Deleting casino webHook successful.",  
6 |   "code": "1000"  
7 | }
```

json

**GET**

## Fetch All Casino Notification History

### Description

Fetches all casino notification history recorded in Client.

### Request Endpoint

GET <https://<Example api server address>/casino/notification/histories>

### Parameters

None.

### cURL Syntax

```
1 | curl --include \  
2 | 'https://private-5f8be-betcaedeskapi.apiary-proxy.com/api/casino/notification/histories'
```

https

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "a4204e00-d21d-41ee-a895-f477bef2e239",  
6 |         "createdOn": 1483448997242,  
7 |         "lastModifiedOn": 1483448997242,  
8 |         "updatedBy": "",  
9 |         "deleted": false,  
10 |        "user": {  
11 |          "id": "2880b416-177d-445f-838f-c414aea3b94a",  
12 |          "createdOn": 1481536739007,  
13 |          "lastModifiedOn": 1481539408963,  
14 |          "updatedBy": "",  
15 |          "deleted": false,  
16 |          "addresses": null,  
17 |          "devices": [  
18 |            {  
19 |              "id": "cd6c04e3-ea77-41b4-8ab4-aac729306ec5",  
20 |              "createdOn": 1481536734856,  
21 |              "lastModifiedOn": 1481536734856,  
22 |              "updatedBy": "",  
23 |              "deleted": false,  
24 |              "description": "Old Device",  
25 |              "deviceStatus": "NORMAL",  
26 |              "manufacturer": "Apple",  
27 |              "model": "iPhone 5",  
28 |              "os": "iOS 9",  
29 |              "udid": "2083718938038243",  
30 |              "simStateHashCode": null,  
31 |              "simCardState": null,  
32 |              "deletedUdid": null,  
33 |              "deletedBy": null,  
34 |              "deletedOn": null,  
35 |              "name": "Moto",  
36 |              "brand": null,  
37 |              "androidID": "etr657y",  
38 |              "advertiserID": null,  
39 |            }  
40 |          ]  
41 |        }  
42 |     ]  
43 |   }  
44 | }
```

json

```

39         "operator": null,
40         "country": "India",
41         "language": "English",
42         "screenWidthInPixels": null,
43         "screenHeightInPixels": null,
44         "screenWidthInInches": null,
45         "screenHeightInInches": null
46     }
47 ],
48 "emailAuthenticationChannels": [],
49 "firstName": "Reeth",
50 "fullName": "Reeth H",
51 "groupTag": [
52     "FACEBOOK",
53     "Apple",
54     "United Kingdom",
55     "iOS 9",
56     "1234234",
57     "iPhone 5"
58 ],
59 "lastName": "H",
60 "locationCountry": "United Kingdom",
61 "locationZipCode": "1234234",
62 "mobileAuthenticationChannels": [],
63 "pinCreated": true,
64 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://jfjh.jdhhg.",
65 "profileName": "ABC",
66 "registrationDate": 1481536734888,
67 "socialAuthenticationChannels": [
68     {
69         "addedOn": 1481536739002,
70         "blockStatus": "NORMAL",
71         "deletedOn": null,
72         "lastUsedOn": 1481536739002,
73         "loginType": "FACEBOOK",
74         "socialId": "zdg4ds5yf",
75         "deleted": false,
76         "recycleSocialId": null,
77         "emailAddress": "san.sh555@gmail.com",
78         "profileName": "facebook"
79     }
80 ],
81 "status": "ACTIVE",
82 "timezone": null,
83 "userSetting": {
84     "autoUpdateBetcadeApp": true,
85     "autoUpdateDownloadedApps": true,
86     "monthlyDepositMaxLimit": 0,
87     "monthlyDepositMaxLimitCurrency": "GBP",
88     "prefillUserInfoInCasino": true,
89     "receiveEmailReceipt": true,
90     "receiveNotifications": true,
91     "shareRegistrationInfo": true,
92     "userEmailProvided": true,
93     "versionOfDownloadedBetcadeApp": "v1",
94     "wifiDownloadLimitInMB": 0,
95     "preferredCategories": [],
96     "autoSaveCard": true,
97     "autoAddHomeIcon": true,
98     "receiveUpdateNotifications": true,
99     "receiveAutoUpdatedNotifications": true,

```

```

100     "receiveRecommendationNotifications": true,
101     "preferredCurrency": null,
102     "appSetting": {
103         "autoUpdateApps": 2,
104         "addIconHomeScreen": false,
105         "saveNewCreditOrDebitCards": true,
106         "appUpdatesAvailable": true,
107         "appsWereAutoUpdated": true,
108         "recommendedContentAvailable": true
109     },
110     "allowLargeFilesOverWifiOnly": true
111 },
112 "verified": true,
113 "pinResetDate": null,
114 "pinChangeDate": 1481536775580,
115 "singularId": null,
116 "acquisitionIds": null,
117 "userAuditInfo": {
118     "initialLoginDate": 1481536734888,
119     "initialLoginIp": "127.0.0.1",
120     "initialLoginLocation": " ",
121     "initialRegistrationDate": null,
122     "initialRegistrationIp": null,
123     "initialRegistrationLocation": null
124 },
125 "email": "san.sh555@gmail.com",
126 "phone": "+919874654244",
127 "dob": 663359640000,
128 "statusBeforeBlacklisting": null,
129 "muid": "07a5d35f-ebfb-4912-9302-88b82baa9dbe",
130 "testUser": null
131 },
132 "casino": {
133     "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
134     "createdOn": 1472021963085,
135     "lastModifiedOn": 1472021963085,
136     "updatedBy": "",
137     "deleted": false,
138     "name": "Poker 26",
139     "videoUrl": "https://www.google.com/betting-video.mov",
140     "imageUrl": "http://www.google.com/betting.png",
141     "description": "This casino has lot of game apps1",
142     "website": "http://www.casino1.com",
143     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
144     "banner": "banner2345",
145     "deletedBy": null,
146     "deletedOn": null,
147     "operatorStatus": "NEW",
148     "email": null,
149     "userRole": "OPERATOR",
150     "firstName": null,
151     "lastName": null,
152     "address": null,
153     "externalId": null,
154     "featuredAppId": null,
155     "latestAppId": null
156 },
157 "application": {
158     "id": "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",
159     "createdOn": 1472021965228,
160     "lastModifiedOn": 1472021965228,

```

```

161     "updatedBy": "",
162     "deleted": false,
163     "name": "Application Recent",
164     "description": "description about application 1",
165     "appPackage": "appPac",
166     "bundleIdentifier": "app",
167     "casino": {
168         "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
169         "createdOn": 1472021963085,
170         "lastModifiedOn": 1472021963085,
171         "updatedBy": "",
172         "deleted": false,
173         "name": "Poker 26",
174         "videoUrl": "https://www.google.com/betting-video.mov",
175         "imageUrl": "http://www.google.com/betting.png",
176         "description": "This casino has lot of game apps1",
177         "website": "http://www.casino1.com",
178         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
179         "banner": "banner2345",
180         "deletedBy": null,
181         "deletedOn": null,
182         "operatorStatus": "NEW",
183         "email": null,
184         "userRole": "OPERATOR",
185         "firstName": null,
186         "lastName": null,
187         "address": null,
188         "externalId": null,
189         "featuredAppId": null,
190         "latestAppId": null
191     },
192     "casinoId": null,
193     "categories": [
194         null
195     ],
196     "categoryIds": null,
197     "downloads": 4646,
198     "featured": false,
199     "applicationVersionIds": null,
200     "keywords": [
201         "key1",
202         "key2",
203         "key3"
204     ],
205     "latestBuild": 18,
206     "latestVersion": "v0.3",
207     "latestApkFileSize": null,
208     "initialVersionPublishDate": null,
209     "latestVersionPublishDate": null,
210     "order": 345,
211     "paragraph1": "1 paragraph",
212     "paragraph2": "2st paragraph",
213     "paragraph3": "3st paragraph",
214     "paragraph4": "4th para",
215     "presetPriceList": null,
216     "price": 3436,
217     "publisherId": null,
218     "publisher": null,
219     "ranking": 23,
220     "subtitle": "subtitle",
221     "updated": null,

```



```

222     "status": "PUBLISHED",
223     "downloadLink": null,
224     "compatibility": "kitkat",
225     "sizeOnDisk": "12MB",
226     "permissionDetails": "You should have kitkat version to run this app",
227     "additionalDetails": "This application is very popular",
228     "tags": null,
229     "rating": {
230         "count": 0,
231         "overall": 0,
232         "gamePlay": 0,
233         "design": 0,
234         "ease": 0
235     },
236     "silent": {
237         "min": 1,
238         "max": 1
239     },
240     "normal": {
241         "min": 1,
242         "max": 1
243     },
244     "mandatory": {
245         "min": 1,
246         "max": 1
247     },
248     "downgrade": {
249         "min": null,
250         "max": null
251     },
252     "deletedBy": null,
253     "deletedOn": null,
254     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
255     "sliderImages": [
256         {
257             "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
258             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
259             "order": 1
260         },
261         {
262             "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
263             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
264             "order": 0
265         }
266     ],
267     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
268     "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
269     "icon": null,
270     "featuredImage": null,
271     "privacyPolicy": null,
272     "locationSupported": [
273         "India",
274         "UK"
275     ],
276     "languageSupported": [
277         "English",
278         "French"
279     ],
280     "affiliateLaunchMode": null,
281     "affiliateLaunchData": null,
282     "editorsPick": false,

```

```

283     "live": false,
284     "reviewer": null,
285     "certificates": null,
286     "bonusValue": false,
287     "bonus": null,
288     "bonusCount": null
289 },
290 "userTransaction": {
291     "id": "3d29d849-d20e-4e9b-b3e6-6dcb225b6908",
292     "createdOn": 1483349861741,
293     "lastModifiedOn": 1483349861741,
294     "updatedBy": "",
295     "deleted": false,
296     "additionalIdentifier": "CUSTOM",
297     "amount": 10,
298     "application": {
299         "id": "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",
300         "createdOn": 1472021965228,
301         "lastModifiedOn": 1472021965228,
302         "updatedBy": "",
303         "deleted": false,
304         "name": "Application Recent",
305         "description": "description about application 1",
306         "appPackage": "appPac",
307         "bundleIdentifier": "app",
308         "casino": {
309             "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
310             "createdOn": 1472021963085,
311             "lastModifiedOn": 1472021963085,
312             "updatedBy": "",
313             "deleted": false,
314             "name": "Poker 26",
315             "videoUrl": "https://www.google.com/betting-video.mov",
316             "imageUrl": "http://www.google.com/betting.png",
317             "description": "This casino has lot of game apps1",
318             "website": "http://www.casino1.com",
319             "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
320             "banner": "banner2345",
321             "deletedBy": null,
322             "deletedOn": null,
323             "operatorStatus": "NEW",
324             "email": null,
325             "userRole": "OPERATOR",
326             "firstName": null,
327             "lastName": null,
328             "address": null,
329             "externalId": null,
330             "featuredAppId": null,
331             "latestAppId": null
332         },
333         "casinoId": null,
334         "categories": [
335             null
336         ],
337         "categoryIds": null,
338         "downloads": 4646,
339         "featured": false,
340         "applicationVersionIds": null,
341         "keywords": [
342             "key1",
343             "key2",

```

```

344         "key3"
345     ],
346     "latestBuild": 18,
347     "latestVersion": "v0.3",
348     "latestApkFileSize": null,
349     "initialVersionPublishDate": null,
350     "latestVersionPublishDate": null,
351     "order": 345,
352     "paragraph1": "1 paragraph",
353     "paragraph2": "2st paragraph",
354     "paragraph3": "3st paragraph",
355     "paragraph4": "4th para",
356     "presetPriceList": null,
357     "price": 3436,
358     "publisherId": null,
359     "publisher": null,
360     "ranking": 23,
361     "subtitle": "subtitle",
362     "updated": null,
363     "status": "PUBLISHED",
364     "downloadLink": null,
365     "compatibility": "kitkat",
366     "sizeOnDisk": "12MB",
367     "permissionDetails": "You should have kitkat version to run this app",
368     "additionalDetails": "This application is very popular",
369     "tags": null,
370     "rating": {
371         "count": 0,
372         "overall": 0,
373         "gamePlay": 0,
374         "design": 0,
375         "ease": 0
376     },
377     "silent": {
378         "min": 1,
379         "max": 1
380     },
381     "normal": {
382         "min": 1,
383         "max": 1
384     },
385     "mandatory": {
386         "min": 1,
387         "max": 1
388     },
389     "downgrade": {
390         "min": null,
391         "max": null
392     },
393     "deletedBy": null,
394     "deletedOn": null,
395     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
396     "sliderImages": [
397         {
398             "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
399             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
400             "order": 1
401         },
402         {
403             "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
404             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg"

```

```

405         "order": 0
406     }
407 ],
408 "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
409 "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
410 "icon": null,
411 "featuredImage": null,
412 "privacyPolicy": null,
413 "locationSupported": [
414     "India",
415     "UK"
416 ],
417 "languageSupported": [
418     "English",
419     "French"
420 ],
421 "affiliateLaunchMode": null,
422 "affiliateLaunchData": null,
423 "editorsPick": false,
424 "live": false,
425 "reviewer": null,
426 "certificates": null,
427 "bonusValue": false,
428 "bonus": null,
429 "bonusCount": null
430 },
431 "currencyCode": "GBP",
432 "orderDate": 1483349861741,
433 "orderNumber": "9a7c7b6b-29eb-4511-90c9-78d158ef972c",
434 "paymentType": "Consumer Debit E-Comm",
435 "providerPaymentId": "75760916-7154-43cd-b9e0-f04778c91bfc",
436 "providerTransactionId": "zasfs03s564qwtf",
437 "remarks": null,
438 "transactionType": "EXISTING",
439 "past": false,
440 "user": {
441     "id": "2880b416-177d-445f-838f-c414aea3b94a",
442     "createdOn": 1481536739007,
443     "lastModifiedOn": 1481539408963,
444     "updatedBy": "",
445     "deleted": false,
446     "addresses": null,
447     "devices": [
448         {
449             "id": "cd6c04e3-ea77-41b4-8ab4-aac729306ec5",
450             "createdOn": 1481536734856,
451             "lastModifiedOn": 1481536734856,
452             "updatedBy": "",
453             "deleted": false,
454             "description": "Old Device",
455             "deviceStatus": "NORMAL",
456             "manufacturer": "Apple",
457             "model": "iPhone 5",
458             "os": "iOS 9",
459             "udid": "2083718938038243",
460             "simStateHashCode": null,
461             "simCardState": null,
462             "deletedUdid": null,
463             "deletedBy": null,
464             "deletedOn": null,
465             "name": "Moto",

```

```

466         "brand": null,
467         "androidID": "etr657y",
468         "advertiserID": null,
469         "operator": null,
470         "country": "India",
471         "language": "English",
472         "screenWidthInPixels": null,
473         "screenHeightInPixels": null,
474         "screenWidthInInches": null,
475         "screenHeightInInches": null
476     }
477 ],
478 "emailAuthenticationChannels": [],
479 "firstName": "Reeth",
480 "fullName": "Reeth H",
481 "groupTag": [
482     "FACEBOOK",
483     "Apple",
484     "United Kingdom",
485     "iOS 9",
486     "1234234",
487     "iPhone 5"
488 ],
489 "lastName": "H",
490 "locationCountry": "United Kingdom",
491 "locationZipCode": "1234234",
492 "mobileAuthenticationChannels": [],
493 "pinCreated": true,
494 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://jffjh.jdhh",
495 "profileName": "ABC",
496 "registrationDate": 1481536734888,
497 "socialAuthenticationChannels": [
498     {
499         "addedOn": 1481536739002,
500         "blockStatus": "NORMAL",
501         "deletedOn": null,
502         "lastUsedOn": 1481536739002,
503         "loginType": "FACEBOOK",
504         "socialId": "zdg4ds5yf",
505         "deleted": false,
506         "recycleSocialId": null,
507         "emailAddress": "san.sh555@gmail.com",
508         "profileName": "facebook"
509     }
510 ],
511 "status": "ACTIVE",
512 "timezone": null,
513 "userSetting": {
514     "autoUpdateBetcadeApp": true,
515     "autoUpdateDownloadedApps": true,
516     "monthlyDepositMaxLimit": 0,
517     "monthlyDepositMaxLimitCurrency": "GBP",
518     "prefillUserInfoInCasino": true,
519     "receiveEmailReceipt": true,
520     "receiveNotifications": true,
521     "shareRegistrationInfo": true,
522     "userEmailProvided": true,
523     "versionOfDownloadedBetcadeApp": "v1",
524     "wifiDownloadLimitInMB": 0,
525     "preferredCategories": [],
526     "autoSaveCard": true,

```

```

527     "autoAddHomeIcon": true,
528     "receiveUpdateNotifications": true,
529     "receiveAutoUpdatedNotifications": true,
530     "receiveRecommendationNotifications": true,
531     "preferredCurrency": null,
532     "appSetting": {
533         "autoUpdateApps": 2,
534         "addIconHomeScreen": false,
535         "saveNewCreditOrDebitCards": true,
536         "appUpdatesAvailable": true,
537         "appsWereAutoUpdated": true,
538         "recommendedContentAvailable": true
539     },
540     "allowLargeFilesOverWifiOnly": true
541 },
542 "verified": true,
543 "pinResetDate": null,
544 "pinChangeDate": 1481536775580,
545 "singularId": null,
546 "acquisitionIds": null,
547 "userAuditInfo": {
548     "initialLoginDate": 1481536734888,
549     "initialLoginIp": "127.0.0.1",
550     "initialLoginLocation": " ",
551     "initialRegistrationDate": null,
552     "initialRegistrationIp": null,
553     "initialRegistrationLocation": null
554 },
555 "email": "san.sh555@gmail.com",
556 "phone": "+919874654244",
557 "dob": 663359640000,
558 "statusBeforeBlacklisting": null,
559 "muid": "07a5d35f-ebfb-4912-9302-88b82baa9dbe",
560 "testUser": null
561 },
562 "extCasinoPaymentGatewayID": "w123",
563 "deviceUdid": "2083718938038243",
564 "promoCodes": null,
565 "extCasinoUserID": "token",
566 "extCasinoTransID": "ppi12345",
567 "providerOrderID": "6s773sss05dabd",
568 "pspCode": "PPG002",
569 "pspTID": "tid123",
570 "incentiveAppliedList": null,
571 "applicationVersion": "v12",
572 "transactionResult": "SUCCESS",
573 "amlData": {
574     "extRiskCheckResult": "PASS",
575     "extRiskCheckScore": 1,
576     "extRiskCheckDateTime": 1462361924,
577     "extRiskCheckData": {
578         "data": "sample",
579         "result": false
580     }
581 },
582 "threeDSData": {
583     "extRisk3DSTransaction": true,
584     "extRisk3DSecureTransId": "tr123",
585     "extRisk3DSEnrolledCard": true,
586     "extRisk3DSResult": "Success",
587     "extRisk3DSData": {

```

```

588         "data": "sample",
589         "result": false
590     }
591 },
592 "casino": {
593     "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
594     "createdOn": 1472021963085,
595     "lastModifiedOn": 1472021963085,
596     "updatedBy": "",
597     "deleted": false,
598     "name": "Poker 26",
599     "videoUrl": "https://www.google.com/betting-video.mov",
600     "imageUrl": "http://www.google.com/betting.png",
601     "description": "This casino has lot of game apps1",
602     "website": "http://www.casino1.com",
603     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
604     "banner": "banner2345",
605     "deletedBy": null,
606     "deletedOn": null,
607     "operatorStatus": "NEW",
608     "email": null,
609     "userRole": "OPERATOR",
610     "firstName": null,
611     "lastName": null,
612     "address": null,
613     "externalId": null,
614     "featuredAppId": null,
615     "latestAppId": null
616 },
617 "transactionCategory": "DEPOSIT",
618 "parentTransactionId": null,
619 "refundedAmount": null,
620 "manual": false,
621 "notes": null,
622 "reason": null,
623 "erpId": null,
624 "region": "International",
625 "cardScheme": "MASTERCARD",
626 "transactionStatus": "Authorized",
627 "geoLocation": {
628     "x": 132424,
629     "y": 2354635
630 },
631 "appliedPromoCodes": null,
632 "appliedIncentives": null
633 },
634 "timeStamp": 1483351249,
635 "casinoWebHookUrl": "http://localhost:6060/casino/wallet",
636 "token": "eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiI2ZTk5ZWU3MCM0MDk0LTRjM2MtYjQyZi1iZDh2MmNDRiODciLCJpYX",
637 "attempts": 3,
638 "maxAttempts": 3,
639 "validAttempts": null,
640 "valid": false
641 }
642 ],
643 "last": true,
644 "totalPages": 1,
645 "totalElements": 2,
646 "sort": [
647     {
648         "direction": "DESC",

```

```
649     "property": "lastModifiedOn",
650     "ignoreCase": false,
651     "nullHandling": "NATIVE",
652     "ascending": false
653   }
654 ],
655   "numberOfElements": 2,
656   "first": true,
657   "size": 70,
658   "number": 0
659 },
660 "detail": null,
661 "error": false,
662 "message": "Fetching all casino notification history successful.",
663 "code": "1000"
664 }
```



**GET**

## Fetch Casino Notification History By Casino

### Description

Fetches the casino notification history recorded in Client by Casino.

### Request Endpoint

GET <https://<Example api server address>/casino/notification/history/by/casino/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of a casino.

### cURL Syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/casino/notification/history/by/casino/{id}'
```

https

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "a4204e00-d21d-41ee-a895-f477bef2e239",  
6 |         "createdOn": 1483448997242,  
7 |         "lastModifiedOn": 1483448997242,  
8 |         "updatedBy": "",  
9 |         "deleted": false,  
10 |        "user": {  
11 |          "id": "2880b416-177d-445f-838f-c414aea3b94a",  
12 |          "createdOn": 1481536739007,  
13 |          "lastModifiedOn": 1481539408963,  
14 |          "updatedBy": "",  
15 |          "deleted": false,  
16 |          "addresses": null,  
17 |          "devices": [  
18 |            {  
19 |              "id": "cd6c04e3-ea77-41b4-8ab4-aac729306ec5",  
20 |              "createdOn": 1481536734856,  
21 |              "lastModifiedOn": 1481536734856,  
22 |              "updatedBy": "",  
23 |              "deleted": false,  
24 |              "description": "Old Device",  
25 |              "deviceStatus": "NORMAL",  
26 |              "manufacturer": "Apple",  
27 |              "model": "iPhone 5",  
28 |              "os": "iOS 9",  
29 |              "udid": "2083718938038243",  
30 |              "simStateHashCode": null,  
31 |              "simCardState": null,  
32 |              "deletedUdid": null,  
33 |              "deletedBy": null,  
34 |              "deletedOn": null,
```

json

```

35     "name": "Moto",
36     "brand": null,
37     "androidID": "etr657y",
38     "advertiserID": null,
39     "operator": null,
40     "country": "India",
41     "language": "English",
42     "screenWidthInPixels": null,
43     "screenHeightInPixels": null,
44     "screenWidthInInches": null,
45     "screenHeightInInches": null
46   }
47 ],
48 "emailAuthenticationChannels": [],
49 "firstName": "Reeth",
50 "fullName": "Reeth H",
51 "groupTag": [
52   "FACEBOOK",
53   "Apple",
54   "United Kingdom",
55   "iOS 9",
56   "1234234",
57   "iPhone 5"
58 ],
59 "lastName": "H",
60 "locationCountry": "United Kingdom",
61 "locationZipCode": "1234234",
62 "mobileAuthenticationChannels": [],
63 "pinCreated": true,
64 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://jfjh.jdhhg.",
65 "profileName": "ABC",
66 "registrationDate": 1481536734888,
67 "socialAuthenticationChannels": [
68   {
69     "addedOn": 1481536739002,
70     "blockStatus": "NORMAL",
71     "deletedOn": null,
72     "lastUsedOn": 1481536739002,
73     "loginType": "FACEBOOK",
74     "socialId": "zdg4ds5yf",
75     "deleted": false,
76     "recycleSocialId": null,
77     "emailAddress": "san.sh555@gmail.com",
78     "profileName": "facebook"
79   }
80 ],
81 "status": "ACTIVE",
82 "timezone": null,
83 "userSetting": {
84   "autoUpdateBetcadeApp": true,
85   "autoUpdateDownloadedApps": true,
86   "monthlyDepositMaxLimit": 0,
87   "monthlyDepositMaxLimitCurrency": "GBP",
88   "prefillUserInfoInCasino": true,
89   "receiveEmailReceipt": true,
90   "receiveNotifications": true,
91   "shareRegistrationInfo": true,
92   "userEmailProvided": true,
93   "versionOfDownloadedBetcadeApp": "v1",
94   "wifiDownloadLimitInMB": 0,
95   "preferredCategories": [],

```

```

96     "autoSaveCard": true,
97     "autoAddHomeIcon": true,
98     "receiveUpdateNotifications": true,
99     "receiveAutoUpdatedNotifications": true,
100    "receiveRecommendationNotifications": true,
101    "preferredCurrency": null,
102    "appSetting": {
103        "autoUpdateApps": 2,
104        "addIconHomeScreen": false,
105        "saveNewCreditOrDebitCards": true,
106        "appUpdatesAvailable": true,
107        "appsWereAutoUpdated": true,
108        "recommendedContentAvailable": true
109    },
110    "allowLargeFilesOverWifiOnly": true
111 },
112 "verified": true,
113 "pinResetDate": null,
114 "pinChangeDate": 1481536775580,
115 "singularId": null,
116 "acquisitionIds": null,
117 "userAuditInfo": {
118     "initialLoginDate": 1481536734888,
119     "initialLoginIp": "127.0.0.1",
120     "initialLoginLocation": " ",
121     "initialRegistrationDate": null,
122     "initialRegistrationIp": null,
123     "initialRegistrationLocation": null
124 },
125 "email": "san.sh555@gmail.com",
126 "phone": "+919874654244",
127 "dob": 663359640000,
128 "statusBeforeBlacklisting": null,
129 "muid": "07a5d35f-ebfb-4912-9302-88b82baa9dbe",
130 "testUser": null
131 },
132 "casino": {
133     "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
134     "createdOn": 1472021963085,
135     "lastModifiedOn": 1472021963085,
136     "updatedBy": "",
137     "deleted": false,
138     "name": "Poker 26",
139     "videoUrl": "https://www.google.com/betting-video.mov",
140     "imageUrl": "http://www.google.com/betting.png",
141     "description": "This casino has lot of game apps1",
142     "website": "http://www.casino1.com",
143     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
144     "banner": "banner2345",
145     "deletedBy": null,
146     "deletedOn": null,
147     "operatorStatus": "NEW",
148     "email": null,
149     "userRole": "OPERATOR",
150     "firstName": null,
151     "lastName": null,
152     "address": null,
153     "externalId": null,
154     "featuredAppId": null,
155     "latestAppId": null
156 },

```

```

157     "application": {
158         "id": "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",
159         "createdOn": 1472021965228,
160         "lastModifiedOn": 1472021965228,
161         "updatedBy": "",
162         "deleted": false,
163         "name": "Application Recent",
164         "description": "description about application 1",
165         "appPackage": "appPac",
166         "bundleIdentifier": "app",
167         "casino": {
168             "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
169             "createdOn": 1472021963085,
170             "lastModifiedOn": 1472021963085,
171             "updatedBy": "",
172             "deleted": false,
173             "name": "Poker 26",
174             "videoUrl": "https://www.google.com/betting-video.mov",
175             "imageUrl": "http://www.google.com/betting.png",
176             "description": "This casino has lot of game apps1",
177             "website": "http://www.casino1.com",
178             "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
179             "banner": "banner2345",
180             "deletedBy": null,
181             "deletedOn": null,
182             "operatorStatus": "NEW",
183             "email": null,
184             "userRole": "OPERATOR",
185             "firstName": null,
186             "lastName": null,
187             "address": null,
188             "externalId": null,
189             "featuredAppId": null,
190             "latestAppId": null
191         },
192         "casinoId": null,
193         "categories": [
194             null
195         ],
196         "categoryIds": null,
197         "downloads": 4646,
198         "featured": false,
199         "applicationVersionIds": null,
200         "keywords": [
201             "key1",
202             "key2",
203             "key3"
204         ],
205         "latestBuild": 18,
206         "latestVersion": "v0.3",
207         "latestApkFileSize": null,
208         "initialVersionPublishDate": null,
209         "latestVersionPublishDate": null,
210         "order": 345,
211         "paragraph1": "1 paragraph",
212         "paragraph2": "2st paragraph",
213         "paragraph3": "3st paragraph",
214         "paragraph4": "4th para",
215         "presetPricelist": null,
216         "price": 3436,
217         "publisherId": null,

```

```

218     "publisher": null,
219     "ranking": 23,
220     "subtitle": "subtitle",
221     "updated": null,
222     "status": "PUBLISHED",
223     "downloadLink": null,
224     "compatibility": "kitkat",
225     "sizeOnDisk": "12MB",
226     "permissionDetails": "You should have kitkat version to run this app",
227     "additionalDetails": "This application is very popular",
228     "tags": null,
229     "rating": {
230         "count": 0,
231         "overall": 0,
232         "gamePlay": 0,
233         "design": 0,
234         "ease": 0
235     },
236     "silent": {
237         "min": 1,
238         "max": 1
239     },
240     "normal": {
241         "min": 1,
242         "max": 1
243     },
244     "mandatory": {
245         "min": 1,
246         "max": 1
247     },
248     "downgrade": {
249         "min": null,
250         "max": null
251     },
252     "deletedBy": null,
253     "deletedOn": null,
254     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
255     "sliderImages": [
256         {
257             "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
258             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
259             "order": 1
260         },
261         {
262             "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
263             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
264             "order": 0
265         }
266     ],
267     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
268     "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
269     "icon": null,
270     "featuredImage": null,
271     "privacyPolicy": null,
272     "locationSupported": [
273         "India",
274         "UK"
275     ],
276     "languageSupported": [
277         "English",
278         "French"

```

```

279     ],
280     "affiliateLaunchMode": null,
281     "affiliateLaunchData": null,
282     "editorsPick": false,
283     "live": false,
284     "reviewer": null,
285     "certificates": null,
286     "bonusValue": false,
287     "bonus": null,
288     "bonusCount": null
289 },
290 "userTransaction": {
291     "id": "3d29d849-d20e-4e9b-b3e6-6dcb225b6908",
292     "createdOn": 1483349861741,
293     "lastModifiedOn": 1483349861741,
294     "updatedBy": "",
295     "deleted": false,
296     "additionalIdentifier": "CUSTOM",
297     "amount": 10,
298     "application": {
299         "id": "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",
300         "createdOn": 1472021965228,
301         "lastModifiedOn": 1472021965228,
302         "updatedBy": "",
303         "deleted": false,
304         "name": "Application Recent",
305         "description": "description about application 1",
306         "appPackage": "appPac",
307         "bundleIdentifier": "app",
308         "casino": {
309             "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
310             "createdOn": 1472021963085,
311             "lastModifiedOn": 1472021963085,
312             "updatedBy": "",
313             "deleted": false,
314             "name": "Poker 26",
315             "videoUrl": "https://www.google.com/betting-video.mov",
316             "imageUrl": "http://www.google.com/betting.png",
317             "description": "This casino has lot of game apps1",
318             "website": "http://www.casino1.com",
319             "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
320             "banner": "banner2345",
321             "deletedBy": null,
322             "deletedOn": null,
323             "operatorStatus": "NEW",
324             "email": null,
325             "userRole": "OPERATOR",
326             "firstName": null,
327             "lastName": null,
328             "address": null,
329             "externalId": null,
330             "featuredAppId": null,
331             "latestAppId": null
332         },
333         "casinoId": null,
334         "categories": [
335             null
336         ],
337         "categoryIds": null,
338         "downloads": 4646,
339         "featured": false,

```

```

340     "applicationVersionIds": null,
341     "keywords": [
342         "key1",
343         "key2",
344         "key3"
345     ],
346     "latestBuild": 18,
347     "latestVersion": "v0.3",
348     "latestApkFileSize": null,
349     "initialVersionPublishDate": null,
350     "latestVersionPublishDate": null,
351     "order": 345,
352     "paragraph1": "1 paragraph",
353     "paragraph2": "2st paragraph",
354     "paragraph3": "3st paragraph",
355     "paragraph4": "4th para",
356     "presetPriceList": null,
357     "price": 3436,
358     "publisherId": null,
359     "publisher": null,
360     "ranking": 23,
361     "subtitle": "subtitle",
362     "updated": null,
363     "status": "PUBLISHED",
364     "downloadLink": null,
365     "compatibility": "kitkat",
366     "sizeOnDisk": "12MB",
367     "permissionDetails": "You should have kitkat version to run this app",
368     "additionalDetails": "This application is very popular",
369     "tags": null,
370     "rating": {
371         "count": 0,
372         "overall": 0,
373         "gamePlay": 0,
374         "design": 0,
375         "ease": 0
376     },
377     "silent": {
378         "min": 1,
379         "max": 1
380     },
381     "normal": {
382         "min": 1,
383         "max": 1
384     },
385     "mandatory": {
386         "min": 1,
387         "max": 1
388     },
389     "downgrade": {
390         "min": null,
391         "max": null
392     },
393     "deletedBy": null,
394     "deletedOn": null,
395     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
396     "sliderImages": [
397         {
398             "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
399             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
400             "order": 1

```

```

401     },
402     {
403         "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
404         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
405         "order": 0
406     }
407 ],
408 "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
409 "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
410 "icon": null,
411 "featuredImage": null,
412 "privacyPolicy": null,
413 "locationSupported": [
414     "India",
415     "UK"
416 ],
417 "languageSupported": [
418     "English",
419     "French"
420 ],
421 "affiliateLaunchMode": null,
422 "affiliateLaunchData": null,
423 "editorsPick": false,
424 "live": false,
425 "reviewer": null,
426 "certificates": null,
427 "bonusValue": false,
428 "bonus": null,
429 "bonusCount": null
430 },
431 "currencyCode": "GBP",
432 "orderDate": 1483349861741,
433 "orderNumber": "9a7c7b6b-29eb-4511-90c9-78d158ef972c",
434 "paymentType": "Consumer Debit E-Comm",
435 "providerPaymentId": "75760916-7154-43cd-b9e0-f04778c91bfc",
436 "providerTransactionId": "zasfs03s564qwtf",
437 "remarks": null,
438 "transactionType": "EXISTING",
439 "past": false,
440 "user": {
441     "id": "2880b416-177d-445f-838f-c414aea3b94a",
442     "createdOn": 1481536739007,
443     "lastModifiedOn": 1481539408963,
444     "updatedBy": "",
445     "deleted": false,
446     "addresses": null,
447     "devices": [
448         {
449             "id": "cd6c04e3-ea77-41b4-8ab4-aac729306ec5",
450             "createdOn": 1481536734856,
451             "lastModifiedOn": 1481536734856,
452             "updatedBy": "",
453             "deleted": false,
454             "description": "Old Device",
455             "deviceStatus": "NORMAL",
456             "manufacturer": "Apple",
457             "model": "iPhone 5",
458             "os": "iOS 9",
459             "udid": "2083718938038243",
460             "simStateHashCode": null,
461             "simCardState": null,

```



```

462         "deletedUdid": null,
463         "deletedBy": null,
464         "deletedOn": null,
465         "name": "Moto",
466         "brand": null,
467         "androidID": "etr657y",
468         "advertiserID": null,
469         "operator": null,
470         "country": "India",
471         "language": "English",
472         "screenWidthInPixels": null,
473         "screenHeightInPixels": null,
474         "screenWidthInInches": null,
475         "screenHeightInInches": null
476     }
477 ],
478 "emailAuthenticationChannels": [],
479 "firstName": "Reeth",
480 "fullName": "Reeth H",
481 "groupTag": [
482     "FACEBOOK",
483     "Apple",
484     "United Kingdom",
485     "iOS 9",
486     "1234234",
487     "iPhone 5"
488 ],
489 "lastName": "H",
490 "locationCountry": "United Kingdom",
491 "locationZipCode": "1234234",
492 "mobileAuthenticationChannels": [],
493 "pinCreated": true,
494 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://jfhj.jdhh",
495 "profileName": "ABC",
496 "registrationDate": 1481536734888,
497 "socialAuthenticationChannels": [
498     {
499         "addedOn": 1481536739002,
500         "blockStatus": "NORMAL",
501         "deletedOn": null,
502         "lastUsedOn": 1481536739002,
503         "loginType": "FACEBOOK",
504         "socialId": "zdg4ds5yf",
505         "deleted": false,
506         "recycleSocialId": null,
507         "emailAddress": "san.sh555@gmail.com",
508         "profileName": "facebook"
509     }
510 ],
511 "status": "ACTIVE",
512 "timezone": null,
513 "userSetting": {
514     "autoUpdateBetcadeApp": true,
515     "autoUpdateDownloadedApps": true,
516     "monthlyDepositMaxLimit": 0,
517     "monthlyDepositMaxLimitCurrency": "GBP",
518     "prefillUserInfoInCasino": true,
519     "receiveEmailReceipt": true,
520     "receiveNotifications": true,
521     "shareRegistrationInfo": true,
522     "userEmailProvided": true,

```

```

523     "versionOfDownloadedBetcadeApp": "v1",
524     "wifiDownloadLimitInMB": 0,
525     "preferredCategories": [],
526     "autoSaveCard": true,
527     "autoAddHomeIcon": true,
528     "receiveUpdateNotifications": true,
529     "receiveAutoUpdatedNotifications": true,
530     "receiveRecommendationNotifications": true,
531     "preferredCurrency": null,
532     "appSetting": {
533         "autoUpdateApps": 2,
534         "addIconHomeScreen": false,
535         "saveNewCreditOrDebitCards": true,
536         "appUpdatesAvailable": true,
537         "appsWereAutoUpdated": true,
538         "recommendedContentAvailable": true
539     },
540     "allowLargeFilesOverWifiOnly": true
541 },
542 "verified": true,
543 "pinResetDate": null,
544 "pinChangeDate": 1481536775580,
545 "singularId": null,
546 "acquisitionIds": null,
547 "userAuditInfo": {
548     "initialLoginDate": 1481536734888,
549     "initialLoginIp": "127.0.0.1",
550     "initialLoginLocation": " ",
551     "initialRegistrationDate": null,
552     "initialRegistrationIp": null,
553     "initialRegistrationLocation": null
554 },
555 "email": "san.sh555@gmail.com",
556 "phone": "+919874654244",
557 "dob": 663359640000,
558 "statusBeforeBlacklisting": null,
559 "muid": "07a5d35f-ebfb-4912-9302-88b82baa9d8e",
560 "testUser": null
561 },
562 "extCasinoPaymentGatewayID": "w123",
563 "deviceUdid": "2083718938038243",
564 "promoCodes": null,
565 "extCasinoUserID": "token",
566 "extCasinoTransID": "ppi12345",
567 "providerOrderId": "6s773sssWS05dabd",
568 "pspCode": "PPG002",
569 "pspTID": "tid123",
570 "incentiveAppliedList": null,
571 "applicationVersion": "v12",
572 "transactionResult": "SUCCESS",
573 "amlData": {
574     "extRiskCheckResult": "PASS",
575     "extRiskCheckScore": 1,
576     "extRiskCheckDateTime": 1462361924,
577     "extRiskCheckData": {
578         "data": "sample",
579         "result": false
580     }
581 },
582 "threeDSData": {
583     "extRisk3DSTransaction": true,

```

```

584         "extRisk3DSecureTransId": "tr123",
585         "extRisk3DSEnrolledCard": true,
586         "extRisk3DSResult": "Success",
587         "extRisk3DSData": {
588             "data": "sample",
589             "result": false
590         }
591     },
592     "casino": {
593         "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
594         "createdOn": 1472021963085,
595         "lastModifiedOn": 1472021963085,
596         "updatedBy": "",
597         "deleted": false,
598         "name": "Poker 26",
599         "videoUrl": "https://www.google.com/betting-video.mov",
600         "imageUrl": "http://www.google.com/betting.png",
601         "description": "This casino has lot of game apps1",
602         "website": "http://www.casino1.com",
603         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
604         "banner": "banner2345",
605         "deletedBy": null,
606         "deletedOn": null,
607         "operatorStatus": "NEW",
608         "email": null,
609         "userRole": "OPERATOR",
610         "firstName": null,
611         "lastName": null,
612         "address": null,
613         "externalId": null,
614         "featuredAppId": null,
615         "latestAppId": null
616     },
617     "transactionCategory": "DEPOSIT",
618     "parentTransactionId": null,
619     "refundedAmount": null,
620     "manual": false,
621     "notes": null,
622     "reason": null,
623     "erpId": null,
624     "region": "International",
625     "cardScheme": "MASTERCARD",
626     "transactionStatus": "Authorized",
627     "geoLocation": {
628         "x": 132424,
629         "y": 2354635
630     },
631     "appliedPromoCodes": null,
632     "appliedIncentives": null
633 },
634 "timeStamp": 1483351249,
635 "casinoWebHookUrl": "http://localhost:6060/casino/wallet",
636 "token": "eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiI2ZTk5ZWU3MCM0MDk0LTRjM2MtYjQyZi1iZDh2MmNDRiODciLCJpYX",
637 "attempts": 3,
638 "maxAttempts": 3,
639 "validAttempts": null,
640 "valid": false
641 }
642 ],
643 "last": true,
644 "totalPages": 1,

```

```
645     "totalElements": 2,  
646     "sort": [  
647       {  
648         "direction": "DESC",  
649         "property": "lastModifiedOn",  
650         "ignoreCase": false,  
651         "nullHandling": "NATIVE",  
652         "ascending": false  
653       }  
654     ],  
655     "numberOfElements": 2,  
656     "first": true,  
657     "size": 70,  
658     "number": 0  
659   },  
660   "detail": null,  
661   "error": false,  
662   "message": "Fetching casino notification histories successful.",  
663   "code": "1000"  
664 }
```

**GET**

## Fetch Casino Notification History By User

### Description

Fetches casino notification history recorded in Client by a user.

### Request Endpoint

GET <https://<Example api server address>/casino/notification/history/by/user/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of a User.

### cURL Syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/casino/notification/history/by/user/{id}'
```

https

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "a4204e00-d21d-41ee-a895-f477bef2e239",  
6 |         "createdOn": 1483448997242,  
7 |         "lastModifiedOn": 1483448997242,  
8 |         "updatedBy": "",  
9 |         "deleted": false,  
10 |        "user": {  
11 |          "id": "2880b416-177d-445f-838f-c414aea3b94a",  
12 |          "createdOn": 1481536739007,  
13 |          "lastModifiedOn": 1481539408963,  
14 |          "updatedBy": "",  
15 |          "deleted": false,  
16 |          "addresses": null,  
17 |          "devices": [  
18 |            {  
19 |              "id": "cd6c04e3-ea77-41b4-8ab4-aac729306ec5",  
20 |              "createdOn": 1481536734856,  
21 |              "lastModifiedOn": 1481536734856,  
22 |              "updatedBy": "",  
23 |              "deleted": false,  
24 |              "description": "Old Device",  
25 |              "deviceStatus": "NORMAL",  
26 |              "manufacturer": "Apple",  
27 |              "model": "iPhone 5",  
28 |              "os": "iOS 9",  
29 |              "udid": "2083718938038243",  
30 |              "simStateHashCode": null,  
31 |              "simCardState": null,  
32 |              "deletedUdid": null,  
33 |              "deletedBy": null,  
34 |              "deletedOn": null,
```

json

```

35     "name": "Moto",
36     "brand": null,
37     "androidID": "etr657y",
38     "advertiserID": null,
39     "operator": null,
40     "country": "India",
41     "language": "English",
42     "screenWidthInPixels": null,
43     "screenHeightInPixels": null,
44     "screenWidthInInches": null,
45     "screenHeightInInches": null
46   }
47 ],
48 "emailAuthenticationChannels": [],
49 "firstName": "Reeth",
50 "fullName": "Reeth H",
51 "groupTag": [
52   "FACEBOOK",
53   "Apple",
54   "United Kingdom",
55   "iOS 9",
56   "1234234",
57   "iPhone 5"
58 ],
59 "lastName": "H",
60 "locationCountry": "United Kingdom",
61 "locationZipCode": "1234234",
62 "mobileAuthenticationChannels": [],
63 "pinCreated": true,
64 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://jfjh.jdhhg.",
65 "profileName": "ABC",
66 "registrationDate": 1481536734888,
67 "socialAuthenticationChannels": [
68   {
69     "addedOn": 1481536739002,
70     "blockStatus": "NORMAL",
71     "deletedOn": null,
72     "lastUsedOn": 1481536739002,
73     "loginType": "FACEBOOK",
74     "socialId": "zdg4ds5yf",
75     "deleted": false,
76     "recycleSocialId": null,
77     "emailAddress": "san.sh555@gmail.com",
78     "profileName": "facebook"
79   }
80 ],
81 "status": "ACTIVE",
82 "timezone": null,
83 "userSetting": {
84   "autoUpdateBetcadeApp": true,
85   "autoUpdateDownloadedApps": true,
86   "monthlyDepositMaxLimit": 0,
87   "monthlyDepositMaxLimitCurrency": "GBP",
88   "prefillUserInfoInCasino": true,
89   "receiveEmailReceipt": true,
90   "receiveNotifications": true,
91   "shareRegistrationInfo": true,
92   "userEmailProvided": true,
93   "versionOfDownloadedBetcadeApp": "v1",
94   "wifiDownloadLimitInMB": 0,
95   "preferredCategories": [],

```

```

96     "autoSaveCard": true,
97     "autoAddHomeIcon": true,
98     "receiveUpdateNotifications": true,
99     "receiveAutoUpdatedNotifications": true,
100    "receiveRecommendationNotifications": true,
101    "preferredCurrency": null,
102    "appSetting": {
103        "autoUpdateApps": 2,
104        "addIconHomeScreen": false,
105        "saveNewCreditOrDebitCards": true,
106        "appUpdatesAvailable": true,
107        "appsWereAutoUpdated": true,
108        "recommendedContentAvailable": true
109    },
110    "allowLargeFilesOverWifiOnly": true
111 },
112 "verified": true,
113 "pinResetDate": null,
114 "pinChangeDate": 1481536775580,
115 "singularId": null,
116 "acquisitionIds": null,
117 "userAuditInfo": {
118     "initialLoginDate": 1481536734888,
119     "initialLoginIp": "127.0.0.1",
120     "initialLoginLocation": " ",
121     "initialRegistrationDate": null,
122     "initialRegistrationIp": null,
123     "initialRegistrationLocation": null
124 },
125 "email": "san.sh555@gmail.com",
126 "phone": "+919874654244",
127 "dob": 663359640000,
128 "statusBeforeBlacklisting": null,
129 "muid": "07a5d35f-ebfb-4912-9302-88b82baa9dbe",
130 "testUser": null
131 },
132 "casino": {
133     "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
134     "createdOn": 1472021963085,
135     "lastModifiedOn": 1472021963085,
136     "updatedBy": "",
137     "deleted": false,
138     "name": "Poker 26",
139     "videoUrl": "https://www.google.com/betting-video.mov",
140     "imageUrl": "http://www.google.com/betting.png",
141     "description": "This casino has lot of game apps1",
142     "website": "http://www.casino1.com",
143     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
144     "banner": "banner2345",
145     "deletedBy": null,
146     "deletedOn": null,
147     "operatorStatus": "NEW",
148     "email": null,
149     "userRole": "OPERATOR",
150     "firstName": null,
151     "lastName": null,
152     "address": null,
153     "externalId": null,
154     "featuredAppId": null,
155     "latestAppId": null
156 },

```

```

157     "application": {
158         "id": "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",
159         "createdOn": 1472021965228,
160         "lastModifiedOn": 1472021965228,
161         "updatedBy": "",
162         "deleted": false,
163         "name": "Application Recent",
164         "description": "description about application 1",
165         "appPackage": "appPac",
166         "bundleIdentifier": "app",
167         "casino": {
168             "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
169             "createdOn": 1472021963085,
170             "lastModifiedOn": 1472021963085,
171             "updatedBy": "",
172             "deleted": false,
173             "name": "Poker 26",
174             "videoUrl": "https://www.google.com/betting-video.mov",
175             "imageUrl": "http://www.google.com/betting.png",
176             "description": "This casino has lot of game apps1",
177             "website": "http://www.casino1.com",
178             "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
179             "banner": "banner2345",
180             "deletedBy": null,
181             "deletedOn": null,
182             "operatorStatus": "NEW",
183             "email": null,
184             "userRole": "OPERATOR",
185             "firstName": null,
186             "lastName": null,
187             "address": null,
188             "externalId": null,
189             "featuredAppId": null,
190             "latestAppId": null
191         },
192         "casinoId": null,
193         "categories": [
194             null
195         ],
196         "categoryIds": null,
197         "downloads": 4646,
198         "featured": false,
199         "applicationVersionIds": null,
200         "keywords": [
201             "key1",
202             "key2",
203             "key3"
204         ],
205         "latestBuild": 18,
206         "latestVersion": "v0.3",
207         "latestApkFileSize": null,
208         "initialVersionPublishDate": null,
209         "latestVersionPublishDate": null,
210         "order": 345,
211         "paragraph1": "1 paragraph",
212         "paragraph2": "2st paragraph",
213         "paragraph3": "3st paragraph",
214         "paragraph4": "4th para",
215         "presetPricelist": null,
216         "price": 3436,
217         "publisherId": null,

```



```

218     "publisher": null,
219     "ranking": 23,
220     "subtitle": "subtitle",
221     "updated": null,
222     "status": "PUBLISHED",
223     "downloadLink": null,
224     "compatibility": "kitkat",
225     "sizeOnDisk": "12MB",
226     "permissionDetails": "You should have kitkat version to run this app",
227     "additionalDetails": "This application is very popular",
228     "tags": null,
229     "rating": {
230         "count": 0,
231         "overall": 0,
232         "gamePlay": 0,
233         "design": 0,
234         "ease": 0
235     },
236     "silent": {
237         "min": 1,
238         "max": 1
239     },
240     "normal": {
241         "min": 1,
242         "max": 1
243     },
244     "mandatory": {
245         "min": 1,
246         "max": 1
247     },
248     "downgrade": {
249         "min": null,
250         "max": null
251     },
252     "deletedBy": null,
253     "deletedOn": null,
254     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
255     "sliderImages": [
256         {
257             "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
258             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
259             "order": 1
260         },
261         {
262             "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
263             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
264             "order": 0
265         }
266     ],
267     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
268     "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
269     "icon": null,
270     "featuredImage": null,
271     "privacyPolicy": null,
272     "locationSupported": [
273         "India",
274         "UK"
275     ],
276     "languageSupported": [
277         "English",
278         "French"

```

```

279     ],
280     "affiliateLaunchMode": null,
281     "affiliateLaunchData": null,
282     "editorsPick": false,
283     "live": false,
284     "reviewer": null,
285     "certificates": null,
286     "bonusValue": false,
287     "bonus": null,
288     "bonusCount": null
289 },
290 "userTransaction": {
291     "id": "3d29d849-d20e-4e9b-b3e6-6dcb225b6908",
292     "createdOn": 1483349861741,
293     "lastModifiedOn": 1483349861741,
294     "updatedBy": "",
295     "deleted": false,
296     "additionalIdentifier": "CUSTOM",
297     "amount": 10,
298     "application": {
299         "id": "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",
300         "createdOn": 1472021965228,
301         "lastModifiedOn": 1472021965228,
302         "updatedBy": "",
303         "deleted": false,
304         "name": "Application Recent",
305         "description": "description about application 1",
306         "appPackage": "appPac",
307         "bundleIdentifier": "app",
308         "casino": {
309             "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
310             "createdOn": 1472021963085,
311             "lastModifiedOn": 1472021963085,
312             "updatedBy": "",
313             "deleted": false,
314             "name": "Poker 26",
315             "videoUrl": "https://www.google.com/betting-video.mov",
316             "imageUrl": "http://www.google.com/betting.png",
317             "description": "This casino has lot of game apps1",
318             "website": "http://www.casino1.com",
319             "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
320             "banner": "banner2345",
321             "deletedBy": null,
322             "deletedOn": null,
323             "operatorStatus": "NEW",
324             "email": null,
325             "userRole": "OPERATOR",
326             "firstName": null,
327             "lastName": null,
328             "address": null,
329             "externalId": null,
330             "featuredAppId": null,
331             "latestAppId": null
332         },
333         "casinoId": null,
334         "categories": [
335             null
336         ],
337         "categoryIds": null,
338         "downloads": 4646,
339         "featured": false,

```

```

340     "applicationVersionIds": null,
341     "keywords": [
342         "key1",
343         "key2",
344         "key3"
345     ],
346     "latestBuild": 18,
347     "latestVersion": "v0.3",
348     "latestApkFileSize": null,
349     "initialVersionPublishDate": null,
350     "latestVersionPublishDate": null,
351     "order": 345,
352     "paragraph1": "1 paragraph",
353     "paragraph2": "2st paragraph",
354     "paragraph3": "3st paragraph",
355     "paragraph4": "4th para",
356     "presetPriceList": null,
357     "price": 3436,
358     "publisherId": null,
359     "publisher": null,
360     "ranking": 23,
361     "subtitle": "subtitle",
362     "updated": null,
363     "status": "PUBLISHED",
364     "downloadLink": null,
365     "compatibility": "kitkat",
366     "sizeOnDisk": "12MB",
367     "permissionDetails": "You should have kitkat version to run this app",
368     "additionalDetails": "This application is very popular",
369     "tags": null,
370     "rating": {
371         "count": 0,
372         "overall": 0,
373         "gamePlay": 0,
374         "design": 0,
375         "ease": 0
376     },
377     "silent": {
378         "min": 1,
379         "max": 1
380     },
381     "normal": {
382         "min": 1,
383         "max": 1
384     },
385     "mandatory": {
386         "min": 1,
387         "max": 1
388     },
389     "downgrade": {
390         "min": null,
391         "max": null
392     },
393     "deletedBy": null,
394     "deletedOn": null,
395     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
396     "sliderImages": [
397         {
398             "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
399             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
400             "order": 1

```

```

401     },
402     {
403         "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
404         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
405         "order": 0
406     }
407 ],
408 "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
409 "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
410 "icon": null,
411 "featuredImage": null,
412 "privacyPolicy": null,
413 "locationSupported": [
414     "India",
415     "UK"
416 ],
417 "languageSupported": [
418     "English",
419     "French"
420 ],
421 "affiliateLaunchMode": null,
422 "affiliateLaunchData": null,
423 "editorsPick": false,
424 "live": false,
425 "reviewer": null,
426 "certificates": null,
427 "bonusValue": false,
428 "bonus": null,
429 "bonusCount": null
430 },
431 "currencyCode": "GBP",
432 "orderDate": 1483349861741,
433 "orderNumber": "9a7c7b6b-29eb-4511-90c9-78d158ef972c",
434 "paymentType": "Consumer Debit E-Comm",
435 "providerPaymentId": "75760916-7154-43cd-b9e0-f04778c91bfc",
436 "providerTransactionId": "zasfs03s564qwtf",
437 "remarks": null,
438 "transactionType": "EXISTING",
439 "past": false,
440 "user": {
441     "id": "2880b416-177d-445f-838f-c414aea3b94a",
442     "createdOn": 1481536739007,
443     "lastModifiedOn": 1481539408963,
444     "updatedBy": "",
445     "deleted": false,
446     "addresses": null,
447     "devices": [
448         {
449             "id": "cd6c04e3-ea77-41b4-8ab4-aac729306ec5",
450             "createdOn": 1481536734856,
451             "lastModifiedOn": 1481536734856,
452             "updatedBy": "",
453             "deleted": false,
454             "description": "Old Device",
455             "deviceStatus": "NORMAL",
456             "manufacturer": "Apple",
457             "model": "iPhone 5",
458             "os": "iOS 9",
459             "udid": "2083718938038243",
460             "simStateHashCode": null,
461             "simCardState": null,

```

```

462         "deletedUdid": null,
463         "deletedBy": null,
464         "deletedOn": null,
465         "name": "Moto",
466         "brand": null,
467         "androidID": "etr657y",
468         "advertiserID": null,
469         "operator": null,
470         "country": "India",
471         "language": "English",
472         "screenWidthInPixels": null,
473         "screenHeightInPixels": null,
474         "screenWidthInInches": null,
475         "screenHeightInInches": null
476     }
477 ],
478 "emailAuthenticationChannels": [],
479 "firstName": "Reeth",
480 "fullName": "Reeth H",
481 "groupTag": [
482     "FACEBOOK",
483     "Apple",
484     "United Kingdom",
485     "iOS 9",
486     "1234234",
487     "iPhone 5"
488 ],
489 "lastName": "H",
490 "locationCountry": "United Kingdom",
491 "locationZipCode": "1234234",
492 "mobileAuthenticationChannels": [],
493 "pinCreated": true,
494 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://jfhj.jdhh",
495 "profileName": "ABC",
496 "registrationDate": 1481536734888,
497 "socialAuthenticationChannels": [
498     {
499         "addedOn": 1481536739002,
500         "blockStatus": "NORMAL",
501         "deletedOn": null,
502         "lastUsedOn": 1481536739002,
503         "loginType": "FACEBOOK",
504         "socialId": "zdg4ds5yf",
505         "deleted": false,
506         "recycleSocialId": null,
507         "emailAddress": "san.sh555@gmail.com",
508         "profileName": "facebook"
509     }
510 ],
511 "status": "ACTIVE",
512 "timezone": null,
513 "userSetting": {
514     "autoUpdateBetcadeApp": true,
515     "autoUpdateDownloadedApps": true,
516     "monthlyDepositMaxLimit": 0,
517     "monthlyDepositMaxLimitCurrency": "GBP",
518     "prefillUserInfoInCasino": true,
519     "receiveEmailReceipt": true,
520     "receiveNotifications": true,
521     "shareRegistrationInfo": true,
522     "userEmailProvided": true,

```

```

523     "versionOfDownloadedBetcadeApp": "v1",
524     "wifiDownloadLimitInMB": 0,
525     "preferredCategories": [],
526     "autoSaveCard": true,
527     "autoAddHomeIcon": true,
528     "receiveUpdateNotifications": true,
529     "receiveAutoUpdatedNotifications": true,
530     "receiveRecommendationNotifications": true,
531     "preferredCurrency": null,
532     "appSetting": {
533         "autoUpdateApps": 2,
534         "addIconHomeScreen": false,
535         "saveNewCreditOrDebitCards": true,
536         "appUpdatesAvailable": true,
537         "appsWereAutoUpdated": true,
538         "recommendedContentAvailable": true
539     },
540     "allowLargeFilesOverWifiOnly": true
541 },
542 "verified": true,
543 "pinResetDate": null,
544 "pinChangeDate": 1481536775580,
545 "singularId": null,
546 "acquisitionIds": null,
547 "userAuditInfo": {
548     "initialLoginDate": 1481536734888,
549     "initialLoginIp": "127.0.0.1",
550     "initialLoginLocation": " ",
551     "initialRegistrationDate": null,
552     "initialRegistrationIp": null,
553     "initialRegistrationLocation": null
554 },
555 "email": "san.sh555@gmail.com",
556 "phone": "+919874654244",
557 "dob": 663359640000,
558 "statusBeforeBlacklisting": null,
559 "muid": "07a5d35f-ebfb-4912-9302-88b82baa9dbe",
560 "testUser": null
561 },
562 "extCasinoPaymentGatewayID": "w123",
563 "deviceUdid": "2083718938038243",
564 "promoCodes": null,
565 "extCasinoUserID": "token",
566 "extCasinoTransID": "ppi12345",
567 "providerOrderId": "6s773sssWS05dabd",
568 "pspCode": "PPG002",
569 "pspTID": "tid123",
570 "incentiveAppliedList": null,
571 "applicationVersion": "v12",
572 "transactionResult": "SUCCESS",
573 "amlData": {
574     "extRiskCheckResult": "PASS",
575     "extRiskCheckScore": 1,
576     "extRiskCheckDateTime": 1462361924,
577     "extRiskCheckData": {
578         "data": "sample",
579         "result": false
580     }
581 },
582 "threeDSData": {
583     "extRisk3DSTransaction": true,

```

```

584         "extRisk3DSecureTransId": "tr123",
585         "extRisk3DSEnrolledCard": true,
586         "extRisk3DSResult": "Success",
587         "extRisk3DSData": {
588             "data": "sample",
589             "result": false
590         }
591     },
592     "casino": {
593         "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
594         "createdOn": 1472021963085,
595         "lastModifiedOn": 1472021963085,
596         "updatedBy": "",
597         "deleted": false,
598         "name": "Poker 26",
599         "videoUrl": "https://www.google.com/betting-video.mov",
600         "imageUrl": "http://www.google.com/betting.png",
601         "description": "This casino has lot of game apps1",
602         "website": "http://www.casino1.com",
603         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
604         "banner": "banner2345",
605         "deletedBy": null,
606         "deletedOn": null,
607         "operatorStatus": "NEW",
608         "email": null,
609         "userRole": "OPERATOR",
610         "firstName": null,
611         "lastName": null,
612         "address": null,
613         "externalId": null,
614         "featuredAppId": null,
615         "latestAppId": null
616     },
617     "transactionCategory": "DEPOSIT",
618     "parentTransactionId": null,
619     "refundedAmount": null,
620     "manual": false,
621     "notes": null,
622     "reason": null,
623     "erpId": null,
624     "region": "International",
625     "cardScheme": "MASTERCARD",
626     "transactionStatus": "Authorized",
627     "geoLocation": {
628         "x": 132424,
629         "y": 2354635
630     },
631     "appliedPromoCodes": null,
632     "appliedIncentives": null
633 },
634 "timeStamp": 1483351249,
635 "casinoWebHookUrl": "http://localhost:6060/casino/wallet",
636 "token": "eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiI2ZTk5ZWU3MCM0MDk0LTRjM2MtYjYyZi1iZDh2MmNDRiODciLCJpYX",
637 "attempts": 3,
638 "maxAttempts": 3,
639 "validAttempts": null,
640 "valid": false
641 }
642 ],
643 "last": true,
644 "totalPages": 1,

```

```
645     "totalElements": 2,  
646     "sort": [  
647         {  
648             "direction": "DESC",  
649             "property": "lastModifiedOn",  
650             "ignoreCase": false,  
651             "nullHandling": "NATIVE",  
652             "ascending": false  
653         }  
654     ],  
655     "numberOfElements": 2,  
656     "first": true,  
657     "size": 70,  
658     "number": 0  
659 },  
660 "detail": null,  
661 "error": false,  
662 "message": "Fetching casino notification histories successful.",  
663 "code": "1000"  
664 }
```



## Description

Fetches all casino webhooks.

## Request Endpoint

GET <https://<Example api server address>/admin/casino/webhooks>

## Parameters

None.

## cURL Syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/casino/webhooks'
```

https

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "e23b3779-0b57-4623-96bb-cddae29f9268",  
6 |         "createdOn": 1482384806353,  
7 |         "lastModifiedOn": 1482384978836,  
8 |         "updatedBy": "",  
9 |         "deleted": false,  
10 |        "casino": {  
11 |          "id": "dcc8bbfd-3ed6-4ce5-a671-f26151c356c3",  
12 |          "createdOn": 1478262739694,  
13 |          "lastModifiedOn": 1478262739694,  
14 |          "updatedBy": "",  
15 |          "deleted": false,  
16 |          "name": "HfWJyewOIGs",  
17 |          "videoUrl": null,  
18 |          "imageUrl": null,  
19 |          "description": null,  
20 |          "website": null,  
21 |          "icon": null,  
22 |          "banner": null,  
23 |          "deletedBy": null,  
24 |          "deletedOn": null,  
25 |          "operatorStatus": "INVITED",  
26 |          "email": "1d4fc6ba44a04762a5e0b97827f98696@gmail.com",  
27 |          "userRole": "OPERATOR",  
28 |          "firstName": null,  
29 |          "lastName": null,  
30 |          "address": null,  
31 |          "externalId": null,  
32 |          "featuredAppId": null,  
33 |          "latestAppId": null  
34 |        },  
35 |        "webHookUrl": "http://localhost:8080/ewallet",  
36 |        "token": "eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiI2ZTk5ZWU3MCM0MDk0LTR"  
37 |      },  
38 |    ]  
39 |  }  
40 | }
```

json

```

39     "id": "6e11fbd0-f0af-4163-a2c5-ea334b187e02",
40     "createdOn": 1482385045141,
41     "lastModifiedOn": 1482385045141,
42     "updatedBy": "",
43     "deleted": false,
44     "casino": {
45         "id": "9ec7e1d9-2831-4d4c-ba5c-277b014cf3b4",
46         "createdOn": 1478262421708,
47         "lastModifiedOn": 1478262421708,
48         "updatedBy": "",
49         "deleted": false,
50         "name": "wBJaqCXYZj",
51         "videoUrl": null,
52         "imageUrl": null,
53         "description": null,
54         "website": null,
55         "icon": null,
56         "banner": null,
57         "deletedBy": null,
58         "deletedOn": null,
59         "operatorStatus": "INVITED",
60         "email": "381e6d6157374e47bdda74dcc3648d8b@gmail.com",
61         "userRole": "OPERATOR",
62         "firstName": null,
63         "lastName": null,
64         "address": null,
65         "externalId": null,
66         "featuredAppId": null,
67         "latestAppId": null
68     },
69     "webHookUrl": "http://localhost:8080/casino/wallet",
70     "token": "eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiI2ZTk5ZWU3MCM0MDk0LTR"
71 }
72 ],
73 "last": true,
74 "totalElements": 2,
75 "totalPages": 1,
76 "numberOfElements": 2,
77 "sort": null,
78 "first": true,
79 "size": 70,
80 "number": 0
81 },
82 "detail": null,
83 "error": false,
84 "message": "Fetching all Casino webHooks successful.",
85 "code": "1000"
86 }

```

**GET**

## Find One Casino WebHook

### Description

Fetches a casino webhook by passing its webhook id.

### Request Endpoint

GET <https://<Example api server address>admin/casino/webhook/{casinoWebHookId}>

### Parameters

Parameter	Type	Use	Description
casinoWebHookId	String	Required	UUID of a casino webhook id.

### cURL Syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/casino/webhook/id'
```

https

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "e23b3779-0b57-4623-96bb-cddae29f9268",  
4 |     "createdOn": 1482384806353,  
5 |     "lastModifiedOn": 1482384978836,  
6 |     "updatedBy": "",  
7 |     "deleted": false,  
8 |     "casino": {  
9 |       "id": "dcc8bbfd-3ed6-4ce5-a671-f26151c356c3",  
10 |      "createdOn": 1478262739694,  
11 |      "lastModifiedOn": 1478262739694,  
12 |      "updatedBy": "",  
13 |      "deleted": false,  
14 |      "name": "HfWJyewOIGs",  
15 |      "videoUrl": null,  
16 |      "imageUrl": null,  
17 |      "description": null,  
18 |      "website": null,  
19 |      "icon": null,  
20 |      "banner": null,  
21 |      "deletedBy": null,  
22 |      "deletedOn": null,  
23 |      "operatorStatus": "INVITED",  
24 |      "email": "1d4fc6ba44a04762a5e0b97827f98696@gmail.com",  
25 |      "userRole": "OPERATOR",  
26 |      "firstName": null,  
27 |      "lastName": null,  
28 |      "address": null,  
29 |      "externalId": null,  
30 |      "featuredAppId": null,  
31 |      "latestAppId": null  
32 |    },  
33 |    "webHookUrl": "http://localhost:8080/ewallet",  
34 |    "token": "eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiI2ZTk5ZWU3MC04MDk0LTR"
```

json

```
35 | },
36 |   "detail": null,
37 |   "error": false,
38 |   "message": "Fetching casino webHook detail successful.",
39 |   "code": "1000"
40 | }
```

**PUT****Update Casino WebHook****Description**

Updates a canino's webhook.

**Request Endpoint**

PUT <https://<Example api server address>/admin/casino/webhook>

**Parameters**

None.

**cURL Syntax**

```
1 curl --include \  
2     --request PUT \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5         \"casinoWebHookId\" : \"dcc8bbfd-3ed6-4ce5-a671-f26151c356c3\",  
6         \"webHookUrl\" : \"http://localhost:8080/casino/wallet\",  
7         \"token\" : \"eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiI2ZTk5ZWU3MC04MDk0LTR\"  
8     }" \  
9     'https://core.dev.Example.net/api/admin/casino/webhook'
```

https

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
casinoWebHookId	String	Required	UUID of a casino webhook.
webHookUrl	String	Optional	The webhook url.
token	String	Optional	The token.

**PUT body**

**Headers:** Content-Type: application/json

```
1 {  
2     \"casinoWebHookId\": \"dcc8bbfd-3ed6-4ce5-a671-f26151c356c3\",  
3     \"webHookUrl\": \"http://localhost:8080/casino/wallet\",  
4     \"token\": \"eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiI2ZTk5ZWU3MC04MDk0LTR\"  
5 }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 {  
2     \"data\": {  
3         \"id\": \"e23b3779-0b57-4623-96bb-cddae29f9268\",  
4         \"createdOn\": 1482384806353,  
5         \"lastModifiedOn\": 1482384978836,  
6         \"updatedBy\": \"\",  
7         \"deleted\": false,  
8         \"casino\": {  
9             \"id\": \"dcc8bbfd-3ed6-4ce5-a671-f26151c356c3\",  
10            \"createdOn\": 1478262739694,
```

json

```
11     "lastModifiedOn": 1478262739694,  
12     "updatedBy": "",  
13     "deleted": false,  
14     "name": "HfWJyewOIGs",  
15     "videoUrl": null,  
16     "imageUrl": null,  
17     "description": null,  
18     "website": null,  
19     "icon": null,  
20     "banner": null,  
21     "deletedBy": null,  
22     "deletedOn": null,  
23     "operatorStatus": "INVITED",  
24     "email": "1d4fc6ba44a04762a5e0b97827f98696@gmail.com",  
25     "userRole": "OPERATOR",  
26     "firstName": null,  
27     "lastName": null,  
28     "address": null,  
29     "externalId": null,  
30     "featuredAppId": null,  
31     "latestAppId": null  
32   },  
33   "webHookUrl": "http://localhost:8080/ewallet",  
34   "token": "eyJhbGciOiJIUzI1NiJ9.eyJqdGkiOiI2ZTk5ZWU3MC04MDk0LTR"  
35 },  
36 "detail": null,  
37 "error": false,  
38 "message": "Updating casino webHook successful.",  
39 "code": "1000"  
40 }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Category APIs

#### POST Create (Category)

##### Description

Creates categories.

##### Request Endpoint

POST <https://<Example api server address>/category>

##### Parameters

None.

##### cURL syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5         \"imageUrl\": \"www.category1.com\",  
6         \"name\": \"category1\",  
7         \"videoUrl\": \"www.categoryVideo.com\",  
8         \"iconUrl\": \"www.icon.com\",  
9         \"colorCode\": \"#222fff\",  
10        \"heroImageReference\": \"www.image.com\",  
11        \"priority\": 18  
12    }" \  
13 'https://core.dev.Example.net/api/category'
```

curl

##### POST body attributes (JSON)

Attribute	Type	Use	Description
name	String	Required	Name of the category.
imageUrl	String	Optional	The image's URL.
videoUrl	String	Optional	The video's URL.
iconUrl	String	Required	The icon's URL.
colorCode	String	Optional	Hexadecimal color code (valid colorCode examples: "#1f1f1f", "#AFAFAF", "#1AFFa1", "#222fff", "#F00").
heroImageReference	String	Optional	The heroImageReference's URL.
priority	Number	Optional	Priority for the category, it should be an integer. Default value for this attribute is "1000".

## POST body

Headers: Content-Type: application/json

```
1 | {
2 |   "imageUrl": "www.category1.com",
3 |   "name": "category1",
4 |   "videoUrl": "www.categoryVideo.com",
5 |   "iconUrl": "www.icon.com",
6 |   "colorCode": "#222fff",
7 |   "heroImageReference": "www.image.com"
8 | }
```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {
2 |   "data": {
3 |     "id": "a209f3f4-cc68-48fa-8464-20d89a6fffb6f",
4 |     "updatedBy": "",
5 |     "imageUrl": "www.category1.com",
6 |     "name": "category1",
7 |     "videoUrl": "www.categoryVideo.com",
8 |     "iconUrl": "www.icon.com",
9 |     "colorCode": "#222fff",
10 |    "heroImageReference": "www.image.com"
11 |   },
12 |   "detail": null,
13 |   "error": false,
14 |   "message": "Creating category successful"
15 | }
```

json



## Description

Fetch all categories existing in the app. By default, categories are sorted based on the "priority" field.

## Request Endpoint

GET <https://<Example api server address>/category>

## Parameters

Parameter	Type	Use	Description
offset	Number	Optional	Offset to control the results.
limit	Number	Optional	Limit to control the results.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/category' curl
```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | { json  
2 |   "data": [  
3 |     {  
4 |       "id": "51c78cbe-0f7f-4cbc-856d-c29f251b70b5",  
5 |       "updatedAt": "",  
6 |       "imageUrl": "www.facebook.com",  
7 |       "name": "music6",  
8 |       "videoUrl": "www.Video.com",  
9 |       "iconUrl": "www.icon.com",  
10 |      "colorCode": "AFAFAF",  
11 |      "heroImageReference": "www.image.com"  
12 |    },  
13 |    {  
14 |      "id": "fd2f35ec-98df-420f-8460-66462cc93650",  
15 |      "updatedAt": "",  
16 |      "imageUrl": "www.facebook.com",  
17 |      "name": "music4",  
18 |      "videoUrl": "www.Video.com",  
19 |      "iconUrl": "www.icon.com",  
20 |      "colorCode": "123456",  
21 |      "heroImageReference": "www.image.com"  
22 |    },  
23 |    {  
24 |      "id": "4fc9e634-b8e3-471c-8afc-9da2eae0fd9b",  
25 |      "updatedAt": "",  
26 |      "imageUrl": "www.Updatecatry1.com",  
27 |      "name": "updatedcategory",  
28 |      "videoUrl": "www.categoryVideo.com",  
29 |      "iconUrl": "www.icon.com3",  
30 |      "colorCode": "#222fff",  
31 |      "heroImageReference": "www.image.com"  
32 |    }  
33 |  ],  
34 | }
```

```
33 | {
34 |   "id": "25cde8c5-76d8-4e6b-a9a8-e6db3370804b",
35 |   "updatedBy": "",
36 |   "imageUrl": "www.facebook.com",
37 |   "name": "updatedcategory2iu",
38 |   "videoUrl": "www.Video.com",
39 |   "iconUrl": "www.icon.com",
40 |   "colorCode": "#222fff",
41 |   "heroImageReference": "www.image.com"
42 | }
43 | ],
44 | "detail": null,
45 | "error": false,
46 | "message": "Fetching categories successful"
47 | }
```

**PUT****Update****Description**

Updates categories.

**Request Endpoint**

PUT <https://<Example api server address>/category/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	UUID of an existing category

**cURL syntax**

```
1 curl --include \  
2     --request PUT \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \"imageUrl\": \"www.Updatecatry1.com\",  
6     \"videoUrl\": \"www.categoryVideo.com\",  
7     \"iconUrl\": \"www.icon.com3\",  
8     \"colorCode\": \"#AFAFaF\",  
9     \"heroImageReference\": \"www.image.com\",  
10    \"priority\": 10  
11 }" \  
12 'https://core.dev.Example.net/api/category/id'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
imageUrl	String	Optional	The image's URL.
videoUrl	String	Optional	The video's URL.
iconUrl	String	Required	The icon's URL.
colorCode	String	Optional	Hexadecimal color code (valid colorCode examples: "#1f1f1f", "#AFAFaF", "#1AFFa1", "#222fff", "#F00").
heroImageReference	String	Optional	The heroImageReference's URL.
priority	Number	Optional	Priority for the category, it should be an integer. Default value for this attribute is "1000".

**PUT body**

**Headers:** Content-Type: application/json

```
1 {  
2     \"imageUrl\": \"www.Updatecatry1.com\",  
3     \"videoUrl\": \"www.categoryVideo.com\",  
4     \"iconUrl\": \"www.icon.com3\",  
5     \"colorCode\": \"#AFAFaF\",  
6     \"heroImageReference\": \"www.image.com\"  
7 }
```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

json

```
1  | {
2  |   "data": {
3  |     "id": "4fc9e634-b8e3-471c-8afc-9da2eae0fd9b",
4  |     "updatedBy": "",
5  |     "imageUrl": "www.Updatecatry1.com",
6  |     "name": "updatedcategory",
7  |     "videoUrl": "www.categoryVideo.com",
8  |     "iconUrl": "www.icon.com3",
9  |     "colorCode": "#AFAF",
10 |     "heroImageReference": "www.image.com"
11 |   },
12 |   "detail": null,
13 |   "error": false,
14 |   "message": "Editing category successful"
15 | }
```

## DELETE Delete

### Description

Deletes a category.

### Request Endpoint

DELETE <https://<Example api server address>/category/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of an existing category

### cURL syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 | 'https://core.dev.Example.net/api/category/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Deleting category successful"  
6 | }
```

json

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### ChargeBack Transaction APIs

#### POST ChargeBack User Transaction

##### Description

Helps the admin to charge back the user transactions.

##### Request Endpoint

POST <https://<Example api server address>/user/chargeback/transaction>

##### Parameters

None.

##### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"userTransactionId\" : \"b1906295-1b93-41f3-84b7-a32fad448c18\",\  
6 |         \"amount\" : 10,  
7 |         \"reasonForChargeBack\" : \"Request from bank to charge back the user transaction\",  
8 |         \"paymentComment\" : \"check number\",  
9 |         \"currencyCode\" : \"GBP\"  
10 |     }" \  
11 | 'https://core.dev.Example.net/api/user/chargeback/transaction'
```

##### POST body attributes (JSON)

Attribute	Type	Use	Description
userTransactionId	String	Required	UUID of a user transaction.
amount	Number	Required	The amount is double.
reasonForChargeBack	String	Required	Comments for charging back the transaction.
paymentComment	String	Required	Payment comments by the admin.
currencyCode	String	Required	The currency code.

##### POST body

Headers: Content-Type: application/json

```
1 | {  
2 |     \"userTransactionId\": \"b1906295-1b93-41f3-84b7-a32fad448c18\",
```

```
3 | "amount": 10,  
4 | "reasonForChargeBack": "Request from bank to charge back the user transaction",  
5 | "paymentComment": "check number",  
6 | "currencyCode": "GBP"  
7 | }
```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Charge Backing user transaction successful."  
6 | } json
```

## POST Fetch User Transaction ChargeBack History

### Description

Helps the admin to get the user transaction chargeback history.

### Request Endpoint

POST <https://<Example api server address>/user/chargeback/transaction/history>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"userId\" : \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",  
6 |         \"userTransactionId\" : \"3e6048b0-297a-4754-a7fb-d3a179fd82fd\"  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/user/chargeback/transaction/history'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
userTransactionId	String	Required	UUID of a user transaction.
userId	String	Required	UDID of an user.

### POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |     \"userId\": \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",  
3 |     \"userTransactionId\": \"3e6048b0-297a-4754-a7fb-d3a179fd82fd\"  
4 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     \"id\": \"901a369d-78b1-4211-87cf-149c0f38a9e7\",  
3 |     \"additionalIdentifier\": null,  
4 |     \"amount\": 10,  
5 |     \"application\": {  
6 |         \"id\": \"d6f1a957-218e-410e-9cf3-7e62c45eee13\",  
7 |         \"name\": \"Application11\",  
8 |         \"appPackage\": \"appPac\",  
9 |         \"banner\": \"https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner\",  
10 |        \"bundleIdentifier\": \"asap\",  
11 |        \"casino\": {  
12 |            \"id\": \"c58b99a7-2300-4df2-963e-bc4514f6ca4d\",  
13 |            \"name\": \"UserApps\",  
14 |            \"videoUrl\": \"https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com\"
```

json



```

15     "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
16     "description": "This casino has lot of game apps",
17     "website": "www.casino.com",
18     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",
19     "banner": "banner234",
20     "deletedBy": null,
21     "deletedOn": null,
22     "operatorStatus": null,
23     "email": null,
24     "userRole": null,
25     "firstName": null,
26     "lastName": null,
27     "address": null
28   },
29   "casinoId": null,
30   "categories": [
31     {
32       "id": "6df1a667-9b07-4f0c-821d-697732d6ee0d",
33       "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.category1.com",
34       "name": "category1",
35       "description": null,
36       "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.categoryVideo.",
37       "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.icon.com",
38       "colorCode": "#222fff",
39       "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.imag
40       "priority": 18,
41       "deletedBy": null,
42       "deletedOn": null
43     }
44   ],
45   "categoryIds": null,
46   "description": "description about application 1",
47   "downloads": 4646,
48   "featured": null,
49   "versionHistories": [
50     {
51       "build": 18,
52       "version": "v0.3",
53       "versionDate": 1469439294718,
54       "releaseDate": null,
55       "downloadLink": null,
56       "rating": {
57         "count": 0,
58         "overall": 0,
59         "gamePlay": 0,
60         "design": 0,
61         "ease": 0
62       },
63       "image": null,
64       "sliderImages": null,
65       "banner": null,
66       "video": null,
67       "versionStatus": null
68     }
69   ],
70   "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
71   "keywords": [
72     "key1",
73     "key2",
74     "key3"
75   ],

```

```

76     "latestBuild": 18,
77     "latestVersion": "v0.3",
78     "order": 345,
79     "paragraph1": "1 paragraph",
80     "paragraph2": "2st paragraph",
81     "paragraph3": "3st paragraph",
82     "paragraph4": "4th para",
83     "presetPriceList": null,
84     "price": 3436,
85     "publisherId": null,
86     "publisher": null,
87     "ranking": 23,
88     "sliderImages": [
89         {
90             "id": "59e1799f-c671-462e-a67b-780d4ca1f0d1",
91             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_1.jpg",
92             "order": 1
93         },
94         {
95             "id": "44308337-3899-45cc-9c3f-48dc19abdadf",
96             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_2.jpg",
97             "order": 0
98         },
99         {
100            "id": "928734fe-0684-4872-a5db-ca3182f9f1bc",
101            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_3.jpg",
102            "order": 3
103        }
104    ],
105    "subtitle": "subtitle",
106    "updated": null,
107    "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
108    "status": "SUBMITTED",
109    "downloadLink": null,
110    "compatibility": "kitkat",
111    "sizeOnDisk": "12MB",
112    "permissionDetails": "You should have kitkat version to run this app",
113    "locationSupported": [
114        "India",
115        "UK"
116    ],
117    "languageSupported": [
118        "English",
119        "French"
120    ],
121    "additionalDetails": "This application is very popular",
122    "tags": null,
123    "rating": {
124        "count": 0,
125        "overall": 0,
126        "gamePlay": 0,
127        "design": 0,
128        "ease": 0
129    },
130    "silent": {
131        "min": 1,
132        "max": 1
133    },
134    "normal": {
135        "min": 1,
136        "max": 1

```

```

137     },
138     "mandatory": {
139         "min": 1,
140         "max": 1
141     },
142     "downgrade": {
143         "min": null,
144         "max": null
145     },
146     "incentives": null,
147     "deletedBy": null,
148     "deletedOn": null
149 },
150 "currencyCode": "GBP",
151 "orderDate": 1470379294329,
152 "orderNumber": "a7da2be6-294c-438b-9b4c-14f361b26f50",
153 "paymentType": null,
154 "providerPaymentId": null,
155 "providerTransactionId": null,
156 "remarks": null,
157 "transactionType": null,
158 "past": false,
159 "extCasinoPaymentGatewayID": null,
160 "deviceUdid": null,
161 "promoCodes": null,
162 "extCasinoUserID": null,
163 "extCasinoTransID": null,
164 "providerOrderId": "c51aae4f-35a9-4ce1-93d5-113d6183ea3f",
165 "pspCode": null,
166 "pspTID": null,
167 "appliedIncentives": null,
168 "applicationVersion": "v0.3",
169 "transactionResult": "CHARGEBACK",
170 "amlData": null,
171 "threeDSData": null,
172 "casino": {
173     "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",
174     "name": "UserApps",
175     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
176     "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
177     "description": "This casino has lot of game apps",
178     "website": "www.casino.com",
179     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",
180     "banner": "banner234",
181     "deletedBy": null,
182     "deletedOn": null,
183     "operatorStatus": null,
184     "email": null,
185     "userRole": null,
186     "firstName": null,
187     "lastName": null,
188     "address": null
189 },
190 "transactionCategory": "CHARGEBACK",
191 "parentTransactionId": "3e6048b0-297a-4754-a7fb-d3a179fd82fd",
192 "reasonForRefund": null,
193 "refundedAmount": null,
194 "reasonForChargeBack": "Request from bank to charge back the user transaction",
195 "paymentComment": "check number",
196 "payoutAmount": null,
197 "reasonForPayout": null,

```

```
198     "transactionOrderId": null,  
199     "manualRefund": false  
200   }  
201 ],  
202 "detail": null,  
203 "error": false,  
204 "message": "Fetching chargeBack transaction history successful"  
205 }
```

**GET**

## Fetch ChargeBack History By UserId

### Description

Helps the admin to get the existing user ChargeBack history by passing a userId.

### Request Endpoint

GET <https://<Example api server address>/user/{userid}/chargeback/user/history>

### Parameters

Parameter	Type	Use	Description
userId	String	Required	The user's UDID.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/userid/chargeback/user/history'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "id": "901a369d-78b1-4211-87cf-149c0f38a9e7",  
3 |   "additionalIdentifier": null,  
4 |   "amount": 10,  
5 |   "application": {  
6 |     "id": "d6f1a957-218e-410e-9cf3-7e62c45eee13",  
7 |     "name": "Application11",  
8 |     "appPackage": "appPac",  
9 |     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",  
10 |    "bundleIdentifier": "asap",  
11 |    "casino": {  
12 |      "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",  
13 |      "name": "UserApps",  
14 |      "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",  
15 |      "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",  
16 |      "description": "This casino has lot of game apps",  
17 |      "website": "www.casino.com",  
18 |      "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",  
19 |      "banner": "banner234",  
20 |      "deletedBy": null,  
21 |      "deletedOn": null,  
22 |      "operatorStatus": null,  
23 |      "email": null,  
24 |      "userRole": null,  
25 |      "firstName": null,  
26 |      "lastName": null,  
27 |      "address": null  
28 |    },  
29 |    "casinoId": null,  
30 |    "categories": [  
31 |      {  
32 |        "id": "6df1a667-9b07-4f0c-821d-697732d6ee0d",  
33 |        "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.category1.com",  
34 |        "name": "category1",
```

json

```

35     "description": null,
36     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.categoryVideo.
37     "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.icon.com",
38     "colorCode": "#222fff",
39     "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.imag
40     "priority": 18,
41     "deletedBy": null,
42     "deletedOn": null
43   }
44 ],
45 "categoryIds": null,
46 "description": "description about application 1",
47 "downloads": 4646,
48 "featured": null,
49 "versionHistories": [
50   {
51     "build": 18,
52     "version": "v0.3",
53     "versionDate": 1469439294718,
54     "releaseDate": null,
55     "downloadLink": null,
56     "rating": {
57       "count": 0,
58       "overall": 0,
59       "gamePlay": 0,
60       "design": 0,
61       "ease": 0
62     },
63     "image": null,
64     "sliderImages": null,
65     "banner": null,
66     "video": null,
67     "versionStatus": null
68   }
69 ],
70 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
71 "keywords": [
72   "key1",
73   "key2",
74   "key3"
75 ],
76 "latestBuild": 18,
77 "latestVersion": "v0.3",
78 "order": 345,
79 "paragraph1": "1 paragraph",
80 "paragraph2": "2st paragraph",
81 "paragraph3": "3st paragraph",
82 "paragraph4": "4th para",
83 "presetPriceList": null,
84 "price": 3436,
85 "publisherId": null,
86 "publisher": null,
87 "ranking": 23,
88 "sliderImages": [
89   {
90     "id": "59e1799f-c671-462e-a67b-780d4ca1f0d1",
91     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_1.jpg",
92     "order": 1
93   },
94   {
95     "id": "44308337-3899-45cc-9c3f-48dc19abdadf",

```

```

96     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_2.jpg",
97     "order": 0
98   },
99   {
100     "id": "928734fe-0684-4872-a5db-ca3182f9f1bc",
101     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_3.jpg",
102     "order": 3
103   }
104 ],
105 "subtitle": "subtitle",
106 "updated": null,
107 "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
108 "status": "SUBMITTED",
109 "downloadLink": null,
110 "compatibility": "kitkat",
111 "sizeOnDisk": "12MB",
112 "permissionDetails": "You should have kitkat version to run this app",
113 "locationSupported": [
114   "India",
115   "UK"
116 ],
117 "languageSupported": [
118   "English",
119   "French"
120 ],
121 "additionalDetails": "This application is very popular",
122 "tags": null,
123 "rating": {
124   "count": 0,
125   "overall": 0,
126   "gamePlay": 0,
127   "design": 0,
128   "ease": 0
129 },
130 "silent": {
131   "min": 1,
132   "max": 1
133 },
134 "normal": {
135   "min": 1,
136   "max": 1
137 },
138 "mandatory": {
139   "min": 1,
140   "max": 1
141 },
142 "downgrade": {
143   "min": null,
144   "max": null
145 },
146 "incentives": null,
147 "deletedBy": null,
148 "deletedOn": null
149 },
150 "currencyCode": "GBP",
151 "orderDate": 1470379294329,
152 "orderNumber": "a7da2be6-294c-438b-9b4c-14f361b26f50",
153 "paymentType": null,
154 "providerPaymentId": null,
155 "providerTransactionId": null,
156 "remarks": null,

```

```

157     "transactionType": null,
158     "past": false,
159     "extCasinoPaymentGatewayID": null,
160     "deviceUdid": null,
161     "promoCodes": null,
162     "extCasinoUserID": null,
163     "extCasinoTransID": null,
164     "providerOrderId": "c51aae4f-35a9-4ce1-93d5-113d6183ea3f",
165     "pspCode": null,
166     "pspTID": null,
167     "appliedIncentives": null,
168     "applicationVersion": "v0.3",
169     "transactionResult": "CHARGEBACK",
170     "amlData": null,
171     "threeDSData": null,
172     "casino": {
173         "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",
174         "name": "UserApps",
175         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
176         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
177         "description": "This casino has lot of game apps",
178         "website": "www.casino.com",
179         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",
180         "banner": "banner234",
181         "deletedBy": null,
182         "deletedOn": null,
183         "operatorStatus": null,
184         "email": null,
185         "userRole": null,
186         "firstName": null,
187         "lastName": null,
188         "address": null
189     },
190     "transactionCategory": "CHARGEBACK",
191     "parentTransactionId": "3e6048b0-297a-4754-a7fb-d3a179fd82fd",
192     "reasonForRefund": null,
193     "refundedAmount": null,
194     "reasonForChargeBack": "Request from bank to charge back the user transaction",
195     "paymentComment": "check number",
196     "payoutAmount": null,
197     "reasonForPayout": null,
198     "transactionOrderId": null,
199     "manualRefund": false
200 }
201 ],
202 "detail": null,
203 "error": false,
204 "message": "Fetching chargeBack transaction history successful"
205 }

```



**GET**

## Fetch ChargeBack History By User TransactionId

### Description

Helps the admin to get the existing user ChargeBack history by passing the userTransactionId.

### Request Endpoint

GET <https://<Example api server address>/user/{transactionid}/chargeback/transaction/history>

### Parameters

Parameter	Type	Use	Description
transactionId	String	Required	The user's transactionId.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/transactionid/chargeback/transaction/history' curl
```

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | { json  
2 |   "id": "901a369d-78b1-4211-87cf-149c0f38a9e7",  
3 |   "additionalIdentifier": null,  
4 |   "amount": 10,  
5 |   "application": {  
6 |     "id": "d6f1a957-218e-410e-9cf3-7e62c45eee13",  
7 |     "name": "Application11",  
8 |     "appPackage": "appPac",  
9 |     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",  
10 |    "bundleIdentifier": "asap",  
11 |    "casino": {  
12 |      "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",  
13 |      "name": "UserApps",  
14 |      "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",  
15 |      "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",  
16 |      "description": "This casino has lot of game apps",  
17 |      "website": "www.casino.com",  
18 |      "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",  
19 |      "banner": "banner234",  
20 |      "deletedBy": null,  
21 |      "deletedOn": null,  
22 |      "operatorStatus": null,  
23 |      "email": null,  
24 |      "userRole": null,  
25 |      "firstName": null,  
26 |      "lastName": null,  
27 |      "address": null  
28 |    },  
29 |    "casinoId": null,  
30 |    "categories": [  
31 |      {  
32 |        "id": "6df1a667-9b07-4f0c-821d-697732d6ee0d",  
33 |        "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.category1.com",  
34 |        "name": "category1",
```

```

35     "description": null,
36     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.categoryVideo.
37     "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.icon.com",
38     "colorCode": "#222fff",
39     "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.imag
40     "priority": 18,
41     "deletedBy": null,
42     "deletedOn": null
43   }
44 ],
45 "categoryIds": null,
46 "description": "description about application 1",
47 "downloads": 4646,
48 "featured": null,
49 "versionHistories": [
50   {
51     "build": 18,
52     "version": "v0.3",
53     "versionDate": 1469439294718,
54     "releaseDate": null,
55     "downloadLink": null,
56     "rating": {
57       "count": 0,
58       "overall": 0,
59       "gamePlay": 0,
60       "design": 0,
61       "ease": 0
62     },
63     "image": null,
64     "sliderImages": null,
65     "banner": null,
66     "video": null,
67     "versionStatus": null
68   }
69 ],
70 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
71 "keywords": [
72   "key1",
73   "key2",
74   "key3"
75 ],
76 "latestBuild": 18,
77 "latestVersion": "v0.3",
78 "order": 345,
79 "paragraph1": "1 paragraph",
80 "paragraph2": "2st paragraph",
81 "paragraph3": "3st paragraph",
82 "paragraph4": "4th para",
83 "presetPriceList": null,
84 "price": 3436,
85 "publisherId": null,
86 "publisher": null,
87 "ranking": 23,
88 "sliderImages": [
89   {
90     "id": "59e1799f-c671-462e-a67b-780d4ca1f0d1",
91     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_1.jpg",
92     "order": 1
93   },
94   {
95     "id": "44308337-3899-45cc-9c3f-48dc19abdadf",

```

```

96         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_2.jpg",
97         "order": 0
98     },
99     {
100         "id": "928734fe-0684-4872-a5db-ca3182f9f1bc",
101         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_3.jpg",
102         "order": 3
103     }
104 ],
105 "subtitle": "subtitle",
106 "updated": null,
107 "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
108 "status": "SUBMITTED",
109 "downloadLink": null,
110 "compatibility": "kitkat",
111 "sizeOnDisk": "12MB",
112 "permissionDetails": "You should have kitkat version to run this app",
113 "locationSupported": [
114     "India",
115     "UK"
116 ],
117 "languageSupported": [
118     "English",
119     "French"
120 ],
121 "additionalDetails": "This application is very popular",
122 "tags": null,
123 "rating": {
124     "count": 0,
125     "overall": 0,
126     "gamePlay": 0,
127     "design": 0,
128     "ease": 0
129 },
130 "silent": {
131     "min": 1,
132     "max": 1
133 },
134 "normal": {
135     "min": 1,
136     "max": 1
137 },
138 "mandatory": {
139     "min": 1,
140     "max": 1
141 },
142 "downgrade": {
143     "min": null,
144     "max": null
145 },
146 "incentives": null,
147 "deletedBy": null,
148 "deletedOn": null
149 },
150 "currencyCode": "GBP",
151 "orderDate": 1470379294329,
152 "orderNumber": "a7da2be6-294c-438b-9b4c-14f361b26f50",
153 "paymentType": null,
154 "providerPaymentId": null,
155 "providerTransactionId": null,
156 "remarks": null,

```

```

157     "transactionType": null,
158     "past": false,
159     "extCasinoPaymentGatewayID": null,
160     "deviceUdid": null,
161     "promoCodes": null,
162     "extCasinoUserID": null,
163     "extCasinoTransID": null,
164     "providerOrderId": "c51aae4f-35a9-4ce1-93d5-113d6183ea3f",
165     "pspCode": null,
166     "pspTID": null,
167     "appliedIncentives": null,
168     "applicationVersion": "v0.3",
169     "transactionResult": "CHARGEBACK",
170     "amlData": null,
171     "threeDSData": null,
172     "casino": {
173         "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",
174         "name": "UserApps",
175         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
176         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
177         "description": "This casino has lot of game apps",
178         "website": "www.casino.com",
179         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",
180         "banner": "banner234",
181         "deletedBy": null,
182         "deletedOn": null,
183         "operatorStatus": null,
184         "email": null,
185         "userRole": null,
186         "firstName": null,
187         "lastName": null,
188         "address": null
189     },
190     "transactionCategory": "CHARGEBACK",
191     "parentTransactionId": "3e6048b0-297a-4754-a7fb-d3a179fd82fd",
192     "reasonForRefund": null,
193     "refundedAmount": null,
194     "reasonForChargeBack": "Request from bank to charge back the user transaction",
195     "paymentComment": "check number",
196     "payoutAmount": null,
197     "reasonForPayout": null,
198     "transactionOrderId": null,
199     "manualRefund": false
200 }
201 ],
202 "detail": null,
203 "error": false,
204 "message": "Fetching chargeBack transaction history successful"
205 }

```

## Description

Helps the admin to fetch all user ChargeBack history.

## Request Endpoint

GET <https://<Example api server address>/user/chargeback/history>

## Parameters

None.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/chargeback/history'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "id": "901a369d-78b1-4211-87cf-149c0f38a9e7",  
3 |   "additionalIdentifier": null,  
4 |   "amount": 10,  
5 |   "application": {  
6 |     "id": "d6f1a957-218e-410e-9cf3-7e62c45eee13",  
7 |     "name": "Application11",  
8 |     "appPackage": "appPac",  
9 |     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",  
10 |    "bundleIdentifier": "asap",  
11 |    "casino": {  
12 |      "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",  
13 |      "name": "UserApps",  
14 |      "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",  
15 |      "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",  
16 |      "description": "This casino has lot of game apps",  
17 |      "website": "www.casino.com",  
18 |      "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",  
19 |      "banner": "banner234",  
20 |      "deletedBy": null,  
21 |      "deletedOn": null,  
22 |      "operatorStatus": null,  
23 |      "email": null,  
24 |      "userRole": null,  
25 |      "firstName": null,  
26 |      "lastName": null,  
27 |      "address": null  
28 |    },  
29 |    "casinoId": null,  
30 |    "categories": [  
31 |      {  
32 |        "id": "6df1a667-9b07-4f0c-821d-697732d6ee0d",  
33 |        "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.category1.com",  
34 |        "name": "category1",  
35 |        "description": null,  
36 |        "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.categoryVideo.",  
37 |        "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.icon.com",  
38 |        "colorCode": "#222fff",  
39 |      }  
40 |    ]  
41 |   }  
42 | }
```

json

```

39         "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.imag
40         "priority": 18,
41         "deletedBy": null,
42         "deletedOn": null
43     }
44 ],
45     "categoryIds": null,
46     "description": "description about application 1",
47     "downloads": 4646,
48     "featured": null,
49     "versionHistories": [
50     {
51         "build": 18,
52         "version": "v0.3",
53         "versionDate": 1469439294718,
54         "releaseDate": null,
55         "downloadLink": null,
56         "rating": {
57             "count": 0,
58             "overall": 0,
59             "gamePlay": 0,
60             "design": 0,
61             "ease": 0
62         },
63         "image": null,
64         "sliderImages": null,
65         "banner": null,
66         "video": null,
67         "versionStatus": null
68     }
69 ],
70     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
71     "keywords": [
72         "key1",
73         "key2",
74         "key3"
75 ],
76     "latestBuild": 18,
77     "latestVersion": "v0.3",
78     "order": 345,
79     "paragraph1": "1 paragraph",
80     "paragraph2": "2st paragraph",
81     "paragraph3": "3st paragraph",
82     "paragraph4": "4th para",
83     "presetPriceList": null,
84     "price": 3436,
85     "publisherId": null,
86     "publisher": null,
87     "ranking": 23,
88     "sliderImages": [
89     {
90         "id": "59e1799f-c671-462e-a67b-780d4ca1f0d1",
91         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_1.jpg",
92         "order": 1
93     },
94     {
95         "id": "44308337-3899-45cc-9c3f-48dc19abdadf",
96         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_2.jpg",
97         "order": 0
98     },
99     {

```

```

100         "id": "928734fe-0684-4872-a5db-ca3182f9f1bc",
101         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_3.jpg",
102         "order": 3
103     }
104 ],
105     "subtitle": "subtitle",
106     "updated": null,
107     "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
108     "status": "SUBMITTED",
109     "downloadLink": null,
110     "compatibility": "kitkat",
111     "sizeOnDisk": "12MB",
112     "permissionDetails": "You should have kitkat version to run this app",
113     "locationSupported": [
114         "India",
115         "UK"
116     ],
117     "languageSupported": [
118         "English",
119         "French"
120     ],
121     "additionalDetails": "This application is very popular",
122     "tags": null,
123     "rating": {
124         "count": 0,
125         "overall": 0,
126         "gamePlay": 0,
127         "design": 0,
128         "ease": 0
129     },
130     "silent": {
131         "min": 1,
132         "max": 1
133     },
134     "normal": {
135         "min": 1,
136         "max": 1
137     },
138     "mandatory": {
139         "min": 1,
140         "max": 1
141     },
142     "downgrade": {
143         "min": null,
144         "max": null
145     },
146     "incentives": null,
147     "deletedBy": null,
148     "deletedOn": null
149 },
150     "currencyCode": "GBP",
151     "orderDate": 1470379294329,
152     "orderNumber": "a7da2be6-294c-438b-9b4c-14f361b26f50",
153     "paymentType": null,
154     "providerPaymentId": null,
155     "providerTransactionId": null,
156     "remarks": null,
157     "transactionType": null,
158     "past": false,
159     "extCasinoPaymentGatewayID": null,
160     "deviceUdid": null,

```

```

161     "promoCodes": null,
162     "extCasinoUserID": null,
163     "extCasinoTransID": null,
164     "providerOrderId": "c51aae4f-35a9-4ce1-93d5-113d6183ea3f",
165     "pspCode": null,
166     "pspTID": null,
167     "appliedIncentives": null,
168     "applicationVersion": "v0.3",
169     "transactionResult": "CHARGEBACK",
170     "amlData": null,
171     "threeDSData": null,
172     "casino": {
173         "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",
174         "name": "UserApps",
175         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
176         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
177         "description": "This casino has lot of game apps",
178         "website": "www.casino.com",
179         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",
180         "banner": "banner234",
181         "deletedBy": null,
182         "deletedOn": null,
183         "operatorStatus": null,
184         "email": null,
185         "userRole": null,
186         "firstName": null,
187         "lastName": null,
188         "address": null
189     },
190     "transactionCategory": "CHARGEBACK",
191     "parentTransactionId": "3e6048b0-297a-4754-a7fb-d3a179fd82fd",
192     "reasonForRefund": null,
193     "refundedAmount": null,
194     "reasonForChargeBack": "Request from bank to charge back the user transaction",
195     "paymentComment": "check number",
196     "payoutAmount": null,
197     "reasonForPayout": null,
198     "transactionOrderId": null,
199     "manualRefund": false
200 }
201 ],
202 "detail": null,
203 "error": false,
204 "message": "Fetching chargeBack transaction history successful"
205 }

```



## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Client App Config APIs

#### POST Create App Config

##### Description

Allows a client to create an app config to allow a mobile client to customize menu / account screens on the mobile app. This also serves as an update API where in Client either creates a new record or updates an existing record based on the "type" attribute below.

##### Request Endpoint

POST `https://<Example api server address>/appconfig/`

##### Parameters

None.

##### cURL syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5  \"type\": \"menu\",  
6  \"style\": null,  
7  \"items\": [  
8    {  
9      \"type\": \"link\",  
10     \"target\": \"account\",  
11     \"title\": \"My Account\",  
12     \"style\": \"white\"  
13   },  
14   {  
15     \"type\": \"link\",  
16     \"target\": \"home\",  
17     \"title\": \"Store Home\",  
18     \"style\": \"white\"  
19   },  
20   {  
21     \"type\": \"categories\",  
22     \"style\": \"white\"  
23   },  
24   {  
25     \"type\": \"link\",  
26     \"target\": \"casinos\",  
27     \"title\": \"Casinos\",  
28     \"style\": \"grey\"  
29   },  
30   {
```

curl

```

31     \ "type": "\ "link",
32     \ "target": "\ "my-apps",
33     \ "title": "\ "My Apps",
34     \ "style": "\ "grey"
35   },
36   {
37     \ "type": "\ "divider",
38     \ "style": "\ "grey"
39   },
40   {
41     \ "type": "\ "link",
42     \ "target": "\ "support",
43     \ "title": "\ "Help & Support",
44     \ "style": "\ "grey"
45   },
46   {
47     \ "type": "\ "link",
48     \ "target": "\ "about",
49     \ "title": "\ "About Example",
50     \ "style": "\ "grey"
51   }
52 ]
53 }" \
54 'https://core.dev.Example.net/api/appconfig/'

```

## POST body - "type": "menu"

Headers: Content-Type: application/json

```

1  {
2    "type": "menu",
3    "style": null,
4    "items": [
5      {
6        "type": "link",
7        "target": "account",
8        "title": "My Account",
9        "style": "white"
10     },
11     {
12       "type": "link",
13       "target": "home",
14       "title": "Store Home",
15       "style": "white"
16     },
17     {
18       "type": "categories",
19       "style": "white"
20     },
21     {
22       "type": "link",
23       "target": "casinos",
24       "title": "Casinos",
25       "style": "grey"
26     },
27     {
28       "type": "link",
29       "target": "my-apps",
30       "title": "My Apps",
31       "style": "grey"

```

json

```

32     },
33     {
34       "type": "divider",
35       "style": "grey"
36     },
37     {
38       "type": "link",
39       "target": "support",
40       "title": "Help & Support",
41       "style": "grey"
42     },
43     {
44       "type": "link",
45       "target": "about",
46       "title": "About Example",
47       "style": "grey"
48     }
49   ]
50 }

```

## Response body - "type": "menu"

Headers: Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2    "data": {
3      "id": "ffb4a9d2-fbcc-4a18-9a61-acb2231c0d7b",
4      "deleted": false,
5      "type": "menu",
6      "style": null,
7      "items": [
8        {
9          "type": "link",
10         "target": "account",
11         "title": "My Account",
12         "subtitle": null,
13         "style": "white"
14       },
15       {
16         "type": "link",
17         "target": "home",
18         "title": "Store Home",
19         "subtitle": null,
20         "style": "white"
21       },
22       {
23         "type": "categories",
24         "target": null,
25         "title": null,
26         "subtitle": null,
27         "style": "white"
28       },
29       {
30         "type": "link",
31         "target": "casinos",
32         "title": "Casinos",
33         "subtitle": null,
34         "style": "grey"
35       },
36       {

```

json

```

37     "type": "link",
38     "target": "my-apps",
39     "title": "My Apps",
40     "subtitle": null,
41     "style": "grey"
42   },
43   {
44     "type": "divider",
45     "target": null,
46     "title": null,
47     "subtitle": null,
48     "style": "grey"
49   },
50   {
51     "type": "link",
52     "target": "support",
53     "title": "Help & Support",
54     "subtitle": null,
55     "style": "grey"
56   },
57   {
58     "type": "link",
59     "target": "about",
60     "title": "About Example",
61     "subtitle": null,
62     "style": "grey"
63   }
64 ]
65 },
66 "detail": null,
67 "error": false,
68 "message": "Saving app config data successful"
69 }

```

## POST body - "type": "account"

Headers: Content-Type: application/json

```

1  {
2  "style": null,
3  "type": "account",
4  "items": [
5    {
6      "type": "link",
7      "target": "account-info",
8      "title": "Account Information",
9      "subtitle": "Change your PIN and edit account details",
10     "style": "white"
11   },
12   {
13     "type": "link",
14     "target": "payment-methods",
15     "title": "Payment Methods",
16     "subtitle": "Add and edit your payment methods",
17     "style": "white"
18   },
19   {
20     "type": "link",
21     "target": "promo-codes",
22     "title": "Example Promo Codes",

```

json

```

23     "subtitle": "Add codes and promo history",
24     "style": "white"
25   },
26   {
27     "type": "link",
28     "target": "transactions",
29     "title": "Transaction History",
30     "subtitle": "View all deposits and withdrawals",
31     "style": "white"
32   },
33   {
34     "type": "link",
35     "target": "settings",
36     "title": "Settings",
37     "subtitle": "Manage notification preferences and more",
38     "style": "white"
39   },
40   {
41     "type": "link",
42     "target": "logout",
43     "title": "Log Out",
44     "subtitle": "",
45     "style": "white"
46   }
47 ]
48 }

```

## Response body - "type": "account"

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2  "data": {
3    "id": "4de30546-e000-4c59-904f-9078ba32dcea",
4    "deleted": false,
5    "type": "account",
6    "style": null,
7    "items": [
8      {
9        "type": "link",
10       "target": "account-info",
11       "title": "Account Information",
12       "subtitle": "Change your PIN and edit account details",
13       "style": "white"
14     },
15     {
16       "type": "link",
17       "target": "payment-methods",
18       "title": "Payment Methods",
19       "subtitle": "Add and edit your payment methods",
20       "style": "white"
21     },
22     {
23       "type": "link",
24       "target": "promo-codes",
25       "title": "Example Promo Codes",
26       "subtitle": "Add codes and promo history",
27       "style": "white"
28     },
29     {

```

json

```
30     "type": "link",
31     "target": "transactions",
32     "title": "Transaction History",
33     "subtitle": "View all deposits and withdrawals",
34     "style": "white"
35   },
36   {
37     "type": "link",
38     "target": "settings",
39     "title": "Settings",
40     "subtitle": "Manage notification preferences and more",
41     "style": "white"
42   },
43   {
44     "type": "link",
45     "target": "logout",
46     "title": "Log Out",
47     "subtitle": "",
48     "style": "white"
49   }
50 ]
51 },
52 "detail": null,
53 "error": false,
54 "message": "Saving app config data successful"
55 }
```

**GET**

## Fetch All App Config

### Description

Allows a client to fetch all the records for app config with pagination support.

### Request Endpoint

GET <https://<Example api server address>/appconfig/>

### Parameters

Parameter	Type	Use	Description
offset	Number	Optional	Offset of the data set.
limit	Number	Optional	Limit of the data set.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/appconfig/'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "ffb4a9d2-fbcc-4a18-9a61-acb2231c0d7b",  
6 |         "deleted": false,  
7 |         "type": "menu",  
8 |         "style": null,  
9 |         "items": [  
10 |           {  
11 |             "type": "link",  
12 |             "target": "account",  
13 |             "title": "My Account",  
14 |             "subtitle": null,  
15 |             "style": "white"  
16 |           },  
17 |           {  
18 |             "type": "link",  
19 |             "target": "home",  
20 |             "title": "Store Home",  
21 |             "subtitle": null,  
22 |             "style": "white"  
23 |           },  
24 |           {  
25 |             "type": "categories",  
26 |             "target": null,  
27 |             "title": null,  
28 |             "subtitle": null,  
29 |             "style": "white"  
30 |           },  
31 |           {  
32 |             "type": "link",
```

json

```

33     "target": "casinos",
34     "title": "Casinos",
35     "subtitle": null,
36     "style": "grey"
37 },
38 {
39     "type": "link",
40     "target": "my-apps",
41     "title": "My Apps",
42     "subtitle": null,
43     "style": "grey"
44 },
45 {
46     "type": "divider",
47     "target": null,
48     "title": null,
49     "subtitle": null,
50     "style": "grey"
51 },
52 {
53     "type": "link",
54     "target": "support",
55     "title": "Help & Support",
56     "subtitle": null,
57     "style": "grey"
58 },
59 {
60     "type": "link",
61     "target": "about",
62     "title": "About Example",
63     "subtitle": null,
64     "style": "grey"
65 }
66 ]
67 },
68 {
69     "id": "4de30546-e000-4c59-904f-9078ba32dcea",
70     "deleted": false,
71     "type": "account",
72     "style": null,
73     "items": [
74         {
75             "type": "link",
76             "target": "account-info",
77             "title": "Account Information",
78             "subtitle": "Change your PIN and edit account details",
79             "style": "white"
80         },
81         {
82             "type": "link",
83             "target": "payment-methods",
84             "title": "Payment Methods",
85             "subtitle": "Add and edit your payment methods",
86             "style": "white"
87         },
88         {
89             "type": "link",
90             "target": "promo-codes",
91             "title": "Example Promo Codes",
92             "subtitle": "Add codes and promo history",
93             "style": "white"

```



```
94     },
95     {
96         "type": "link",
97         "target": "transactions",
98         "title": "Transaction History",
99         "subtitle": "View all deposits and withdrawals",
100        "style": "white"
101    },
102    {
103        "type": "link",
104        "target": "settings",
105        "title": "Settings",
106        "subtitle": "Manage notification preferences and more",
107        "style": "white"
108    },
109    {
110        "type": "link",
111        "target": "logout",
112        "title": "Log Out",
113        "subtitle": "",
114        "style": "white"
115    }
116    ]
117    }
118    ],
119    "totalPages": 1,
120    "totalElements": 2,
121    "last": true,
122    "size": 70,
123    "number": 0,
124    "sort": null,
125    "first": true,
126    "numberOfElements": 2
127    },
128    "detail": null,
129    "error": false,
130    "message": "Fetching all app config data successful"
131 }
```

## Description

Allows a client to fetch an app config by type.

## Request Endpoint

GET <https://<Example api server address>/appconfig/type/{type}>

## Parameters

Parameter	Type	Use	Description
type	String	Required	The type of app config used to fetch the data.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/appconfig/type/type'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "fffb4a9d2-fbcc-4a18-9a61-acb2231c0d7b",  
4 |     "deleted": false,  
5 |     "type": "menu",  
6 |     "style": null,  
7 |     "items": [  
8 |       {  
9 |         "type": "link",  
10 |        "target": "account",  
11 |        "title": "My Account",  
12 |        "subtitle": null,  
13 |        "style": "white"  
14 |      },  
15 |      {  
16 |        "type": "link",  
17 |        "target": "home",  
18 |        "title": "Store Home",  
19 |        "subtitle": null,  
20 |        "style": "white"  
21 |      },  
22 |      {  
23 |        "type": "categories",  
24 |        "target": null,  
25 |        "title": null,  
26 |        "subtitle": null,  
27 |        "style": "white"  
28 |      },  
29 |      {  
30 |        "type": "link",  
31 |        "target": "casinos",  
32 |        "title": "Casinos",  
33 |        "subtitle": null,  
34 |        "style": "grey"
```

json

```
35     },
36     {
37         "type": "link",
38         "target": "my-apps",
39         "title": "My Apps",
40         "subtitle": null,
41         "style": "grey"
42     },
43     {
44         "type": "divider",
45         "target": null,
46         "title": null,
47         "subtitle": null,
48         "style": "grey"
49     },
50     {
51         "type": "link",
52         "target": "support",
53         "title": "Help & Support",
54         "subtitle": null,
55         "style": "grey"
56     },
57     {
58         "type": "link",
59         "target": "about",
60         "title": "About Example",
61         "subtitle": null,
62         "style": "grey"
63     }
64 ]
65 },
66 "detail": null,
67 "error": false,
68 "message": "Fetching app config data by type successful"
69 }
```

## Description

Allows a client to fetch all app config in a key value pair format (with the type of record acting as the key) unlike the above API which is array based. There is no pagination support for this for obvious reasons.

## Request Endpoint

GET <https://<Example api server address>/appconfig/full>

## Parameters

None.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/appconfig/full'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "menu": {  
4 |       "id": "ffb4a9d2-fbcc-4a18-9a61-acb2231c0d7b",  
5 |       "deleted": false,  
6 |       "type": "menu",  
7 |       "style": null,  
8 |       "items": [  
9 |         {  
10 |           "type": "link",  
11 |           "target": "account",  
12 |           "title": "My Account",  
13 |           "subtitle": null,  
14 |           "style": "white"  
15 |         },  
16 |         {  
17 |           "type": "link",  
18 |           "target": "home",  
19 |           "title": "Store Home",  
20 |           "subtitle": null,  
21 |           "style": "white"  
22 |         },  
23 |         {  
24 |           "type": "categories",  
25 |           "target": null,  
26 |           "title": null,  
27 |           "subtitle": null,  
28 |           "style": "white"  
29 |         },  
30 |         {  
31 |           "type": "link",  
32 |           "target": "casinos",  
33 |           "title": "Casinos",  
34 |           "subtitle": null,  
35 |           "style": "grey"  
36 |         },  
37 |         {
```

json

```

38     "type": "link",
39     "target": "my-apps",
40     "title": "My Apps",
41     "subtitle": null,
42     "style": "grey"
43   },
44   {
45     "type": "divider",
46     "target": null,
47     "title": null,
48     "subtitle": null,
49     "style": "grey"
50   },
51   {
52     "type": "link",
53     "target": "support",
54     "title": "Help & Support",
55     "subtitle": null,
56     "style": "grey"
57   },
58   {
59     "type": "link",
60     "target": "about",
61     "title": "About Example",
62     "subtitle": null,
63     "style": "grey"
64   }
65 ]
66 },
67 "account": {
68   "id": "4de30546-e000-4c59-904f-9078ba32dcea",
69   "deleted": false,
70   "type": "account",
71   "style": null,
72   "items": [
73     {
74       "type": "link",
75       "target": "account-info",
76       "title": "Account Information",
77       "subtitle": "Change your PIN and edit account details",
78       "style": "white"
79     },
80     {
81       "type": "link",
82       "target": "payment-methods",
83       "title": "Payment Methods",
84       "subtitle": "Add and edit your payment methods",
85       "style": "white"
86     },
87     {
88       "type": "link",
89       "target": "promo-codes",
90       "title": "Example Promo Codes",
91       "subtitle": "Add codes and promo history",
92       "style": "white"
93     },
94     {
95       "type": "link",
96       "target": "transactions",
97       "title": "Transaction History",
98       "subtitle": "View all deposits and withdrawals",

```

```
99     "style": "white"
100   },
101   {
102     "type": "link",
103     "target": "settings",
104     "title": "Settings",
105     "subtitle": "Manage notification preferences and more",
106     "style": "white"
107   },
108   {
109     "type": "link",
110     "target": "logout",
111     "title": "Log Out",
112     "subtitle": "",
113     "style": "white"
114   }
115 ]
116 }
117 },
118 "detail": null,
119 "error": false,
120 "message": "Fetching full app config data successful"
121 }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Client Home Config APIs

#### POST Create Home Config

##### Description

Allows a client to create a home config to allow a mobile client to customize tabs on the mobile app. This also serves as an update API where in Client it either creates a new record or updates an existing record based on the "type" attribute in the JSON POST Method requests as shown below.

##### Request Endpoint

POST <https://<Example api server address>/homeconfig/>

##### Parameters

None.

##### cURL syntax

```
1 curl --include \
2     --request POST \
3     --header "Content-Type: application/json" \
4     --data-binary "{
5     \"type\": \"home\",
6     \"tabs\": [
7     {
8     \"title\": \"Featured\",
9     \"type\": \"vertical-list\",
10    \"content\": [
11    {
12    \"title\": \"New & Updated\",
13    \"type\": \"banner-list\",
14    \"apps\": [
15    \"9620a211-d459-48ff-a7fe-64b4faadca41\",
16    \"56650396-09d3-4cf9-848e-081038f16c1e\",
17    \"37079686-c6c0-4787-822f-10e6ca049145\",
18    \"fd4d56ad-383b-4cb7-a671-7b80e89a74f4\",
19    \"e83d8172-681a-45f5-a0f4-fb05df240b05\",
20    \"37a44cef-fdad-4646-853c-226351cf8df7\",
21    \"096d1369-6531-43b6-9712-ebc68e1efdf5\",
22    \"e61c78a2-8bf1-458d-8385-1e34e7010b91\",
23    \"62579798-1408-4a14-8e5f-284b52436daf\"
24    ]
25    },
26    {
27    \"title\": \"Vegas Style Slots\",
28    \"type\": \"horizontal-list\",
29    \"apps\": [
30    \"82edc1a7-6714-4893-860e-2efbd2b2d629\",
```

curl

```
31         \"e9ee01de-ddec-4824-ae09-c70a47101dca\",
32         \"536ed058-6044-40ce-b5fc-927f2929debc\",
33         \"4998e1ab-c046-4cfe-a936-0433199cbb40\",
34         \"7212d657-c71c-4800-8c79-dc3402b9ea19\",
35         \"1acb66f4-0d81-4a4b-93db-5bdcabfe3084\",
36         \"9796c693-8413-4e2c-bf67-4be4405bdb9e\",
37         \"390a32f1-377c-4f3b-9e88-9153e7d957ad\",
38         \"dc09427c-7dea-4752-92fe-8403ebd65c75\",
39         \"7b9f5958-5cc3-43d1-901e-73f980513358\",
40         \"023c4ebb-9653-43c2-95cc-2506c4040694\",
41         \"bce0ce43-0432-4e4b-be3e-25c32df97e6a\",
42         \"74053574-f0c3-4cf5-a240-86af341355a5\",
43         \"ede20231-277e-4d41-bd96-3c0a9a22ec98\",
44         \"1c7fa41a-9be0-4f9a-a333-d6f90d6d5b08\",
45         \"76b055ed-ba18-486d-988e-c919baf6e9d6\",
46         \"dd7f700a-9016-4bac-bcba-a562b4a61009\",
47         \"c05bb847-3fc1-454b-85d9-2147ab8c3d2d\",
48         \"7caf315e-3cc7-47d3-9899-577b32217721\",
49         \"707d16c2-f0ce-43fa-bb55-032c383ceb6b\",
50         \"f0230a0f-1ff5-4a23-954d-6a83ad623d2a\",
51         \"1c85d14b-606e-486e-af1c-9f7a1d9a8200\",
52         \"9009ba30-c492-41be-8f7b-c15242b60a5d\",
53         \"bad9d443-1367-4c01-9942-086e1678451e\"
54     ],
55     \"sponsored\": [
56         \"390a32f1-377c-4f3b-9e88-9153e7d957ad\",
57         \"76b055ed-ba18-486d-988e-c919baf6e9d6\"
58     ]
59 },
60 {
61     \"title\": \"New In Sportsbook\",
62     \"type\": \"featured-app\",
63     \"app\": \"82edc1a7-6714-4893-860e-2efbd2b2d629\",
64     \"background\": \"https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-96
65 },
66 {
67     \"title\": \"New In Sportsbook\",
68     \"type\": \"horizontal-list\",
69     \"apps\": [
70         \"43688f78-17be-46aa-97ab-f6273c131357\",
71         \"397cc6e8-d5c6-45b9-a9ab-e09dcf033314\",
72         \"b45aab1f-912b-4112-8dd3-e88664e2f0ae\",
73         \"48bc92df-fb70-4162-8250-24b78a89d1c0\",
74         \"4cc0b56b-c84f-4523-ba46-ba00ab3bfe29\",
75         \"f085bcd8-f409-44e1-b724-99d8dab0e233\",
76         \"13a7e0bf-1adc-44c3-85b5-ec47022f91e0\",
77         \"91ec94c4-b40b-4abe-89a9-334095d748b1\",
78         \"a99106ca-67b3-4db4-93d2-7eadd7e5534d\"
79     ]
80 },
81 {
82     \"title\": \"Vegas Style Slots\",
83     \"type\": \"card-stack\",
84     \"background\": \"https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-96
85     \"apps\": [
86         \"7b9f5958-5cc3-43d1-901e-73f980513358\",
87         \"f0230a0f-1ff5-4a23-954d-6a83ad623d2a\",
88         \"065e59ac-4e30-4ff6-8076-3abe824b6d18\",
89         \"b4d25502-8b33-4267-953c-3d01546bdf8b\",
90         \"a99106ca-67b3-4db4-93d2-7eadd7e5534d\"
91     ]

```



```

92     },
93     {
94         \"title\": \"Vegas Style Slots\",
95         \"type\": \"horizontal-list\",
96         \"apps\": [
97             \"b1603033-2f71-48ea-bfb9-b944b725982f\",
98             \"f310234a-2ebb-4160-af75-806daf89b179\",
99             \"540e74f8-bb13-494e-9cb2-2d933318f155\",
100            \"062e31b8-017f-4b16-b936-8fcc37efbf4c\",
101            \"484c3cbe-5390-4511-af37-9fef62ec22c4\",
102            \"c3b64dcf-22fb-40da-8d9a-61f88f471806\",
103            \"970d9064-2d58-4f2c-99f7-4522f90e95ab\"
104        ],
105        \"sponsored\": [
106            \"484c3cbe-5390-4511-af37-9fef62ec22c4\",
107            \"c3b64dcf-22fb-40da-8d9a-61f88f471806\"
108        ]
109    },
110    {
111        \"title\": \"Vegas Style Slots\",
112        \"type\": \"horizontal-list\",
113        \"apps\": [
114            \"78b523ea-7a58-4a3b-8342-18621448b29b\",
115            \"065e59ac-4e30-4ff6-8076-3abe824b6d18\",
116            \"b4d25502-8b33-4267-953c-3d01546bdf8b\",
117            \"c075c369-fac2-4f51-b2a6-e5b8f6b5f683\",
118            \"e86fb7a0-e7f7-466a-b838-5ab3a37be4fb\",
119            \"08be6905-da03-4121-863a-7c3258a071dc\",
120            \"20bc9c00-8902-4444-9127-3b659ed7ffd9\"
121        ]
122    },
123    {
124        \"title\": \"New In Sportsbook\",
125        \"type\": \"featured-operator\",
126        \"operator\": \"c86eb970-6a09-4bcf-9ce7-f95f636f14d7\",
127        \"app\": \"81a8b311-7b85-4dde-9c99-6d5df3212a4f\",
128        \"background\": \"https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-96
129    },
130    {
131        \"title\": \"Vegas Style Slots\",
132        \"type\": \"horizontal-list\",
133        \"apps\": [
134            \"81a8b311-7b85-4dde-9c99-6d5df3212a4f\",
135            \"efa7c357-086f-46dd-a111-099aea7edf84\",
136            \"7e738c32-e6e9-4e53-be4e-2cfa6b933074\",
137            \"b1cd5cf8-d6b6-42e6-a727-531fcd57961c\",
138            \"df69b244-ac6d-41e5-b8c6-fc0e919766e3\",
139            \"33bc5ed1-bfb5-47d2-9794-b3c6222bc839\",
140            \"0d9f375d-fb9e-4bd0-a1d7-0eda2a7703af\",
141            \"07ac18b9-d5cc-4032-8f45-1b376441bff6\",
142            \"ad8a050f-db95-4fb0-a78f-0421ab277aca\",
143            \"20c22db5-ff99-4208-aaaf-018398226169\",
144            \"b62a40ff-9014-4595-af71-94eb74e4b36f\",
145            \"def7ded7-be36-4fb9-a54f-f9b5b1f57191\"
146        ],
147        \"sponsored\": [
148            \"df69b244-ac6d-41e5-b8c6-fc0e919766e3\",
149            \"33bc5ed1-bfb5-47d2-9794-b3c6222bc839\",
150            \"0d9f375d-fb9e-4bd0-a1d7-0eda2a7703af\"
151        ]
152    }

```

```

153     ],
154     \"footer\":null,
155     \"visible\":true
156   },
157   {
158     \"title\": \"Latest\",
159     \"type\": \"latest\",
160     \"visible\":false
161   },
162   {
163     \"title\": \"Live\",
164     \"type\": \"live\",
165     \"visible\":false
166   }
167 ]
168 }" \
169 'https://core.dev.Example.net/api/homeconfig/'

```

## POST body attributes (JSON)

Attribute	Type	Use	Description
<b>type</b>	String	Required	Type of the app config. It can be "home", "casino", "category" etc.
<b>tabs</b>	Array	Required	A generic array of maps which can be used to customize.
<b>type</b>	String	Optional	The type of a tab.
<b>title</b>	String	Optional	The title of a tab.
<b>footer</b>	String	Optional	The footer of a tab.
<b>false</b>	Boolean	Optional	Sets the visibility of a tab.
<b>content</b>	String	Optional	A generic array/list of map (key value pairs) that can be used to create dynamic content.

## POST body - "type": "home"

**Headers:** Content-Type: application/json

```

1   {
2     "type": "home",
3     "tabs": [
4       {
5         "title": "Featured",
6         "type": "vertical-list",
7         "content": [
8           {
9             "title": "New & Updated",
10            "type": "banner-list",
11            "apps": [
12              "9620a211-d459-48ff-a7fe-64b4faadca41",
13              "56650396-09d3-4cf9-848e-081038f16c1e",
14              "37079686-c6c0-4787-822f-10e6ca049145",
15              "fd4d56ad-383b-4cb7-a671-7b80e89a74f4",
16              "e83d8172-681a-45f5-a0f4-fb05df240b05",
17              "37a44cef-fdad-4646-853c-226351cf8df7",
18              "096d1369-6531-43b6-9712-ebc68e1efdf5",
19              "e61c78a2-8bf1-458d-8385-1e34e7010b91",
20              "62579798-1408-4a14-8e5f-284b52436daf"
21            ]
          }
        ]
      }
    ]
  }

```

json

```

22     },
23     {
24         "title": "Vegas Style Slots",
25         "type": "horizontal-list",
26         "apps": [
27             "82edc1a7-6714-4893-860e-2efbd2b2d629",
28             "e9ee01de-ddec-4824-ae09-c70a47101dca",
29             "536ed058-6044-40ce-b5fc-927f2929debc",
30             "4998e1ab-c046-4cfe-a936-0433199cbb40",
31             "7212d657-c71c-4800-8c79-dc3402b9ea19",
32             "1acb66f4-0d81-4a4b-93db-5bdcabfe3084",
33             "9796c693-8413-4e2c-bf67-4be4405bdb9e",
34             "390a32f1-377c-4f3b-9e88-9153e7d957ad",
35             "dc09427c-7dea-4752-92fe-8403ebd65c75",
36             "7b9f5958-5cc3-43d1-901e-73f980513358",
37             "023c4ebb-9653-43c2-95cc-2506c4040694",
38             "bce0ce43-0432-4e4b-be3e-25c32df97e6a",
39             "74053574-f0c3-4cf5-a240-86af341355a5",
40             "ede20231-277e-4d41-bd96-3c0a9a22ec98",
41             "1c7fa41a-9be0-4f9a-a333-d6f90d6d5b08",
42             "76b055ed-ba18-486d-988e-c919baf6e9d6",
43             "dd7f700a-9016-4bac-bcba-a562b4a61009",
44             "c05bb847-3fc1-454b-85d9-2147ab8c3d2d",
45             "7caf315e-3cc7-47d3-9899-577b32217721",
46             "707d16c2-f0ce-43fa-bb55-032c383ceb6b",
47             "f0230a0f-1ff5-4a23-954d-6a83ad623d2a",
48             "1c85d14b-606e-486e-af1c-9f7a1d9a8200",
49             "9009ba30-c492-41be-8f7b-c15242b60a5d",
50             "bad9d443-1367-4c01-9942-086e1678451e"
51         ],
52         "sponsored": [
53             "390a32f1-377c-4f3b-9e88-9153e7d957ad",
54             "76b055ed-ba18-486d-988e-c919baf6e9d6"
55         ]
56     },
57     {
58         "title": "New In Sportsbook",
59         "type": "featured-app",
60         "app": "82edc1a7-6714-4893-860e-2efbd2b2d629",
61         "background": "https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-9650-54",
62     },
63     {
64         "title": "New In Sportsbook",
65         "type": "horizontal-list",
66         "apps": [
67             "43688f78-17be-46aa-97ab-f6273c131357",
68             "397cc6e8-d5c6-45b9-a9ab-e09dcf033314",
69             "b45aab1f-912b-4112-8dd3-e88664e2f0ae",
70             "48bc92df-fb70-4162-8250-24b78a89d1c0",
71             "4cc0b56b-c84f-4523-ba46-ba00ab3bfe29",
72             "f085bcd8-f409-44e1-b724-99d8dab0e233",
73             "13a7e0bf-1adc-44c3-85b5-ec47022f91e0",
74             "91ec94c4-b40b-4abe-89a9-334095d748b1",
75             "a99106ca-67b3-4db4-93d2-7eadd7e5534d"
76         ]
77     },
78     {
79         "title": "Vegas Style Slots",
80         "type": "card-stack",
81         "background": "https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-9650-54",
82         "apps": [

```

```

83         "7b9f5958-5cc3-43d1-901e-73f980513358",
84         "f0230a0f-1ff5-4a23-954d-6a83ad623d2a",
85         "065e59ac-4e30-4ff6-8076-3abe824b6d18",
86         "b4d25502-8b33-4267-953c-3d01546bdf8b",
87         "a99106ca-67b3-4db4-93d2-7eadd7e5534d"
88     ]
89 },
90 {
91     "title": "Vegas Style Slots",
92     "type": "horizontal-list",
93     "apps": [
94         "b1603033-2f71-48ea-bfb9-b944b725982f",
95         "f310234a-2ebb-4160-af75-806daf89b179",
96         "540e74f8-bb13-494e-9cb2-2d933318f155",
97         "062e31b8-017f-4b16-b936-8fcc37efbf4c",
98         "484c3cbe-5390-4511-af37-9fef62ec22c4",
99         "c3b64dcf-22fb-40da-8d9a-61f88f471806",
100        "970d9064-2d58-4f2c-99f7-4522f90e95ab"
101    ],
102    "sponsored": [
103        "484c3cbe-5390-4511-af37-9fef62ec22c4",
104        "c3b64dcf-22fb-40da-8d9a-61f88f471806"
105    ]
106 },
107 {
108     "title": "Vegas Style Slots",
109     "type": "horizontal-list",
110     "apps": [
111         "78b523ea-7a58-4a3b-8342-18621448b29b",
112         "065e59ac-4e30-4ff6-8076-3abe824b6d18",
113         "b4d25502-8b33-4267-953c-3d01546bdf8b",
114         "c075c369-fac2-4f51-b2a6-e5b8f6b5f683",
115         "e86fb7a0-e7f7-466a-b838-5ab3a37be4fb",
116         "08be6905-da03-4121-863a-7c3258a071dc",
117         "20bc9c00-8902-4444-9127-3b659ed7ffd9"
118     ]
119 },
120 {
121     "title": "New In Sportsbook",
122     "type": "featured-operator",
123     "operator": "c86eb970-6a09-4bcf-9ce7-f95f636f14d7",
124     "app": "81a8b311-7b85-4dde-9c99-6d5df3212a4f",
125     "background": "https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-9650-54
126 },
127 {
128     "title": "Vegas Style Slots",
129     "type": "horizontal-list",
130     "apps": [
131         "81a8b311-7b85-4dde-9c99-6d5df3212a4f",
132         "efa7c357-086f-46dd-a111-099aea7edf84",
133         "7e738c32-e6e9-4e53-be4e-2cfa6b933074",
134         "b1cd5cf8-d6b6-42e6-a727-531fcd57961c",
135         "df69b244-ac6d-41e5-b8c6-fc0e919766e3",
136         "33bc5ed1-bfb5-47d2-9794-b3c6222bc839",
137         "0d9f375d-fb9e-4bd0-a1d7-0eda2a7703af",
138         "07ac18b9-d5cc-4032-8f45-1b376441bfff",
139         "ad8a050f-db95-4fb0-a78f-0421ab277aca",
140         "20c22db5-ff99-4208-aaaf-018398226169",
141         "b62a40ff-9014-4595-af71-94eb74e4b36f",
142         "def7ded7-be36-4fb9-a54f-f9b5b1f57191"
143     ],

```

```

144         "sponsored": [
145             "df69b244-ac6d-41e5-b8c6-fc0e919766e3",
146             "33bc5ed1-bfb5-47d2-9794-b3c6222bc839",
147             "0d9f375d-fb9e-4bd0-a1d7-0eda2a7703af"
148         ]
149     },
150 ],
151 "footer": null,
152 "visible": true
153 },
154 {
155     "title": "Latest",
156     "type": "latest",
157     "visible": false
158 },
159 {
160     "title": "Live",
161     "type": "live",
162     "visible": false
163 }
164 ]
165 }

```

## Response body - "type": "home"

Headers: Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2  "data": {
3  "id": "9cb6b1ce-c4a9-475c-b01e-95e6a2c7b07b",
4  "deleted": false,
5  "type": "home",
6  "tabs": [
7  {
8  "title": "Featured",
9  "type": "vertical-list",
10 "footer": null,
11 "visible": true,
12 "content": [
13 {
14 "title": "New & Updated",
15 "type": "banner-list",
16 "apps": [
17 "9620a211-d459-48ff-a7fe-64b4faadca41",
18 "56650396-09d3-4cf9-848e-081038f16c1e",
19 "37079686-c6c0-4787-822f-10e6ca049145",
20 "fd4d56ad-383b-4cb7-a671-7b80e89a74f4",
21 "e83d8172-681a-45f5-a0f4-fb05df240b05",
22 "37a44cef-fdad-4646-853c-226351cf8df7",
23 "096d1369-6531-43b6-9712-ebc68e1efdf5",
24 "e61c78a2-8bf1-458d-8385-1e34e7010b91",
25 "62579798-1408-4a14-8e5f-284b52436daf"
26 ]
27 },
28 {
29 "title": "Vegas Style Slots",
30 "type": "horizontal-list",
31 "apps": [
32 "82edc1a7-6714-4893-860e-2efbd2b2d629",

```

json

```

33     "e9ee01de-ddec-4824-ae09-c70a47101dca",
34     "536ed058-6044-40ce-b5fc-927f2929debc",
35     "4998e1ab-c046-4cfe-a936-0433199cbb40",
36     "7212d657-c71c-4800-8c79-dc3402b9ea19",
37     "1acb66f4-0d81-4a4b-93db-5bdcabfe3084",
38     "9796c693-8413-4e2c-bf67-4be4405bdb9e",
39     "390a32f1-377c-4f3b-9e88-9153e7d957ad",
40     "dc09427c-7dea-4752-92fe-8403ebd65c75",
41     "7b9f5958-5cc3-43d1-901e-73f980513358",
42     "023c4ebb-9653-43c2-95cc-2506c4040694",
43     "bce0ce43-0432-4e4b-be3e-25c32df97e6a",
44     "74053574-f0c3-4cf5-a240-86af341355a5",
45     "ede20231-277e-4d41-bd96-3c0a9a22ec98",
46     "1c7fa41a-9be0-4f9a-a333-d6f90d6d5b08",
47     "76b055ed-ba18-486d-988e-c919baf6e9d6",
48     "dd7f700a-9016-4bac-bcba-a562b4a61009",
49     "c05bb847-3fc1-454b-85d9-2147ab8c3d2d",
50     "7caf315e-3cc7-47d3-9899-577b32217721",
51     "707d16c2-f0ce-43fa-bb55-032c383ceb6b",
52     "f0230a0f-1ff5-4a23-954d-6a83ad623d2a",
53     "1c85d14b-606e-486e-af1c-9f7a1d9a8200",
54     "9009ba30-c492-41be-8f7b-c15242b60a5d",
55     "bad9d443-1367-4c01-9942-086e1678451e"
56 ],
57 "sponsored": [
58     "390a32f1-377c-4f3b-9e88-9153e7d957ad",
59     "76b055ed-ba18-486d-988e-c919baf6e9d6"
60 ]
61 },
62 {
63     "title": "New In Sportsbook",
64     "type": "featured-app",
65     "app": "82edc1a7-6714-4893-860e-2efbd2b2d629",
66     "background": "https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-9650-
67 },
68 {
69     "title": "New In Sportsbook",
70     "type": "horizontal-list",
71     "apps": [
72         "43688f78-17be-46aa-97ab-f6273c131357",
73         "397cc6e8-d5c6-45b9-a9ab-e09dcf033314",
74         "b45aab1f-912b-4112-8dd3-e88664e2f0ae",
75         "48bc92df-fb70-4162-8250-24b78a89d1c0",
76         "4cc0b56b-c84f-4523-ba46-ba00ab3bfe29",
77         "f085bcd8-f409-44e1-b724-99d8dab0e233",
78         "13a7e0bf-1adc-44c3-85b5-ec47022f91e0",
79         "91ec94c4-b40b-4abe-89a9-334095d748b1",
80         "a99106ca-67b3-4db4-93d2-7eadd7e5534d"
81     ]
82 },
83 {
84     "title": "Vegas Style Slots",
85     "type": "card-stack",
86     "background": "https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-9650-
87     "apps": [
88         "7b9f5958-5cc3-43d1-901e-73f980513358",
89         "f0230a0f-1ff5-4a23-954d-6a83ad623d2a",
90         "065e59ac-4e30-4ff6-8076-3abe824b6d18",
91         "b4d25502-8b33-4267-953c-3d01546bdf8b",
92         "a99106ca-67b3-4db4-93d2-7eadd7e5534d"
93     ]

```

```

94     },
95     {
96         "title": "Vegas Style Slots",
97         "type": "horizontal-list",
98         "apps": [
99             "b1603033-2f71-48ea-bfb9-b944b725982f",
100            "f310234a-2ebb-4160-af75-806daf89b179",
101            "540e74f8-bb13-494e-9cb2-2d933318f155",
102            "062e31b8-017f-4b16-b936-8fcc37efbf4c",
103            "484c3cbe-5390-4511-af37-9fef62ec22c4",
104            "c3b64dcf-22fb-40da-8d9a-61f88f471806",
105            "970d9064-2d58-4f2c-99f7-4522f90e95ab"
106        ],
107        "sponsored": [
108            "484c3cbe-5390-4511-af37-9fef62ec22c4",
109            "c3b64dcf-22fb-40da-8d9a-61f88f471806"
110        ]
111    },
112    {
113        "title": "Vegas Style Slots",
114        "type": "horizontal-list",
115        "apps": [
116            "78b523ea-7a58-4a3b-8342-18621448b29b",
117            "065e59ac-4e30-4ff6-8076-3abe824b6d18",
118            "b4d25502-8b33-4267-953c-3d01546bdf8b",
119            "c075c369-fac2-4f51-b2a6-e5b8f6b5f683",
120            "e86fb7a0-e7f7-466a-b838-5ab3a37be4fb",
121            "08be6905-da03-4121-863a-7c3258a071dc",
122            "20bc9c00-8902-4444-9127-3b659ed7ffd9"
123        ]
124    },
125    {
126        "title": "New In Sportsbook",
127        "type": "featured-operator",
128        "operator": "c86eb970-6a09-4bcf-9ce7-f95f636f14d7",
129        "app": "81a8b311-7b85-4dde-9c99-6d5df3212a4f",
130        "background": "https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-9650-
131    },
132    {
133        "title": "Vegas Style Slots",
134        "type": "horizontal-list",
135        "apps": [
136            "81a8b311-7b85-4dde-9c99-6d5df3212a4f",
137            "efa7c357-086f-46dd-a111-099aea7edf84",
138            "7e738c32-e6e9-4e53-be4e-2cfa6b933074",
139            "b1cd5cf8-d6b6-42e6-a727-531fcd57961c",
140            "df69b244-ac6d-41e5-b8c6-fc0e919766e3",
141            "33bc5ed1-bfb5-47d2-9794-b3c6222bc839",
142            "0d9f375d-fb9e-4bd0-a1d7-0eda2a7703af",
143            "07ac18b9-d5cc-4032-8f45-1b376441bff6",
144            "ad8a050f-db95-4fb0-a78f-0421ab277aca",
145            "20c22db5-ff99-4208-aaaf-018398226169",
146            "b62a40ff-9014-4595-af71-94eb74e4b36f",
147            "def7ded7-be36-4fb9-a54f-f9b5b1f57191"
148        ],
149        "sponsored": [
150            "df69b244-ac6d-41e5-b8c6-fc0e919766e3",
151            "33bc5ed1-bfb5-47d2-9794-b3c6222bc839",
152            "0d9f375d-fb9e-4bd0-a1d7-0eda2a7703af"
153        ]
154    }

```

```

155     ]
156   },
157   {
158     "title": "Latest",
159     "type": "latest",
160     "footer": null,
161     "visible": false,
162     "content": null
163   },
164   {
165     "title": "Live",
166     "type": "live",
167     "footer": null,
168     "visible": false,
169     "content": null
170   }
171 ]
172 },
173 "detail": null,
174 "error": false,
175 "message": "Saving home config data successful"
176 }

```

## POST body - "type": "category"

Headers: Content-Type: application/json

```

1  {
2  "type": "category",
3  "tabs": [
4    {
5      "title": "Featured",
6      "type": "vertical-list",
7      "content": [
8        {
9          "type": "banner-list",
10         "apps": [
11           "82edc1a7-6714-4893-860e-2efbd2b2d629",
12           "4998e1ab-c046-4cfe-a936-0433199cbb40",
13           "023c4ebb-9653-43c2-95cc-2506c4040694",
14           "7caf315e-3cc7-47d3-9899-577b32217721",
15           "707d16c2-f0ce-43fa-bb55-032c383ceb6b",
16           "9009ba30-c492-41be-8f7b-c15242b60a5d",
17           "bad9d443-1367-4c01-9942-086e1678451e"
18         ]
19       },
20       {
21         "title": "Penny Slots",
22         "type": "horizontal-list",
23         "apps": [
24           "7caf315e-3cc7-47d3-9899-577b32217721",
25           "707d16c2-f0ce-43fa-bb55-032c383ceb6b",
26           "f0230a0f-1ff5-4a23-954d-6a83ad623d2a",
27           "1c85d14b-606e-486e-af1c-9f7a1d9a8200",
28           "9009ba30-c492-41be-8f7b-c15242b60a5d"
29         ],
30         "sponsored": [
31           "f0230a0f-1ff5-4a23-954d-6a83ad623d2a",
32           "1c85d14b-606e-486e-af1c-9f7a1d9a8200"

```

json



```

33     ]
34   },
35   {
36     "title": "Large Jackpots",
37     "type": "horizontal-list",
38     "apps": [
39       "9796c693-8413-4e2c-bf67-4be4405bdb9e",
40       "390a32f1-377c-4f3b-9e88-9153e7d957ad",
41       "dc09427c-7dea-4752-92fe-8403ebd65c75",
42       "7b9f5958-5cc3-43d1-901e-73f980513358",
43       "023c4ebb-9653-43c2-95cc-2506c4040694"
44     ],
45     "sponsored": [
46       "dc09427c-7dea-4752-92fe-8403ebd65c75",
47       "7b9f5958-5cc3-43d1-901e-73f980513358"
48     ]
49   },
50   {
51     "title": "Slots Megapack",
52     "type": "card-stack",
53     "background": "https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-9650-54
54     "apps": [
55       "bce0ce43-0432-4e4b-be3e-25c32df97e6a",
56       "74053574-f0c3-4cf5-a240-86af341355a5",
57       "ede20231-277e-4d41-bd96-3c0a9a22ec98",
58       "1c7fa41a-9be0-4f9a-a333-d6f90d6d5b08",
59       "76b055ed-ba18-486d-988e-c919baf6e9d6",
60       "ede20231-277e-4d41-bd96-3c0a9a22ec98",
61       "1c7fa41a-9be0-4f9a-a333-d6f90d6d5b08",
62       "76b055ed-ba18-486d-988e-c919baf6e9d6",
63       "dd7f700a-9016-4bac-bcba-a562b4a61009",
64       "c05bb847-3fc1-454b-85d9-2147ab8c3d2d",
65       "7caf315e-3cc7-47d3-9899-577b32217721"
66     ]
67   },
68   {
69     "title": "Vegas Style",
70     "type": "horizontal-list",
71     "apps": [
72       "82edc1a7-6714-4893-860e-2efbd2b2d629",
73       "e9ee01de-ddec-4824-ae09-c70a47101dca",
74       "536ed058-6044-40ce-b5fc-927f2929debc",
75       "4998e1ab-c046-4cfe-a936-0433199cbb40",
76       "7212d657-c71c-4800-8c79-dc3402b9ea19",
77       "1acb66f4-0d81-4a4b-93db-5bdcabfe3084"
78     ],
79     "sponsored": []
80   }
81 ],
82 "footer": null,
83 "visible": true
84 },
85 {
86   "title": "Latest",
87   "type": "latest",
88   "visible": false
89 },
90 {
91   "title": "Live",
92   "type": "live",
93   "visible": false

```

```
94 |     }
95 |   ]
96 | }
```

## Response body - "type": "category"

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1  {
2  "data": {
3    "id": "e656e7e3-9465-43cc-9bad-1a2af11ae3eb",
4    "deleted": false,
5    "type": "category",
6    "tabs": [
7      {
8        "title": "Featured",
9        "type": "vertical-list",
10       "footer": null,
11       "visible": true,
12       "content": [
13         {
14           "type": "banner-list",
15           "apps": [
16             "82edc1a7-6714-4893-860e-2efbd2b2d629",
17             "4998e1ab-c046-4cfe-a936-0433199cbb40",
18             "023c4ebb-9653-43c2-95cc-2506c4040694",
19             "7caf315e-3cc7-47d3-9899-577b32217721",
20             "707d16c2-f0ce-43fa-bb55-032c383ceb6b",
21             "9009ba30-c492-41be-8f7b-c15242b60a5d",
22             "bad9d443-1367-4c01-9942-086e1678451e"
23           ]
24         },
25         {
26           "title": "Penny Slots",
27           "type": "horizontal-list",
28           "apps": [
29             "7caf315e-3cc7-47d3-9899-577b32217721",
30             "707d16c2-f0ce-43fa-bb55-032c383ceb6b",
31             "f0230a0f-1ff5-4a23-954d-6a83ad623d2a",
32             "1c85d14b-606e-486e-af1c-9f7a1d9a8200",
33             "9009ba30-c492-41be-8f7b-c15242b60a5d"
34           ],
35           "sponsored": [
36             "f0230a0f-1ff5-4a23-954d-6a83ad623d2a",
37             "1c85d14b-606e-486e-af1c-9f7a1d9a8200"
38           ]
39         },
40         {
41           "title": "Large Jackpots",
42           "type": "horizontal-list",
43           "apps": [
44             "9796c693-8413-4e2c-bf67-4be4405bdb9e",
45             "390a32f1-377c-4f3b-9e88-9153e7d957ad",
46             "dc09427c-7dea-4752-92fe-8403ebd65c75",
47             "7b9f5958-5cc3-43d1-901e-73f980513358",
48             "023c4ebb-9653-43c2-95cc-2506c4040694"
49           ],
50           "sponsored": [
51             "dc09427c-7dea-4752-92fe-8403ebd65c75",
```

json

```

52         "7b9f5958-5cc3-43d1-901e-73f980513358"
53     ]
54 },
55 {
56     "title": "Slots Megapack",
57     "type": "card-stack",
58     "background": "https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-9650-
59     "apps": [
60         "bce0ce43-0432-4e4b-be3e-25c32df97e6a",
61         "74053574-f0c3-4cf5-a240-86af341355a5",
62         "ede20231-277e-4d41-bd96-3c0a9a22ec98",
63         "1c7fa41a-9be0-4f9a-a333-d6f90d6d5b08",
64         "76b055ed-ba18-486d-988e-c919baf6e9d6",
65         "ede20231-277e-4d41-bd96-3c0a9a22ec98",
66         "1c7fa41a-9be0-4f9a-a333-d6f90d6d5b08",
67         "76b055ed-ba18-486d-988e-c919baf6e9d6",
68         "dd7f700a-9016-4bac-bcba-a562b4a61009",
69         "c05bb847-3fc1-454b-85d9-2147ab8c3d2d",
70         "7caf315e-3cc7-47d3-9899-577b32217721"
71     ]
72 },
73 {
74     "title": "Vegas Style",
75     "type": "horizontal-list",
76     "apps": [
77         "82edc1a7-6714-4893-860e-2efbd2b2d629",
78         "e9ee01de-ddec-4824-ae09-c70a47101dca",
79         "536ed058-6044-40ce-b5fc-927f2929debc",
80         "4998e1ab-c046-4cfe-a936-0433199cbb40",
81         "7212d657-c71c-4800-8c79-dc3402b9ea19",
82         "1acb66f4-0d81-4a4b-93db-5bdcabfe3084"
83     ],
84     "sponsored": []
85 }
86 ]
87 },
88 {
89     "title": "Latest",
90     "type": "latest",
91     "footer": null,
92     "visible": false,
93     "content": null
94 },
95 {
96     "title": "Live",
97     "type": "live",
98     "footer": null,
99     "visible": false,
100    "content": null
101 }
102 ]
103 },
104 "detail": null,
105 "error": false,
106 "message": "Saving home config data successful"
107 }

```

Headers: Content-Type: application/json

json

```
1  {
2    "type": "casino",
3    "tabs": [
4      {
5        "title": "Featured",
6        "type": "vertical-list",
7        "content": [
8          {
9            "type": "banner-list",
10           "casinos": [
11             "c86eb970-6a09-4bcf-9ce7-f95f636f14d7",
12             "442dd8c3-cac8-4e82-9fd8-64452c9b838e"
13           ],
14           "sponsored": [
15             "442dd8c3-cac8-4e82-9fd8-64452c9b838e"
16           ]
17         },
18         {
19           "type": "casion-summary",
20           "casino": "c86eb970-6a09-4bcf-9ce7-f95f636f14d7",
21           "sponsored": true
22         },
23         {
24           "title": "New In Sportsbook",
25           "type": "featured-operator",
26           "operator": "c86eb970-6a09-4bcf-9ce7-f95f636f14d7",
27           "app": "81a8b311-7b85-4dde-9c99-6d5df3212a4f",
28           "sponsored": false,
29           "background": "https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-9650-54
30         },
31         {
32           "type": "casion-summary",
33           "casino": "442dd8c3-cac8-4e82-9fd8-64452c9b838e",
34           "sponsored": false
35         }
36       ],
37       "footer": null,
38       "visible": true
39     },
40     {
41       "title": "Latest",
42       "type": "latest",
43       "visible": false
44     },
45     {
46       "title": "Live",
47       "type": "live",
48       "visible": false
49     }
50   ]
51 }
```

## Response body - "type": "casino"

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1  {
2    "data": {
3      "id": "0851be2d-7691-45e6-946f-baf0cad6594e",
4      "deleted": false,
5      "type": "casino",
6      "tabs": [
7        {
8          "title": "Featured",
9          "type": "vertical-list",
10         "footer": null,
11         "visible": true,
12         "content": [
13           {
14             "type": "banner-list",
15             "casinos": [
16               "c86eb970-6a09-4bcf-9ce7-f95f636f14d7",
17               "442dd8c3-cac8-4e82-9fd8-64452c9b838e"
18             ],
19             "sponsored": [
20               "442dd8c3-cac8-4e82-9fd8-64452c9b838e"
21             ]
22           },
23           {
24             "type": "casion-summary",
25             "casino": "c86eb970-6a09-4bcf-9ce7-f95f636f14d7",
26             "sponsored": true
27           },
28           {
29             "title": "New In Sportsbook",
30             "type": "featured-operator",
31             "operator": "c86eb970-6a09-4bcf-9ce7-f95f636f14d7",
32             "app": "81a8b311-7b85-4dde-9c99-6d5df3212a4f",
33             "sponsored": false,
34             "background": "https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-9650-
35           },
36           {
37             "type": "casion-summary",
38             "casino": "442dd8c3-cac8-4e82-9fd8-64452c9b838e",
39             "sponsored": false
40           }
41         ]
42       },
43       {
44         "title": "Latest",
45         "type": "latest",
46         "footer": null,
47         "visible": false,
48         "content": null
49       },
50       {
51         "title": "Live",
52         "type": "live",
53         "footer": null,
54         "visible": false,
55         "content": null
56       }
57     ]
58   },
59   "detail": null,
60   "error": false,
```

```
61 | "message": "Saving home config data successful"  
62 | }
```

## Description

Allows a client to fetch all home config records. Supports pagination.

## Request Endpoint

GET <https://<Example api server address>/homeconfig/>

## Parameters

Parameter	Type	Use	Description
offset	Number	Optional	Offset of the data set.
limit	Number	Optional	Limit of the data set.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/homeconfig/'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "9cb6b1ce-c4a9-475c-b01e-95e6a2c7b07b",  
6 |         "deleted": false,  
7 |         "type": "home",  
8 |         "tabs": [  
9 |           {  
10 |             "title": "Featured",  
11 |             "type": "vertical-list",  
12 |             "footer": null,  
13 |             "visible": true,  
14 |             "content": [  
15 |               {  
16 |                 "title": "New & Updated",  
17 |                 "type": "banner-list",  
18 |                 "apps": [  
19 |                   "9620a211-d459-48ff-a7fe-64b4faadca41",  
20 |                   "56650396-09d3-4cf9-848e-081038f16c1e",  
21 |                   "37079686-c6c0-4787-822f-10e6ca049145",  
22 |                   "fd4d56ad-383b-4cb7-a671-7b80e89a74f4",  
23 |                   "e83d8172-681a-45f5-a0f4-fb05df240b05",  
24 |                   "37a44cef-fdad-4646-853c-226351cf8df7",  
25 |                   "096d1369-6531-43b6-9712-ebc68e1efdf5",  
26 |                   "e61c78a2-8bf1-458d-8385-1e34e7010b91",  
27 |                   "62579798-1408-4a14-8e5f-284b52436daf"  
28 |                 ]  
29 |               },  
30 |             {  
31 |               "title": "Vegas Style Slots",  
32 |               "type": "horizontal-list",
```

json

```

33     "apps": [
34         "82edc1a7-6714-4893-860e-2efbd2b2d629",
35         "e9ee01de-ddec-4824-ae09-c70a47101dca",
36         "536ed058-6044-40ce-b5fc-927f2929debc",
37         "4998e1ab-c046-4cfe-a936-0433199cbb40",
38         "7212d657-c71c-4800-8c79-dc3402b9ea19",
39         "1acb66f4-0d81-4a4b-93db-5bdcabfe3084",
40         "9796c693-8413-4e2c-bf67-4be4405bdb9e",
41         "390a32f1-377c-4f3b-9e88-9153e7d957ad",
42         "dc09427c-7dea-4752-92fe-8403ebd65c75",
43         "7b9f5958-5cc3-43d1-901e-73f980513358",
44         "023c4ebb-9653-43c2-95cc-2506c4040694",
45         "bce0ce43-0432-4e4b-be3e-25c32df97e6a",
46         "74053574-f0c3-4cf5-a240-86af341355a5",
47         "ede20231-277e-4d41-bd96-3c0a9a22ec98",
48         "1c7fa41a-9be0-4f9a-a333-d6f90d6d5b08",
49         "76b055ed-ba18-486d-988e-c919baf6e9d6",
50         "dd7f700a-9016-4bac-bcba-a562b4a61009",
51         "c05bb847-3fc1-454b-85d9-2147ab8c3d2d",
52         "7caf315e-3cc7-47d3-9899-577b32217721",
53         "707d16c2-f0ce-43fa-bb55-032c383ceb6b",
54         "f0230a0f-1ff5-4a23-954d-6a83ad623d2a",
55         "1c85d14b-606e-486e-af1c-9f7a1d9a8200",
56         "9009ba30-c492-41be-8f7b-c15242b60a5d",
57         "bad9d443-1367-4c01-9942-086e1678451e"
58     ],
59     "sponsored": [
60         "390a32f1-377c-4f3b-9e88-9153e7d957ad",
61         "76b055ed-ba18-486d-988e-c919baf6e9d6"
62     ]
63 },
64 {
65     "title": "New In Sportsbook",
66     "type": "featured-app",
67     "app": "82edc1a7-6714-4893-860e-2efbd2b2d629",
68     "background": "https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-9
69 },
70 {
71     "title": "New In Sportsbook",
72     "type": "horizontal-list",
73     "apps": [
74         "43688f78-17be-46aa-97ab-f6273c131357",
75         "397cc6e8-d5c6-45b9-a9ab-e09dcf033314",
76         "b45aab1f-912b-4112-8dd3-e88664e2f0ae",
77         "48bc92df-fb70-4162-8250-24b78a89d1c0",
78         "4cc0b56b-c84f-4523-ba46-ba00ab3bfe29",
79         "f085bcd8-f409-44e1-b724-99d8dab0e233",
80         "13a7e0bf-1adc-44c3-85b5-ec47022f91e0",
81         "91ec94c4-b40b-4abe-89a9-334095d748b1",
82         "a99106ca-67b3-4db4-93d2-7eadd7e5534d"
83     ]
84 },
85 {
86     "title": "Vegas Style Slots",
87     "type": "card-stack",
88     "background": "https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-9
89     "apps": [
90         "7b9f5958-5cc3-43d1-901e-73f980513358",
91         "f0230a0f-1ff5-4a23-954d-6a83ad623d2a",
92         "065e59ac-4e30-4ff6-8076-3abe824b6d18",
93         "b4d25502-8b33-4267-953c-3d01546bdf8b",

```



```

94         "a99106ca-67b3-4db4-93d2-7eadd7e5534d"
95     ]
96 },
97 {
98     "title": "Vegas Style Slots",
99     "type": "horizontal-list",
100    "apps": [
101        "b1603033-2f71-48ea-bfb9-b944b725982f",
102        "f310234a-2ebb-4160-af75-806daf89b179",
103        "540e74f8-bb13-494e-9cb2-2d933318f155",
104        "062e31b8-017f-4b16-b936-8fcc37efbf4c",
105        "484c3cbe-5390-4511-af37-9fef62ec22c4",
106        "c3b64dcf-22fb-40da-8d9a-61f88f471806",
107        "970d9064-2d58-4f2c-99f7-4522f90e95ab"
108    ],
109    "sponsored": [
110        "484c3cbe-5390-4511-af37-9fef62ec22c4",
111        "c3b64dcf-22fb-40da-8d9a-61f88f471806"
112    ]
113 },
114 {
115     "title": "Vegas Style Slots",
116     "type": "horizontal-list",
117     "apps": [
118        "78b523ea-7a58-4a3b-8342-18621448b29b",
119        "065e59ac-4e30-4ff6-8076-3abe824b6d18",
120        "b4d25502-8b33-4267-953c-3d01546bdf8b",
121        "c075c369-fac2-4f51-b2a6-e5b8f6b5f683",
122        "e86fb7a0-e7f7-466a-b838-5ab3a37be4fb",
123        "08be6905-da03-4121-863a-7c3258a071dc",
124        "20bc9c00-8902-4444-9127-3b659ed7ffd9"
125    ]
126 },
127 {
128     "title": "New In Sportsbook",
129     "type": "featured-operator",
130     "operator": "c86eb970-6a09-4bcf-9ce7-f95f636f14d7",
131     "app": "81a8b311-7b85-4dde-9c99-6d5df3212a4f",
132     "background": "https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-9
133 },
134 {
135     "title": "Vegas Style Slots",
136     "type": "horizontal-list",
137     "apps": [
138        "81a8b311-7b85-4dde-9c99-6d5df3212a4f",
139        "efa7c357-086f-46dd-a111-099aea7edf84",
140        "7e738c32-e6e9-4e53-be4e-2cfa6b933074",
141        "b1cd5cf8-d6b6-42e6-a727-531fcd57961c",
142        "df69b244-ac6d-41e5-b8c6-fc0e919766e3",
143        "33bc5ed1-bfb5-47d2-9794-b3c6222bc839",
144        "0d9f375d-fb9e-4bd0-a1d7-0eda2a7703af",
145        "07ac18b9-d5cc-4032-8f45-1b376441bfff",
146        "ad8a050f-db95-4fb0-a78f-0421ab277aca",
147        "20c22db5-ff99-4208-aaaf-018398226169",
148        "b62a40ff-9014-4595-af71-94eb74e4b36f",
149        "def7ded7-be36-4fb9-a54f-f9b5b1f57191"
150    ],
151    "sponsored": [
152        "df69b244-ac6d-41e5-b8c6-fc0e919766e3",
153        "33bc5ed1-bfb5-47d2-9794-b3c6222bc839",
154        "0d9f375d-fb9e-4bd0-a1d7-0eda2a7703af"

```

```

155         ]
156     }
157 ]
158 },
159 {
160     "title": "Latest",
161     "type": "latest",
162     "footer": null,
163     "visible": false,
164     "content": null
165 },
166 {
167     "title": "Live",
168     "type": "live",
169     "footer": null,
170     "visible": false,
171     "content": null
172 }
173 ]
174 },
175 {
176     "id": "e656e7e3-9465-43cc-9bad-1a2af11ae3eb",
177     "deleted": false,
178     "type": "category",
179     "tabs": [
180         {
181             "title": "Featured",
182             "type": "vertical-list",
183             "footer": null,
184             "visible": true,
185             "content": [
186                 {
187                     "type": "banner-list",
188                     "apps": [
189                         "82edc1a7-6714-4893-860e-2efbd2b2d629",
190                         "4998e1ab-c046-4cfe-a936-0433199cbb40",
191                         "023c4ebb-9653-43c2-95cc-2506c4040694",
192                         "7caf315e-3cc7-47d3-9899-577b32217721",
193                         "707d16c2-f0ce-43fa-bb55-032c383ceb6b",
194                         "9009ba30-c492-41be-8f7b-c15242b60a5d",
195                         "bad9d443-1367-4c01-9942-086e1678451e"
196                     ]
197                 },
198                 {
199                     "title": "Penny Slots",
200                     "type": "horizontal-list",
201                     "apps": [
202                         "7caf315e-3cc7-47d3-9899-577b32217721",
203                         "707d16c2-f0ce-43fa-bb55-032c383ceb6b",
204                         "f0230a0f-1ff5-4a23-954d-6a83ad623d2a",
205                         "1c85d14b-606e-486e-af1c-9f7a1d9a8200",
206                         "9009ba30-c492-41be-8f7b-c15242b60a5d"
207                     ],
208                     "sponsored": [
209                         "f0230a0f-1ff5-4a23-954d-6a83ad623d2a",
210                         "1c85d14b-606e-486e-af1c-9f7a1d9a8200"
211                     ]
212                 },
213                 {
214                     "title": "Large Jackpots",
215                     "type": "horizontal-list",

```

```

216         "apps": [
217             "9796c693-8413-4e2c-bf67-4be4405bdb9e",
218             "390a32f1-377c-4f3b-9e88-9153e7d957ad",
219             "dc09427c-7dea-4752-92fe-8403ebd65c75",
220             "7b9f5958-5cc3-43d1-901e-73f980513358",
221             "023c4ebb-9653-43c2-95cc-2506c4040694"
222         ],
223         "sponsored": [
224             "dc09427c-7dea-4752-92fe-8403ebd65c75",
225             "7b9f5958-5cc3-43d1-901e-73f980513358"
226         ]
227     },
228     {
229         "title": "Slots Megapack",
230         "type": "card-stack",
231         "background": "https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-9
232         "apps": [
233             "bce0ce43-0432-4e4b-be3e-25c32df97e6a",
234             "74053574-f0c3-4cf5-a240-86af341355a5",
235             "ede20231-277e-4d41-bd96-3c0a9a22ec98",
236             "1c7fa41a-9be0-4f9a-a333-d6f90d6d5b08",
237             "76b055ed-ba18-486d-988e-c919baf6e9d6",
238             "ede20231-277e-4d41-bd96-3c0a9a22ec98",
239             "1c7fa41a-9be0-4f9a-a333-d6f90d6d5b08",
240             "76b055ed-ba18-486d-988e-c919baf6e9d6",
241             "dd7f700a-9016-4bac-bcba-a562b4a61009",
242             "c05bb847-3fc1-454b-85d9-2147ab8c3d2d",
243             "7caf315e-3cc7-47d3-9899-577b32217721"
244         ]
245     },
246     {
247         "title": "Vegas Style",
248         "type": "horizontal-list",
249         "apps": [
250             "82edc1a7-6714-4893-860e-2efbd2b2d629",
251             "e9ee01de-ddec-4824-ae09-c70a47101dca",
252             "536ed058-6044-40ce-b5fc-927f2929debc",
253             "4998e1ab-c046-4cfe-a936-0433199cbb40",
254             "7212d657-c71c-4800-8c79-dc3402b9ea19",
255             "1acb66f4-0d81-4a4b-93db-5bdcabfe3084"
256         ],
257         "sponsored": []
258     }
259 ]
260 },
261 {
262     "title": "Latest",
263     "type": "latest",
264     "footer": null,
265     "visible": false,
266     "content": null
267 },
268 {
269     "title": "Live",
270     "type": "live",
271     "footer": null,
272     "visible": false,
273     "content": null
274 }
275 ]
276 },

```

```

277 {
278   "id": "0851be2d-7691-45e6-946f-baf0cad6594e",
279   "deleted": false,
280   "type": "casino",
281   "tabs": [
282     {
283       "title": "Featured",
284       "type": "vertical-list",
285       "footer": null,
286       "visible": true,
287       "content": [
288         {
289           "type": "banner-list",
290           "casinos": [
291             "c86eb970-6a09-4bcf-9ce7-f95f636f14d7",
292             "442dd8c3-cac8-4e82-9fd8-64452c9b838e"
293           ],
294           "sponsored": [
295             "442dd8c3-cac8-4e82-9fd8-64452c9b838e"
296           ]
297         },
298         {
299           "type": "casion-summary",
300           "casino": "c86eb970-6a09-4bcf-9ce7-f95f636f14d7",
301           "sponsored": true
302         },
303         {
304           "title": "New In Sportsbook",
305           "type": "featured-operator",
306           "operator": "c86eb970-6a09-4bcf-9ce7-f95f636f14d7",
307           "app": "81a8b311-7b85-4dde-9c99-6d5df3212a4f",
308           "sponsored": false,
309           "background": "https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-9
310         },
311         {
312           "type": "casion-summary",
313           "casino": "442dd8c3-cac8-4e82-9fd8-64452c9b838e",
314           "sponsored": false
315         }
316       ]
317     },
318     {
319       "title": "Latest",
320       "type": "latest",
321       "footer": null,
322       "visible": false,
323       "content": null
324     },
325     {
326       "title": "Live",
327       "type": "live",
328       "footer": null,
329       "visible": false,
330       "content": null
331     }
332   ]
333 },
334 "totalPages": 1,
335 "totalElements": 3,
336 "last": true,

```

```
338     "size": 70,  
339     "number": 0,  
340     "sort": null,  
341     "first": true,  
342     "numberOfElements": 3  
343 },  
344 "detail": null,  
345 "error": false,  
346 "message": "Fetching all home config data successful"  
347 }
```

## Description

Fetches home config by type as specified in the value of the type parameter in the request.

## Request Endpoint

GET <https://<Example api server address>/type/{type}>

## Parameters

Parameter	Type	Use	Description
type	String	Required	A filter to fetch the home config by its type.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/type/type'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "e656e7e3-9465-43cc-9bad-1a2af11ae3eb",  
4 |     "deleted": false,  
5 |     "type": "category",  
6 |     "tabs": [  
7 |       {  
8 |         "title": "Featured",  
9 |         "type": "vertical-list",  
10 |        "footer": null,  
11 |        "visible": true,  
12 |        "content": [  
13 |          {  
14 |            "type": "banner-list",  
15 |            "apps": [  
16 |              "82edc1a7-6714-4893-860e-2efbd2b2d629",  
17 |              "4998e1ab-c046-4cfe-a936-0433199cbb40",  
18 |              "023c4ebb-9653-43c2-95cc-2506c4040694",  
19 |              "7caf315e-3cc7-47d3-9899-577b32217721",  
20 |              "707d16c2-f0ce-43fa-bb55-032c383ceb6b",  
21 |              "9009ba30-c492-41be-8f7b-c15242b60a5d",  
22 |              "bad9d443-1367-4c01-9942-086e1678451e"  
23 |            ]  
24 |          },  
25 |          {  
26 |            "title": "Penny Slots",  
27 |            "type": "horizontal-list",  
28 |            "apps": [  
29 |              "7caf315e-3cc7-47d3-9899-577b32217721",  
30 |              "707d16c2-f0ce-43fa-bb55-032c383ceb6b",  
31 |              "f0230a0f-1ff5-4a23-954d-6a83ad623d2a",  
32 |              "1c85d14b-606e-486e-af1c-9f7a1d9a8200",  
33 |              "9009ba30-c492-41be-8f7b-c15242b60a5d"  
34 |            ]  
35 |          }  
36 |        ]  
37 |     }  
38 |   }  
39 | }
```

json

```

35     "sponsored": [
36         "f0230a0f-1ff5-4a23-954d-6a83ad623d2a",
37         "1c85d14b-606e-486e-af1c-9f7a1d9a8200"
38     ]
39 },
40 {
41     "title": "Large Jackpots",
42     "type": "horizontal-list",
43     "apps": [
44         "9796c693-8413-4e2c-bf67-4be4405bdb9e",
45         "390a32f1-377c-4f3b-9e88-9153e7d957ad",
46         "dc09427c-7dea-4752-92fe-8403ebd65c75",
47         "7b9f5958-5cc3-43d1-901e-73f980513358",
48         "023c4ebb-9653-43c2-95cc-2506c4040694"
49     ],
50     "sponsored": [
51         "dc09427c-7dea-4752-92fe-8403ebd65c75",
52         "7b9f5958-5cc3-43d1-901e-73f980513358"
53     ]
54 },
55 {
56     "title": "Slots Megapack",
57     "type": "card-stack",
58     "background": "https://s3-us-west-2.amazonaws.com/btc.ntg.apdx.store/adff8365-ba2b-428b-9650-
59     "apps": [
60         "bce0ce43-0432-4e4b-be3e-25c32df97e6a",
61         "74053574-f0c3-4cf5-a240-86af341355a5",
62         "ede20231-277e-4d41-bd96-3c0a9a22ec98",
63         "1c7fa41a-9be0-4f9a-a333-d6f90d6d5b08",
64         "76b055ed-ba18-486d-988e-c919baf6e9d6",
65         "ede20231-277e-4d41-bd96-3c0a9a22ec98",
66         "1c7fa41a-9be0-4f9a-a333-d6f90d6d5b08",
67         "76b055ed-ba18-486d-988e-c919baf6e9d6",
68         "dd7f700a-9016-4bac-bcba-a562b4a61009",
69         "c05bb847-3fc1-454b-85d9-2147ab8c3d2d",
70         "7caf315e-3cc7-47d3-9899-577b32217721"
71     ]
72 },
73 {
74     "title": "Vegas Style",
75     "type": "horizontal-list",
76     "apps": [
77         "82edc1a7-6714-4893-860e-2efbd2b2d629",
78         "e9ee01de-ddec-4824-ae09-c70a47101dca",
79         "536ed058-6044-40ce-b5fc-927f2929debc",
80         "4998e1ab-c046-4cfe-a936-0433199cbb40",
81         "7212d657-c71c-4800-8c79-dc3402b9ea19",
82         "1acb66f4-0d81-4a4b-93db-5bdcabfe3084"
83     ],
84     "sponsored": []
85 }
86 ]
87 },
88 {
89     "title": "Latest",
90     "type": "latest",
91     "footer": null,
92     "visible": false,
93     "content": null
94 },
95 {

```

```
96     "title": "Live",
97     "type": "live",
98     "footer": null,
99     "visible": false,
100    "content": null
101  }
102 ]
103 },
104 "detail": null,
105 "error": false,
106 "message": "Fetching home config data by type successful"
107 }
```



## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Common Functionality APIs

#### PUT Enable / Disable Mobile for Countries

##### Description

Enable / disable mobile for the countries provided.

##### Request Endpoint

PUT `https://<Example api server address>/common/country/mobile/enable/disable`

##### Parameters

None.

##### cURL syntax

```
1 curl --include \  
2     --request PUT \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \"enabledCountries\": [  
6         \"6835a044-1095-49b5-a15c-e09bab7d30f4\",  
7         \"131b800d-8442-44d9-a5fa-2710180b307c\",  
8         \"78d8e178-9aa8-48ee-8e6c-2e839fdf00ba\"  
9     ],  
10    \"disabledCountries\": [  
11        \"ee9ce6bc-2a10-4bf7-8cb5-f40b0374ab9a\"  
12    ]  
13 }" \  
14 'https://core.dev.Example.net/api/common/country/mobile/enable/disable'
```

curl

##### PUT body attributes (JSON)

Attribute	Type	Use	Description
<code>enabledCountries</code>	Array	Required	An array of country UUID's.
<code>disabledCountries</code>	Array	Required	An array of country UUID's.

##### PUT body

Headers: Content-Type: application/json

```
1 {  
2     \"enabledCountries\": [  
3         \"6835a044-1095-49b5-a15c-e09bab7d30f4\",  
4         \"131b800d-8442-44d9-a5fa-2710180b307c\",  
5     ]  
6 }
```

json

```
5 |     "78d8e178-9aa8-48ee-8e6c-2e839fdf00ba"  
6 | ],  
7 | "disabledCountries": [  
8 |     "ee9ce6bc-2a10-4bf7-8cb5-f40b0374ab9a"  
9 | ]  
10| }
```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Successfully enabled or disabled for mobile allowed for country"  
6 | }
```

json

**PUT****Enable / Disable Payment for Countries****Description**

Enable / disable a payment method for the countries provided.

**Request Endpoint**

PUT <https://<Example api server address>/common/country/payment/enable/disable>

**Parameters**

None.

**cURL syntax**

```
curl --include \  
  --request PUT \  
  --header "Content-Type: application/json" \  
  --data-binary "{  
    \"enabledCountries\": [\"6835a044-1095-49b5-a15c-e09bab7d30f4\", \"78d8e178-9aa8-48ee-8e6c-2e839fdf00ba\"],  
    \"disabledCountries\": [\"6835a044-1095-49b5-a15c-e09bab7d30f4\"]  
  }" \  
  'https://core.dev.Example.net/api/common/country/payment/enable/disable'
```

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
<code>enabledCountries</code>	Array	Required	An array of country UUID's.
<code>disabledCountries</code>	Array	Required	An array of country UUID's.

**PUT body**

**Headers:** Content-Type: application/json

```
{  
  \"enabledCountries\": [  
    \"6835a044-1095-49b5-a15c-e09bab7d30f4\",  
    \"78d8e178-9aa8-48ee-8e6c-2e839fdf00ba\"  
  ],  
  \"disabledCountries\": [  
    \"6835a044-1095-49b5-a15c-e09bab7d30f4\"  
  ]  
}
```

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
{  
  \"data\": true,  
  \"detail\": null,  
  \"error\": false,  
  \"message\": \"Successfully enabled / disabled for payment allowed for country\"  
}
```



**GET****Fetch All Countries****Description**

Fetches all countries.

**Request Endpoint**

GET <https://<Example api server address>/common/country>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/common/country'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "6835a044-1095-49b5-a15c-e09bab7d30f4",  
6 |         "countryCode": "AE",  
7 |         "name": "United Arab Emirates",  
8 |         "paymentAllowed": false  
9 |       },  
10 |      {  
11 |        "id": "78d8e178-9aa8-48ee-8e6c-2e839fdf00ba",  
12 |        "countryCode": "AF",  
13 |        "name": "Afghanistan",  
14 |        "paymentAllowed": true  
15 |      }  
16 |    ],  
17 |    "last": false,  
18 |    "totalPages": 126,  
19 |    "totalElements": 252,  
20 |    "size": 2,  
21 |    "number": 0,  
22 |    "sort": null,  
23 |    "first": true,  
24 |    "numberOfElements": 2  
25 |  },  
26 |  "detail": null,  
27 |  "error": false,  
28 |  "message": "Fetching all countries successful"  
29 | }
```

json

**GET****Fetch All Currencies****Description**

Fetches all currencies that are available.

**Request Endpoint**

GET <https://<Example api server address>/common/currency>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/common/currency'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "code": "AED",  
5 |       "numericCode": 784,  
6 |       "decimalPlaces": 2,  
7 |       "symbol": "AED",  
8 |       "defaultFractionDigits": 2,  
9 |       "currencyCode": "AED",  
10 |      "numeric3Code": "784",  
11 |      "countryCodes": [  
12 |        "AE"  
13 |      ],  
14 |      "pseudoCurrency": false  
15 |    }  
16 |  ],  
17 |   "detail": null,  
18 |   "error": false,  
19 |   "message": "Fetching all currencies successful"  
20 | }
```

json

## Description

Use only timezones like "County/Timezone".

- Do not use a single string timezone like "ACT", "CET" etc.
- Note: "Bouvet Island" does not have any timezone.

## Request Endpoint

GET `https://<Example api server address>/common/all/timezones`

## Parameters

None.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/common/all/timezones'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "countryName": "Andorra",  
5 |       "countryCode": "AD",  
6 |       "timeZones": [  
7 |         "Europe/Andorra"  
8 |       ]  
9 |     },  
10 |    {  
11 |      "countryName": "United Arab Emirates",  
12 |      "countryCode": "AE",  
13 |      "timeZones": [  
14 |        "Asia/Dubai"  
15 |      ]  
16 |    },  
17 |    {  
18 |      "countryName": "Afghanistan",  
19 |      "countryCode": "AF",  
20 |      "timeZones": [  
21 |        "Asia/Kabul"  
22 |      ]  
23 |    },  
24 |    {  
25 |      "countryName": "Antigua and Barbuda",  
26 |      "countryCode": "AG",  
27 |      "timeZones": [  
28 |        "America/Antigua"  
29 |      ]  
30 |    }  
31 |  ],  
32 |  "detail": null,  
33 |  "error": false,  
34 | }
```

json

```
35 | "message": "All timezone ids are fetched successfully."  
    | }
```



**GET****Fetch Allowed Countries for Mobile****Description**

Fetches all allowed countries for mobile.

**Request Endpoint**

GET <https://<Example api server address>/common/country/mobile/allowed>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/common/country/mobile/allowed'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "78d8e178-9aa8-48ee-8e6c-2e839fdf00ba",  
6 |         "deleted": false,  
7 |         "countryCode": "AF",  
8 |         "name": "Afghanistan",  
9 |         "paymentAllowed": false,  
10 |        "mobileAllowed": true  
11 |      },  
12 |      {  
13 |        "id": "131b800d-8442-44d9-a5fa-2710180b307c",  
14 |        "deleted": false,  
15 |        "countryCode": "AG",  
16 |        "name": "Antigua and Barbuda",  
17 |        "paymentAllowed": false,  
18 |        "mobileAllowed": true  
19 |      },  
20 |      {  
21 |        "id": "6835a044-1095-49b5-a15c-e09bab7d30f4",  
22 |        "deleted": false,  
23 |        "countryCode": "AE",  
24 |        "name": "United Arab Emirates",  
25 |        "paymentAllowed": false,  
26 |        "mobileAllowed": true  
27 |      }  
28 |    ],  
29 |    "last": true,  
30 |    "totalElements": 3,  
31 |    "totalPages": 1,  
32 |    "numberOfElements": 3,  
33 |    "sort": null,  
34 |    "first": true,  
35 |    "size": 70,  
36 |    "number": 0  
37 |  },  
38 |  "detail": null,
```

json

```
39 | "error": false,  
40 | "message": "Successfully enabled for mobile allowed for country"  
41 | }
```

**GET****Fetch Allowed Countries for Payment****Description**

Fetches all allowed countries for payment.

**Request Endpoint**

GET <https://<Example api server address>/common/country/payment/allowed>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/common/country/payment/allowed'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "78d8e178-9aa8-48ee-8e6c-2e839fdf00ba",  
6 |         "countryCode": "AF",  
7 |         "name": "Afghanistan",  
8 |         "paymentAllowed": true  
9 |       },  
10 |      {  
11 |        "id": "6835a044-1095-49b5-a15c-e09bab7d30f4",  
12 |        "countryCode": "AE",  
13 |        "name": "United Arab Emirates",  
14 |        "paymentAllowed": true  
15 |      },  
16 |      {  
17 |        "id": "3bc6ddfe-c2e7-4099-9a7c-c8ae2a3118e1",  
18 |        "countryCode": "GB",  
19 |        "name": "United Kingdom",  
20 |        "paymentAllowed": true  
21 |      },  
22 |      {  
23 |        "id": "ecff692b-d780-49ee-b996-c2eb34bcf26c",  
24 |        "countryCode": "US",  
25 |        "name": "United States",  
26 |        "paymentAllowed": true  
27 |      }  
28 |    ],  
29 |     "last": true,  
30 |     "totalPages": 1,  
31 |     "totalElements": 4,  
32 |     "size": 70,  
33 |     "number": 0,  
34 |     "sort": null,  
35 |     "first": true,  
36 |     "numberOfElements": 4  
37 |   },  
38 |   "detail": null,
```

json

```
39 | "error": false,  
40 | "message": "Successfully enabled for payment allowed for country"  
41 | }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Customer Support APIs

#### POST Create Customer Support

##### Description

Creates user support. "ticketId" will be considered as a unique ticket number that is created in Client and mapped with a Zendesk ticket id.

##### Request Endpoint

POST `https://<Example api server address>/user/log/message`

##### Parameters

None.

##### cURL syntax

```
curl --include \  
  --request POST \  
  --header "Content-Type: application/json" \  
  --data-binary "{  
    \"uuid\" : \"79af4bc5-a995-4262-92ee-0da381ccaf07\",  
    \"udid\" : \"7237F578-828D-43D9-995D-F8B7AC8A4881\",  
    \"subject\" : \"sub 1@innoflexion.com\",  
    \"message\" : \"msg 1@innoflexion.com\",  
    \"email\" : \"sudipta.bhaumik@innoflexion.com\",  
    \"name\" : \"sudipta\",  
    \"category\" : \"cat1\",  
    \"phone\" : \"+919916248135\",  
    \"images\" : [\"732bbe0a-8d29-4c8d-bb84-891e43439630.jpeg\"]  
  }" \  
'https://core.dev.Example.net/api/user/log/message'
```

##### POST body attributes (JSON)

Attribute	Type	Use	Description
uuid	String	Required	The user UUID.
udid	String	Required	The device UDID.
subject	String	Required	The customer support subject.
message	String	Required	The customer support message.
email	String	Required	Customer email, where they need communication. This mail id may not be registered for the user.
name	String	Optional	The customer's name.

Attribute	Type	Use	Description
category	String	Required	The support category.
phone	String	Optional	The customer's phone, where they need communication. This phone may not be registered for the user, and the user has to provide the correct format.
images	Array	Optional	Image names uploaded through a common upload file service (common/upload/file?bucketType=LOG_IMAGE) with bucketType = LOG_IMAGE. These image AWS links will be added to the ZenDesk ticket message body.

## POST body

Headers: Content-Type: application/json

```

13 }
12 ]
11 "732bbe0a-8d29-4c8d-bb84-891e43439630.jpeg"
10 "images": [
9 "phone": "+919916248135",
8 "category": "cat1",
7 "name": "sudipta",
6 "email": "sudipta.bhaumik@innoflexion.com",
5 "message": "msg 1@innoflexion.com",
4 "subject": "sub 1@innoflexion.com",
3 "udid": "7237F578-828D-43D9-995D-F8B7AC8A4881",
2 "uuid": "79af4bc5-a995-4262-92ee-0da381ccaf07",
1 {
}

```

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```

27 "Android:4.3",
26 "groupTag": [
25 "fullName": "John Connor",
24 "firstName": "John",
23 "emailAuthenticationChannels": [],
22 ],
21 }
20 "deletedOn": null
19 "deletedBy": null,
18 "deletedUdid": null,
17 "simCardState": null,
16 "simStateHashCode": null,
15 "udid": "7237F578-828D-43D9-995D-F8B7AC8A4881",
14 "os": "Android:4.3",
13 "model": "Google Nexus 4 - 4.3 - API 18 - 768x1280",
12 "manufacturer": "Genymotion",
11 "deviceStatus": "NORMAL",
10 "description": "desc",
9 "id": "435bdd41-5347-42c4-9685-a3f66f8dc169",
8 {
7 "devices": [
6 "addresses": null,
5 "id": "79af4bc5-a995-4262-92ee-0da381ccaf07",
4 "user": {
3 "id": "9cf778b6-3a4d-49bd-98d2-4214774d3ec0",
2 "data": {
1 {
}

```

```

28     "FACEBOOK",
29     "Google Nexus 4 - 4.3 - API 18 - 768x1280",
30     "Genymotion"
31 ],
32 "lastName": "Connor",
33 "locationCountry": null,
34 "locationZipCode": null,
35 "mobileAuthenticationChannels": [],
36 "pinCreated": true,
37 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-image.p
38 "profileName": "John Connor",
39 "registrationDate": 1470298160579,
40 "socialAuthenticationChannels": [
41   {
42     "addedOn": 1470298160579,
43     "blockStatus": "NORMAL",
44     "deletedOn": null,
45     "lastUsedOn": 1470298160579,
46     "loginType": "FACEBOOK",
47     "socialId": "250078712036810",
48     "deleted": false,
49     "recycleSocialId": null
50   }
51 ],
52 "status": "NEW",
53 "timezone": null,
54 "userSetting": {
55   "autoUpdateBetcadeApp": true,
56   "autoUpdateDownloadedApps": true,
57   "monthlyDepositMaxLimit": 0,
58   "monthlyDepositMaxLimitCurrency": "GBP",
59   "prefillUserInfoInCasino": true,
60   "receiveEmailReceipt": true,
61   "receiveNotifications": true,
62   "shareRegistrationInfo": true,
63   "userEmailProvided": true,
64   "versionOfDownloadedBetcadeApp": "v1",
65   "wifiDownloadLimitInMB": 0,
66   "preferredCategories": [],
67   "autoSaveCard": true,
68   "autoAddHomeIcon": true,
69   "receiveUpdateNotifications": true,
70   "receiveAutoUpdatedNotifications": true,
71   "receiveRecommendationNotifications": true,
72   "appSetting": {
73     "autoUpdateApps": true,
74     "addIconHomeScreen": false,
75     "saveNewCreditOrDebitCards": true,
76     "appUpdatesAvailable": true,
77     "appsWereAutoUpdated": true,
78     "recommendedContentAvailable": true
79   }
80 },
81 "verified": true,
82 "pinResetDate": null,
83 "kycStatus": null,
84 "deleted": false,
85 "singularId": null,
86 "acquisitionIds": null,
87 "testUser": null
88 },

```

```
89     "device": {
90         "id": "435bdd41-5347-42c4-9685-a3f66f8dc169",
91         "description": "desc",
92         "deviceStatus": "NORMAL",
93         "manufacturer": "Genymotion",
94         "model": "Google Nexus 4 - 4.3 - API 18 - 768x1280",
95         "os": "Android:4.3",
96         "udid": "7237F578-828D-43D9-995D-F8B7AC8A4881",
97         "simStateHashCode": null,
98         "simCardState": null,
99         "deletedUdid": null,
100        "deletedBy": null,
101        "deletedOn": null
102    },
103    "ticketId": "34822e49-8ed3-42fd-87a0-700a6d509102",
104    "logPath": null,
105    "name": "sudipta",
106    "email": "sudipta.bhaumik@innoflexion.com",
107    "phone": "+919916248135",
108    "category": "cat1",
109    "ticketInfo": {
110        "id": "34822e49-8ed3-42fd-87a0-700a6d509102",
111        "supportTicketId": "345",
112        "subject": "sub 1@innoflexion.com",
113        "message": "msg 1@innoflexion.com",
114        "ticketStatus": "CREATED",
115        "userTransactionId": null,
116        "userId": "79af4bc5-a995-4262-92ee-0da381ccaf07",
117        "userName": null,
118        "images": [
119            "732bbe0a-8d29-4c8d-bb84-891e43439630.jpeg"
120        ]
121    },
122    "feedbackPhoto": null,
123    "creationDate": 1471515828374
124 },
125 "detail": null,
126 "error": false,
127 "message": "Adding a complaint successful"
128 }
```



**GET**

## Download Customer Support File

### Description

Downloads a log or feed back photo depending on the parameter "LOG" or "FEEDBACK\_PHOTO" respectively.

### Request Endpoint

GET `https://<Example api server address>/aws/download/support/file/{coreTicketId}/{HelpSupportFileType}`

### Parameters

Parameter	Type	Use	Description
<b>coreTicketId</b>	String	Required	The Client ticket id.
<b>HelpSupportFileType</b>	String	Required	The LOG or FEEDBACK_PHOTO. <ul style="list-style-type: none"><li>• If LOG is passed, it will be considered as a log file.</li><li>• if FEEDBACK_PHOTO is passed, it will be considered as a feedback photo.</li></ul>

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/aws/download/support/file/coreTicketId/HelpSupportFileType'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

LOG or FEEDBACK\_PHOTO file

**POST****Search Customer Support****Description**

Searches user support. The following attributes are optional and will be searched according to an "AND" condition provided on the input.

**Request Endpoint**

POST `https://<Example api server address>/admin/fetch/customer/support`

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |     \"uuid\" : \"79af4bc5-a995-4262-92ee-0da381ccaf07\",\  
6 |     \"udid\" : \"7237F578-828D-43D9-995D-F8B7AC8A4881\",\  
7 |     \"email\" : \"sudipta.bhaumik@innoflexion.com\",\  
8 |     \"phone\" : \"+919916248135\",\  
9 |     \"ticketId\" : \"0fcdaf5c-0835-40b5-af7d-8c685dfbec0e\",\  
10 |     \"zendeskTicketId\" : \"\"\  
11 | }" \  
12 | 'https://core.dev.Example.net/api/admin/fetch/customer/support'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
uuid	String	Optional	The user UUID.
udid	String	Optional	The device UDID.
email	String	Optional	Customer email that is passed to create a ticket.
phone	String	Optional	Customer phone that is passed to create a ticket.
ticketId	String	Optional	The Client ticket id.
zendeskTicketId	String	Optional	The Zendesk ticket id.

**POST body**

**Headers:** Content-Type: application/json

```
1 | {\  
2 |   \"uuid\": \"79af4bc5-a995-4262-92ee-0da381ccaf07\",\  
3 |   \"udid\": \"7237F578-828D-43D9-995D-F8B7AC8A4881\",\  
4 |   \"email\": \"sudipta.bhaumik@innoflexion.com\",\  
5 |   \"phone\": \"+919916248135\",\  
6 |   \"ticketId\": \"0fcdaf5c-0835-40b5-af7d-8c685dfbec0e\",\  
7 |   \"zendeskTicketId\": \"\"\  
8 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1  {
2    "data": [
3      {
4        "id": "fb07bb71-9b0b-47fa-b5dc-b460b663efe5",
5        "user": {
6          "id": "79af4bc5-a995-4262-92ee-0da381ccaf07",
7          "addresses": null,
8          "devices": [
9            {
10             "id": "435bdd41-5347-42c4-9685-a3f66f8dc169",
11             "description": "desc",
12             "deviceStatus": "NORMAL",
13             "manufacturer": "Genymotion",
14             "model": "Google Nexus 4 - 4.3 - API 18 - 768x1280",
15             "os": "Android:4.3",
16             "udid": "7237F578-828D-43D9-995D-F8B7AC8A4881",
17             "simStateHashCode": null,
18             "simCardState": null,
19             "deletedUdid": null,
20             "deletedBy": null,
21             "deletedOn": null
22           }
23         ],
24         "emailAuthenticationChannels": [],
25         "firstName": "John",
26         "fullName": "John Connor",
27         "groupTag": [
28           "Android:4.3",
29           "FACEBOOK",
30           "Google Nexus 4 - 4.3 - API 18 - 768x1280",
31           "Genymotion"
32         ],
33         "lastName": "Connor",
34         "locationCountry": null,
35         "locationZipCode": null,
36         "mobileAuthenticationChannels": [],
37         "pinCreated": true,
38         "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-image",
39         "profileName": "John Connor",
40         "registrationDate": 1470298160579,
41         "socialAuthenticationChannels": [
42           {
43             "addedOn": 1470298160579,
44             "blockStatus": "NORMAL",
45             "deletedOn": null,
46             "lastUsedOn": 1470298160579,
47             "loginType": "FACEBOOK",
48             "socialId": "250078712036810",
49             "deleted": false,
50             "recycleSocialId": null
51           }
52         ],
53         "status": "NEW",
54         "timezone": null,
55         "userSetting": {
56           "autoUpdateBetcadeApp": true,
57           "autoUpdateDownloadedApps": true,
58           "monthlyDepositMaxLimit": 0,
59           "monthlyDepositMaxLimitCurrency": "GBP",
60           "prefillUserInfoInCasino": true,
```

```

61     "receiveEmailReceipt": true,
62     "receiveNotifications": true,
63     "shareRegistrationInfo": true,
64     "userEmailProvided": true,
65     "versionOfDownloadedBetcadeApp": "v1",
66     "wifiDownloadLimitInMB": 0,
67     "preferredCategories": [],
68     "autoSaveCard": true,
69     "autoAddHomeIcon": true,
70     "receiveUpdateNotifications": true,
71     "receiveAutoUpdatedNotifications": true,
72     "receiveRecommendationNotifications": true,
73     "appSetting": {
74         "autoUpdateApps": true,
75         "addIconHomeScreen": false,
76         "saveNewCreditOrDebitCards": true,
77         "appUpdatesAvailable": true,
78         "appsWereAutoUpdated": true,
79         "recommendedContentAvailable": true
80     }
81 },
82     "verified": true,
83     "pinResetDate": null,
84     "kycStatus": null,
85     "deleted": false,
86     "singularId": null,
87     "acquisitionIds": null,
88     "testUser": null
89 },
90     "device": {
91         "id": "435bdd41-5347-42c4-9685-a3f66f8dc169",
92         "description": "desc",
93         "deviceStatus": null,
94         "manufacturer": "Genymotion",
95         "model": "Google Nexus 4 - 4.3 - API 18 - 768x1280",
96         "os": "Android:4.3",
97         "udid": "7237F578-828D-43D9-995D-F8B7AC8A4881",
98         "simStateHashCode": null,
99         "simCardState": null,
100        "deletedUdid": null,
101        "deletedBy": null,
102        "deletedOn": null,
103        "target": {
104            "id": "435bdd41-5347-42c4-9685-a3f66f8dc169",
105            "description": "desc",
106            "deviceStatus": "NORMAL",
107            "manufacturer": "Genymotion",
108            "model": "Google Nexus 4 - 4.3 - API 18 - 768x1280",
109            "os": "Android:4.3",
110            "udid": "7237F578-828D-43D9-995D-F8B7AC8A4881",
111            "simStateHashCode": null,
112            "simCardState": null,
113            "deletedUdid": null,
114            "deletedBy": null,
115            "deletedOn": null
116        }
117    },
118    "ticketId": "0fcdaf5c-0835-40b5-af7d-8c685dfbec0e",
119    "logPath": null,
120    "name": "sudipta",
121    "email": "sudipta.bhaumik@innoflexion.com",

```

```
122     "phone": "+919916248135",
123     "category": "cat1",
124     "ticketInfo": {
125         "id": "0fcdaf5c-0835-40b5-af7d-8c685dfbec0e",
126         "coreTicketNumber": null,
127         "supportTicketId": "344",
128         "subject": "sub 1",
129         "message": "msg 1",
130         "ticketStatus": "CREATED",
131         "userTransactionId": null,
132         "userId": "79af4bc5-a995-4262-92ee-0da381ccaf07",
133         "userName": null,
134         "target": {
135             "id": "0fcdaf5c-0835-40b5-af7d-8c685dfbec0e",
136             "coreTicketNumber": null,
137             "supportTicketId": "344",
138             "subject": "sub 1",
139             "message": "msg 1",
140             "ticketStatus": "CREATED",
141             "userTransactionId": null,
142             "userId": "79af4bc5-a995-4262-92ee-0da381ccaf07",
143             "userName": null
144         }
145     },
146     "feedbackPhoto": null,
147     "creationDate": 1471507836324
148 }
149 ],
150 "detail": null,
151 "error": false,
152 "message": "Customer support info fetched successfully."
153 }
```

## POST Upload Customer Support File

### Description

Uploads a log or feed back photo and depends on the parameter LOG or FEEDBACK\_PHOTO respectively. Add a header like: Accept-Encoding : multipart/form-data. The POST upload file parameter name is "file".

### Request Endpoint

POST `https://<Example api server address>/user/help/file/upload/{feedbackId}/{HelpSupportFileType}`

### Parameters

Parameter	Type	Use	Description
feedbackId	String	Required	The user feedback id.
HelpSupportFileType	String	Required	The LOG or FEEDBACK_PHOTO file. <ul style="list-style-type: none"><li>If LOG is passed, it will be considered as a log file.</li><li>if FEEDBACK_PHOTO is passed, it will be considered as a feedback photo.</li></ul>

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 | 'https://core.dev.Example.net/api/user/help/file/upload/feedbackId/HelpSupportFileType' curl
```

### POST body

**Headers:** Content-Type: Accept-Encoding : multipart/form-data

LOG or FEEDBACK\_PHOTO file

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | { json  
2 |   "data": {  
3 |     "id": "9cf778b6-3a4d-49bd-98d2-4214774d3ec0",  
4 |     "user": {  
5 |       "id": "79af4bc5-a995-4262-92ee-0da381ccaf07",  
6 |       "addresses": null,  
7 |       "devices": [  
8 |         {  
9 |           "id": "435bdd41-5347-42c4-9685-a3f66f8dc169",  
10 |          "description": "desc",  
11 |          "deviceStatus": "NORMAL",  
12 |          "manufacturer": "Genymotion",  
13 |          "model": "Google Nexus 4 - 4.3 - API 18 - 768x1280",  
14 |          "os": "Android:4.3",  
15 |          "udid": "7237F578-828D-43D9-995D-F8B7AC8A4881",  
16 |          "simStateHashCode": null,  
17 |          "simCardState": null,  
18 |          "deletedUdid": null,  
19 |          "deletedBy": null,  
20 |          "deletedOn": null  
21 |        }  
22 |      ]  
23 |     }  
24 |   }  
25 | }
```

```

22 ],
23 "emailAuthenticationChannels": [],
24 "firstName": "John",
25 "fullName": "John Connor",
26 "groupTag": [
27   "Android:4.3",
28   "FACEBOOK",
29   "Google Nexus 4 - 4.3 - API 18 - 768x1280",
30   "Genymotion"
31 ],
32 "lastName": "Connor",
33 "locationCountry": null,
34 "locationZipCode": null,
35 "mobileAuthenticationChannels": [],
36 "pinCreated": true,
37 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-image.p
38 "profileName": "John Connor",
39 "registrationDate": 1470298160579,
40 "socialAuthenticationChannels": [
41   {
42     "addedOn": 1470298160579,
43     "blockStatus": "NORMAL",
44     "deletedOn": null,
45     "lastUsedOn": 1470298160579,
46     "loginType": "FACEBOOK",
47     "socialId": "250078712036810",
48     "deleted": false,
49     "recycleSocialId": null
50   }
51 ],
52 "status": "NEW",
53 "timezone": null,
54 "userSetting": {
55   "autoUpdateBetcadeApp": true,
56   "autoUpdateDownloadedApps": true,
57   "monthlyDepositMaxLimit": 0,
58   "monthlyDepositMaxLimitCurrency": "GBP",
59   "prefillUserInfoInCasino": true,
60   "receiveEmailReceipt": true,
61   "receiveNotifications": true,
62   "shareRegistrationInfo": true,
63   "userEmailProvided": true,
64   "versionOfDownloadedBetcadeApp": "v1",
65   "wifiDownloadLimitInMB": 0,
66   "preferredCategories": [],
67   "autoSaveCard": true,
68   "autoAddHomeIcon": true,
69   "receiveUpdateNotifications": true,
70   "receiveAutoUpdatedNotifications": true,
71   "receiveRecommendationNotifications": true,
72   "appSetting": {
73     "autoUpdateApps": true,
74     "addIconHomeScreen": false,
75     "saveNewCreditOrDebitCards": true,
76     "appUpdatesAvailable": true,
77     "appsWereAutoUpdated": true,
78     "recommendedContentAvailable": true
79   }
80 },
81 "verified": true,
82 "pinResetDate": null,

```

```

83     "kycStatus": null,
84     "deleted": false,
85     "singularId": null,
86     "acquisitionIds": null,
87     "testUser": null
88 },
89 "device": {
90     "id": "435bdd41-5347-42c4-9685-a3f66f8dc169",
91     "description": "desc",
92     "deviceStatus": null,
93     "manufacturer": "Genymotion",
94     "model": "Google Nexus 4 - 4.3 - API 18 - 768x1280",
95     "os": "Android:4.3",
96     "udid": "7237F578-828D-43D9-995D-F8B7AC8A4881",
97     "simStateHashCode": null,
98     "simCardState": null,
99     "deletedUdid": null,
100    "deletedBy": null,
101    "deletedOn": null,
102    "target": {
103        "id": "435bdd41-5347-42c4-9685-a3f66f8dc169",
104        "description": "desc",
105        "deviceStatus": "NORMAL",
106        "manufacturer": "Genymotion",
107        "model": "Google Nexus 4 - 4.3 - API 18 - 768x1280",
108        "os": "Android:4.3",
109        "udid": "7237F578-828D-43D9-995D-F8B7AC8A4881",
110        "simStateHashCode": null,
111        "simCardState": null,
112        "deletedUdid": null,
113        "deletedBy": null,
114        "deletedOn": null
115    }
116 },
117 "ticketId": "34822e49-8ed3-42fd-87a0-700a6d509102",
118 "logPath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.logging/f3440e8d-c01d-4085-bd46-1a372aaf7",
119 "name": "sudipta",
120 "email": "sudipta.bhaumik@innoflexion.com",
121 "phone": "+919916248135",
122 "category": "cat1",
123 "ticketInfo": {
124     "id": "34822e49-8ed3-42fd-87a0-700a6d509102",
125     "coreTicketNumber": null,
126     "supportTicketId": "345",
127     "subject": "sub 1@innoflexion.com",
128     "message": "msg 1@innoflexion.com",
129     "ticketStatus": "CREATED",
130     "userTransactionId": null,
131     "userId": "79af4bc5-a995-4262-92ee-0da381ccaf07",
132     "userName": null,
133     "target": {
134         "id": "34822e49-8ed3-42fd-87a0-700a6d509102",
135         "coreTicketNumber": null,
136         "supportTicketId": "345",
137         "subject": "sub 1@innoflexion.com",
138         "message": "msg 1@innoflexion.com",
139         "ticketStatus": "CREATED",
140         "userTransactionId": null,
141         "userId": "79af4bc5-a995-4262-92ee-0da381ccaf07",
142         "userName": null
143     }

```



```
144     },
145     "feedbackPhoto": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.logging/b93fa75b-a0f6-4e56-b56d-19c
146     "creationDate": 1471515828374
147   },
148   "detail": null,
149   "error": false,
150   "message": "User customer support file is uploaded successfully"
151 }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Developer Keys - Admin Functionality

#### POST Create a New API Key for Example or Third Party Developer

##### Description

Allows an admin client to create an API Key for the Example Store App or a third party developer based on the context.

##### Request Endpoint

POST `https://<Example api server address>/admin/developer/key`

##### Parameters

None.

##### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"developerAccessRoleEnum\": \"Example\",  
6 |         \"developerName\": \"Example Llc.\"  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/admin/developer/key'
```

curl

##### POST body attributes (JSON)

Attribute	Type	Use	Description
developerAccessRoleEnum	String	Required	Can either be "Example" or "THIRD_PARTY".
developerName	String	Required	Name of the developer.

##### POST body - Example

Headers: Content-Type: application/json

```
1 | {  
2 |     "developerAccessRoleEnum": "Example",  
3 |     "developerName": "Example Llc."  
4 | }
```

json

##### Response body - Example

Headers: Content-Type: application/json | HTTPS Status Code: 200

json

```
1  {
2    "data": {
3      "id": "26068029-9a3e-41ef-b1fd-5410852f59d8",
4      "apiKey": "c34ccc579b4a4bc40cbe73ff8533ba5e4a3e9d3efbfa2a0a17d665d7b3d319be",
5      "disabled": false,
6      "generatedOn": 1467629480172,
7      "developerAccessRoleEnum": "Example",
8      "developerName": "Example Llc."
9    },
10   "detail": null,
11   "error": false,
12   "message": "Creating developer key successful."
13 }
```

## POST body - Third Party Developer

Headers: Content-Type: application/json

json

```
1  {
2    "developerAccessRoleEnum": "THIRD_PARTY",
3    "developerName": "PayLetter"
4  }
```

## Response body - Third Party Developer

Headers: Content-Type: application/json | HTTPS Status Code: 200

json

```
1  {
2    "data": {
3      "id": "f02ca439-8ffb-4163-9432-8c7bcf446d69",
4      "apiKey": "478487e7bf383a53839864368346e325e1938b3d9d53ccc0b9098a7c905ac749",
5      "disabled": false,
6      "generatedOn": 1467645611223,
7      "developerAccessRoleEnum": "THIRD_PARTY",
8      "developerName": "PayLetter"
9    },
10   "detail": null,
11   "error": false,
12   "message": "Creating developer key successful."
13 }
```

## PATCH Disable an API Key for Casino

### Description

Allows an Admin to disable a casino api key.

### Request Endpoint

PATCH `https://<Example api server address>/admin/casino/key/{casinoKeyId}/disable`

### Parameters

Parameter	Type	Use	Description
casinoKeyId	String	Required	The casino key id.

### cURL syntax

```
1 | curl --include \  
2 |     --request PATCH \  
3 |     'https://core.dev.Example.net/api/admin/casino/key/casinoKeyId/disable'
```

curl

### PATCH body attributes (JSON)

Attribute	Type	Use	Description
casinoKeyId	String	Required	The Casino API Key Id.

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "0c91123d-e63c-4c06-92b7-92b8d15829a0",  
4 |     "apiKey": "c5019f24e5e4d65b1d552c34b57ca33b712160d96683164b26d469902aa27fda",  
5 |     "disabled": true,  
6 |     "generatedOn": 1467110740904  
7 |   },  
8 |   "detail": null,  
9 |   "error": false,  
10 |  "message": "Disabling casino developer key successful."  
11 | }
```

json

## PATCH Disable an API Key for Developer

### Description

Allows an admin to disable a developer api key.

### Request Endpoint

PATCH <https://<Example api server address>/admin/developer/key/{developerKeyId}/disable>

### Parameters

Parameter	Type	Use	Description
developerKeyId	String	Required	The developer key id.

### cURL syntax

```
1 | curl --include \  
2 |     --request PATCH \  
3 | 'https://core.dev.Example.net/api/admin/developer/key/developerKeyId/disable'
```

curl

### PATCH body attributes (JSON)

Attribute	Type	Use	Description
developerKeyId	String	Required	The Developer API Key Id.

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "26068029-9a3e-41ef-b1fd-5410852f59d8",  
4 |     "apiKey": "c34ccc579b4a4bc40cbe73ff8533ba5e4a3e9d3efbfa2a0a17d665d7b3d319be",  
5 |     "disabled": true,  
6 |     "generatedOn": 1467629480172,  
7 |     "developerAccessRoleEnum": "Example",  
8 |     "developerName": "Example Llc."  
9 |   },  
10 |   "detail": null,  
11 |   "error": false,  
12 |   "message": "Disabling developer key successful."  
13 | }
```

json

## PATCH Enable an API Key for Casino

### Description

Allows an Admin to enable a casino API key.

### Request Endpoint

PATCH `https://<Example api server address>/admin/casino/key/{casinoKeyId}/enable`

### Parameters

Parameter	Type	Use	Description
casinoKeyId	String	Required	The casino key id.

### cURL syntax

```
1 | curl --include \  
2 |     --request PATCH \  
3 |     'https://core.dev.Example.net/api/admin/casino/key/casinoKeyId/enable'
```

curl

### PATCH body attributes (JSON)

Attribute	Type	Use	Description
casinoKeyId	String	Required	The Casino API Key Id.

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "0c91123d-e63c-4c06-92b7-92b8d15829a0",  
4 |     "apiKey": "c5019f24e5e4d65b1d552c34b57ca33b712160d96683164b26d469902aa27fda",  
5 |     "disabled": false,  
6 |     "generatedOn": 1467110740904  
7 |   },  
8 |   "detail": null,  
9 |   "error": false,  
10 |  "message": "Enabling casino developer key successful."  
11 | }
```

json

## PATCH Enable an API Key for Developer

### Description

Allows an Admin to enable a developer api key.

### Request Endpoint

PATCH <https://<Example api server address>/admin/developer/key/{developerKeyId}/enable>

### Parameters

Parameter	Type	Use	Description
developerKeyId	String	Required	The developer key id.

### cURL syntax

```
1 | curl --include \  
2 |     --request PATCH \  
3 |     'https://core.dev.Example.net/api/admin/developer/key/developerKeyId/enable'
```

curl

### PATCH body attributes (JSON)

Attribute	Type	Use	Description
developerKeyId	String	Required	The Developer API Key Id.

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "26068029-9a3e-41ef-b1fd-5410852f59d8",  
4 |     "apiKey": "c34ccc579b4a4bc40cbe73ff8533ba5e4a3e9d3efbfa2a0a17d665d7b3d319be",  
5 |     "disabled": false,  
6 |     "generatedOn": 1467629480172,  
7 |     "developerAccessRoleEnum": "Example",  
8 |     "developerName": "Example Llc."  
9 |   },  
10 |   "detail": null,  
11 |   "error": false,  
12 |   "message": "Enabling developer key successful."  
13 | }
```

json

**GET**

## Fetch API Keys for Casinos

### Description

Allows an admin client to fetch all the registered api keys for casinos.

### Request Endpoint

GET <https://<Example api server address>/admin/casino/keys?offset=0&limit=1>

### Parameters

Parameter	Type	Use	Description
offset	Integer	Optional	Enables an offset to the number of api keys being fetched.
limit	Integer	Optional	Sets a limit to the number of api keys being fetched.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/casino/keys?offset=0&limit=1' curl
```

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | { json  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "0c91123d-e63c-4c06-92b7-92b8d15829a0",  
6 |         "apiKey": "c5019f24e5e4d65b1d552c34b57ca33b712160d96683164b26d469902aa27fda",  
7 |         "disabled": true,  
8 |         "generatedOn": 1467110740904  
9 |       },  
10 |      {  
11 |        "id": "4b7f62ac-2b35-4153-aa86-d02ece5b7ba3",  
12 |        "apiKey": "5377f054bcd6a28bccad363feea3a635b93e6549a7908876fb7fc5d9b792c443",  
13 |        "disabled": false,  
14 |        "generatedOn": 1467110753013  
15 |      }  
16 |    ],  
17 |    "last": false,  
18 |    "totalElements": 4,  
19 |    "totalPages": 2,  
20 |    "size": 2,  
21 |    "number": 0,  
22 |    "sort": null,  
23 |    "numberOfElements": 2,  
24 |    "first": true  
25 |  },  
26 |  "detail": null,  
27 |  "error": false,  
28 |  "message": "Fetching all casino keys successful."  
29 | }
```



## Description

Allows an Admin client to fetch all the registered API keys for developers.

## Request Endpoint

GET <https://<Example api server address>/admin/developer/keys?{offset}=0&{limit}=5>

## Parameters

Parameter	Type	Use	Description
offset	Integer	Optional	Enables an offset to the number of api keys being fetched.
limit	Integer	Optional	Sets a limit to the number of api keys being fetched.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/developer/keys?offset=0&limit=5'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "26068029-9a3e-41ef-b1fd-5410852f59d8",  
6 |         "apiKey": "c34ccc579b4a4bc40cbe73ff8533ba5e4a3e9d3efbfa2a0a17d665d7b3d319be",  
7 |         "disabled": false,  
8 |         "generatedOn": 1467629480172,  
9 |         "developerAccessRoleEnum": "Example",  
10 |        "developerName": "Example Llc."  
11 |      }  
12 |    ],  
13 |    "last": true,  
14 |    "totalPages": 1,  
15 |    "totalElements": 1,  
16 |    "size": 70,  
17 |    "number": 0,  
18 |    "sort": null,  
19 |    "first": true,  
20 |    "numberOfElements": 1  
21 |  },  
22 |  "detail": null,  
23 |  "error": false,  
24 |  "message": "Fetching all developer keys successful."  
25 | }
```

json

**PATCH****Generate a New API Key for Casino****Description**

Allows an Admin to generate a casino api key. If a key has been disabled, it will automatically be enabled. Any old key will be replaced with the new one.

**Request Endpoint**

PATCH `https://<Example api server address>/admin/casino/key/{casinoKeyId}/generate`

**Parameters**

Parameter	Type	Use	Description
casinoKeyId	String	Required	The Casino API Key ID.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PATCH \  
3 | 'https://core.dev.Example.net/api/admin/casino/key/casinoKeyId/generate'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "0c91123d-e63c-4c06-92b7-92b8d15829a0",  
4 |     "apiKey": "c4019f24e5e4d65b1d552c34b57ca33b712160d96683164b26d469902aa27fea",  
5 |     "disabled": false,  
6 |     "generatedOn": 1467110740904  
7 |   },  
8 |   "detail": null,  
9 |   "error": false,  
10 |  "message": "Generating casino developer key successful."  
11 | }
```

json

## PATCH Generate a New API Key for Developer

### Description

Allows an admin to generate a casino api key. If a key has been disabled, it will automatically be enabled. Any old key will be replaced with the new one.

### Request Endpoint

PATCH `https://<Example api server address>/admin/developer/key/{developerKeyId}/generate`

### Parameters

Parameter	Type	Use	Description
developerKeyId	String	Required	The developer key id

### cURL syntax

```
1 | curl --include \  
2 |     --request PATCH \  
3 | 'https://core.dev.Example.net/api/admin/developer/key/developerKeyId/generate'
```

curl

### Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "26068029-9a3e-41ef-b1fd-5410852f59d8",  
4 |     "apiKey": "1f5d5a52c6963200d70a937d7fb2458aacac11c8e99e88b667f6799951503583",  
5 |     "disabled": false,  
6 |     "generatedOn": 1467629480172,  
7 |     "developerAccessRoleEnum": "Example",  
8 |     "developerName": "Example Llc."  
9 |   },  
10 |   "detail": null,  
11 |   "error": false,  
12 |   "message": "Generating developer key successful."  
13 | }
```

json

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Device APIs

#### GET Fetch Device By UDID

##### Description

Fetches a device by its UDID.

##### Request Endpoint

GET `https://<Example api server address>/device/by/{udid}`

##### Parameters

Parameter	Type	Use	Description
udid	String	Required	UDID of the device.

##### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/device/by/udid'
```

curl

##### Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "7ac20225-3e36-4fb3-8daa-bace45034df4",  
4 |     "deleted": false,  
5 |     "description": "Old Device",  
6 |     "deviceStatus": "NORMAL",  
7 |     "manufacturer": "Apple",  
8 |     "model": "iPhone 5",  
9 |     "os": "iOS 9",  
10 |    "udid": "2083718938012321038243",  
11 |    "simStateHashCode": null,  
12 |    "simCardState": null,  
13 |    "deletedUdid": null,  
14 |    "deletedBy": null,  
15 |    "deletedOn": null,  
16 |    "name": null,  
17 |    "brand": null,  
18 |    "androidID": null,  
19 |    "advertiserID": null,  
20 |    "operator": null,
```

json

```
21     "country": null,  
22     "language": null,  
23     "screenWidthInPixels": null,  
24     "screenHeightInPixels": null,  
25     "screenWidthInInches": null,  
26     "screenHeightInInches": null  
27 },  
28 "detail": null,  
29 "error": false,  
30 "message": "Fetching device detail successful"  
31 }
```

**GET**

## Fetch PIN Challenge for SIM Card State Changes

### Description

Device information could be fetched to verify the SIM card status along with hashcode. If the status and hashcode are null, or status is "NOT\_PRESENT", it can be assumed that the device does not have a SIM card.

### Request Endpoint

GET <https://<Example api server address>/device/sim/state/change/{UDID}>

### Parameters

Parameter	Type	Use	Description
UDID	String	Required	UDID of the device.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/device/sim/state/change/UDID'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "4538ad4a-a5b2-45ad-9e61-7d92e6285031",  
4 |     "updatedBy": "",  
5 |     "description": "new manufacturer",  
6 |     "deviceStatus": "NORMAL",  
7 |     "manufacturer": "manu1",  
8 |     "model": "Samsung",  
9 |     "os": "Android",  
10 |    "udid": "4547889Ud",  
11 |    "simStateHashCode": "hash2",  
12 |    "simCardState": "SIM_PRESENT"  
13 |  },  
14 |  "detail": null,  
15 |  "error": false,  
16 |  "message": "Sim hashcode fetched successfully."  
17 | }
```

json

## Description

1. When user logs in, the SIM card status will reflect (after PIN verification).
2. The Hash code will be sent from mobile client and stored in the DB against the device or user.
3. When the user logs out the SIM card status will be removed. Upon logout of a user on a device, this information would no longer be relevant to store and could be deleted, so multiple users should not be associated with the same SIM data for a particular device at the same time. The Mobile Client should reference the Serial Number and Subscriber ID from the SIM card and possibly generate a reproducible hash we can store in the back-end for comparison. We will also need to account for a "not present" state for non-SIM devices, and ones with the SIM removed. So, we c
4. This service accepts hashcode generated at the Mobile client, Sim operation status (CREATE / UPDATE / DELETE ), and device udid. On CREATE/UPDATE, the hashcode will be associated to the device along with the status "SIM\_PRESENT".
5. On delete, the hash code will be removed for the device along with the sim card status modification made to "SIM\_REMOVED". Deletion hashcode is not required to pass.

## Request Endpoint

POST <https://<Example api server address>/device/sim/state/change>

## Parameters

None.

## cURL syntax

```

1 | curl --include \
2 |     --request POST \
3 |     --header "Content-Type: application/json" \
4 |     --data-binary "{
5 |     \"simCardOperation\" : \"CREATE\",
6 |     \"udid\" : \"4547889Ud\",
7 |     \"simStateHashCode\" : \"hash2\"
8 | }" \
9 | 'https://core.dev.Example.net/api/device/sim/state/change'
```

curl

## POST body attributes (JSON)

udid

Attribute	Type	Use	Description
simCardOperation	String	Required	CREATE/UPDATE/DELETE.
String	Required	UDID of the device.	
simStateHashCode	String	Optional	Generated hashcode at the mobile client side.

## POST body

Headers: Content-Type: application/json

```

1 | {
2 |   "simCardOperation": "CREATE",
3 |   "udid": "4547889Ud",
4 |   "simStateHashCode": "hash2"
5 | }
```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

json

```
1  {
2    "data": {
3      "id": "4538ad4a-a5b2-45ad-9e61-7d92e6285031",
4      "updatedBy": "",
5      "description": "new manufacturer",
6      "deviceStatus": "NORMAL",
7      "manufacturer": "manu1",
8      "model": "Samsung",
9      "os": "Android",
10     "udid": "4547889Ud",
11     "simStateHashCode": "hash2",
12     "simCardState": "SIM_PRESENT"
13   },
14   "detail": null,
15   "error": false,
16   "message": "On State change hashcode created successfully"
17 }
```



## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Device Application APIs

#### POST Create Device Application History

##### Description

This service will create a Device Application History.

- If the actionType is INSTALL, along with DeviceApplicationHistory table, it will also get saved to AppDownloads.
- If application is already saved in AppDownloads, it should not get saved.

##### BundleIdentifier

- If the actionType is INSTALL/UNINSTALL, the bundleIdentifier attribute will get saved in DeviceApplicationHistory table.
- If the actionType is INSTALL then it will also get saved to AppDownloads.
- BundleIdentifier should be unique.

##### Request Endpoint

POST `https://<Example api server address>/user/device/application/history/create`

##### Parameters

None.

##### cURL syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \"userId\": \"8e849d65-121a-4622-b00f-9f882e8d7910\",  
6     \"udid\": \"ghjhrdecf\",  
7     \"actionType\": \"INSTALL\",  
8     \"remarks\": null,  
9     \"bundleIdentifier\": \"app\",  
10    \"appVersion\": \"34\",  
11    \"affiliateLaunchMode\": \"WEB\",  
12    \"affiliateLaunchData\": {  
13        \"data\": \"abc\"  
14    }  
15 }" \  
16 'https://core.dev.Example.net/api/user/device/application/history/create'
```

##### POST body attributes (JSON)

udid

Attribute	Type	Use	Description
userId	String	Required	UUID of an user.
String	Required	UDID of the device.	
actionType	String	Required	Action type (can be INSTALL, UNINSTALL, UPDATED, and PURCHASE).
remarks	String	Required	Reason for uninstalling the application.
bundleIdentifier	String	Required	The bundle identifier.
appVersion	String	Required	The app version.
affiliateLaunchMode	String	Optional	The affiliate launch mode to track.
affiliateLaunchData	Object	Optional	The affiliate launch data which is a dynamic data set (map).

## POST body

**Headers:** Content-Type: application/json

```

1  {
2  "userId": "8e849d65-121a-4622-b00f-9f882e8d7910",
3  "udid": "ghjhrdecf",
4  "actionType": "INSTALL",
5  "remarks": null,
6  "bundleIdentifier": "app",
7  "appVersion": "34",
8  "affiliateLaunchMode": "WEB",
9  "affiliateLaunchData": {
10   "data": "abc"
11 }
12 }
```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2  "data": {
3  "id": "5ef31302-1fce-41db-9dd3-5259c6d1e3bd",
4  "deleted": false,
5  "actionDetails": [
6  {
7  "actionDate": 1472738470133,
8  "actionType": "PURCHASE",
9  "build": 18,
10 "remarks": null,
11 "version": "v0.3",
12 "bundlePackageId": null
13 },
14 {
15 "actionDate": 1472738823701,
16 "actionType": "INSTALL",
17 "build": 18,
18 "remarks": null,
19 "version": "v0.3",
20 "bundlePackageId": "app"
21 }
22 ],
```

```

23 "application": {
24   "id": "1f4a3cf4-e6c9-4294-a0a6-6719e38efc9f",
25   "deleted": false,
26   "name": "Application Recent",
27   "appPackage": "appPac",
28   "bundleIdentifier": "app",
29   "casino": {
30     "id": "fd5392fe-dfb3-437a-9194-0b11c538dc5a",
31     "deleted": false,
32     "name": "Poker 26",
33     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/bettin
34     "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.com/betting
35     "description": "This casino has lot of game apps1",
36     "website": "http://www.casino1.com",
37     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
38     "banner": "banner2345",
39     "deletedBy": null,
40     "deletedOn": null,
41     "operatorStatus": "NEW",
42     "email": null,
43     "userRole": "OPERATOR",
44     "firstName": null,
45     "lastName": null,
46     "address": null
47   },
48   "casinoId": null,
49   "categories": [
50     {
51       "id": "c5f37e16-784e-4e07-810f-e858bbd1e80d",
52       "deleted": false,
53       "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.com/betti
54       "name": "Poker 1",
55       "description": "Some poker category",
56       "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/bett
57       "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/betti
58       "colorCode": "#FFFFFF",
59       "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.googl
60       "priority": 1,
61       "deletedBy": null,
62       "deletedOn": null
63     }
64   ],
65   "categoryIds": null,
66   "downloads": 4646,
67   "featured": null,
68   "versionHistories": [
69     {
70       "build": 18,
71       "version": "v0.3",
72       "versionDate": 1471956103930,
73       "releaseDate": 1471956103930,
74       "downloadLink": null,
75       "rating": {
76         "count": 0,
77         "overall": 0,
78         "gamePlay": 0,
79         "design": 0,
80         "ease": 0
81       },
82       "description": null,
83       "image": null,

```

```

84     "sliderImages": null,
85     "banner": null,
86     "video": null,
87     "icon": null,
88     "featuredImage": null,
89     "versionStatus": null,
90     "privacyPolicy": null,
91     "locationSupported": null,
92     "languageSupported": null
93   }
94 ],
95 "keywords": [
96   "key1",
97   "key2",
98   "key3"
99 ],
100 "latestBuild": 18,
101 "latestVersion": "v0.3",
102 "order": 345,
103 "paragraph1": "1 paragraph",
104 "paragraph2": "2st paragraph",
105 "paragraph3": "3st paragraph",
106 "paragraph4": "4th para",
107 "presetPricelist": null,
108 "price": 3436,
109 "publisherId": null,
110 "publisher": null,
111 "ranking": 23,
112 "subtitle": "subtitle",
113 "updated": null,
114 "status": "PUBLISHED",
115 "downloadLink": null,
116 "compatibility": "kitkat",
117 "sizeOnDisk": "12MB",
118 "permissionDetails": "You should have kitkat version to run this app",
119 "additionalDetails": "This application is very popular",
120 "tags": null,
121 "rating": {
122   "count": 0,
123   "overall": 0,
124   "gamePlay": 0,
125   "design": 0,
126   "ease": 0
127 },
128 "silent": {
129   "min": 1,
130   "max": 1
131 },
132 "normal": {
133   "min": 1,
134   "max": 1
135 },
136 "mandatory": {
137   "min": 1,
138   "max": 1
139 },
140 "downgrade": {
141   "min": null,
142   "max": null
143 },
144 "incentives": null,

```

```

145     "deletedBy": null,
146     "deletedOn": null,
147     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
148     "sliderImages": [
149         {
150             "id": "5a8e7cf1-e448-4ef1-bce4-5948c8546705",
151             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
152             "order": 1
153         },
154         {
155             "id": "e93b607e-8729-4a7b-9219-4f9efabe4100",
156             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
157             "order": 0
158         }
159     ],
160     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
161     "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
162     "icon": null,
163     "featuredImage": null
164 },
165 "device": {
166     "id": "1e557b9f-51bd-492d-ba18-98c1ee92d244",
167     "deleted": false,
168     "description": "device description34",
169     "deviceStatus": "NORMAL",
170     "manufacturer": "sony",
171     "model": "34",
172     "os": "jelly bean",
173     "udid": "ghjhrdecf",
174     "simStateHashCode": null,
175     "simCardState": null,
176     "deletedUdid": null,
177     "deletedBy": null,
178     "deletedOn": null,
179     "name": null,
180     "androidID": null,
181     "advertiserID": null,
182     "operator": null,
183     "country": null,
184     "language": null,
185     "screenWidth": null,
186     "screenHeight": null,
187     "brand": null
188 },
189 "lastActionDate": 1472738823701,
190 "lastActionType": "INSTALL",
191 "lastBuild": 18,
192 "lastVersion": "v0.3",
193 "user": {
194     "id": "8e849d65-121a-4622-b00f-9f882e8d7910",
195     "deleted": false,
196     "addresses": null,
197     "devices": [
198         {
199             "id": "1e557b9f-51bd-492d-ba18-98c1ee92d244",
200             "deleted": false,
201             "description": "device description34",
202             "deviceStatus": "NORMAL",
203             "manufacturer": "sony",
204             "model": "34",
205             "os": "jelly bean",

```

```

206     "udid": "ghjhrdecf",
207     "simStateHashCode": null,
208     "simCardState": null,
209     "deletedUdid": null,
210     "deletedBy": null,
211     "deletedOn": null,
212     "name": null,
213     "androidID": null,
214     "advertiserID": null,
215     "operator": null,
216     "country": null,
217     "language": null,
218     "screenWidth": null,
219     "screenHeight": null,
220     "brand": null
221 },
222 {
223     "id": "24feba9d-7c44-4bf3-a1ef-475eb421a5a3",
224     "deleted": false,
225     "description": "device description34",
226     "deviceStatus": "NORMAL",
227     "manufacturer": "sony",
228     "model": "34",
229     "os": "jelly bean",
230     "udid": "ghjhrdecf1234",
231     "simStateHashCode": null,
232     "simCardState": null,
233     "deletedUdid": null,
234     "deletedBy": null,
235     "deletedOn": null,
236     "name": null,
237     "androidID": null,
238     "advertiserID": null,
239     "operator": null,
240     "country": null,
241     "language": null,
242     "screenWidth": null,
243     "screenHeight": null,
244     "brand": null
245 }
246 ],
247 "emailAuthenticationChannels": [],
248 "firstName": "mayank",
249 "fullName": "mayank meheta",
250 "groupTag": [
251     "FACEBOOK",
252     "jelly bean",
253     "34",
254     "sony",
255     "NY",
256     "4235655"
257 ],
258 "lastName": "meheta",
259 "locationCountry": "NY",
260 "locationZipCode": "4235655",
261 "mobileAuthenticationChannels": [],
262 "pinCreated": true,
263 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-image.p
264 "profileName": "S.E",
265 "registrationDate": 1471956104145,
266 "socialAuthenticationChannels": [

```

```

267     {
268         "addedOn": 1471956104145,
269         "blockStatus": "NORMAL",
270         "deletedOn": null,
271         "lastUsedOn": 1471956104258,
272         "loginType": "FACEBOOK",
273         "socialId": "socialId1",
274         "deleted": false,
275         "recycleSocialId": null
276     }
277 ],
278 "status": "EXISTING",
279 "timezone": null,
280 "userSetting": {
281     "autoUpdateBetcadeApp": true,
282     "autoUpdateDownloadedApps": true,
283     "monthlyDepositMaxLimit": 0,
284     "monthlyDepositMaxLimitCurrency": "GBP",
285     "prefillUserInfoInCasino": true,
286     "receiveEmailReceipt": true,
287     "receiveNotifications": true,
288     "shareRegistrationInfo": true,
289     "userEmailProvided": true,
290     "versionOfDownloadedBetcadeApp": "v1",
291     "wifiDownloadLimitInMB": 0,
292     "preferredCategories": [],
293     "autoSaveCard": true,
294     "autoAddHomeIcon": true,
295     "receiveUpdateNotifications": true,
296     "receiveAutoUpdatedNotifications": true,
297     "receiveRecommendationNotifications": true,
298     "appSetting": {
299         "autoUpdateApps": true,
300         "addIconHomeScreen": false,
301         "saveNewCreditOrDebitCards": true,
302         "appUpdatesAvailable": true,
303         "appsWereAutoUpdated": true,
304         "recommendedContentAvailable": true
305     }
306 },
307 "verified": true,
308 "pinResetDate": null,
309 "kycStatus": null,
310 "singularId": null,
311 "acquisitionIds": null,
312 "userAuditInfo": null,
313 "email": null,
314 "phone": null,
315 "dob": null,
316 "testUser": null
317 },
318 "affiliateLaunchMode": "WEB",
319 "affiliateLaunchData": {
320     "data": "abc"
321 }
322 },
323 "detail": null,
324 "error": false,
325 "message": "Creating application device history successful"
326 }

```





## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Game App APIs

#### PUT Approve

##### Description

Allows an admin to approve an application resulting in a change of status of a submitted / reviewed application.

##### Request Endpoint

PUT <https://<Example api server address>/application/approve>

##### Parameters

None.

##### cURL syntax

```
1 | curl --include \  
2 |     --request PUT \  
3 | 'https://core.dev.Example.net/api/application/id/approve'
```

curl

##### Response Body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "error": false,  
3 |   "message": "Approving application successful",  
4 |   "detail": null,  
5 |   "data": {  
6 |     "id": "0006e205-3164-477e-b205-9a29bdaec3af",  
7 |     "name": "Jackpot Slots",  
8 |     "publisher": "OpenWager",  
9 |     "subtitle": null,  
10 |    "description": null,  
11 |    "image": "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/icons/jackpotslots.png",  
12 |    "video": null,  
13 |    "banner": null,  
14 |    "bundleIdentifier": "com.example.app1",  
15 |    "appPackage": null,  
16 |    "latestVersion": null,  
17 |    "latestBuild": null,  
18 |    "rating": null,  
19 |    "downloads": null,  
20 |    "price": null,  
21 |    "ranking": 4,  
22 |    "order": null,  
23 |    "paragraph1": "Do you like exciting Casino games? Do you like to spend little money for great reward?"
```

json

```
24     "paragraph2": "This exhilarating, new Casino app by OpenWager, Inc is the perfect app for people who
25     "paragraph3": null,
26     "paragraph4": null,
27     "presetPriceList": [
28         5,
29         10,
30         20,
31         15
32     ],
33     "casino": null,
34     "category": {
35         "id": "8727ef2b-22df-4d41-96f4-b0ba616270d5",
36         "name": "Slot",
37         "imageUrl": "https://s3-us-west-2.amazonaws.com/Example-qa/category_images/slotbetting.jpeg",
38         "videoUrl": "null"
39     },
40     "featured": null,
41     "updated": null,
42     "sliderImages": [
43         "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/slider/slots/img1.jpeg",
44         "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/slider/slots/img2.jpeg",
45         "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/slider/slots/img3.jpeg"
46     ],
47     "keywords": null,
48     "categoryId": null,
49     "casinoId": null,
50     "gameAppVersions": null,
51     "status": "PUBLISHED"
52 }
53 }
```

## POST Assigning Categories to Application

### Description

Assigns categories to a game application.

### Request Endpoint

POST <https://<Example api server address>/application/assign/category>

### Parameters

None.

### cURL Syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"applicationId\" : \"860845ea-1c9e-4b4a-9189-ad6641a076d1\",\  
6 |         \"categoryIds\" : [  
7 |             \"710af265-e88b-4177-82bb-579bcd83a441\",\  
8 |             \"db663f69-251c-4eac-8492-27929db2aacb\"\  
9 |         ]\  
10 |     }" \  
11 | 'https://core.dev.Example.net/api/application/assign/category'
```

https

### POST body attributes (JSON)

Attribute	Type	Use	Description
applicationId	String	Required	The application id.
categoryIds	String	Required	Category id's to be assign to a game application.

### POST body

Headers: Content-Type: application/json

```
1 | {\  
2 |   \"applicationId\": \"860845ea-1c9e-4b4a-9189-ad6641a076d1\",\  
3 |   \"categoryIds\": [  
4 |     \"710af265-e88b-4177-82bb-579bcd83a441\",\  
5 |     \"db663f69-251c-4eac-8492-27929db2aacb\"\  
6 |   ]\  
7 | }
```

json

### Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |   \"data\": {\  
3 |     \"id\": \"860845ea-1c9e-4b4a-9189-ad6641a076d1\",\  
4 |     \"createdOn\": 1479280557622,\  
5 |     \"lastModifiedOn\": 1479280557622,\  
6 |     \"updatedBy\": \"\",\  
7 |     \"deleted\": false,\  
8 |     \"name\": \"51f57e17-c95b-4ef7-baa2-47e3ac8e6fba\",
```

json

```

9   "appPackage": "appPac",
10  "bundleIdentifier": "3bf1de63-7404-4ffb-a97d-48f91b9e1f20",
11  "casino": null,
12  "casinoId": null,
13  "categories": [
14    {
15      "id": "710af265-e88b-4177-82bb-579bcd83a441",
16      "createdOn": 1479275424203,
17      "lastModifiedOn": 1479275424203,
18      "updatedBy": "",
19      "deleted": false,
20      "imageUrl": "http://www.google.com/betting.png",
21      "name": "aJgodVOxIw",
22      "description": "Some poker category",
23      "videoUrl": "https://www.google.com/betting-video.mov",
24      "iconUrl": "https://www.google.com/betting-icon.png",
25      "colorCode": "#FFFFFF",
26      "heroImageReference": "https://www.google.com/hero.png",
27      "priority": 1,
28      "deletedBy": null,
29      "deletedOn": null,
30      "apps": null
31    },
32    {
33      "id": "db663f69-251c-4eac-8492-27929db2aacb",
34      "createdOn": 1479280652515,
35      "lastModifiedOn": 1479280652515,
36      "updatedBy": "",
37      "deleted": false,
38      "imageUrl": "http://www.google.com/betting.png",
39      "name": "bYUgsyXxKw",
40      "description": "Some pooltable category",
41      "videoUrl": "https://www.google.com/betting-video.mov",
42      "iconUrl": "https://www.google.com/betting-icon.png",
43      "colorCode": "#FFFFFF",
44      "heroImageReference": "https://www.google.com/hero.png",
45      "priority": 1,
46      "deletedBy": null,
47      "deletedOn": null,
48      "apps": null
49    }
50  ],
51  "categoryIds": null,
52  "downloads": 0,
53  "featured": false,
54  "applicationVersionIds": null,
55  "keywords": null,
56  "latestBuild": null,
57  "latestVersion": "v0.3",
58  "initialVersionPublishDate": null,
59  "latestVersionPublishDate": null,
60  "order": null,
61  "paragraph1": null,
62  "paragraph2": null,
63  "paragraph3": null,
64  "paragraph4": null,
65  "presetPriceList": null,
66  "price": null,
67  "publisherId": "bcd0b63a-9d12-4977-a262-1cbfdecabda76",
68  "publisher": null,
69  "ranking": null,

```

```
70     "subtitle": null,
71     "updated": null,
72     "status": "APPROVED",
73     "downloadLink": null,
74     "compatibility": "kitkat",
75     "sizeOnDisk": null,
76     "permissionDetails": null,
77     "additionalDetails": "This application is very popular",
78     "tags": null,
79     "rating": {
80         "count": 0,
81         "overall": 0,
82         "gamePlay": 0,
83         "design": 0,
84         "ease": 0
85     },
86     "silent": null,
87     "normal": {
88         "min": 1,
89         "max": 1
90     },
91     "mandatory": null,
92     "downgrade": null,
93     "deletedBy": null,
94     "deletedOn": null,
95     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.png",
96     "sliderImages": [
97         {
98             "id": "aaa48935-9ee1-4006-b7b8-9ed63ad5e4b2",
99             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
100            "order": 1
101        },
102        {
103            "id": "65bd48f6-6cc6-4055-ba48-c1f7dc475791",
104            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
105            "order": 0
106        }
107    ],
108     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner1.png",
109     "video": null,
110     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon.png",
111     "featuredImage": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.jpeg",
112     "privacyPolicy": "www.privecypolicy.com/2345",
113     "locationSupported": [
114         "India",
115         "UK"
116     ],
117     "languageSupported": [
118         "English",
119         "French"
120     ],
121     "affiliateLaunchMode": null,
122     "affiliateLaunchData": null,
123     "editorsPick": false,
124     "live": false,
125     "reviewer": null
126 },
127 "detail": null,
128 "error": false,
129 "message": "Categories updated successful",
130
```

```
131 | "code": "1000"  
    | }
```

**POST****Associate/Disassociate Applications With Category****Description**

Associates and disassociates applications with a category.

**Request Endpoint**

POST <https://<Example api server address>/application/associate/category>

**Parameters**

None.

**cURL Syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |     \"categoryId\" : \"a52f34b0-e1fd-4b78-ae53-c1090e89be78\",  
6 |     \"associateApplication\" : [  
7 |         \"e2746085-9ecb-4f70-84d9-f34ea6231532\"  
8 |     ],  
9 |     \"disassociateApplication\" : [  
10 |         \"abe84440-616f-4317-bd16-5d38ce60c152\"  
11 |     ]  
12 | }" \  
13 | 'https://core.dev.Example.net/api/application/associate/category'
```

https

**POST body attributes (JSON)**

Attribute	Type	Use	Description
categoryId	String	Required	The category id.
associateApplication	String	Required	Associates the application.
disassociateApplication	String	Required	Disassociates the application.

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   \"categoryId\": \"a52f34b0-e1fd-4b78-ae53-c1090e89be78\",  
3 |   \"associateApplication\": [  
4 |     \"e2746085-9ecb-4f70-84d9-f34ea6231532\"  
5 |   ],  
6 |   \"disassociateApplication\": [  
7 |     \"abe84440-616f-4317-bd16-5d38ce60c152\"  
8 |   ]  
9 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   \"data\": [  
3 |     {  
4 |       \"categoryId\": \"a52f34b0-e1fd-4b78-ae53-c1090e89be78\",  
5 |       \"associateApplication\": [  
6 |         \"e2746085-9ecb-4f70-84d9-f34ea6231532\"  
7 |       ],  
8 |       \"disassociateApplication\": [  
9 |         \"abe84440-616f-4317-bd16-5d38ce60c152\"  
10 |       ]  
11 |     }  
12 |   ]  
13 | }
```

json

```

3   {
4     "id": "e2746085-9ecb-4f70-84d9-f34ea6231532",
5     "createdOn": 1479280553172,
6     "lastModifiedOn": 1479280582294,
7     "updatedBy": "",
8     "deleted": true,
9     "name": "LklkSXLVAg",
10    "appPackage": "appPac",
11    "bundleIdentifier": "rsLOZh00Gd",
12    "casino": {
13      "id": "d536bd52-c9fb-43f0-8fe5-bd13db8b343d",
14      "createdOn": 1479280550784,
15      "lastModifiedOn": 1479280652917,
16      "updatedBy": "",
17      "deleted": false,
18      "name": "CGGxpeyYVk",
19      "videoUrl": null,
20      "imageUrl": null,
21      "description": null,
22      "website": null,
23      "icon": null,
24      "banner": null,
25      "deletedBy": null,
26      "deletedOn": null,
27      "operatorStatus": "VERIFIED",
28      "email": "8bcaf3a5b7284af29b50604009c621e9@gmail.com",
29      "userRole": "OPERATOR",
30      "firstName": null,
31      "lastName": null,
32      "address": null,
33      "externalId": "d536bd52-c9fb-43f0-8fe5-bd13db8b343d",
34      "featuredAppId": "148f6e17-fd1e-4bfc-842a-d9febe21d6a1",
35      "latestAppId": "3e3a28a9-1bdd-4b17-b24c-8c0e0fd40b12"
36    },
37    "casinoId": null,
38    "categories": [
39      {
40        "id": "95ae5792-8cd9-4fd3-8338-513b364e5212",
41        "createdOn": 1479280550371,
42        "lastModifiedOn": 1479280550371,
43        "updatedBy": "",
44        "deleted": false,
45        "imageUrl": "http://www.google.com/betting.png",
46        "name": "EyFKHZwqyE",
47        "description": "Some poker category",
48        "videoUrl": "https://www.google.com/betting-video.mov",
49        "iconUrl": "https://www.google.com/betting-icon.png",
50        "colorCode": "#FFFFFF",
51        "heroImageReference": "https://www.google.com/hero.png",
52        "priority": 1,
53        "deletedBy": null,
54        "deletedOn": null,
55        "apps": null
56      },
57      {
58        "id": "a52f34b0-e1fd-4b78-ae53-c1090e89be78",
59        "createdOn": 1479392592218,
60        "lastModifiedOn": 1479392592218,
61        "updatedBy": "",
62        "deleted": false,
63        "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.category1.com"

```



```

64     "name": "category1",
65     "description": null,
66     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.categoryVideo.com",
67     "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.icon.com",
68     "colorCode": "#222fff",
69     "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.image.com",
70     "priority": 18,
71     "deletedBy": null,
72     "deletedOn": null,
73     "apps": null
74   }
75 ],
76 "categoryIds": null,
77 "downloads": 1,
78 "featured": false,
79 "applicationVersionIds": null,
80 "keywords": [
81   "key1",
82   "key2",
83   "key3"
84 ],
85 "latestBuild": null,
86 "latestVersion": "v0.3",
87 "initialVersionPublishDate": null,
88 "latestVersionPublishDate": null,
89 "order": 345,
90 "paragraph1": "1 paragraph",
91 "paragraph2": "2st paragraph",
92 "paragraph3": "3st paragraph",
93 "paragraph4": "4th para",
94 "presetPricelist": [
95   1,
96   15
97 ],
98 "price": 3436,
99 "publisherId": "bcd0b63a-9d12-4977-a262-1cbfdecbda76",
100 "publisher": {
101   "id": "bcd0b63a-9d12-4977-a262-1cbfdecbda76",
102   "createdOn": 1479280552197,
103   "lastModifiedOn": 1479280552197,
104   "updatedBy": "",
105   "deleted": false,
106   "name": "GJdYQekAhP",
107   "description": null,
108   "email": "439bd11ceb0c4255a02d2e415d3bddd7@gmail.com",
109   "website": null,
110   "phone": null,
111   "publisherStatus": "VERIFIED",
112   "operatorId": "d536bd52-c9fb-43f0-8fe5-bd13db8b343d",
113   "userRole": "PUBLISHER"
114 },
115 "ranking": 23,
116 "subtitle": "subtitle",
117 "updated": null,
118 "status": "DRAFTED",
119 "downloadLink": null,
120 "compatibility": "kitkat",
121 "sizeOnDisk": "12MB",
122 "permissionDetails": "You should have kitkat version to run this app",
123 "additionalDetails": "This application is very popular",
124 "tags": [

```

```

125     "featured"
126 ],
127 "rating": {
128     "count": 0,
129     "overall": 0,
130     "gamePlay": 0,
131     "design": 0,
132     "ease": 0
133 },
134 "silent": {
135     "min": 1,
136     "max": 1
137 },
138 "normal": {
139     "min": 1,
140     "max": 1
141 },
142 "mandatory": {
143     "min": 1,
144     "max": 1
145 },
146 "downgrade": {
147     "min": null,
148     "max": null
149 },
150 "deletedBy": "admin",
151 "deletedOn": 1479280582294,
152 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
153 "sliderImages": [
154     {
155         "id": null,
156         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
157         "order": 1
158     },
159     {
160         "id": null,
161         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
162         "order": 0
163     }
164 ],
165 "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
166 "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
167 "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon.png",
168 "featuredImage": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.jpeg",
169 "privacyPolicy": "www.privacypolicy.com/2345",
170 "locationSupported": [
171     "India",
172     "UK"
173 ],
174 "languageSupported": [
175     "English",
176     "French"
177 ],
178 "affiliateLaunchMode": null,
179 "affiliateLaunchData": null,
180 "editorsPick": false,
181 "live": false,
182 "reviewer": null
183 },
184 {
185     "id": "abe84440-616f-4317-bd16-5d38ce60c152",

```

```

186     "createdOn": 1479280580484,
187     "lastModifiedOn": 1479280650958,
188     "updatedBy": "",
189     "deleted": true,
190     "name": "ALkOuQzprh",
191     "appPackage": "appPac",
192     "bundleIdentifier": "0.5131953070230743",
193     "casino": {
194         "id": "45f6c33d-63f7-47c0-917c-6f9f87ca4ed8",
195         "createdOn": 1479280557850,
196         "lastModifiedOn": 1479280652436,
197         "updatedBy": "",
198         "deleted": true,
199         "name": "QLZuIHaXTP",
200         "videoUrl": null,
201         "imageUrl": null,
202         "description": null,
203         "website": null,
204         "icon": null,
205         "banner": null,
206         "deletedBy": "admin",
207         "deletedOn": 1479280652436,
208         "operatorStatus": "VERIFIED",
209         "email": "5cfe6618ae904175b07395cb26ece6f0@gmail.com",
210         "userRole": "OPERATOR",
211         "firstName": null,
212         "lastName": null,
213         "address": null,
214         "externalId": "45f6c33d-63f7-47c0-917c-6f9f87ca4ed8",
215         "featuredAppId": null,
216         "latestAppId": null
217     },
218     "casinoId": null,
219     "categories": [
220         {
221             "id": "95ae5792-8cd9-4fd3-8338-513b364e5212",
222             "createdOn": 1479280550371,
223             "lastModifiedOn": 1479280550371,
224             "updatedBy": "",
225             "deleted": false,
226             "imageUrl": "http://www.google.com/betting.png",
227             "name": "EyFKHZwqyE",
228             "description": "Some poker category",
229             "videoUrl": "https://www.google.com/betting-video.mov",
230             "iconUrl": "https://www.google.com/betting-icon.png",
231             "colorCode": "#FFFFFF",
232             "heroImageReference": "https://www.google.com/hero.png",
233             "priority": 1,
234             "deletedBy": null,
235             "deletedOn": null,
236             "apps": null
237         }
238     ],
239     "categoryIds": null,
240     "downloads": 0,
241     "featured": false,
242     "applicationVersionIds": null,
243     "keywords": null,
244     "latestBuild": null,
245     "latestVersion": "v0.3",
246     "initialVersionPublishDate": null,

```

```
247     "latestVersionPublishDate": null,
248     "order": null,
249     "paragraph1": null,
250     "paragraph2": null,
251     "paragraph3": null,
252     "paragraph4": null,
253     "presetPriceList": null,
254     "price": null,
255     "publisherId": "bcd0b63a-9d12-4977-a262-1cbfdecdba76",
256     "publisher": {
257         "id": "bcd0b63a-9d12-4977-a262-1cbfdecdba76",
258         "createdOn": 1479280552197,
259         "lastModifiedOn": 1479280552197,
260         "updatedBy": "",
261         "deleted": false,
262         "name": "GJdYQekAhP",
263         "description": null,
264         "email": "439bd11ceb0c4255a02d2e415d3bddd7@gmail.com",
265         "website": null,
266         "phone": null,
267         "publisherStatus": "VERIFIED",
268         "operatorId": "d536bd52-c9fb-43f0-8fe5-bd13db8b343d",
269         "userRole": "PUBLISHER"
270     },
271     "ranking": null,
272     "subtitle": null,
273     "updated": null,
274     "status": "DRAFTED",
275     "downloadLink": null,
276     "compatibility": "kitkat",
277     "sizeOnDisk": null,
278     "permissionDetails": null,
279     "additionalDetails": "This application is very popular",
280     "tags": null,
281     "rating": {
282         "count": 0,
283         "overall": 0,
284         "gamePlay": 0,
285         "design": 0,
286         "ease": 0
287     },
288     "silent": null,
289     "normal": {
290         "min": 1,
291         "max": 1
292     },
293     "mandatory": null,
294     "downgrade": null,
295     "deletedBy": "admin",
296     "deletedOn": 1479280650958,
297     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.png",
298     "sliderImages": [
299         {
300             "id": "80670228-77d5-4622-8c21-678b2a703d0b",
301             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
302             "order": 1
303         },
304         {
305             "id": "09efbcbc-cde7-49f6-aa29-a07263b79888",
306             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
307             "order": 0
308         }
309     ]
310 }
```

```
308     }
309   ],
310   "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner1.png",
311   "video": null,
312   "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon.png",
313   "featuredImage": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.jpeg",
314   "privacyPolicy": "www.privecypolicy.com/2345",
315   "locationSupported": [
316     "India",
317     "UK"
318   ],
319   "languageSupported": [
320     "English",
321     "French"
322   ],
323   "affiliateLaunchMode": null,
324   "affiliateLaunchData": null,
325   "editorsPick": false,
326   "live": false,
327   "reviewer": null
328 }
329 ],
330 "detail": null,
331 "error": false,
332 "message": "Categories modified successful",
333 "code": "1000"
334 }
```

**POST****Check Bulk Updates****Description**

Allows a mobile client to check for updates for multiple applications.

**Request Endpoint**

POST <https://<Example api server address>/application/update/check>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"applicationVersionUpdateList\": [  
6 |             {  
7 |                 \"applicationId\": \"80e8faed-8563-49b9-ad3c-9b56a604bd46\",  
8 |                 \"currentBuild\": 12  
9 |             },  
10 |            {  
11 |                \"applicationId\": \"90e8faed-8563-49b9-ad3c-9b56a604bd46\",  
12 |                \"currentBuild\": 10  
13 |            }  
14 |        ]  
15 |     }" \  
16 |     'https://core.dev.Example.net/api/application/update/check'
```

curl**POST body attributes (JSON)**

Attribute	Type	Use	Description
<b>applicationVersionUpdateList</b>	Object	Required	List of applications to check updates.
<b>applicationId</b>	String	Required	Unique ID of the application.
<b>currentBuild</b>	Number	Required	Current Build number of the application.

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   \"applicationVersionUpdateList\": [  
3 |     {  
4 |       \"applicationId\": \"80e8faed-8563-49b9-ad3c-9b56a604bd46\",  
5 |       \"currentBuild\": 12  
6 |     },  
7 |     {  
8 |       \"applicationId\": \"90e8faed-8563-49b9-ad3c-9b56a604bd46\",  
9 |       \"currentBuild\": 10  
10 |    }  
11 |  ]  
12 | }
```

json

## Response Body

Headers: Content-Type: application/json | HTTPS Status Code: 200

json

```
1  {
2    "data": {
3      "updateData": [
4        {
5          "application": {
6            "id": "5ba19c23-e748-42e5-b9e1-3f8493153795",
7            "updatedBy": "",
8            "appPackage": "Update Application 1",
9            "banner": "banner",
10           "bundleIdentifier": "com.Example.updateAppVersion1",
11           "casino": {
12             "id": "c6eb687e-cfe1-4c00-9fa6-86807c7986df",
13             "updatedBy": "",
14             "imageUrl": "Simple",
15             "name": "Sample",
16             "videoUrl": "Sample"
17           },
18           "casinoId": null,
19           "category": {
20             "id": "0a550636-91e7-43e2-8d62-6f14939c458c",
21             "updatedBy": "",
22             "imageUrl": "Simple",
23             "name": "Sample",
24             "videoUrl": "Sample"
25           },
26           "categoryId": null,
27           "description": "description about updateApplication1 1",
28           "downloads": 4646,
29           "featured": true,
30           "gameAppVersions": [
31             {
32               "build": 18,
33               "version": "v0.3",
34               "versionDate": 1457866717753
35             }
36           ],
37           "image": "www.google.com",
38           "keywords": [
39             "key1",
40             "key2",
41             "key3",
42             "key4",
43             "key5"
44           ],
45           "latestBuild": 10,
46           "latestVersion": "0.10.0",
47           "name": "Update Application 1",
48           "order": 345,
49           "paragraph1": "1 paragraph",
50           "paragraph2": "2st paragraph",
51           "paragraph3": "3st paragraph",
52           "paragraph4": "4th para",
53           "presetPriceList": null,
54           "price": 3436,
55           "publisher": null,
56           "ranking": 23,
57           "rating": 23523,
```

```

58     "sliderImages": [
59         "url 1",
60         "url 2",
61         "url 3"
62     ],
63     "subtitle": "subtitle",
64     "updated": 1457866717754,
65     "video": "www.youtube.com",
66     "status": "PUBLISHED",
67     "downloadLink": null
68 },
69 "updateAvailable": true,
70 "latestVersionLink": null
71 },
72 {
73     "application": {
74         "id": "ef973037-2c84-4fab-b995-50e7b41b8966",
75         "updatedBy": "",
76         "appPackage": "Update Package 3",
77         "banner": "banner",
78         "bundleIdentifier": "com.Example.updateAppVersion3",
79         "casino": {
80             "id": "c6eb687e-cfe1-4c00-9fa6-86807c7986df",
81             "updatedBy": "",
82             "imageUrl": "Simple",
83             "name": "Sample",
84             "videoUrl": "Sample"
85         },
86         "casinoId": null,
87         "category": {
88             "id": "0a550636-91e7-43e2-8d62-6f14939c458c",
89             "updatedBy": "",
90             "imageUrl": "Simple",
91             "name": "Sample",
92             "videoUrl": "Sample"
93         },
94         "categoryId": null,
95         "description": "description about updateApplication3 1",
96         "downloads": 4646,
97         "featured": true,
98         "gameAppVersions": [
99             {
100                 "build": 18,
101                 "version": "v0.3",
102                 "versionDate": 1457866717753
103             }
104         ],
105         "image": "www.google.com",
106         "keywords": [
107             "key1",
108             "key2",
109             "key3",
110             "key4",
111             "key5"
112         ],
113         "latestBuild": 17,
114         "latestVersion": "0.14.2",
115         "name": "Update Application 3",
116         "order": 345,
117         "paragraph1": "1 paragraph",
118         "paragraph2": "2st paragraph",

```



```
119     "paragraph3": "3st paragraph",
120     "paragraph4": "4th para",
121     "presetPriceList": null,
122     "price": 3436,
123     "publisher": null,
124     "ranking": 23,
125     "rating": 23523,
126     "sliderImages": [
127         "url 1",
128         "url 2",
129         "url 3"
130     ],
131     "subtitle": "subtitle",
132     "updated": 1457866717755,
133     "video": "www.youtube.com",
134     "status": "PUBLISHED",
135     "downloadLink": null
136 },
137 "updateAvailable": true,
138 "latestVersionLink": null
139 }
140 ]
141 },
142 "detail": null,
143 "error": false,
144 "message": "Checking for application updates successful"
145 }
```

## Description

This service will help to create a game application.

## Request Endpoint

POST <https://<Example api server address>/application>

## Parameters

None.

## cURL syntax

```
curl --include \  
  --request POST \  
  --header "Content-Type: application/json" \  
  --data-binary "{  
    \"name\": \"Application Recent\",  
    \"publisherId\": \"wegwegweg-sgegewrg-sdgsdgsdg\",  
    \"subtitle\": \"subtitle\",  
    \"description\": \"description about application 1\",  
    \"image\": \"www.google.com\",  
    \"video\": \"www.youtube.com\",  
    \"banner\": \"banner\",  
    \"bundleIdentifier\": \"app\",  
    \"appPackage\": \"appPac\",  
    \"latestVersion\": \"v0.3\",  
    \"latestBuild\": 18,  
    \"downloads\": 4646,  
    \"price\": 3436,  
    \"ranking\": 23,  
    \"order\": 345,  
    \"paragraph1\": \"1 paragraph\",  
    \"paragraph2\": \"2st paragraph\",  
    \"paragraph3\": \"3st paragraph\",  
    \"paragraph4\": \"4th para\",  
    \"sliderImages\": [  
      {  
        \"image\": \"slider_1.jpg\",  
        \"order\": 1  
      },  
      {  
        \"image\": \"slider_2.jpg\"  
      },  
      {  
        \"image\": \"slider_3.jpg\",  
        \"order\": 3  
      }  
    ],  
    \"keywords\": [  
      \"key1\",  
      \"key2\",  
      \"key3\"  
    ],  
    \"categoryIds\": [\"bc30ab7f-8f71-4dae-805d-8395ff2cfa33\"],  
    \"casinoId\": \"002e9474-7086-42c0-bf7c-13264d082ea6\",  
    \"bundleIdentifier1\": \"wedg44\",  
    \"compatibility\": \"kitkat\",  
  }"
```

curl

```

46     \sizeOnDisk\ : \12MB\",
47     \permissionDetails\ : \You should have kitkat version to run this app\",
48     \locationSupported\ : [\India\", \UK\"],
49     \languageSupported\ : [\English\", \French\"],
50     \additionalDetails\ : \This application is very popular\",
51     \silent\ : {\"min\\" : 1, \"max\\" : 1},
52     \normal\ : {\"min\\" : 1, \"max\\" : 1},
53     \mandatory\ : {\"min\\" : 1, \"max\\" : 1},
54     \downgrade\ : {\"min\\" : null, \"max\\" : null}
55 }" \
56 'https://core.dev.Example.net/api/application'

```

## POST body attributes (JSON)

paragraph2

Attribute	Type	Use	Description
name	String	Required	Name of the game application.
publisherId	String	Required	UUID of the Publisher of the game application.
subtitle	String	Optional	Subtitle of the game application.
description	String	Optional	Description of the game application.
image	String	Optional	URL of the default image of the game application.
video	String	Optional	URL of the default video of the game application.
banner	String	Optional	URL of the banner image of the game application.
bundleIdentifier	String	Required	Bundle identifier that should be unique.
appPackage	String	Optional	URL of the game applications apk.
latestVersion	String	Required	Latest version of the game application.
latestBuild	String	Required	Latest build of the game application.
downloads	String	Optional	Total downloads for the game application.
price	String	Optional	Price of the game application.
ranking	String	Optional	Ranking of the game application.
order	String	Optional	Order of the game application.
paragraph1	String	Optional	Paragraph 1 of a detailed description of the game application.
String	Optional	Paragraph 2 of a detailed description of the game application.	
paragraph3	String	Optional	Paragraph 3 of a detailed description of the game application.
paragraph4	String	Optional	Paragraph 4 of a detailed description of the game application.
sliderImages	Object	Optional	The slider image object, containing the following child attributes.
image	String	Required	The image name.
order	Number	Optional	If not passed, 0 will be considered.
keywords	String	Optional	Keywords of the game application.
categoryIds	Array	Required	Category ID of the game application to which it belongs.

Attribute	Type	Use	Description
casinoId	String	Required	Casino ID of the game application to which it belongs.
compatibility	String	Optional	Any string value.
sizeOnDisk	String	Optional	Size of an application in MB's.
permissionDetails	String	Optional	Details about the permission.
locationSupported	Array	Optional	Locations this application supports.
languageSupported	Array	Optional	Language supported by this application.
additionalDetails	String	Optional	Any additional details related to this application.
silent	Object	Optional	Parameters are "min" and "max".
normal	Object	Optional	Parameters are "min" and "max".
mandatory	Object	Optional	Parameters are "min" and "max".
downgrade	Object	Optional	Parameters are "min" and "max".

## POST body

Headers: Content-Type: application/json

```

1  {
2    "name": "Application Recent",
3    "publisher": null,
4    "subtitle": "subtitle",
5    "description": "description about application 1",
6    "image": "www.google.com",
7    "video": "www.youtube.com",
8    "banner": "banner",
9    "bundleIdentifier": "app",
10   "appPackage": "appPac",
11   "latestVersion": "v0.3",
12   "latestBuild": 18,
13   "rating": 23523,
14   "downloads": 4646,
15   "price": 3436,
16   "ranking": 23,
17   "order": 345,
18   "paragraph1": "1 paragraph",
19   "paragraph2": "2st paragraph",
20   "paragraph3": "3st paragraph",
21   "paragraph4": "4th para",
22   "sliderImages": [
23     "url 1",
24     "url 2",
25     "url 3"
26   ],
27   "keywords": [
28     "key1",
29     "key2",
30     "key3"
31   ],
32   "categoryIds": [
33     "bc30ab7f-8f71-4dae-805d-8395ff2cfa33"
34   ],
35   "casinoId": "002e9474-7086-42c0-bf7c-13264d082ea6",

```

json

```
36 "bundleIdentifier1": "wedg44",
37 "compatibility": "kitkat",
38 "sizeOnDisk": "12MB",
39 "permissionDetails": "You should have kitkat version to run this app",
40 "locationSupported": [
41   "India",
42   "UK"
43 ],
44 "languageSupported": [
45   "English",
46   "French"
47 ],
48 "additionalDetails": "This application is very popular"
49 }
```

## Response Body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 {
2   "data": {
3     "id": "6bf866f9-59ba-4fde-ab5c-600ff217da42",
4     "updatedBy": "",
5     "appPackage": "appPac",
6     "banner": "banner",
7     "bundleIdentifier": "app",
8     "casino": {
9       "id": "002e9474-7086-42c0-bf7c-13264d082ea6",
10      "updatedBy": "",
11      "imageUrl": "www.app.com",
12      "name": "AppCasino",
13      "videoUrl": "www.abc.com"
14    },
15    "casinoId": "002e9474-7086-42c0-bf7c-13264d082ea6",
16    "categories": [
17      {
18        "id": "bc30ab7f-8f71-4dae-805d-8395ff2cfa33",
19        "updatedBy": "",
20        "imageUrl": "www.image.com",
21        "name": "category",
22        "videoUrl": "www.categoryVideo.com",
23        "iconUrl": "www.icon.com",
24        "colorCode": "#222fff",
25        "heroImageReference": "www.imageHero.com"
26      }
27    ],
28    "categoryIds": [
29      "bc30ab7f-8f71-4dae-805d-8395ff2cfa33"
30    ],
31    "description": "description about application 1",
32    "downloads": 4646,
33    "featured": null,
34    "versionHistories": [
35      {
36        "build": 18,
37        "version": "v0.3",
38        "versionDate": 1461750635113,
39        "downloadLink": null,
40        "averageRating": null,
41        "ratingCount": null

```

json

```

42     }
43 ],
44 "image": "www.google.com",
45 "keywords": [
46     "key1",
47     "key2",
48     "key3"
49 ],
50 "latestBuild": 18,
51 "latestVersion": "v0.3",
52 "name": "Application Recent",
53 "order": 345,
54 "paragraph1": "1 paragraph",
55 "paragraph2": "2st paragraph",
56 "paragraph3": "3st paragraph",
57 "paragraph4": "4th para",
58 "presetPriceList": null,
59 "price": 3436,
60 "publisher": null,
61 "ranking": 23,
62 "rating": 23523,
63 "sliderImages": [
64     "url 1",
65     "url 2",
66     "url 3"
67 ],
68 "subtitle": "subtitle",
69 "updated": null,
70 "video": "www.youtube.com",
71 "status": "SUBMITTED",
72 "downloadLink": null,
73 "compatibility": "kitkat",
74 "sizeOnDisk": "12MB",
75 "permissionDetails": "You should have kitkat version to run this app",
76 "locationSupported": [
77     "India",
78     "UK"
79 ],
80 "languageSupported": [
81     "English",
82     "French"
83 ],
84 "additionalDetails": "This application is very popular",
85 "tags": null,
86 "promotionalBonus": null
87 },
88 "detail": null,
89 "error": false,
90 "message": "Creating application successful"
91 }

```

## DELETE Delete Slider Image

### Description

Deletes a slider image.

### Request Endpoint

DELETE <https://<Example api server address>/application/sliderimage/delete>

### Parameters

Parameter	Type	Use	Description
applicationId	String	Optional	ID of the application

### cURL syntax

```
curl --include \  
  --request DELETE \  
  --header "Content-Type: application/json" \  
  --data-binary "[  
    \"89d78686-c64d-4f31-be2a-cd0f65cce0f1\",  
    \"625ff2c1-fae5-4586-9ea5-653b448a246d\"  
  ]" \  
'https://core.dev.Example.net/api/application/applicationId/sliderimage/delete'
```

### DELETE body attributes (JSON)

Attribute	Type	Use	Description
sliderImageId	Array	Required	The slider image id(s).

### DELETE body

**Headers:** Content-Type: application/json

```
[  
  \"89d78686-c64d-4f31-be2a-cd0f65cce0f1\",  
  \"625ff2c1-fae5-4586-9ea5-653b448a246d\"  
]
```

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
{  
  "data": {  
    "id": "e4dbaa08-f636-42ce-aa21-c6d4e89561aa",  
    "name": "app2",  
    "appPackage": "1",  
    "banner": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/2",  
    "bundleIdentifier": "2",  
    "casino": {  
      "id": "f586aad2-79c9-4ed3-a05b-dd73a7268b3c",  
      "name": "Poker",  
      "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/http://www.facebook.com",  
    }  
  }  
}
```

```

12     "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/http://www.google.com",
13     "description": null,
14     "website": null,
15     "icon": null,
16     "banner": null
17 },
18 "casinoId": null,
19 "categories": null,
20 "categoryIds": null,
21 "description": "desc 1",
22 "downloads": null,
23 "featured": null,
24 "versionHistories": [
25   {
26     "build": 5,
27     "version": "5.0",
28     "versionDate": 1460123794979,
29     "downloadLink": "https://s3-us-west-2.amazonaws.com/Example-qa/application_apk/%2F3fc07ee6-d8f2-4
30     "rating": null
31   },
32   {
33     "build": 6,
34     "version": null,
35     "versionDate": 1460123879564,
36     "downloadLink": "https://s3-us-west-2.amazonaws.com/Example-qa/application_apk/%2Ffa8d2d6e-5e71-4
37     "rating": null
38   },
39   {
40     "build": 1,
41     "version": "v1.0",
42     "versionDate": 1462864835801,
43     "downloadLink": "https://s3-us-west-2.amazonaws.com/Example-qa/application_apk/%2F34abd0d6-30f2-4
44     "rating": null
45   }
46 ],
47 "image": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/https://s3-us-west-2.amazonaws.com/Exam
48 "keywords": null,
49 "latestBuild": 1,
50 "latestVersion": "v1.0",
51 "order": null,
52 "paragraph1": "ph1",
53 "paragraph2": "ph2",
54 "paragraph3": "ph3",
55 "paragraph4": "ph4",
56 "presetPriceList": null,
57 "price": 105,
58 "publisher": "pblr1",
59 "ranking": null,
60 "sliderImages": [
61   {
62     "id": "b982b1ec-6dd9-475d-862d-a2c7c18928fc",
63     "image": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/slider1.jpg",
64     "order": 1
65   },
66   {
67     "id": "656025da-3dd3-43d5-991f-4f08e6c8eab4",
68     "image": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/slider2.jpg",
69     "order": 1
70   },
71   {
72     "id": "6132fdd7-7d51-4fdf-b8cb-0c20feb5c81f",

```



```
73     "image": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/slider_new1.jpg",
74     "order": 0
75   }
76 ],
77 "subtitle": "subtl 2",
78 "updated": null,
79 "video": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/https://s3-us-west-2.amazonaws.com/Exam
80 "status": "SUBMITTED",
81 "downloadLink": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.apks/https://s3-us-west-2.amazonaws.
82 "compatibility": null,
83 "sizeOnDisk": null,
84 "permissionDetails": null,
85 "locationSupported": null,
86 "languageSupported": null,
87 "additionalDetails": null,
88 "tags": null,
89 "rating": {
90   "count": 1,
91   "overall": 0,
92   "gamePlay": 0,
93   "design": 0,
94   "ease": 0
95 },
96 "silent": null,
97 "normal": null,
98 "mandatory": null,
99 "downgrade": null,
100 "incentives": null
101 },
102 "detail": null,
103 "error": false,
104 "message": "Slider Image delete is successful"
105 }
```

**PUT****Enable / Disable Bonus****Description**

Enables or disables a bonus icon.

**Request Endpoint**

PUT <https://<Example api server address>/application/{id}/enable/disable/bonus>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	ID of the application.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |       \"bonusValue\": \"true\"  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/application/{id}/enable/disable/bonus'
```

curl**PUT body attributes (JSON)**

Attribute	Type	Use	Description
bonusValue	Boolean	Required	Set to enable (true) or disable (false) a bonus icon.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   \"bonusValue\": \"true\"  
3 | }
```

json**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   \"data\": true,  
3 |   \"detail\": null,  
4 |   \"error\": false,  
5 |   \"message\": \"Successfully enabled or disabled bonus\",  
6 |   \"code\": \"1000\"  
7 | }
```

json

**PUT****Enable or Disable Editors Pick of an Application****Description**

Enables or disables the editor pick option of an application.

**Request Endpoint**

PUT <https://<Example api server address>/application/{id}/editors/pick>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	UUID of an existing application.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"editorsPick\" : true  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/application/id/editors/pick'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
editorsPick	Boolean	Required	True/False to enable/disable.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |     \"editorsPick\": true  
3 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     \"data\": true,  
3 |     \"detail\": null,  
4 |     \"error\": false,  
5 |     \"message\": \"Successfully enabled or disabled editors pick\"  
6 | }
```

json

**PUT****Enable or Disable Live Tab of an Application****Description**

Enables or disables the live tab option of an application.

**Request Endpoint**

PUT <https://<Example api server address>/application/{id}/live>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	UUID of an existing application.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"live\" : true  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/application/id/live'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
live	Boolean	Required	True/False to enable/disable.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "live": true  
3 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     "data": true,  
3 |     "detail": null,  
4 |     "error": false,  
5 |     "message": "Enabling or disabling live tab of an Application is successful."  
6 | }
```

json

## Description

Allows a client to fetch application information.

## Request Endpoint

GET <https://<Example api server address>/application>

## Parameters

None

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/application'
```

curl

## Response Body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "error": false,  
3 |   "message": "Fetching application detail successful",  
4 |   "detail": null,  
5 |   "data": [  
6 |     {  
7 |       "id": "34dae263-52c7-4291-bb81-1c8539c63f7c",  
8 |       "name": "Mecca Bingo",  
9 |       "publisher": "Mecca Bingo Ltd",  
10 |      "subtitle": null,  
11 |      "description": null,  
12 |      "image": "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/icons/meccabingo.png",  
13 |      "video": null,  
14 |      "banner": null,  
15 |      "bundleIdentifier": "com.example.app1",  
16 |      "appPackage": null,  
17 |      "version": null,  
18 |      "build": null,  
19 |      "rating": {  
20 |        "count": 0,  
21 |        "overall": 0,  
22 |        "gamePlay": 0,  
23 |        "design": 0,  
24 |        "ease": 0  
25 |      },  
26 |      "downloads": null,  
27 |      "price": null,  
28 |      "ranking": 5,  
29 |      "order": null,  
30 |      "paragraph1": "New player bonus, simply spend '10 on bingo and play with '50 in the Mecca Bingo app  
31 |      "paragraph2": "Main Features\n\n' Turbo 90, Deal or No Deal and the Gold Rush bingo rooms are just  
32 |      "paragraph3": "Here's a quick overview of some of the new features you can enjoy:\n\n' Play in up t  
33 |      "paragraph4": "Mini Games\nMecca has a number of mini games not found anywhere else on the App Stor  
34 |      "defaultAmount": 0,  
35 |      "casino": null,  
36 |      "category": {  
37 |        "id": "4e950b13-5c1a-453b-a188-b3590a8d01a4",  
38 |        "name": "Bingo",
```

json

```

39     "imageUrl": "https://s3-us-west-2.amazonaws.com/Example-qa/category_images/bingobetting.jpeg",
40     "videoUrl": "null"
41 },
42 "featured": null,
43 "updated": null,
44 "sliderImages": [
45   {
46     "id": "89d78686-c64d-4f31-be2a-cd0f65cce0f1",
47     "image": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/slider_update1.jpg",
48     "order": 1
49   },
50   {
51     "id": "625ff2c1-fae5-4586-9ea5-653b448a246d",
52     "image": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/slider2.jpg",
53     "order": 1
54   },
55   {
56     "id": "b982b1ec-6dd9-475d-862d-a2c7c18928fc",
57     "image": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/slider1.jpg",
58     "order": 1
59   }
60 ],
61 "keywords": null,
62 "categoryId": null,
63 "casinoId": null,
64 "silent": {
65   "min": 1,
66   "max": 1
67 },
68 "normal": {
69   "min": 1,
70   "max": 1
71 },
72 "mandatory": {
73   "min": 1,
74   "max": 1
75 },
76 "downgrade": {
77   "min": null,
78   "max": null
79 },
80 "reviewer": {
81   "id": "d808b42d-6bbd-4a87-840d-51963fca29b2",
82   "createdOn": 1478763778436,
83   "lastModifiedOn": 1478763778436,
84   "updatedBy": "",
85   "deleted": false,
86   "email": "699594996aa348768c5b2b6dacb154a6@gmail.com",
87   "name": "buYttIASQr",
88   "phone": "+919916248135",
89   "userRole": "REVIEWER_USER",
90   "reviewerStatus": "VERIFIED",
91   "emailCode": null
92 }
93 },
94 {
95   "id": "a5726596-a4b3-4159-8db9-26f826d2c3e0",
96   "name": "Foxy Bingo",
97   "publisher": "Cashcade LTD",
98   "subtitle": null,
99   "description": null,

```

```

100 "image": "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/icons/foxybingo.png",
101 "video": null,
102 "banner": null,
103 "bundleIdentifier": "com.example.app2",
104 "appPackage": null,
105 "version": null,
106 "build": null,
107 "rating": {
108     "count": 0,
109     "overall": 0,
110     "gamePlay": 0,
111     "design": 0,
112     "ease": 0
113 },
114 "downloads": null,
115 "price": null,
116 "ranking": 7,
117 "order": null,
118 "paragraph1": "It's Foxy time. All the time.\n\nDownload me app and pop me in your pocket!\n\nPick
119 "paragraph2": "I'm a real generous fella when you sign-up. Register today and deposit '10, you'll g
120 "paragraph3": "I've got over 40 rooms with different games starting every minute. Loads of them hav
121 "paragraph4": "FEATURES\n\n-Traditional 90-ball and American 75-ball bingo games\n-Progressive jack
122 "defaultAmount": 0,
123 "casino": null,
124 "category": {
125     "id": "4e950b13-5c1a-453b-a188-b3590a8d01a4",
126     "name": "Bingo",
127     "imageUrl": "https://s3-us-west-2.amazonaws.com/Example-qa/category_images/bingobetting.jpeg",
128     "videoUrl": "null"
129 },
130 "featured": null,
131 "updated": null,
132 "sliderImages": [
133     {
134         "id": "89d78686-c64d-4f31-be2a-cd0f65cce0f1",
135         "image": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/slider_update1.jpg",
136         "order": 1
137     },
138     {
139         "id": "625ff2c1-fae5-4586-9ea5-653b448a246d",
140         "image": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/slider2.jpg",
141         "order": 1
142     },
143     {
144         "id": "b982b1ec-6dd9-475d-862d-a2c7c18928fc",
145         "image": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/slider1.jpg",
146         "order": 1
147     }
148 ],
149 "keywords": null,
150 "categoryId": null,
151 "casinoId": null,
152 "silent": {
153     "min": 1,
154     "max": 1
155 },
156 "normal": {
157     "min": 1,
158     "max": 1
159 },
160 "mandatory": {

```

```

161     "min": 1,
162     "max": 1
163   },
164   "downgrade": {
165     "min": null,
166     "max": null
167   }
168 }
169 ]
170 }

```

## POST Fetch App Signature & Signing Algorithm

### Description

Allows the store app to fetch the signature of a game app version.

### Request Endpoint

POST <https://<Example api server address>/application/version/signature>

### Parameters

None.

### cURL syntax

```

1 curl --include \
2     --request POST \
3     --header "Content-Type: application/json" \
4     --data-binary "{
5     \"applicationId\": \"9620a211-d459-48ff-a7fe-64b4faadca41\",
6     \"appVersion\": \"5.0\"
7   }" \
8     'https://core.dev.Example.net/api/application/version/signature'

```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
applicationId	String	Optional	UUID of the game app.
appVersion	String	Optional	Version of the game app for which to get the token.

### POST body

**Headers:** Content-Type: application/json

```

1 {
2   "applicationId": "9620a211-d459-48ff-a7fe-64b4faadca41",
3   "appVersion": "5.0"
4 }

```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200



json

```

1 | {
2 |   "data": {
3 |     "signature": "a9qfxTVyNIZ9Bg6SYhUxgRPtpy1ZMi8sN+19jS4K5yPiaMPQUh1+Ipb59QKw0u8LxGk
4 |                 QxjZcxb1SfZu21tYPQqqjhhBtEC86MRJD8vIUblm1e1+sBnhwfo8adRDFXbyBALTS6t
5 |                 vq1Cdk3p+XUsV/zAyu7qJAw5yuDc1hpU9v1w=",
6 |     "signingAlgorithm": "SHA256withRSA"
7 |   },
8 |   "detail": null,
9 |   "error": false,
10 |  "message": "Fetching signature details successful"
11 | }

```

## GET Fetch App Signing Key

### Description

Allows the store app to fetch app signing key.

### Request Endpoint

GET <https://<Example api server address>/application/signing/key>

### Parameters

None.

### cURL syntax

curl

```

1 | curl --include \
2 | 'https://core.dev.Example.net/api/application/signing/key'

```

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

json

```

1 | {
2 |   "data": "MIGfMA0GCSqGSIb3DQEBAQUAA4GNADCBiQKBgQCUIHJMx2TMAEv
3 |           SA07UXdVnAcNn4RPL6x/bxq+c8f87KhWeo7ijq0mXwSLFp8tx
4 |           FwXlGCXMRcTyt9JmfV9pnJEY14/SGHCVFpbALLN119TsHfDhIzB
5 |           ewQsYhP1t35UaoqLEZV5/ySSB48g00TRCZpAtNiVMIwUAq4QKXs
6 |           x4ZUFQIDAQAB",
7 |   "detail": null,
8 |   "error": false,
9 |   "message": "Fetching signing key successful"
10 | }

```

## POST Fetch Applications by Criteria

### Description

Allows a client to fetch applications using dynamic queries.

### Request Endpoint

POST <https://<Example api server address>/application/by/criteria>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"name\" : \"Application Recent\",  
6 |         \"gameId\": \"1f4a3cf4-e6c9-4294-a0a6-6719e38efc9f\",  
7 |         \"categoryIds\": [\"c5f37e16-784e-4e07-810f-e858bbd1e80d\"],  
8 |         \"casinoName\" : \"casino\",  
9 |         \"tags\":[\"abc\"]  
10 |     }" \  
11 | 'https://core.dev.Example.net/api/application/by/criteria'
```

curl

### POST body attributes (JSON)

casinoName

Attribute	Type	Use	Description
categoryIds	String	Optional	The category ids.
name	String	Optional	The name of an application.
gameId	String	Optional	The game application's id.
String	Optional	The name of a casino.	
tags	Array (strings)	Optional	.
developer	String	Optional	The publisher.

### POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "name": "Application Recent",  
3 |     "gameId": "1f4a3cf4-e6c9-4294-a0a6-6719e38efc9f",  
4 |     "categoryIds": [  
5 |         "c5f37e16-784e-4e07-810f-e858bbd1e80d"  
6 |     ],  
7 |     "casinoName": "casino",  
8 |     "tags": [  
9 |         "abc"  
10 |     ]  
11 | }
```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

json

```
1  {
2    "data": {
3      "content": [
4        {
5          "id": "1f4a3cf4-e6c9-4294-a0a6-6719e38efc9f",
6          "deleted": false,
7          "name": "Application Recent",
8          "appPackage": "appPac",
9          "bundleIdentifier": "app",
10         "casino": {
11           "id": "fd5392fe-dfb3-437a-9194-0b11c538dc5a",
12           "deleted": false,
13           "name": "Poker 26",
14           "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/bett
15           "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.com/betti
16           "description": "This casino has lot of game apps1",
17           "website": "http://www.casino1.com",
18           "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
19           "banner": "banner2345",
20           "deletedBy": null,
21           "deletedOn": null,
22           "operatorStatus": "NEW",
23           "email": null,
24           "userRole": "OPERATOR",
25           "firstName": null,
26           "lastName": null,
27           "address": null
28         },
29         "casinoId": null,
30         "categories": [
31           {
32             "id": "c5f37e16-784e-4e07-810f-e858bbd1e80d",
33             "deleted": false,
34             "imageUr1": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.com/bet
35             "name": "Poker 1",
36             "description": "Some poker category",
37             "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/be
38             "iconUr1": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/bet
39             "colorCode": "#FFFFFF",
40             "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.goc
41             "priority": 1,
42             "deletedBy": null,
43             "deletedOn": null
44           }
45         ],
46         "categoryIds": null,
47         "downloads": 4646,
48         "featured": null,
49         "versionHistories": [
50           {
51             "build": 18,
52             "version": "v0.3",
53             "versionDate": 1471956103930,
54             "releaseDate": 1471956103930,
55             "downloadLink": null,
56             "rating": {
57               "count": 0,
```

```

58         "overall": 0,
59         "gamePlay": 0,
60         "design": 0,
61         "ease": 0
62     },
63     "description": null,
64     "image": null,
65     "sliderImages": null,
66     "banner": null,
67     "video": null,
68     "icon": null,
69     "featuredImage": null,
70     "versionStatus": null,
71     "privacyPolicy": null,
72     "locationSupported": null,
73     "languageSupported": null
74 }
75 ],
76 "keywords": [
77     "key1",
78     "key2",
79     "key3"
80 ],
81 "latestBuild": 18,
82 "latestVersion": "v0.3",
83 "order": 345,
84 "paragraph1": "1 paragraph",
85 "paragraph2": "2st paragraph",
86 "paragraph3": "3st paragraph",
87 "paragraph4": "4th para",
88 "presetPriceList": null,
89 "price": 3436,
90 "publisherId": null,
91 "publisher": null,
92 "ranking": 23,
93 "subtitle": "subtitle",
94 "updated": null,
95 "status": "PUBLISHED",
96 "downloadLink": null,
97 "compatibility": "kitkat",
98 "sizeOnDisk": "12MB",
99 "permissionDetails": "You should have kitkat version to run this app",
100 "additionalDetails": "This application is very popular",
101 "tags": null,
102 "rating": {
103     "count": 0,
104     "overall": 0,
105     "gamePlay": 0,
106     "design": 0,
107     "ease": 0
108 },
109 "silent": {
110     "min": 1,
111     "max": 1
112 },
113 "normal": {
114     "min": 1,
115     "max": 1
116 },
117 "mandatory": {
118     "min": 1,

```

```
119     "max": 1
120   },
121   "downgrade": {
122     "min": null,
123     "max": null
124   },
125   "incentives": null,
126   "deletedBy": null,
127   "deletedOn": null,
128   "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
129   "sliderImages": [
130     {
131       "id": "5a8e7cf1-e448-4ef1-bce4-5948c8546705",
132       "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
133       "order": 1
134     },
135     {
136       "id": "e93b607e-8729-4a7b-9219-4f9efabe4100",
137       "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
138       "order": 0
139     }
140   ],
141   "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
142   "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
143   "icon": null,
144   "featuredImage": null
145 }
146 ],
147 "last": true,
148 "totalPages": 1,
149 "totalElements": 1,
150 "numberOfElements": 1,
151 "sort": null,
152 "first": true,
153 "size": 70,
154 "number": 0
155 },
156 "detail": null,
157 "error": false,
158 "message": "Fetching applications by criteria is successful."
159 }
```

## POST Fetch Applications By Multiple Criteria

### Description

Fetches applications with multiple criteria.

### Request Endpoint

POST <https://<Example api server address>/application/fetch/bycriteria>

### Parameters

None.

### cURL Syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \"searchCriteriaList\" : [  
6     {  
7         \"field\" : \"publisherId\",  
8         \"startValue\" : \"3e6a26eb-9f49-4fd6-beac-24a51def635f\"  
9     }  
10    ]  
11 }" \  
12 'https://core.dev.Example.net/api/application/fetch/bycriteria'
```

https

### POST body attributes (JSON)

Attribute	Type	Use	Description
<b>searchCriteriaList</b>	Array	Required	an array of the following attributes.
<b>field</b>	String	Required	Field name through which applications should be searched.
<b>startValue</b>	String	Required	Start value for the field.

### POST body

**Headers:** Content-Type: application/json

```
1 {  
2   \"searchCriteriaList\": [  
3     {  
4       \"field\": \"publisherId\",  
5       \"startValue\": \"3e6a26eb-9f49-4fd6-beac-24a51def635f\"  
6     }  
7   ]  
8 }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 {  
2   \"data\": {  
3     \"content\": [  
4     {
```

json

```
5      "id": "8ba8af34-e972-4a93-a81f-fe7cf540e917",
6      "createdOn": 1479814959159,
7      "lastModifiedOn": 1479814959159,
8      "updatedBy": "",
9      "deleted": false,
10     "name": "app1",
11     "appPackage": "1",
12     "bundleIdentifier": "1",
13     "casino": null,
14     "casinoId": null,
15     "categories": [
16       null
17     ],
18     "categoryIds": null,
19     "downloads": 0,
20     "featured": false,
21     "applicationVersionIds": null,
22     "keywords": null,
23     "latestBuild": null,
24     "latestVersion": "1",
25     "initialVersionPublishDate": null,
26     "latestVersionPublishDate": null,
27     "order": null,
28     "paragraph1": "1",
29     "paragraph2": "1",
30     "paragraph3": "1",
31     "paragraph4": null,
32     "presetPriceList": null,
33     "price": 1,
34     "publisherId": "3e6a26eb-9f49-4fd6-beac-24a51def635f",
35     "publisher": {
36       "id": "3e6a26eb-9f49-4fd6-beac-24a51def635f",
37       "createdOn": 1472640830543,
38       "lastModifiedOn": 1472640830543,
39       "updatedBy": "",
40       "deleted": false,
41       "name": "Publisher0.979619449857501",
42       "description": "Desc",
43       "email": "0.10692024757637897@Example.com",
44       "website": "www.Example.com",
45       "phone": null,
46       "publisherStatus": "VERIFIED",
47       "operatorId": "f277cfce-5ad9-4b9a-933a-8287e9740766",
48       "userRole": "PUBLISHER"
49     },
50     "ranking": null,
51     "subtitle": null,
52     "updated": null,
53     "status": "DRAFTED",
54     "downloadLink": null,
55     "compatibility": null,
56     "sizeOnDisk": null,
57     "permissionDetails": null,
58     "additionalDetails": null,
59     "tags": null,
60     "rating": {
61       "count": 0,
62       "overall": 0,
63       "gamePlay": 0,
64       "design": 0,
65       "ease": 0
```

```

66     },
67     "silent": null,
68     "normal": {
69         "min": 1,
70         "max": 1
71     },
72     "mandatory": null,
73     "downgrade": null,
74     "deletedBy": null,
75     "deletedOn": null,
76     "image": null,
77     "sliderImages": [
78         {
79             "id": "cd6f957b-8d5b-4e68-a7d3-28e45df26219",
80             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
81             "order": 1
82         },
83         {
84             "id": "650b7068-4e05-4f4a-9e35-4db87527bc8a",
85             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
86             "order": 0
87         }
88     ],
89     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner1.png",
90     "video": null,
91     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon.png",
92     "featuredImage": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.jpeg",
93     "privacyPolicy": "www.privacypolicy.com/2345",
94     "locationSupported": [
95         "IN"
96     ],
97     "languageSupported": [
98         "en"
99     ],
100    "affiliateLaunchMode": null,
101    "affiliateLaunchData": null,
102    "editorsPick": false,
103    "live": false,
104    "reviewer": null
105 }
106 ],
107 "last": true,
108 "totalPages": 1,
109 "totalElements": 1,
110 "numberOfElements": 1,
111 "sort": [
112     {
113         "direction": "DESC",
114         "property": "lastModifiedOn",
115         "ignoreCase": false,
116         "nullHandling": "NATIVE",
117         "ascending": false
118     }
119 ],
120 "first": true,
121 "size": 70,
122 "number": 0
123 },
124 "detail": null,
125 "error": false,
126 "message": "Fetching all applications criteria successful",

```



```
127 | "code": "1000"  
128 | }
```

## Description

Fetches the application created or modified in this month.

## Request Endpoint

GET <https://<Example api server address>/application/month>

## Parameters

None.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/application/month'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "2997e705-9b63-49a1-8f37-b53598e2570d",  
5 |       "name": "Application Recent",  
6 |       "appPackage": "appPac",  
7 |       "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",  
8 |       "bundleIdentifier": "app",  
9 |       "casino": {  
10 |         "id": "c00d7049-bdaa-458f-8e7e-e0860bca9f83",  
11 |         "name": "CasinoApp",  
12 |         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",  
13 |         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",  
14 |         "description": "This casino has lot of game apps",  
15 |         "website": "www.casino.com",  
16 |         "icon": "icon123",  
17 |         "banner": "banner234",  
18 |         "deletedBy": null,  
19 |         "deletedOn": null  
20 |       },  
21 |       "casinoId": null,  
22 |       "categories": [  
23 |         {  
24 |           "id": "96367c78-f35b-4448-ab00-3d657efd9668",  
25 |           "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.category1.com",  
26 |           "name": "category",  
27 |           "description": null,  
28 |           "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.categoryVideo.com",  
29 |           "iconUrl": null,  
30 |           "colorCode": "#222fff",  
31 |           "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.image.com",  
32 |           "priority": 1000,  
33 |           "deletedBy": null,  
34 |           "deletedOn": null  
35 |         }  
36 |       ],  
37 |       "categoryIds": null,  
38 |       "description": "description about application 1",
```

json

```
39 "downloads": 4646,
40 "featured": null,
41 "versionHistories": [
42   {
43     "build": 18,
44     "version": "v0.3",
45     "versionDate": 1469697567672,
46     "downloadLink": null,
47     "rating": {
48       "count": 0,
49       "overall": 0,
50       "gamePlay": 0,
51       "design": 0,
52       "ease": 0
53     }
54   }
55 ],
56 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
57 "keywords": [
58   "key1",
59   "key2",
60   "key3"
61 ],
62 "latestBuild": 18,
63 "latestVersion": "v0.3",
64 "order": 345,
65 "paragraph1": "1 paragraph",
66 "paragraph2": "2st paragraph",
67 "paragraph3": "3st paragraph",
68 "paragraph4": "4th para",
69 "presetPricelist": null,
70 "price": 3436,
71 "publisher": null,
72 "ranking": 23,
73 "sliderImages": [
74   {
75     "id": "57825d11-fe28-471c-8921-fb49b646d4f4",
76     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_1.jpg",
77     "order": 1
78   },
79   {
80     "id": "cf82bfd1-25df-4253-ada8-5000620eeac5",
81     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_2.jpg",
82     "order": 0
83   },
84   {
85     "id": "aa634334-0c3d-4789-9ee0-e569640636af",
86     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_3.jpg",
87     "order": 3
88   }
89 ],
90 "subtitle": "subtitle",
91 "updated": null,
92 "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
93 "status": "SUBMITTED",
94 "downloadLink": null,
95 "compatibility": "kitkat",
96 "sizeOnDisk": "12MB",
97 "permissionDetails": "You should have kitkat version to run this app",
98 "locationSupported": [
99   "India",
```

```
100     "UK"
101   ],
102   "languageSupported": [
103     "English",
104     "French"
105   ],
106   "additionalDetails": "This application is very popular",
107   "tags": null,
108   "rating": {
109     "count": 0,
110     "overall": 0,
111     "gamePlay": 0,
112     "design": 0,
113     "ease": 0
114   },
115   "silent": {
116     "min": 1,
117     "max": 1
118   },
119   "normal": {
120     "min": 1,
121     "max": 1
122   },
123   "mandatory": {
124     "min": 1,
125     "max": 1
126   },
127   "downgrade": {
128     "min": null,
129     "max": null
130   },
131   "incentives": null,
132   "deletedBy": null,
133   "deletedOn": null
134 }
135 ],
136 "detail": null,
137 "error": false,
138 "message": "Fetching applications which are updated or created this month."
139 }
```

## GET

# Fetch Application By Week Updates

## Description

fetches the application created or modified in a week.

## Request Endpoint

GET <https://<Example api server address>/application/week>

## Parameters

None.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/application/week'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "2997e705-9b63-49a1-8f37-b53598e2570d",  
5 |       "name": "Application Recent",  
6 |       "appPackage": "appPac",  
7 |       "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",  
8 |       "bundleIdentifier": "app",  
9 |       "casino": {  
10 |         "id": "c00d7049-bdaa-458f-8e7e-e0860bca9f83",  
11 |         "name": "CasinoApp",  
12 |         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",  
13 |         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",  
14 |         "description": "This casino has lot of game apps",  
15 |         "website": "www.casino.com",  
16 |         "icon": "icon123",  
17 |         "banner": "banner234",  
18 |         "deletedBy": null,  
19 |         "deletedOn": null  
20 |       },  
21 |       "casinoId": null,  
22 |       "categories": [  
23 |         {  
24 |           "id": "96367c78-f35b-4448-ab00-3d657efd9668",  
25 |           "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.category1.com",  
26 |           "name": "category",  
27 |           "description": null,  
28 |           "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.categoryVideo.com",  
29 |           "iconUrl": null,  
30 |           "colorCode": "#222fff",  
31 |           "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.image.com",  
32 |           "priority": 1000,  
33 |           "deletedBy": null,  
34 |           "deletedOn": null  
35 |         }  
36 |       ],  
37 |       "categoryIds": null,  
38 |       "description": "description about application 1",
```

json

```

39     "downloads": 4646,
40     "featured": null,
41     "versionHistories": [
42         {
43             "build": 18,
44             "version": "v0.3",
45             "versionDate": 1469697567672,
46             "downloadLink": null,
47             "rating": {
48                 "count": 0,
49                 "overall": 0,
50                 "gamePlay": 0,
51                 "design": 0,
52                 "ease": 0
53             }
54         }
55     ],
56     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
57     "keywords": [
58         "key1",
59         "key2",
60         "key3"
61     ],
62     "latestBuild": 18,
63     "latestVersion": "v0.3",
64     "order": 345,
65     "paragraph1": "1 paragraph",
66     "paragraph2": "2st paragraph",
67     "paragraph3": "3st paragraph",
68     "paragraph4": "4th para",
69     "presetPricelist": null,
70     "price": 3436,
71     "publisher": null,
72     "ranking": 23,
73     "sliderImages": [
74         {
75             "id": "57825d11-fe28-471c-8921-fb49b646d4f4",
76             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_1.jpg",
77             "order": 1
78         },
79         {
80             "id": "cf82bfd1-25df-4253-ada8-5000620eeac5",
81             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_2.jpg",
82             "order": 0
83         },
84         {
85             "id": "aa634334-0c3d-4789-9ee0-e569640636af",
86             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_3.jpg",
87             "order": 3
88         }
89     ],
90     "subtitle": "subtitle",
91     "updated": null,
92     "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
93     "status": "SUBMITTED",
94     "downloadLink": null,
95     "compatibility": "kitkat",
96     "sizeOnDisk": "12MB",
97     "permissionDetails": "You should have kitkat version to run this app",
98     "locationSupported": [
99         "India",

```

```

100     "UK"
101   ],
102   "languageSupported": [
103     "English",
104     "French"
105   ],
106   "additionalDetails": "This application is very popular",
107   "tags": null,
108   "rating": {
109     "count": 0,
110     "overall": 0,
111     "gamePlay": 0,
112     "design": 0,
113     "ease": 0
114   },
115   "silent": {
116     "min": 1,
117     "max": 1
118   },
119   "normal": {
120     "min": 1,
121     "max": 1
122   },
123   "mandatory": {
124     "min": 1,
125     "max": 1
126   },
127   "downgrade": {
128     "min": null,
129     "max": null
130   },
131   "incentives": null,
132   "deletedBy": null,
133   "deletedOn": null
134 },
135 {
136   "id": "8c68054f-4963-47bc-b40d-ff7b69d9d",
137   "name": "MongoDDDDN",
138   "appPackage": "appghhPac",
139   "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/bannfgher",
140   "bundleIdentifier": "bundmle1d234",
141   "casino": null,
142   "casinoId": null,
143   "categories": [
144     {
145       "id": "5a1e1b8b-db12-4f64-a6ae-85cf1c6dbc90",
146       "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/UserAppCat",
147       "name": "UserAppCat",
148       "description": null,
149       "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/UserAppCat",
150       "iconUrl": null,
151       "colorCode": null,
152       "heroImageReference": null,
153       "priority": 1000,
154       "deletedBy": null,
155       "deletedOn": null
156     }
157   ],
158   "categoryIds": null,
159   "description": "description about application 1",
160   "downloads": 4646,

```

```
161     "featured": null,
162     "versionHistories": [
163       {
164         "build": null,
165         "version": "cs",
166         "versionDate": 1464948221224,
167         "downloadLink": null,
168         "rating": {
169           "count": 0,
170           "overall": 0,
171           "gamePlay": 0,
172           "design": 0,
173           "ease": 0
174         }
175       }
176     ],
177     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
178     "keywords": [
179       "key1",
180       "key2",
181       "key3",
182       "key4",
183       "key5"
184     ],
185     "latestBuild": null,
186     "latestVersion": "cs",
187     "order": 345,
188     "paragraph1": "1 paragraph",
189     "paragraph2": "2st paragraph",
190     "paragraph3": "3st paragraph",
191     "paragraph4": "4th para",
192     "presetPricelist": null,
193     "price": 3436,
194     "publisher": null,
195     "ranking": 23,
196     "sliderImages": null,
197     "subtitle": "subtitle",
198     "updated": null,
199     "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
200     "status": "SUBMITTED",
201     "downloadLink": null,
202     "compatibility": "kitkat",
203     "sizeOnDisk": "12MB",
204     "permissionDetails": "You should have kitkat version to run this app",
205     "locationSupported": [
206       "India",
207       "UK"
208     ],
209     "languageSupported": [
210       "English",
211       "French"
212     ],
213     "additionalDetails": "This application is very popular",
214     "tags": null,
215     "rating": {
216       "count": 0,
217       "overall": 0,
218       "gamePlay": 0,
219       "design": 0,
220       "ease": 0
221     },
```



```
222     "silent": null,
223     "normal": null,
224     "mandatory": null,
225     "downgrade": null,
226     "incentives": [
227       {
228         "id": "fafce5c0-78eb-458a-acc8-4478b8219660",
229         "title": "20$ for a percent deposit",
230         "type": "PERCENT",
231         "amount": 20,
232         "limit": 100,
233         "expired": false,
234         "validTill": null,
235         "deletedBy": null,
236         "deletedOn": null
237       },
238       {
239         "id": "73cbb51e-2b18-460d-97f3-f067264165c2",
240         "title": "20 for a percent deposit",
241         "type": "PERCENT",
242         "amount": 25,
243         "limit": 100,
244         "expired": false,
245         "validTill": null,
246         "deletedBy": null,
247         "deletedOn": null
248       }
249     ],
250     "deletedBy": null,
251     "deletedOn": null
252   }
253 ],
254 "detail": null,
255 "error": false,
256 "message": "Fetching applications which are updated or created this week."
257 }
```

**GET****Fetch Application Criteria Attributes****Description**

Fetches application attributes to build a criteria.

**Request Endpoint**

GET <https://<Example api server address>/application/attributes>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/application/attributes'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "name": "String",  
4 |     "publisher": "String",  
5 |     "categories.name": "String",  
6 |     "tags": "List"  
7 |   },  
8 |   "detail": null,  
9 |   "error": false,  
10 |  "message": "Fetching all applications attributes successful"  
11 | }
```

json

## Description

An application's details can be fetched with this API.

## Request Endpoint

GET <https://<Example api server address>/application/{id}>

## Parameters

Parameter	Type	Use	Description
id	String	Required	ID of the application.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/application/id'
```

curl

## Response Body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",  
4 |     "createdOn": 1472021965228,  
5 |     "lastModifiedOn": 1481950277630,  
6 |     "updatedBy": "",  
7 |     "deleted": false,  
8 |     "name": "Application Recent",  
9 |     "description": null,  
10 |    "appPackage": "appPac",  
11 |    "bundleIdentifier": "app",  
12 |    "casino": {  
13 |      "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",  
14 |      "createdOn": 1472021963085,  
15 |      "lastModifiedOn": 1472021963085,  
16 |      "updatedBy": "",  
17 |      "deleted": false,  
18 |      "name": "Poker 26",  
19 |      "videoUrl": "https://www.google.com/betting-video.mov",  
20 |      "imageUrl": "http://www.google.com/betting.png",  
21 |      "description": "This casino has lot of game apps1",  
22 |      "website": "http://www.casino1.com",  
23 |      "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",  
24 |      "banner": "banner2345",  
25 |      "deletedBy": null,  
26 |      "deletedOn": null,  
27 |      "operatorStatus": "NEW",  
28 |      "email": null,  
29 |      "userRole": "OPERATOR",  
30 |      "firstName": null,  
31 |      "lastName": null,  
32 |      "address": null,  
33 |      "externalId": null,  
34 |      "featuredAppId": null,
```

json

```

35     "latestAppId": null
36 },
37 "casinoId": null,
38 "categories": [
39     {
40         "id": "e068a967-4da6-40b3-ae83-f7c3d4af533e",
41         "createdOn": 1472021964868,
42         "lastModifiedOn": 1472021964868,
43         "updatedBy": "",
44         "deleted": false,
45         "imageUrl": "http://www.google.com/betting.png",
46         "name": "Poker 1",
47         "description": "Some poker category",
48         "videoUrl": "https://www.google.com/betting-video.mov",
49         "iconUrl": "https://www.google.com/betting-icon.png",
50         "colorCode": "#FFFFFF",
51         "heroImageReference": "https://www.google.com/hero.png",
52         "priority": 1,
53         "deletedBy": null,
54         "deletedOn": null,
55         "apps": null
56     }
57 ],
58 "categoryIds": null,
59 "downloads": 10,
60 "featured": true,
61 "applicationVersionIds": null,
62 "keywords": [
63     "key1",
64     "key2",
65     "key3"
66 ],
67 "latestBuild": 18,
68 "latestVersion": "v0.3",
69 "initialVersionPublishDate": null,
70 "latestVersionPublishDate": null,
71 "order": 345,
72 "paragraph1": "1 paragraph",
73 "paragraph2": "2st paragraph",
74 "paragraph3": "3st paragraph",
75 "paragraph4": "4th para",
76 "presetPriceList": null,
77 "price": 3436,
78 "publisherId": null,
79 "publisher": null,
80 "ranking": 23,
81 "subtitle": "subtitle",
82 "updated": null,
83 "status": "PUBLISHED",
84 "downloadLink": null,
85 "compatibility": "kitkat",
86 "sizeOnDisk": "12MB",
87 "permissionDetails": "You should have kitkat version to run this app",
88 "additionalDetails": "This application is very popular",
89 "tags": null,
90 "rating": {
91     "count": 0,
92     "overall": 0,
93     "gamePlay": 0,
94     "design": 0,
95     "ease": 0

```

```

96     },
97     "silent": {
98         "min": 1,
99         "max": 1
100    },
101    "normal": {
102        "min": 1,
103        "max": 1
104    },
105    "mandatory": {
106        "min": 1,
107        "max": 1
108    },
109    "downgrade": {
110        "min": null,
111        "max": null
112    },
113    "deletedBy": null,
114    "deletedOn": null,
115    "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
116    "sliderImages": [
117        {
118            "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
119            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
120            "order": 1
121        },
122        {
123            "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
124            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
125            "order": 0
126        }
127    ],
128    "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
129    "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
130    "icon": null,
131    "featuredImage": null,
132    "privacyPolicy": null,
133    "locationSupported": [
134        "India",
135        "UK"
136    ],
137    "languageSupported": [
138        "English",
139        "French"
140    ],
141    "affiliateLaunchMode": null,
142    "affiliateLaunchData": null,
143    "editorsPick": false,
144    "live": false,
145    "reviewer": null,
146    "certificates": null,
147    "bonusValue": true,
148    "bonus": null,
149    "bonusCount": 1
150 },
151 "detail": null,
152 "error": false,
153 "message": "Fetching application detail successful",
154 "code": "1000"
155 }

```



**GET**

## Fetch Most Downloaded Application of Casino

### Description

Gets the most downloaded application of a casino.

### Request Endpoint

GET <https://<Example api server address>/application/{id}/most/downloaded>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of an existing casino.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/application/id/most/downloaded'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",  
4 |     "createdOn": 1472021965228,  
5 |     "lastModifiedOn": 1472021965228,  
6 |     "updatedBy": "",  
7 |     "deleted": false,  
8 |     "name": "Application Recent",  
9 |     "appPackage": "appPac",  
10 |    "bundleIdentifier": "app",  
11 |    "casino": {  
12 |      "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",  
13 |      "createdOn": 1472021963085,  
14 |      "lastModifiedOn": 1472021963085,  
15 |      "updatedBy": "",  
16 |      "deleted": false,  
17 |      "name": "Poker 26",  
18 |      "videoUrl": "https://www.google.com/betting-video.mov",  
19 |      "imageUrl": "http://www.google.com/betting.png",  
20 |      "description": "This casino has lot of game apps1",  
21 |      "website": "http://www.casino1.com",  
22 |      "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",  
23 |      "banner": "banner2345",  
24 |      "deletedBy": null,  
25 |      "deletedOn": null,  
26 |      "operatorStatus": "NEW",  
27 |      "email": null,  
28 |      "userRole": "OPERATOR",  
29 |      "firstName": null,  
30 |      "lastName": null,  
31 |      "address": null,  
32 |      "externalId": null,  
33 |      "featuredAppId": null,  
34 |      "latestAppId": null
```

json

```
35 },
36 "casinoId": null,
37 "categories": [
38   null
39 ],
40 "categoryIds": null,
41 "downloads": 4646,
42 "featured": false,
43 "applicationVersionIds": null,
44 "keywords": [
45   "key1",
46   "key2",
47   "key3"
48 ],
49 "latestBuild": 18,
50 "latestVersion": "v0.3",
51 "initialVersionPublishDate": null,
52 "latestVersionPublishDate": null,
53 "order": 345,
54 "paragraph1": "1 paragraph",
55 "paragraph2": "2st paragraph",
56 "paragraph3": "3st paragraph",
57 "paragraph4": "4th para",
58 "presetPriceList": null,
59 "price": 3436,
60 "publisherId": null,
61 "publisher": null,
62 "ranking": 23,
63 "subtitle": "subtitle",
64 "updated": null,
65 "status": "PUBLISHED",
66 "downloadLink": null,
67 "compatibility": "kitkat",
68 "sizeOnDisk": "12MB",
69 "permissionDetails": "You should have kitkat version to run this app",
70 "additionalDetails": "This application is very popular",
71 "tags": null,
72 "rating": {
73   "count": 0,
74   "overall": 0,
75   "gamePlay": 0,
76   "design": 0,
77   "ease": 0
78 },
79 "silent": {
80   "min": 1,
81   "max": 1
82 },
83 "normal": {
84   "min": 1,
85   "max": 1
86 },
87 "mandatory": {
88   "min": 1,
89   "max": 1
90 },
91 "downgrade": {
92   "min": null,
93   "max": null
94 },
95 "deletedBy": null,
```



```
96     "deletedOn": null,
97     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
98     "sliderImages": [
99         {
100             "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
101             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
102             "order": 1
103         },
104         {
105             "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
106             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
107             "order": 0
108         }
109     ],
110     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
111     "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
112     "icon": null,
113     "featuredImage": null,
114     "privacyPolicy": null,
115     "locationSupported": [
116         "India",
117         "UK"
118     ],
119     "languageSupported": [
120         "English",
121         "French"
122     ],
123     "affiliateLaunchMode": null,
124     "affiliateLaunchData": null,
125     "editorsPick": false,
126     "live": false,
127     "reviewer": null
128 },
129 "detail": null,
130 "error": false,
131 "message": "Fetching most downloaded application of Casino is successful."
132 }
```

**POST****Fetch Latest Apps****Description**

Allows a client to fetch the latest game apps by virtue of the publish date of an app.

**Request Endpoint**

POST <https://<Example api server address>/application/latest>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"casinoId\": \"1dbfd6f9-8e39-4859-a658-90726b4e4529\",\  
6 |         \"categoryId\": \"8e2f1e83-35de-470e-90a0-27272f3b5a5a\"\  
7 |     }" \  
8 |     'https://core.dev.Example.net/api/application/latest'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
casinoId	String	Optional	UUID of an existing casino to filter results by casino.
categoryId	String	Optional	UUID of an existing category to filter results by category.

**POST body**

**Headers:** Content-Type: application/json

```
1 | {\  
2 |     \"casinoId\": \"1dbfd6f9-8e39-4859-a658-90726b4e4529\",\  
3 |     \"categoryId\": \"8e2f1e83-35de-470e-90a0-27272f3b5a5a\"\  
4 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |     \"data\": {\  
3 |         \"content\": [\  
4 |             {\  
5 |                 \"id\": \"4101b21d-61f2-4244-86e9-82a01d131889\",\  
6 |                 \"createdOn\": 1479144833642,\  
7 |                 \"lastModifiedOn\": 1479144833642,\  
8 |                 \"updatedBy\": \"\",\  
9 |                 \"deleted\": false,\  
10 |                \"name\": \"eEuxhbyCCZ\",\  
11 |                \"appPackage\": \"appPac\",\  
12 |                \"bundleIdentifier\": \"VdVJfASQ0y\",\  
13 |                \"casino\": {\  
14 |                    \"id\": \"1dbfd6f9-8e39-4859-a658-90726b4e4529\",
```

json

```

15     "createdOn": 1479144831564,
16     "lastModifiedOn": 1479144831564,
17     "updatedBy": "",
18     "deleted": false,
19     "name": "ttLEsFqWwU",
20     "videoUrl": null,
21     "imageUrl": null,
22     "description": null,
23     "website": null,
24     "icon": null,
25     "banner": null,
26     "deletedBy": null,
27     "deletedOn": null,
28     "operatorStatus": "VERIFIED",
29     "email": "5b5a43439e4247ae95054cdfa1546ce2@gmail.com",
30     "userRole": "OPERATOR",
31     "firstName": null,
32     "lastName": null,
33     "address": null,
34     "externalId": "1dbfd6f9-8e39-4859-a658-90726b4e4529",
35     "featuredAppId": null,
36     "latestAppId": null
37 },
38 "casinoId": null,
39 "categories": [
40   {
41     "id": "8e2f1e83-35de-470e-90a0-27272f3b5a5a",
42     "createdOn": 1479144831546,
43     "lastModifiedOn": 1479144831546,
44     "updatedBy": "",
45     "deleted": false,
46     "imageUrl": "http://www.google.com/betting.png",
47     "name": "mqlzwikhnA",
48     "description": "Some poker category",
49     "videoUrl": "https://www.google.com/betting-video.mov",
50     "iconUrl": "https://www.google.com/betting-icon.png",
51     "colorCode": "#FFFFFF",
52     "heroImageReference": "https://www.google.com/hero.png",
53     "priority": 1,
54     "deletedBy": null,
55     "deletedOn": null,
56     "apps": null
57   }
58 ],
59 "categoryIds": null,
60 "downloads": 0,
61 "featured": false,
62 "applicationVersionIds": null,
63 "keywords": null,
64 "latestBuild": null,
65 "latestVersion": "2",
66 "initialVersionPublishDate": 1479985517188,
67 "latestVersionPublishDate": 1479985517188,
68 "order": null,
69 "paragraph1": null,
70 "paragraph2": null,
71 "paragraph3": null,
72 "paragraph4": null,
73 "presetPriceList": null,
74 "price": null,
75 "publisherId": "207bc4ab-8b5a-4d30-a719-03fdf35e69ef",

```

```

76     "publisher": {
77         "id": "207bc4ab-8b5a-4d30-a719-03fdf35e69ef",
78         "createdOn": 1479144833716,
79         "lastModifiedOn": 1479144833716,
80         "updatedBy": "",
81         "deleted": false,
82         "name": "UGC1mSbGVY",
83         "description": null,
84         "email": "06425b781511491fb8a91705ca0a7764@gmail.com",
85         "website": null,
86         "phone": null,
87         "publisherStatus": "VERIFIED",
88         "operatorId": "1dbfd6f9-8e39-4859-a658-90726b4e4529",
89         "userRole": "PUBLISHER"
90     },
91     "ranking": null,
92     "subtitle": null,
93     "updated": null,
94     "status": "PUBLISHED",
95     "downloadLink": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.mkt//Users/vishwas/Projects/Exam
96     "compatibility": "kitkat",
97     "sizeOnDisk": null,
98     "permissionDetails": null,
99     "additionalDetails": "This application is very popular",
100    "tags": null,
101    "rating": {
102        "count": 0,
103        "overall": 0,
104        "gamePlay": 0,
105        "design": 0,
106        "ease": 0
107    },
108    "silent": null,
109    "normal": {
110        "min": 1,
111        "max": 1
112    },
113    "mandatory": null,
114    "downgrade": null,
115    "deletedBy": null,
116    "deletedOn": null,
117    "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.png",
118    "sliderImages": [
119        {
120            "id": "b18e8746-039c-4621-b321-461a71ca8b4b",
121            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
122            "order": 1
123        },
124        {
125            "id": "4e2a4e6d-614d-4404-a58d-2970e6eb1272",
126            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
127            "order": 0
128        }
129    ],
130    "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner1.png",
131    "video": null,
132    "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon.png",
133    "featuredImage": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.jpeg",
134    "privacyPolicy": "www.privecypolicy.com/2345",
135    "locationSupported": [
136        "India",

```

```

137     "UK",
138     "IN",
139     "IN"
140 ],
141 "languageSupported": [
142     "English",
143     "French",
144     "en",
145     "en"
146 ],
147 "affiliateLaunchMode": null,
148 "affiliateLaunchData": null,
149 "editorsPick": false,
150 "live": false,
151 "reviewer": {
152     "id": "5271deed-c189-4314-a389-113192326541",
153     "createdOn": 1479144831586,
154     "lastModifiedOn": 1479144831586,
155     "updatedBy": "",
156     "deleted": false,
157     "email": "1cf144b896324d809acbe326eae30e96@gmail.com",
158     "name": "FeSgrZafSK",
159     "phone": "+919916248135",
160     "userRole": "REVIEWER_USER",
161     "reviewerStatus": "VERIFIED"
162 }
163 },
164 {
165     "id": "0190dd40-81ae-4aca-97c4-e118d49f3fe9",
166     "createdOn": 1479144833282,
167     "lastModifiedOn": 1479144833282,
168     "updatedBy": "",
169     "deleted": false,
170     "name": "6d6e5ec3-b256-470a-8d36-884a75ee3df2",
171     "appPackage": "appPac",
172     "bundleIdentifier": "84bbec1f-a84b-452b-bd28-0eb63bd3e7ee",
173     "casino": {
174         "id": "1dbfd6f9-8e39-4859-a658-90726b4e4529",
175         "createdOn": 1479144831564,
176         "lastModifiedOn": 1479144831564,
177         "updatedBy": "",
178         "deleted": false,
179         "name": "ttLEsFqWU",
180         "videoUrl": null,
181         "imageUrl": null,
182         "description": null,
183         "website": null,
184         "icon": null,
185         "banner": null,
186         "deletedBy": null,
187         "deletedOn": null,
188         "operatorStatus": "VERIFIED",
189         "email": "5b5a43439e4247ae95054cdfa1546ce2@gmail.com",
190         "userRole": "OPERATOR",
191         "firstName": null,
192         "lastName": null,
193         "address": null,
194         "externalId": "1dbfd6f9-8e39-4859-a658-90726b4e4529",
195         "featuredAppId": null,
196         "latestAppId": null
197     },

```

```

198     "casinoId": null,
199     "categories": [
200         {
201             "id": "8e2f1e83-35de-470e-90a0-27272f3b5a5a",
202             "createdOn": 1479144831546,
203             "lastModifiedOn": 1479144831546,
204             "updatedBy": "",
205             "deleted": false,
206             "imageUrl": "http://www.google.com/betting.png",
207             "name": "mqlzwikhna",
208             "description": "Some poker category",
209             "videoUrl": "https://www.google.com/betting-video.mov",
210             "iconUrl": "https://www.google.com/betting-icon.png",
211             "colorCode": "#FFFFFF",
212             "heroImageReference": "https://www.google.com/hero.png",
213             "priority": 1,
214             "deletedBy": null,
215             "deletedOn": null,
216             "apps": null
217         }
218     ],
219     "categoryIds": null,
220     "downloads": 0,
221     "featured": false,
222     "applicationVersionIds": null,
223     "keywords": null,
224     "latestBuild": null,
225     "latestVersion": "v0.3",
226     "initialVersionPublishDate": null,
227     "latestVersionPublishDate": null,
228     "order": null,
229     "paragraph1": null,
230     "paragraph2": null,
231     "paragraph3": null,
232     "paragraph4": null,
233     "presetPriceList": null,
234     "price": null,
235     "publisherId": "6b0c6ac3-cd00-42b1-a657-b22ba9b5af5d",
236     "publisher": {
237         "id": "6b0c6ac3-cd00-42b1-a657-b22ba9b5af5d",
238         "createdOn": 1479144831675,
239         "lastModifiedOn": 1479144831675,
240         "updatedBy": "",
241         "deleted": false,
242         "name": "wzJUYwaqfi",
243         "description": null,
244         "email": "66c794df6fab4d7e8cf62e28491c626d@gmail.com",
245         "website": null,
246         "phone": null,
247         "publisherStatus": "VERIFIED",
248         "operatorId": "1dbfd6f9-8e39-4859-a658-90726b4e4529",
249         "userRole": "PUBLISHER"
250     },
251     "ranking": null,
252     "subtitle": null,
253     "updated": null,
254     "status": "APPROVED",
255     "downloadLink": null,
256     "compatibility": "kitkat",
257     "sizeOnDisk": null,
258     "permissionDetails": null,

```

```

259     "additionalDetails": "This application is very popular",
260     "tags": null,
261     "rating": {
262         "count": 0,
263         "overall": 0,
264         "gamePlay": 0,
265         "design": 0,
266         "ease": 0
267     },
268     "silent": null,
269     "normal": {
270         "min": 1,
271         "max": 1
272     },
273     "mandatory": null,
274     "downgrade": null,
275     "deletedBy": null,
276     "deletedOn": null,
277     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.png",
278     "sliderImages": [
279         {
280             "id": "ce70256f-5c82-44b0-aeac-89924e1247eb",
281             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
282             "order": 1
283         },
284         {
285             "id": "2347a096-2c50-404d-8084-a487bdf15f80",
286             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
287             "order": 0
288         }
289     ],
290     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner1.png",
291     "video": null,
292     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon.png",
293     "featuredImage": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.jpeg",
294     "privacyPolicy": "www.privacypolicy.com/2345",
295     "locationSupported": [
296         "India",
297         "UK"
298     ],
299     "languageSupported": [
300         "English",
301         "French"
302     ],
303     "affiliateLaunchMode": null,
304     "affiliateLaunchData": null,
305     "editorsPick": false,
306     "live": false,
307     "reviewer": {
308         "id": "5271deed-c189-4314-a389-113192326541",
309         "createdOn": 1479144831586,
310         "lastModifiedOn": 1479144831586,
311         "updatedBy": "",
312         "deleted": false,
313         "email": "1cf144b896324d809acbe326eae30e96@gmail.com",
314         "name": "feSgrZAFSK",
315         "phone": "+919916248135",
316         "userRole": "REVIEWER_USER",
317         "reviewerStatus": "VERIFIED"
318     }
319 }

```

```
320     ],
321     "totalPages": 1,
322     "last": true,
323     "totalElements": 2,
324     "size": 20,
325     "number": 0,
326     "sort": null,
327     "numberOfElements": 2,
328     "first": true
329   },
330   "detail": null,
331   "error": false,
332   "message": "Fetching latest applications successful",
333   "code": "1000"
334 }
```



**GET**

## Fetch Promotions By Application ID

### Description

Fetches promotions for a particular application by passing the "applicationId".

### Request Endpoint

GET <https://<Example api server address>/application/promotions/{applicationId}>

### Parameters

Parameter	Type	Use	Description
applicationId	String	Required	The ID of an application.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/application/promotions/{applicationId}'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "36fb3050-05cb-4e0d-a630-c0008da442ce",  
5 |       "createdOn": 1481786023540,  
6 |       "lastModifiedOn": 1481786023540,  
7 |       "updatedBy": "",  
8 |       "deleted": false,  
9 |       "name": "FREEMONEY2",  
10 |      "promoType": "PROMOTION",  
11 |      "qualifyingItemType": "APPLICATION",  
12 |      "promotionCode": null,  
13 |      "description": "desc",  
14 |      "finePrint": "fine print1",  
15 |      "paidBy": "paidBy1",  
16 |      "currencies": [  
17 |        "USD"  
18 |      ],  
19 |      "qualifyingItem": null,  
20 |      "casino": null,  
21 |      "application": {  
22 |        "id": "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",  
23 |        "createdOn": 1472021965228,  
24 |        "lastModifiedOn": 1476688814202,  
25 |        "updatedBy": "",  
26 |        "deleted": false,  
27 |        "name": "Application Recent",  
28 |        "description": null,  
29 |        "appPackage": "appPac",  
30 |        "bundleIdentifier": "app",  
31 |        "casino": {  
32 |          "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",  
33 |          "createdOn": 1472021963085,  
34 |          "lastModifiedOn": 1472021963085,
```

json

```

35     "updatedBy": "",
36     "deleted": false,
37     "name": "Poker 26",
38     "videoUrl": "https://www.google.com/betting-video.mov",
39     "imageUrl": "http://www.google.com/betting.png",
40     "description": "This casino has lot of game apps1",
41     "website": "http://www.casino1.com",
42     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
43     "banner": "banner2345",
44     "deletedBy": null,
45     "deletedOn": null,
46     "operatorStatus": "NEW",
47     "email": null,
48     "userRole": "OPERATOR",
49     "firstName": null,
50     "lastName": null,
51     "address": null,
52     "externalId": null,
53     "featuredAppId": null,
54     "latestAppId": null
55 },
56 "casinoId": null,
57 "categories": [
58     {
59         "id": "e068a967-4da6-40b3-ae83-f7c3d4af533e",
60         "createdOn": 1472021964868,
61         "lastModifiedOn": 1472021964868,
62         "updatedBy": "",
63         "deleted": false,
64         "imageUrl": "http://www.google.com/betting.png",
65         "name": "Poker 1",
66         "description": "Some poker category",
67         "videoUrl": "https://www.google.com/betting-video.mov",
68         "iconUrl": "https://www.google.com/betting-icon.png",
69         "colorCode": "#FFFFFF",
70         "heroImageReference": "https://www.google.com/hero.png",
71         "priority": 1,
72         "deletedBy": null,
73         "deletedOn": null,
74         "apps": null
75     }
76 ],
77 "categoryIds": null,
78 "downloads": 10,
79 "featured": true,
80 "applicationVersionIds": null,
81 "keywords": [
82     "key1",
83     "key2",
84     "key3"
85 ],
86 "latestBuild": 18,
87 "latestVersion": "v0.3",
88 "initialVersionPublishDate": null,
89 "latestVersionPublishDate": null,
90 "order": 345,
91 "paragraph1": "1 paragraph",
92 "paragraph2": "2st paragraph",
93 "paragraph3": "3st paragraph",
94 "paragraph4": "4th para",
95 "presetPriceList": null,

```

```

96     "price": 3436,
97     "publisherId": null,
98     "publisher": null,
99     "ranking": 23,
100    "subtitle": "subtitle",
101    "updated": null,
102    "status": "PUBLISHED",
103    "downloadLink": null,
104    "compatibility": "kitkat",
105    "sizeOnDisk": "12MB",
106    "permissionDetails": "You should have kitkat version to run this app",
107    "additionalDetails": "This application is very popular",
108    "tags": null,
109    "rating": {
110      "count": 0,
111      "overall": 0,
112      "gamePlay": 0,
113      "design": 0,
114      "ease": 0
115    },
116    "silent": {
117      "min": 1,
118      "max": 1
119    },
120    "normal": {
121      "min": 1,
122      "max": 1
123    },
124    "mandatory": {
125      "min": 1,
126      "max": 1
127    },
128    "downgrade": {
129      "min": null,
130      "max": null
131    },
132    "deletedBy": null,
133    "deletedOn": null,
134    "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
135    "sliderImages": [
136      {
137        "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
138        "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
139        "order": 1
140      },
141      {
142        "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
143        "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
144        "order": 0
145      }
146    ],
147    "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
148    "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
149    "icon": null,
150    "featuredImage": null,
151    "privacyPolicy": null,
152    "locationSupported": [
153      "India",
154      "UK"
155    ],
156    "languageSupported": [

```

```
157     "English",
158     "French"
159 ],
160 "affiliateLaunchMode": null,
161 "affiliateLaunchData": null,
162 "editorsPick": false,
163 "live": false,
164 "reviewer": null,
165 "certificates": null
166 },
167 "minDeposit": 200.5,
168 "promoAmountType": "AMOUNT",
169 "promoAmount": 40,
170 "usageLimit": 100,
171 "userLimit": 1,
172 "validityStartDate": 1508544000000,
173 "validityEndDate": 1508630400000,
174 "promotionStatus": "SCHEDULED",
175 "usageLimitUsed": 0
176 }
177 ],
178 "detail": null,
179 "error": false,
180 "message": "Fetching promotions detail successful",
181 "code": "1000"
182 }
```

**GET**

## Filter by Casino

### Description

Fetches application IDs based on the casino id passed.

### Request Endpoint

GET `https://<Example api server address>/application/casino/{id}`

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of an existing casino

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/application/casino/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     "8c68054f-4963-47bc-b40d-ff7b69d9d280"  
4 |   ],  
5 |   "detail": null,  
6 |   "error": false,  
7 |   "message": "Fetching application ids by casino successful."  
8 | }
```

json

**POST****Filter by Category****Description**

All applications filtered by a category can be fetched with this API.

**Request Endpoint**

POST <https://<Example api server address>/application/find/by/category>

**Parameters**

None

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"categoryIds\": [\"bc30ab7f-8f71-4dae-805d-8395ff2cfa33\"]  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/application/find/by/category'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
categoryIds	Array	Optional	Category ID of the application(s).

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "categoryIds": [  
3 |     "bc30ab7f-8f71-4dae-805d-8395ff2cfa33"  
4 |   ]  
5 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "6bf866f9-59ba-4fde-ab5c-600ff217da42",  
5 |       "updatedBy": "",  
6 |       "appPackage": "appPac",  
7 |       "banner": "banner",  
8 |       "bundleIdentifier": "app",  
9 |       "casino": {  
10 |         "id": "002e9474-7086-42c0-bf7c-13264d082ea6",  
11 |         "updatedBy": "",  
12 |         "imageUrl": "www.app.com",  
13 |         "name": "AppCasino",  
14 |         "videoUrl": "www.abc.com"  
15 |       },  
16 |     },  
17 |     {  
18 |       "id": "6bf866f9-59ba-4fde-ab5c-600ff217da42",  
19 |       "updatedBy": "",  
20 |       "appPackage": "appPac",  
21 |       "banner": "banner",  
22 |       "bundleIdentifier": "app",  
23 |       "casino": {  
24 |         "id": "002e9474-7086-42c0-bf7c-13264d082ea6",  
25 |         "updatedBy": "",  
26 |         "imageUrl": "www.app.com",  
27 |         "name": "AppCasino",  
28 |         "videoUrl": "www.abc.com"  
29 |       },  
30 |     }  
31 |   ]  
32 | }
```

json

```

16     "casinoId": null,
17     "categories": [
18         {
19             "id": "bc30ab7f-8f71-4dae-805d-8395ff2cfa33",
20             "updatedBy": "",
21             "imageUrl": "www.image.com",
22             "name": "category",
23             "videoUrl": "www.categoryVideo.com",
24             "iconUrl": "www.icon.com",
25             "colorCode": "#222fff",
26             "heroImageReference": "www.imageHero.com"
27         }
28     ],
29     "categoryIds": null,
30     "description": "description about application 1",
31     "downloads": 4646,
32     "featured": null,
33     "versionHistories": [
34         {
35             "build": 18,
36             "version": "v0.3",
37             "versionDate": 1461750635113,
38             "downloadLink": null,
39             "averageRating": null,
40             "ratingCount": null
41         }
42     ],
43     "image": "www.google.com",
44     "keywords": [
45         "key1",
46         "key2",
47         "key3"
48     ],
49     "latestBuild": 18,
50     "latestVersion": "v0.3",
51     "name": "Application Recent",
52     "order": 345,
53     "paragraph1": "1 paragraph",
54     "paragraph2": "2st paragraph",
55     "paragraph3": "3st paragraph",
56     "paragraph4": "4th para",
57     "presetPricelist": null,
58     "price": 3436,
59     "publisher": null,
60     "ranking": 23,
61     "rating": 23523,
62     "sliderImages": [
63         "url 1",
64         "url 2",
65         "url 3"
66     ],
67     "subtitle": "subtitle",
68     "updated": null,
69     "video": "www.youtube.com",
70     "status": "SUBMITTED",
71     "downloadLink": null,
72     "compatibility": "kitkat",
73     "sizeOnDisk": "12MB",
74     "permissionDetails": "You should have kitkat version to run this app",
75     "locationSupported": [
76         "India",

```

```
77     "UK"
78   ],
79   "languageSupported": [
80     "English",
81     "French"
82   ],
83   "additionalDetails": "This application is very popular",
84   "tags": null,
85   "promotionalBonus": null
86 }
87 ],
88 "detail": null,
89 "error": false,
90 "message": "Fetching application detail successful"
91 }
```



**POST****Filter by Language****Description**

Filter game apps based on language.

**Request Endpoint**

POST <https://<Example api server address>/application/by/language>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"languages\" : [\"French\"]\  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/application/by/language'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
languages	String	Required	Language name.

**POST body**

**Headers:** Content-Type: application/json

```
1 | {\  
2 |   \"languages\": [\  
3 |     \"French\"\  
4 |   ]\  
5 | }
```

json

**Response Body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |   \"data\": [\  
3 |     {\  
4 |       \"id\": \"221ae573-813c-4f96-a89f-26397fa8781b\",\  
5 |       \"updatedAt\": \"\",\  
6 |       \"appPackage\": \"appPac\",\  
7 |       \"banner\": \"banner\",\  
8 |       \"bundleIdentifier\": \"ewedg43t34\",\  
9 |       \"casino\": {\  
10 |         \"id\": \"002e9474-7086-42c0-bf7c-13264d082ea6\",\  
11 |         \"updatedAt\": \"\",\  
12 |         \"imageUrl\": \"www.app.com\",\  
13 |         \"name\": \"AppCasino\",\  
14 |         \"videoUrl\": \"www.abc.com\"\  
15 |       },
```

json

```

16     "casinoId": null,
17     "category": {
18         "id": "d236c555-4308-4371-aca7-f01118b46ebb",
19         "updatedBy": "",
20         "imageUrl": "http://www.gmail.com",
21         "name": "Doodlebug",
22         "videoUrl": "http://www.facebook.com"
23     },
24     "categoryId": null,
25     "description": "description about application 1",
26     "downloads": 4646,
27     "featured": null,
28     "versionHistories": null,
29     "image": "www.google.com",
30     "keywords": [
31         "key1",
32         "key2",
33         "key3",
34         "key4",
35         "key5"
36     ],
37     "latestBuild": 18,
38     "latestVersion": "v0.3",
39     "name": "Application",
40     "order": 345,
41     "paragraph1": "1 paragraph",
42     "paragraph2": "2st paragraph",
43     "paragraph3": "3st paragraph",
44     "paragraph4": "4th para",
45     "presetPricelist": null,
46     "price": 3436,
47     "publisher": null,
48     "ranking": 23,
49     "rating": 23523,
50     "sliderImages": [
51         "url 1",
52         "url 2",
53         "url 3"
54     ],
55     "subtitle": "subtitle",
56     "updated": null,
57     "video": "www.youtube.com",
58     "status": "SUBMITTED",
59     "downloadLink": null,
60     "compatibility": "kitkat",
61     "sizeOnDisk": "12MB",
62     "permissionDetails": "You should have kitkat version to run this app",
63     "locationSupported": [
64         "India",
65         "UK"
66     ],
67     "languageSupported": [
68         "French",
69         "UK"
70     ],
71     "additionalDetails": "This application is very popular",
72     "tags": [
73         "tes"
74     ],
75     "promotionalBonus": null
76 }

```

```
77 | ],  
78 | "detail": null,  
79 | "error": false,  
80 | "message": "Fetching applications based on languages successful"  
81 | }
```

## POST Mark An Application As Featured

### Description

Marks an application as featured.

### Request Endpoint

POST <https://<Example api server address>/application/featured>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"applicationIds\" : [  
6 |             \"8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7\"  
7 |         ]  
8 |     }" \  
9 | 'https://core.dev.Example.net/api/application/featured'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
applicationIds	Array	Required	The application ids.

### POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "applicationIds": [  
3 |         "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7"  
4 |     ]  
5 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     "data": {  
3 |         "featuredAppIds": [  
4 |             "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7"  
5 |         ]  
6 |     },  
7 |     "detail": null,  
8 |     "error": false,  
9 |     "message": "Marking application as featured successful."  
10 | }
```

json

**POST****Set Preset Amount****Description**

Set preset prices for a particular application with this API.

**Request Endpoint**

POST <https://<Example api server address>/application/{id}/presetprice>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	UUID of the game app.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"presetPriceList\": [5, 10, 15, 20]  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/application/id/presetprice'
```

curl**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   \"presetPriceList\": [  
3 |     5,  
4 |     10,  
5 |     15,  
6 |     20  
7 |   ]  
8 | }
```

json**Response Body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   \"error\": false,  
3 |   \"message\": \"Setting preset values successful\",  
4 |   \"detail\": null,  
5 |   \"data\": {  
6 |     \"id\": \"0006e205-3164-477e-b205-9a29bdaec3af\",  
7 |     \"name\": \"Jackpot Slots\",  
8 |     \"publisher\": \"OpenWager\",  
9 |     \"subtitle\": null,  
10 |    \"description\": null,  
11 |    \"image\": \"https://s3-us-west-2.amazonaws.com/Example-qa/application_images/icons/jackpotslots.png\",  
12 |    \"video\": null,  
13 |    \"banner\": null,  
14 |    \"bundleIdentifier\": \"com.example.app1\",  
15 |    \"appPackage\": null,  
16 |  }
```

json

```
16     "latestVersion": null,
17     "latestBuild": null,
18     "rating": null,
19     "downloads": null,
20     "price": null,
21     "ranking": 4,
22     "order": null,
23     "paragraph1": "Do you like exciting Casino games? Do you like to spend little money for great reward?
24     "paragraph2": "This exhilarating, new Casino app by OpenWager, Inc is the perfect app for people who
25     "paragraph3": null,
26     "paragraph4": null,
27     "presetPriceList": [
28         5,
29         10,
30         20,
31         15
32     ],
33     "casino": null,
34     "category": {
35         "id": "8727ef2b-22df-4d41-96f4-b0ba616270d5",
36         "name": "Slot",
37         "imageUrl": "https://s3-us-west-2.amazonaws.com/Example-qa/category_images/slotbetting.jpeg",
38         "videoUrl": "null"
39     },
40     "featured": null,
41     "updated": null,
42     "sliderImages": [
43         "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/slider/slots/img1.jpeg",
44         "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/slider/slots/img2.jpeg",
45         "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/slider/slots/img3.jpeg"
46     ],
47     "keywords": null,
48     "categoryId": null,
49     "casinoId": null,
50     "gameAppVersions": null
51 }
52 }
```

**PUT****Update Slider Image****Description**

- If the existing slider image id is passed, the provided data (image name or order) will be updated.
- If the image name or order is passed as null, no update will happen for the respective data.

**Request Endpoint**

PUT <https://<Example api server address>/application/sliderimage/update>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \curl  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"sliderImages\": [  
6 |             {  
7 |                 \"id\" : \"89d78686-c64d-4f31-be2a-cd0f65cce0f1\",  
8 |                 \"image\" : \"slider_update1.jpg\",  
9 |                 \"order\" : 1  
10 |             },  
11 |             {  
12 |                 \"image\" : \"slider_new1.jpg\"  
13 |             }  
14 |         ]  
15 |     }" \  
16 | 'https://core.dev.Example.net/api/application/applicationId/sliderimage/update'
```

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
sliderImages	Object	Optional	The slider image object.
id	String	Optional	The slider image id.
image	String	Optional	The image name.
order	Number	Optional	If not passed, 0 will be considered.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {json  
2 |   \"sliderImages\": [  
3 |     {  
4 |       \"id\": \"89d78686-c64d-4f31-be2a-cd0f65cce0f1\",  
5 |       \"image\": \"slider_update1.jpg\",  
6 |       \"order\": 1  
7 |     },  
8 |     {  
9 |       \"image\": \"slider_new1.jpg\"
```

```
10 |     }
11 |   ]
12 | }
```

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {
2 |   "data": {
3 |     "id": "e4dbaa08-f636-42ce-aa21-c6d4e89561aa",
4 |     "name": "app2",
5 |     "appPackage": "1",
6 |     "banner": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/2",
7 |     "bundleIdentifier": "2",
8 |     "casino": {
9 |       "id": "f586aad2-79c9-4ed3-a05b-dd73a7268b3c",
10 |      "name": "Poker",
11 |      "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/http://www.facebook.com",
12 |      "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/http://www.google.com",
13 |      "description": null,
14 |      "website": null,
15 |      "icon": null,
16 |      "banner": null
17 |    },
18 |    "casinoId": null,
19 |    "categories": null,
20 |    "categoryIds": null,
21 |    "description": "desc 1",
22 |    "downloads": null,
23 |    "featured": null,
24 |    "versionHistories": [
25 |      {
26 |        "build": 5,
27 |        "version": "5.0",
28 |        "versionDate": 1460123794979,
29 |        "downloadLink": "https://s3-us-west-2.amazonaws.com/Example-qa/application_apk/%2F3fc07ee6-d8f2-4
30 |        "rating": null
31 |      },
32 |      {
33 |        "build": 6,
34 |        "version": null,
35 |        "versionDate": 1460123879564,
36 |        "downloadLink": "https://s3-us-west-2.amazonaws.com/Example-qa/application_apk/%2Ffa8d2d6e-5e71-4
37 |        "rating": null
38 |      },
39 |      {
40 |        "build": 1,
41 |        "version": "v1.0",
42 |        "versionDate": 1462864835801,
43 |        "downloadLink": "https://s3-us-west-2.amazonaws.com/Example-qa/application_apk/%2F34abd0d6-30f2-4
44 |        "rating": null
45 |      }
46 |    ],
47 |    "image": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/https://s3-us-west-2.amazonaws.com/Exam
48 |    "keywords": null,
49 |    "latestBuild": 1,
50 |    "latestVersion": "v1.0",
51 |    "order": null,
52 |    "paragraph1": "ph1",
                                     json
```



```

53 "paragraph2": "ph2",
54 "paragraph3": "ph3",
55 "paragraph4": "ph4",
56 "presetPriceList": null,
57 "price": 105,
58 "publisher": "pblr1",
59 "ranking": null,
60 "sliderImages": [
61   {
62     "id": "89d78686-c64d-4f31-be2a-cd0f65cce0f1",
63     "image": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/slider_update1.jpg",
64     "order": 1
65   },
66   {
67     "id": "625ff2c1-fae5-4586-9ea5-653b448a246d",
68     "image": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/slider2.jpg",
69     "order": 1
70   },
71   {
72     "id": "b982b1ec-6dd9-475d-862d-a2c7c18928fc",
73     "image": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/slider1.jpg",
74     "order": 1
75   },
76   {
77     "id": "656025da-3dd3-43d5-991f-4f08e6c8eab4",
78     "image": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/slider2.jpg",
79     "order": 1
80   },
81   {
82     "id": "6132fdd7-7d51-4fdf-b8cb-0c20feb5c81f",
83     "image": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/slider_new1.jpg",
84     "order": 0
85   }
86 ],
87 "subtitle": "subtl 2",
88 "updated": null,
89 "video": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/https://s3-us-west-2.amazonaws.com/Exam
90 "status": "SUBMITTED",
91 "downloadLink": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.apks/https://s3-us-west-2.amazonaws.
92 "compatibility": null,
93 "sizeOnDisk": null,
94 "permissionDetails": null,
95 "locationSupported": null,
96 "languageSupported": null,
97 "additionalDetails": null,
98 "tags": null,
99 "rating": {
100   "count": 1,
101   "overall": 0,
102   "gamePlay": 0,
103   "design": 0,
104   "ease": 0
105 },
106 "silent": null,
107 "normal": null,
108 "mandatory": null,
109 "downgrade": null,
110 "incentives": null
111 },
112 "detail": null,
113 "error": false,

```

```
114 | "message": "Slider images are updated successfully."  
115 | }
```

**PUT****Update Version****Description**

This service will add the updated gameApp versions for a user.

**Request Endpoint**

PUT <https://<Example api server address>/application/{id}/version>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	Application ID for which the version info is being updated.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"version\": \"v0.6\",\  
6 |         \"build\": 19\  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/application/id/version'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
version	String	Required	Version info of the application.
build	Number	Required	Build info of the application.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {\  
2 |     "version": "v0.6",\  
3 |     "build": 19\  
4 | }
```

json

**Response Body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |     "error": false,  
3 |     "message": "Updated GameApp version successfully",  
4 |     "detail": null,  
5 |     "data": {  
6 |         "id": "80e8faed-8563-49b9-ad3c-9b56a604bd46",  
7 |         "name": "Application 1",  
8 |         "publisher": null,  
9 |         "subtitle": "subtitle",  
10 |        "description": "description about application 1",
```

json

```

11  "image": "www.google.com",
12  "video": "www.youtube.com",
13  "banner": "banner",
14  "bundleIdentifier": "com.example.app1",
15  "appPackage": "appPac",
16  "latestVersion": "v0.6",
17  "latestBuild": 19,
18  "rating": 23523,
19  "downloads": 4646,
20  "price": 3436,
21  "ranking": 23,
22  "order": 345,
23  "paragraph1": "1 paragraph",
24  "paragraph2": "2st paragraph",
25  "paragraph3": "3st paragraph",
26  "paragraph4": "4th para",
27  "defaultAmount": 0,
28  "casino": {
29      "id": "2cea8a9a-752b-41e4-a7d6-228d3572ba52",
30      "name": "Sampple",
31      "imageUrl": "Simple",
32      "videoUrl": "Sample"
33  },
34  "category": {
35      "id": "9e95d529-e6bc-453a-bffd-7b0be7b62e0f",
36      "name": "Sampple",
37      "imageUrl": "Simple",
38      "videoUrl": "Sample"
39  },
40  "featured": true,
41  "updated": 1450429638841,
42  "sliderImages": [
43      "url 1",
44      "url 2",
45      "url 3"
46  ],
47  "keywords": [
48      "key1",
49      "key2",
50      "key3",
51      "key4",
52      "key5"
53  ],
54  "categoryId": null,
55  "casinoId": null,
56  "gameAppVersions": [
57      {
58          "version": "v0.3",
59          "build": 18,
60          "versionDate": 1450429638841
61      },
62      {
63          "version": "v0.6",
64          "build": 19,
65          "versionDate": 1450429837832
66      }
67  ]
68  }
69  }

```



**POST****Upload Application Video****Description**

Stores a video in AWS.

- After a successful response, you can check the video name/path in the DB/get user information.
- You can use the video name for other service(s).
- Add a header like: Accept-Encoding : multipart/form-data.

**Request Endpoint**

POST <https://<Example api server address>/application/video/upload>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: multipart/form-data" \  
4 |     --data-binary "Upload multipart-file with variable name \"video\"" \  
5 | 'https://core.dev.Example.net/api/application/video/upload'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
video	String	Required	Icon of the application (file should be multi-part).

**POST body**

**Headers:** Content-Type: multipart/form-data

```
Upload multipart-file with variable name "video"
```

https

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "error": false,  
3 |   "message": "Application video upload is successful",  
4 |   "detail": null,  
5 |   "data": [  
6 |     "b0d6c65e-3381-4e80-be5c-fdd84f6179e5.avi"  
7 |   ]  
8 | }
```

json

**POST****Upload Latest Version****Description**

Allows a web user interface client to upload the latest version of the app.

**Request Endpoint**

POST `https://<Example api server address>/application/{id}/version/upload`

**Parameters**

Parameter	Type	Use	Description
id	String	Required	ID of the application.

**cURL syntax**

```
curl --include \  
  --request POST \  
  --header "Content-Type: application/json" \  
  --data-binary "{  
    \"buildNumber\": 20,  
    \"buildVersion\": \"v1.2.3\",  
    \"uploadLink\": \"http://www.google.com\"  
  }" \  
'https://core.dev.Example.net/api/application/id/version/upload'
```

**POST body attributes (JSON)**

Attribute	Type	Use	Description
buildNumber	Number	Optional	Build Number of the application. It is optional. If not provided, the buildNumber is incremented.
buildVersion	String	Optional	Build version of the application.
uploadLink	String	Required	The link to the uploaded APK in a CDN.

**POST body**

**Headers:** Content-Type: application/json

```
{  
  \"buildNumber\": 20,  
  \"buildVersion\": \"v1.2.3\",  
  \"uploadLink\": \"http://www.google.com\"  
}
```

**Response Body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
{  
  \"error\": false,  
  \"message\": \"Setting preset values successful\",  
  \"detail\": null,  
  \"data\": {
```

```

6   "id": "0006e205-3164-477e-b205-9a29bdaec3af",
7   "name": "Jackpot Slots",
8   "publisher": "OpenWager",
9   "subtitle": null,
10  "description": null,
11  "image": "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/icons/jackpotslots.png",
12  "video": null,
13  "banner": null,
14  "bundleIdentifier": "com.example.app1",
15  "appPackage": null,
16  "latestVersion": "v1.2.3",
17  "latestBuild": 20,
18  "downloadLink": "http://www.google.com",
19  "rating": null,
20  "downloads": null,
21  "price": null,
22  "ranking": 4,
23  "order": null,
24  "paragraph1": "Do you like exciting Casino games? Do you like to spend little money for great reward?",
25  "paragraph2": "This exhilarating, new Casino app by OpenWager, Inc is the perfect app for people who
26  "paragraph3": null,
27  "paragraph4": null,
28  "presetPriceList": [
29      5,
30      10,
31      20,
32      15
33  ],
34  "casino": null,
35  "category": {
36      "id": "8727ef2b-22df-4d41-96f4-b0ba616270d5",
37      "name": "Slot",
38      "imageUrl": "https://s3-us-west-2.amazonaws.com/Example-qa/category_images/slotbetting.jpeg",
39      "videoUrl": "null"
40  },
41  "featured": null,
42  "updated": null,
43  "sliderImages": [
44      "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/slider/slots/img1.jpeg",
45      "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/slider/slots/img2.jpeg",
46      "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/slider/slots/img3.jpeg"
47  ],
48  "keywords": null,
49  "categoryId": null,
50  "casinoId": null,
51  "gameAppVersions": null
52  }
53  }

```



**POST****Upload Slider Images****Description**

Stores images in AWS. After a successful response, you'll get the URLs in the "data" attribute of the response.

- Multiple images can be uploaded at once.
- Add a header like: Accept-Encoding : multipart/form-data

**Request Endpoint**

POST <https://<Example api server address>/application/slider/upload>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: multipart/form-data" \  
4 |     --data-binary "Upload multipart-image with variable name \"sliderImages\"" \  
5 | 'https://core.dev.Example.net/api/application/slider/upload' curl
```

**POST body attributes (JSON)**

Attribute	Type	Use	Description
sliderImages	String	Required	Icon of the application (file should be multi-part).

**POST body**

**Headers:** Content-Type: multipart/form-data

```
Upload multipart-image with variable name "sliderImages" https
```

**Response Body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | { json  
2 |   "error": false,  
3 |   "message": "Slider Image upload is successful",  
4 |   "detail": null,  
5 |   "data": [  
6 |     "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/icons/%2Fe85f13b8-23c2-4058-ac3a-73  
7 |   ]  
8 | }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Game App Events APIs

#### POST Check Live Application Events Exists

##### Description

Checks whether live application events exist.

- If live application events exist it should return true.
- If not, it should return false.

##### Request Endpoint

POST `https://<Example api server address>/application/live/events`

##### Parameters

None.

##### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"applicationIds\" : [\"d5d2a034-dcac-4484-bcc1-9bd5f5d73ab5\"]\  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/application/live/events'
```

curl

##### POST body attributes (JSON)

Attribute	Type	Use	Description
applicationIds	String	Optional	List of application Ids.

##### POST body

Headers: Content-Type: application/json

```
1 | {\  
2 |   \"applicationIds\": [\  
3 |     \"d5d2a034-dcac-4484-bcc1-9bd5f5d73ab5\"\  
4 |   ]\  
5 | }
```

json

##### Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

json

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Fetching live events of an applications successful"  
6 | }
```

**Description (Only for Admin)**

- **"promotionOrder" : 1, "promotedStartTime" : "2016-05-02T13:30:00.000Z", "promotedEndTime" : "2016-05-30T09:01:00.000Z"**  
The above inputs are optional and only required if "isPromoted" is true. If "isPromoted" is false the "promotionOrder" will be 9999. If "isPromoted" is false and "promotionOrder" is not passed, by default order 1000 will be considered. More than one event may have same order, in that case the order of these events may appear in any order among themselves.
- **"startTime" : "2016-05-02T13:30:00.000Z", "endTime" : "2016-05-30T09:01:00.000Z", "physicalTimeZone" : "Asia/Kolkata", "physicalCountryCode" : "IN"**  
The above inputs will be considered as Admin input. Admin can enter any time and timezones (irrespective of the event timezone). The date will be converted to UTC. But for each { "countryCode" : "HK", "timeZone": "Asia/Hong\_Kong" } The physical date time will be converted to respective timezone and store in DB, hence, these will point to the event release timezones.
- **"promotedStartTime" : "2016-05-02T13:30:00.000Z", "promotedEndTime" : "2016-05-30T09:01:00.000Z"**  
The above inputs will define the start and end time for the promotion of the event.

**Request Endpoint**

POST <https://<Example api server address>/application/{id}/event/create>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	UUID of the game app.

**cURL syntax**

```

1  curl --include \
2      --request POST \
3      --header "Content-Type: application/json" \
4      --data-binary "{
5      \"bannerImagePath\" : \"http://path/...\",
6      \"title\" : \"title12\",
7      \"description\" : \"desc1-updated\",
8      \"startTime\" : \"2016-05-02T13:30:00.000Z\",
9      \"endTime\" : \"2016-05-30T09:01:00.000Z\",
10     \"eventFeed\" : [\"feed1\", \"feed2\"],
11     \"deepLink\" : \"deeplink1\",
12     \"physicalTimeZone\" : \"Asia/Kolkata\",
13     \"physicalCountryCode\" : \"IN\",
14     \"eventRelease\" : [
15         {
16             \"countryCode\" : \"HK\",
17             \"timeZone\" : \"Asia/Hong_Kong\"
18         },
19         {
20             \"countryCode\" : \"GB\",
21             \"timeZone\" : \"Europe/London\"
22         },
23         {
24             \"countryCode\" : \"LK\",

```

curl

```

25     \ "timeZone\": \ "Asia/Colombo\ "
26   }
27 ],
28 \ "isPromoted\": true,
29 \ "promotionOrder\": 1,
30 \ "promotedStartTime\": \ "2016-05-02T13:30:00.000Z\ ",
31 \ "promotedEndTime\": \ "2016-05-30T09:01:00.000Z\ "
32 }" \
33 'https://core.dev.Example.net/api/application/id/event/create
34 '

```

## POST body attributes (JSON)

Attribute	Type	Use	Description
title	String	Required	The application event title.
startTime	String	Required	Format "2016-05-02T13:30:00.000Z".
endTime	String	Required	Format "2016-05-02T13:30:00.000Z".
physicalTimeZone	String	Required	The physical time zone.
physicalCountryCode	String	Required	The physical country code.
eventRelease	Array	Optional	An array of child attributes - "countryCode" and "timeZone".
timeZone	String	Required	The time zone.
isPromoted	Boolean	Required	Sets if promoted or not promoted.
promotedStartTime	String	Conditional	Required if "isPromoted" is true.
promotedEndTime	String	Conditional	Required if "isPromoted" is true.

## POST body

**Headers:** Content-Type: application/json

```

1  {
2    "bannerImagePath": "https://path/...",
3    "title": "title12",
4    "description": "desc1-updated",
5    "startTime": "2016-05-02T13:30:00.000Z",
6    "endTime": "2016-05-30T09:01:00.000Z",
7    "eventFeed": [
8      "feed1",
9      "feed2"
10   ],
11   "deepLink": "deeplink1",
12   "physicalTimeZone": "Asia/Kolkata",
13   "physicalCountryCode": "IN",
14   "eventRelease": [
15     {
16       "countryCode": "HK",
17       "timeZone": "Asia/Hong_Kong"
18     },
19     {
20       "countryCode": "GB",
21       "timeZone": "Europe/London"
22     },
23     {
24       "countryCode": "LK",

```

json

```
25     "timeZone": "Asia/Colombo"
26   }
27 ],
28 "isPromoted": true,
29 "promotionOrder": 1,
30 "promotedStartTime": "2016-05-02T13:30:00.000Z",
31 "promotedEndTime": "2016-05-30T09:01:00.000Z"
32 }
```

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1  {
2  "data": {
3    "id": "a50ea349-37b9-4e9d-b8e3-5554e8684a18",
4    "updatedBy": "",
5    "applicationId": "6197ec00-c13c-4f84-8b4c-3225aa5d5b75",
6    "bannerImagePath": "https://path/...",
7    "title": "title12",
8    "description": "desc1-updated",
9    "physicalTimeZone": "Asia/Kolkata",
10   "physicalCountryCode": "IN",
11   "startTime": 1462176000000,
12   "endTime": 1464579060000,
13   "eventFeed": [
14     "feed1",
15     "feed2"
16   ],
17   "deepLink": "deeplink1",
18   "eventRelease": [
19     {
20       "countryCode": "HK",
21       "timeZone": "Asia/Hong_Kong",
22       "startTime": 1462147200000,
23       "endTime": 1464550260000
24     },
25     {
26       "countryCode": "GB",
27       "timeZone": "Europe/London",
28       "startTime": 1462172400000,
29       "endTime": 1464575460000
30     },
31     {
32       "countryCode": "LK",
33       "timeZone": "Asia/Colombo",
34       "startTime": 1462156200000,
35       "endTime": 1464559260000
36     }
37   ],
38   "isPromoted": true,
39   "promotionOrder": 1,
40   "promotedStartTime": 1462176000000,
41   "promotedEndTime": 1464579060000
42 },
43 "detail": null,
44 "error": false,
45 "message": "Application Event is created successfully."
46 }
```

json



## DELETE Delete Application Event

### Description

Delete Application Event by application event id.

### Request Endpoint

DELETE <https://<Example api server address>/application/{id}/event/delete>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of the game app.

### cURL syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 | 'https://core.dev.Example.net/api/application/id/event/delete'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Application event is deleted successfully."  
6 | }
```

json



## POST Fetch Events

### Description

- Input "countryCode" is required.
- A user can pass either categoryId or applicationId, but both are optional.
- If categoryId is passed, all the events for all applications related to the category will be fetched (Condition).
- If applicationId is passed, only the event(s) related to the respective application will be fetched.
- If **both** categoryId and applicationId are passed, *applicationId will only be considered*.
- Condition : By default the promoted events will be loaded first in the list.
- Promoted events will be ordered by the order id present.

### Request Endpoint

POST <https://<Example api server address>/application/events>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"countryCode\": \"GB\",  
6 |         \"categoryId\" : \"e3dac175-e08c-4ee2-b2e7-777c2c73a4e8\",  
7 |         \"applicationId\" : \"6197ec00-c13c-4f84-8b4c-3225aa5d5b75\"  
8 |     }" \  
9 | 'https://core.dev.Example.net/api/application/events'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
countryCode	String	Required	The country code.
categoryId	String	Conditional	Either "categoryId" or "applicationId" is required.
applicationId	String	Conditional	Either "categoryId" or "applicationId" is required.

### POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |     \"countryCode\": \"GB\",  
3 |     \"categoryId\": \"e3dac175-e08c-4ee2-b2e7-777c2c73a4e8\",  
4 |     \"applicationId\": \"6197ec00-c13c-4f84-8b4c-3225aa5d5b75\"  
5 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1  {
2    "data": [
3      {
4        "id": "f6cf36fb-79ab-4f9e-abfc-aa70c0b36da0",
5        "updatedBy": "",
6        "applicationId": "6197ec00-c13c-4f84-8b4c-3225aa5d5b75",
7        "bannerImagePath": "path Asia/Kolkata",
8        "title": null,
9        "description": "desc1",
10       "startTime": 1495699800000,
11       "endTime": 1496374260000,
12       "eventFeed": null,
13       "deepLink": "deepLink1",
14       "timeZone": "Asia/Kolkata"
15     },
16     {
17       "id": "a3992ada-410f-4838-9e0a-eb8206a1f888",
18       "updatedBy": "",
19       "applicationId": "6197ec00-c13c-4f84-8b4c-3225aa5d5b75",
20       "bannerImagePath": "path Asia/Kolkata",
21       "title": null,
22       "description": "desc1",
23       "startTime": 1464163800000,
24       "endTime": 1464838260000,
25       "eventFeed": null,
26       "deepLink": "deepLink1",
27       "timeZone": "Asia/Kolkata"
28     }
29   ],
30   "detail": null,
31   "error": false,
32   "message": "Application Events are fetched successfully."
33 }
```

### Description Only for Admin

There will be no ordering in this GET service. All the events will be fetched irrespective to live/dead events.

### Request Endpoint

GET `https://<Example api server address>/application/{id}/events`

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of the game app.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/application/id/events'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "d7fb3566-c2d3-4173-b888-e940169dfdac",  
5 |       "updatedBy": "",  
6 |       "applicationId": "6197ec00-c13c-4f84-8b4c-3225aa5d5b75",  
7 |       "bannerImagePath": "https://path/...",  
8 |       "title": "title3",  
9 |       "description": "desc1-updated",  
10 |      "physicalTimeZone": "Asia/Kolkata",  
11 |      "physicalCountryCode": "IN",  
12 |      "startTime": 1462176000000,  
13 |      "endTime": 1464579060000,  
14 |      "eventFeed": [  
15 |        "feed1",  
16 |        "feed2"  
17 |      ],  
18 |      "deepLink": "deepLink1",  
19 |      "eventRelease": [  
20 |        {  
21 |          "countryCode": "HK",  
22 |          "timeZone": null,  
23 |          "startTime": 1462147200000,  
24 |          "endTime": 1464550260000  
25 |        },  
26 |        {  
27 |          "countryCode": "GB",  
28 |          "timeZone": null,  
29 |          "startTime": 1462172400000,  
30 |          "endTime": 1464575460000  
31 |        },  
32 |        {  
33 |          "countryCode": "LK",  
34 |          "timeZone": null,
```

json

```

35     "startTime": 1462156200000,
36     "endTime": 1464559260000
37   }
38 ],
39 "isPromoted": true,
40 "promotionOrder": 1,
41 "promotedStartTime": 1462089600000,
42 "promotedEndTime": 1462851060000
43 },
44 {
45   "id": "6d6255b7-ab75-498d-b4e7-69719132c460",
46   "updatedBy": "",
47   "applicationId": "6197ec00-c13c-4f84-8b4c-3225aa5d5b75",
48   "bannerImagePath": "https://path/...",
49   "title": "title5",
50   "description": "desc1-updated",
51   "physicalTimeZone": "Asia/Kolkata",
52   "physicalCountryCode": "IN",
53   "startTime": 1462176000000,
54   "endTime": 1464579060000,
55   "eventFeed": [
56     "feed1",
57     "feed2"
58   ],
59   "deepLink": "deeplink1",
60   "eventRelease": [
61     {
62       "countryCode": "HK",
63       "timeZone": null,
64       "startTime": 1462147200000,
65       "endTime": 1464550260000
66     },
67     {
68       "countryCode": "GB",
69       "timeZone": null,
70       "startTime": 1462172400000,
71       "endTime": 1464575460000
72     },
73     {
74       "countryCode": "LK",
75       "timeZone": null,
76       "startTime": 1462156200000,
77       "endTime": 1464559260000
78     }
79   ],
80   "isPromoted": true,
81   "promotionOrder": 4,
82   "promotedStartTime": 1462089600000,
83   "promotedEndTime": 1462851060000
84 }
85 ],
86 "detail": null,
87 "error": false,
88 "message": "Application Events are fetched successfully."
89 }

```

## POST Update Application Event

### Description

Only for Admin.

### Request Endpoint

POST <https://<Example api server address>/application/{id}/event/update>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of the game app.

### cURL syntax

```
curl --include \  
  --request POST \  
  --header "Content-Type: application/json" \  
  --data-binary "{  
    \"eventId\": \"d7fb3566-c2d3-4173-b888-e940169dfdac\",  
    \"bannerImagePath\" : \"http://path/...\",  
    \"title\" : \"title12-1\",  
    \"description\" : \"desc1-updated\",  
    \"startTime\" : \"2016-05-02T13:30:00.000Z\",  
    \"endTime\" : \"2016-05-30T09:01:00.000Z\",  
    \"eventFeed\" : [\"feed1\", \"feed2\"],  
    \"deepLink\" : \"deeplink1\",  
    \"physicalTimeZone\" : \"Asia/Kolkata\",  
    \"physicalCountryCode\" : \"IN\",  
    \"eventRelease\" : [  
      {  
        \"countryCode\" : \"HK\",  
        \"timeZone\": \"Asia/Hong_Kong\"  
      },  
      {  
        \"countryCode\" : \"GB\",  
        \"timeZone\": \"Europe/London\"  
      },  
      {  
        \"countryCode\" : \"LK\",  
        \"timeZone\": \"Asia/Colombo\"  
      }  
    ],  
    \"isPromoted\" : true,  
    \"promotionOrder\" : 1,  
    \"promotedStartTime\" : \"2016-05-02T13:30:00.000Z\",  
    \"promotedEndTime\" : \"2016-05-30T09:01:00.000Z\"  
  }" \  
'https://core.dev.Example.net/api/application/id/event/update'
```

### POST body attributes (JSON)

Attribute	Type	Use	Description
eventId	String	Required	The application event id.

Attribute	Type	Use	Description
title	String	Required	The application event title.
startTime	String	Required	Format "2016-05-02T13:30:00.000Z".
endTime	String	Required	Format "2016-05-02T13:30:00.000Z".
physicalTimeZone	String	Required	The time zone.
physicalCountryCode	String	Required	The country code.
eventRelease	Array	Required	Array of countryCode and timeZone attributes.
timeZone	String	Required	The time zone.
isPromoted	Boolean	Required	Sets if promoted or not promoted.
promotedStartTime	String	Conditional	Required if "isPromoted" is true.
promotedEndTime	String	Conditional	Required if "isPromoted" is true.

## POST body

**Headers:** Content-Type: application/json

```

1  {
2    "eventId": "d7fb3566-c2d3-4173-b888-e940169dfdac",
3    "bannerImagePath": "https://path/...",
4    "title": "title12-1",
5    "description": "desc1-updated",
6    "startTime": "2016-05-02T13:30:00.000Z",
7    "endTime": "2016-05-30T09:01:00.000Z",
8    "eventFeed": [
9      "feed1",
10     "feed2"
11   ],
12   "deeplink": "deeplink1",
13   "physicalTimeZone": "Asia/Kolkata",
14   "physicalCountryCode": "IN",
15   "eventRelease": [
16     {
17       "countryCode": "HK",
18       "timeZone": "Asia/Hong_Kong"
19     },
20     {
21       "countryCode": "GB",
22       "timeZone": "Europe/London"
23     },
24     {
25       "countryCode": "LK",
26       "timeZone": "Asia/Colombo"
27     }
28   ],
29   "isPromoted": true,
30   "promotionOrder": 1,
31   "promotedStartTime": "2016-05-02T13:30:00.000Z",
32   "promotedEndTime": "2016-05-30T09:01:00.000Z"
33 }

```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1  {
2    "data": {
3      "id": "a50ea349-37b9-4e9d-b8e3-5554e8684a18",
4      "updatedBy": "",
5      "applicationId": "6197ec00-c13c-4f84-8b4c-3225aa5d5b75",
6      "bannerImagePath": "https://path/...",
7      "title": "title12-1",
8      "description": "desc1-updated",
9      "physicalTimeZone": "Asia/Kolkata",
10     "physicalCountryCode": "IN",
11     "startTime": 1462176000000,
12     "endTime": 1464579060000,
13     "eventFeed": [
14       "feed1",
15       "feed2"
16     ],
17     "deepLink": "deeplink1",
18     "eventRelease": [
19       {
20         "countryCode": "HK",
21         "timeZone": "Asia/Hong_Kong",
22         "startTime": 1462147200000,
23         "endTime": 1464550260000
24       },
25       {
26         "countryCode": "GB",
27         "timeZone": "Europe/London",
28         "startTime": 1462172400000,
29         "endTime": 1464575460000
30       },
31       {
32         "countryCode": "LK",
33         "timeZone": "Asia/Colombo",
34         "startTime": 1462156200000,
35         "endTime": 1464559260000
36       }
37     ],
38     "isPromoted": true,
39     "promotionOrder": 1,
40     "promotedStartTime": 1462176000000,
41     "promotedEndTime": 1464579060000
42   },
43   "detail": null,
44   "error": false,
45   "message": "Application Event is created successfully."
46 }
```

## PATCH Update Partial Application Event

### Description

- If the field is not passed, it will be considered as null.
- If the particular field is passed as null, it, or its dependent fields will not be updated.
- If `EventRelease` is passed as null, existing event releases will not be modified, otherwise have to pass all required event release.
- If `Promoted` is sent as null, it or its related fields will not be modified, otherwise have to pass all required event release.

### Request Endpoint

PATCH <https://<Example api server address>/application/{id}/event/partial/update>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of the game app.

### cURL syntax

```
1 curl --include \  
2     --request PATCH \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \"eventId\" : \"3295c2f8-b3cd-464f-9cea-23ddad36f369\",  
6     \"bannerImagePath\" : null,  
7     \"title\" : null,  
8     \"description\" : null,  
9     \"startTime\" : null,  
10    \"endTime\" : null,  
11    \"eventFeed\" : null,  
12    \"deepLink\" : null,  
13    \"physicalTimeZone\" : null,  
14    \"physicalCountryCode\" : null,  
15    \"eventRelease\" : null,  
16    \"isPromoted\" : null  
17 }" \  
18 'https://core.dev.Example.net/api/application/id/event/partial/update'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
eventId	String	Required	The application event id.
bannerImagePath	String	Optional	If passed as null, the existing one will not be updated.
title	String	Required	The application event title. If passed as null, the existing one will not be updated.
startTime	String	Required	Format "2016-05-02T13:30:00.000Z". If passed as null, the existing one will not be updated.
endTime	String	Required	Format "2016-05-02T13:30:00.000Z". If passed as null, the existing one will not be updated.



Attribute	Type	Use	Description
physicalTimeZone	String	Required	The time zone. If passed as null, the existing one will not be updated.
physicalCountryCode	String	Required	The country code. If passed as null, the existing one will not be updated.
eventRelease	Array	Required	Array of countryCode and timeZone attributes. If passed as null, the existing one will not be updated. Otherwise have to pass all required releases.
isPromoted	Boolean	Required	Sets if promoted or not promoted. If passed as null, the existing one will not be updated. Otherwise have to pass all required releases.
promotedStartTime	String	Conditional	Required if "isPromoted" is true.
promotedEndTime	String	Conditional	Required if "isPromoted" is true.

## PATCH body

Headers: Content-Type: application/json

```

1  {
2    "eventId": "3295c2f8-b3cd-464f-9cea-23ddad36f369",
3    "bannerImagePath": null,
4    "title": null,
5    "description": null,
6    "startTime": null,
7    "endTime": null,
8    "eventFeed": null,
9    "deepLink": null,
10   "physicalTimeZone": null,
11   "physicalCountryCode": null,
12   "eventRelease": null,
13   "isPromoted": null
14  }

```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2    "data": {
3      "id": "3295c2f8-b3cd-464f-9cea-23ddad36f369",
4      "updatedBy": "",
5      "applicationId": "6197ec00-c13c-4f84-8b4c-3225aa5d5b75",
6      "bannerImagePath": "https://s3-us-west-2.amazonaws.com/btc.dev.apdx.www/img.png",
7      "title": "title12",
8      "description": "desc1-updated",
9      "physicalTimeZone": "Asia/Kolkata",
10     "physicalCountryCode": "IN",
11     "startTime": 1462176000000,
12     "endTime": 1464579060000,
13     "eventFeed": [
14       "feed1",
15       "feed2"
16     ],
17     "deepLink": "deeplink1",
18     "eventRelease": [
19       {

```

json

```
20     "countryCode": "HK",
21     "timeZone": "Asia/Hong_Kong",
22     "startTime": 1462147200000,
23     "endTime": 1464550260000
24   },
25   {
26     "countryCode": "GB",
27     "timeZone": "Europe/London",
28     "startTime": 1462172400000,
29     "endTime": 1464575460000
30   },
31   {
32     "countryCode": "LK",
33     "timeZone": "Asia/Colombo",
34     "startTime": 1462156200000,
35     "endTime": 1464559260000
36   }
37 ],
38 "isPromoted": true,
39 "promotionOrder": 1,
40 "promotedStartTime": 1462176000000,
41 "promotedEndTime": 1464579060000
42 },
43 "detail": null,
44 "error": false,
45 "message": "Application Event is updated successfully."
46 }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Game App Messages APIs

#### POST Add App Message

##### Description

Adds a new app message.

##### Request Endpoint

POST `https://<Example api server address>/admin/message`

##### Parameters

None.

##### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"action\" : \"common.invalid.minute\",  
6 |         \"message\" : \"Invalid minute\",  
7 |         \"language\" : \"English\",  
8 |         \"context\" : \"STORE\"  
9 |     }" \  
10 | 'https://core.dev.Example.net/api/admin/message'
```

curl

##### POST body attributes (JSON)

Attribute	Type	Use	Description
<code>action</code>	String	Required	"action" is the key.
<code>message</code>	String	Required	"message" is a string value.
<code>language</code>	String	Required	Language can be any human language (default is en).

##### POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "action": "common.invalid.minute",  
3 |     "message": "Invalid minute",  
4 |     "language": "English",  
5 |     "context": "STORE"  
6 | }
```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

json

```
1  | {
2  |   "data": {
3  |     "id": "19f90880-a327-4361-a31f-148ed1398f9e",
4  |     "updatedBy": "",
5  |     "action": "common.invalid.minute",
6  |     "message": "Invalid minute",
7  |     "language": "English",
8  |     "context": "STORE"
9  |   },
10 |   "detail": null,
11 |   "error": false,
12 |   "message": "Adding Message successful"
13 | }
```

## DELETE Delete App Message

### Description

Deletes an existing app message.

### Request Endpoint

DELETE <https://<Example api server address>/admin/message/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of an existing app message.

### cURL syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 | 'https://core.dev.Example.net/api/admin/message/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Deleting store and SDK message successful"  
6 | }
```

json

**GET**

## Export App Messages

### Description

Exports app messages.

### Request Endpoint

GET `https://<Example api server address>/admin/lang/message?{langCode}&{context}`

### Parameters

Parameter	Type	Use	Description
<code>langCode</code>	String	Required	Language of the requested messages.
<code>context</code>	String	Required	Context of the app messages ("STORE" or "SDK").

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/lang/message?langCode=en&context=STORE' curl
```

### Response body

**Headers:** Content-Type: application/xml | HTTPS Status Code: 200

```
1 | <?xml version="1.0" encoding="UTF-8" standalone="yes" ?> xml  
2 | <data date="2016-06-09T14:34:52.142+05:30" lang="en">  
3 |   <text name="common.invalid.number">invalid number</text>  
4 | </data>
```

**GET**

## Fetch All App Messages

### Description

Fetches all the app messages.

### Request Endpoint

GET <https://<Example api server address>/admin/message>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/message'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "a4fb8afe-8eea-4f25-a68d-f0e62733e002",  
5 |       "updatedBy": "",  
6 |       "action": "common.invalid.number",  
7 |       "message": "Invalid number",  
8 |       "language": "English",  
9 |       "context": "STORE"  
10 |     }  
11 |   ],  
12 |   "detail": null,  
13 |   "error": false,  
14 |   "message": "Fetching Messages info successful"  
15 | }
```

json

**POST****Fetch by Action****Description**

Fetches app messages by action.

**Request Endpoint**

POST <https://<Example api server address>/admin/message/by/action>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"action\" : \"common.invalid.number\",  
6 |         \"language\" : \"US\"  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/admin/message/by/action'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
<b>action</b>	String	Required	"action" is the key.
<b>language</b>	String	Optional	Language can be any human language (default is en).

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "action": "common.invalid.number",  
3 |     "language": "US"  
4 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     "data": "Invalid number",  
3 |     "detail": null,  
4 |     "error": false,  
5 |     "message": "Fetching store and sdk messages successful"  
6 | }
```

json



**POST****Import App Messages****Description****Request Endpoint**

POST <https://<Example api server address>/admin/lang/message?{langCode}&{context}>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 | 'https://core.dev.Example.net/api/admin/lang/message?langCode=en&context=STORE'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
messageXml	String	Required	Should be a valid XML file.

**POST body**

Headers: Content-Type: multipart/form-data, boundary=AaB03x  
Accept-Encoding: Should be multipart/form-data  
Content-Type: multipart/form-data

```
1 | Upload multipart-image with variable name "messageXml"  
2 | <!--Sample XML is below-->  
3 |  
4 | <?xml version="1.0" encoding="UTF-8" standalone="yes" ?>  
5 |   <data date="2016-06-09T14:34:52.142+05:30" lang="en">  
6 |     <text name="common.invalid.number">invalid number</text>  
7 |   </data>
```

xml

**Response body**

Headers: Content-Type: multipart/form-data, boundary=AaB03x  
Accept-Encoding: Should be multipart/form-data  
Content-Type: application/json

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "action": "common.invalid.number",  
5 |       "context": "SDK",  
6 |       "id": "d5f522ad-375e-4abb-9101-f64c70aa995d",  
7 |       "language": "en",  
8 |       "message": "invalid number"  
9 |     }  
10 |  ]  
11 | }
```

json

```
10 | ],
11 | "detail": null,
12 | "error": false,
13 | "message": "Successfully imported messages"
14 | }
```

**PUT****Update App Message****Description**

Updates an existing app message.

**Request Endpoint**

PUT <https://<Example api server address>/admin/message/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	UUID of an existing app message.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"message\" : \"xyz is unknown\"  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/admin/message/id'
```

curl

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "message": "xyz is unknown"  
3 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "0b4817e9-d5bc-4835-a085-7ebe63e04ef9",  
4 |     "updatedBy": "",  
5 |     "action": "common.invalid.input",  
6 |     "message": "xyz is unknown",  
7 |     "language": "English",  
8 |     "context": "STORE"  
9 |   },  
10 |   "detail": null,  
11 |   "error": false,  
12 |   "message": "Updating storeAndSdk Messages info successful"  
13 | }
```

json

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Game App Packs APIs

#### POST Create App Pack

##### Description

Create an app pack with this api.

##### Request Endpoint

POST <https://<Example api server address>/admin/app/pack>

##### Parameters

None.

##### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"title\": \"Watsapp\",  
6 |         \"backgroundImage\": \"AppImage\",  
7 |         \"applicationIds\": [\"6bf866f9-59ba-4fde-ab5c-600ff217da42\"],  
8 |         \"startDate\" : 1467112085  
9 |     }" \  
10 | 'https://core.dev.Example.net/api/admin/app/pack'
```

##### POST body attributes (JSON)

Attribute	Type	Use	Description
title	String	Required	Title for the app pack.
backgroundImage	String	Optional	An image.
applicationIds	String	Required	List of application Ids.
startDate	String	Optional	A new date.

##### POST body

Headers: Content-Type: application/json

```
1 | {  
2 |     "title": "Watsapp",  
3 |     "backgroundImage": "AppImage",  
4 |     "applicationIds": [  
5 |         "6bf866f9-59ba-4fde-ab5c-600ff217da42",  
6 |         "6bf866f9-59ba-4fde-ab5c-600ff217da42",  
7 |         "6bf866f9-59ba-4fde-ab5c-600ff217da42",  
8 |         "6bf866f9-59ba-4fde-ab5c-600ff217da42",  
9 |         "6bf866f9-59ba-4fde-ab5c-600ff217da42",  
10 |     ]  
11 | }
```

```
5 |     "6bf866f9-59ba-4fde-ab5c-600ff217da42"  
6 | ],  
7 | "startDate": 1467112085  
8 | }
```

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "b696b10a-648e-40d2-9724-9241aa3a4ee0",  
4 |     "updatedBy": "",  
5 |     "title": "Watsapp",  
6 |     "backgroundImage": "AppImage",  
7 |     "applicationIds": [  
8 |       "6bf866f9-59ba-4fde-ab5c-600ff217da42"  
9 |     ]  
10 |   },  
11 |   "detail": null,  
12 |   "error": false,  
13 |   "message": "Creating app pack successful"  
14 | }
```

json

## DELETE Delete

### Description

Deletes an existing App Pack.

### Request Endpoint

DELETE <https://<Example api server address>/admin/app/packs/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	AppPackId of an existing App Pack.

### cURL syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 | 'https://core.dev.Example.net/api/admin/app/packs/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": null,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Deleting app pack successful"  
6 | }
```

json

## Description

Fetch all the packs existing in the app.

## Request Endpoint

GET <https://<Example api server address>/admin/app/pack?{offset}&{limit}>

## Parameters

Parameter	Type	Use	Description
offset	Number	Optional	Offset to control the results.
limit	Number	Optional	Limit to control the results.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/app/pack' curl
```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | { json  
2 |   "data": [  
3 |     {  
4 |       "id": "09ded9c2-36aa-4d51-bf72-ebd1bc198d1f",  
5 |       "updatedAt": "",  
6 |       "title": "ABC",  
7 |       "backgroundImage": "image23cv12",  
8 |       "applicationIds": null  
9 |     },  
10 |    {  
11 |      "id": "5c95b530-eb3d-4709-bb54-8d80ff326362",  
12 |      "updatedAt": "",  
13 |      "title": "App45",  
14 |      "backgroundImage": "dfj",  
15 |      "applicationIds": null  
16 |    },  
17 |    {  
18 |      "id": "b696b10a-648e-40d2-9724-9241aa3a4ee0",  
19 |      "updatedAt": "",  
20 |      "title": "Watsapp",  
21 |      "backgroundImage": "AppImage",  
22 |      "applicationIds": null  
23 |    }  
24 |  ],  
25 |   "detail": null,  
26 |   "error": false,  
27 |   "message": "Fetching app packs successful"  
28 | }
```

**GET****Fetch One****Description**

This API will fetch an existing app pack by the id passed.

**Request Endpoint**

GET `https://<Example api server address>/admin/app/packs/{id}`

**Parameters**

Parameter	Type	Use	Description
id	String	Required	appPackId of an existing app pack.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/app/packs/id'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "09ded9c2-36aa-4d51-bf72-ebd1bc198d1f",  
4 |     "updatedBy": "",  
5 |     "title": "Facebook",  
6 |     "backgroundImage": "fb image",  
7 |     "applicationIds": null  
8 |   },  
9 |   "detail": null,  
10 |  "error": false,  
11 |  "message": "Fetching app packs detail successful"  
12 | }
```

json



**GET**

## Fetch By Title

### Description

Fetches an existing app pack by the title passed.

### Request Endpoint

GET <https://<Example api server address>/admin/find/app/packs/{title}>

### Parameters

Parameter	Type	Use	Description
title	String	Required	Title of an existing app pack.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/find/app/packs/title'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "b696b10a-648e-40d2-9724-9241aa3a4ee0",  
4 |     "updatedBy": "",  
5 |     "title": "Watsapp",  
6 |     "backgroundImage": "AppImage",  
7 |     "applicationIds": null  
8 |   },  
9 |   "detail": null,  
10 |  "error": false,  
11 |  "message": "Fetching app packs detail successful"  
12 | }
```

json

**PUT****Update****Description**

Update the app packs with this api.

**Request Endpoint**

PUT <https://<Example api server address>/admin/app/packs/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	The appPackId of an existing pack.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"title\": \"Facebook\",  
6 |         \"backgroundImage\": \"fb image\",  
7 |         \"applicationIds\": [\"d5d2a034-dcac-4484-bcc1-9bd5f5d73ab5\"],  
8 |         \"startDate\": 1467112085  
9 |     }" \  
10 | 'https://core.dev.Example.net/api/admin/app/packs/id'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
title	String	Optional	Title for the app pack.
backgroundImage	String	Optional	A background image.
applicationIds	String	Optional	A list of application Ids.
startDate	String	Optional	A new Date.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "title": "Facebook",  
3 |     "backgroundImage": "fb image",  
4 |     "applicationIds": [  
5 |         "d5d2a034-dcac-4484-bcc1-9bd5f5d73ab5"  
6 |     ],  
7 |     "startDate": 1467112085  
8 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1  {
2    "data": {
3      "id": "09ded9c2-36aa-4d51-bf72-ebd1bc198d1f",
4      "updatedBy": "",
5      "title": "Facebook",
6      "backgroundImage": "fb image",
7      "applicationIds": null
8    },
9    "detail": null,
10   "error": false,
11   "message": "Editing app packs successful"
12 }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Game App Review APIs

#### POST Create (App Review)

##### Description

Allows a client to create an application review.

##### Request Endpoint

POST <https://<Example api server address>/application/review>

##### Parameters

None.

##### cURL syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5         \"applicationIds\": \"79d16bde-d88b-4da4-b8c4-f9d6dd3e1f69\",  
6         \"userIds\": \"2f67fdd2-fab5-466d-9949-9fd94ee735da\",  
7         \"comments\": \"ok123\",  
8         \"design\": 3.1,  
9         \"gamePlay\" : 4.8,  
10        \"ease\" : 4.2,  
11        \"appVersion\": \"v0.3\",  
12        \"appBuild\": 18  
13    }" \  
14    'https://core.dev.Example.net/api/application/review'
```

##### POST body attributes (JSON)

Attribute	Type	Use	Description
applicationIds	String	Required	ID (single) of the application for which a review is being made.
userIds	String	Required	ID (single) of the user who is creating a review.
comments	String	Optional	Comments of the review (max 100 characters).
ease	Number	Required	Rating that indicates the level of easiness of the game application.
design	Number	Required	Rating for the design of the game application.
gamePlay	Number	Required	Rating for gamePlay of the game application.
appVersion	String	Required	Version of the application for which the review is being created.
appBuild	Number	Required	Build number of a game application.

## POST body

Headers: Content-Type: application/json

```
1  {
2    "applicationIds": "79d16bde-d88b-4da4-b8c4-f9d6dd3e1f69",
3    "userIds": "2f67fdd2-fab5-466d-9949-9fd94ee735da",
4    "comments": "ok123",
5    "design": 3.1,
6    "gamePlay": 4.8,
7    "ease": 4.2,
8    "appVersion": "v0.3",
9    "appBuild": 18
10 }
```

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1  {
2    "data": {
3      "id": "61425a6a-6975-40fb-9593-41875214cf32",
4      "updatedBy": "",
5      "application": {
6        "id": "79d16bde-d88b-4da4-b8c4-f9d6dd3e1f69",
7        "updatedBy": "",
8        "appPackage": "appPac",
9        "banner": "banner",
10       "bundleIdentifier": "app123",
11       "casino": {
12         "id": "4796c79c-7755-4c98-8084-2b55ca4ec33c",
13         "updatedBy": "",
14         "imageUrl": "Simple",
15         "name": "Sample",
16         "videoUrl": "Sample"
17       },
18       "casinoId": null,
19       "categories": [{
20         "id": "cb79543c-e521-4ded-a704-bdf9db17aab9",
21         "updatedBy": "",
22         "imageUrl": "Simple",
23         "name": "Sample",
24         "videoUrl": "Sample"
25       }],
26       "categoryIds": null,
27       "description": "description about application 1",
28       "downloads": 4646,
29       "featured": true,
30       "versionHistories": [{
31         "build": 18,
32         "version": "v0.3",
33         "versionDate": 1461144420923,
34         "downloadLink": "http://www.google.com/",
35         "rating": {
36           "count": 1,
37           "overall": 4,
38           "design": 3.1,
39           "gamePlay": 4.8,
40           "ease": 4.2,
```

```

40     }
41   }],
42   "image": "www.google.com",
43   "keywords": [
44     "key1",
45     "key2",
46     "key3",
47     "key4",
48     "key5"
49   ],
50   "latestBuild": 18,
51   "latestVersion": "v0.3",
52   "name": "Application 1",
53   "order": 345,
54   "paragraph1": "1 paragraph",
55   "paragraph2": "2st paragraph",
56   "paragraph3": "3st paragraph",
57   "paragraph4": "4th para",
58   "presetPriceList": null,
59   "price": 3436,
60   "publisher": null,
61   "ranking": 23,
62   "rating": {
63     "count": 1,
64     "overall": 4,
65     "design": 3.1,
66     "gamePlay" : 4.8,
67     "ease" : 4.2,
68   },
69   "sliderImages": [
70     "url 1",
71     "url 2",
72     "url 3"
73   ],
74   "subtitle": "subtitle",
75   "updated": 1461144420923,
76   "video": "www.youtube.com",
77   "status": null,
78   "downloadLink": null,
79   "compatibility": null,
80   "sizeOnDisk": null,
81   "permissionDetails": null,
82   "locationSupported": null,
83   "languageSupported": null,
84   "additionalDetails": null,
85   "tags": null,
86   "promotionalBonus": null
87 },
88 "applicationId": "79d16bde-d88b-4da4-b8c4-f9d6dd3e1f69",
89 "user": {
90   "id": "2f67fdd2-fab5-466d-9949-9fd94ee735da",
91   "updatedBy": "",
92   "addresses": null,
93   "birthDateDay": null,
94   "birthDateMonth": null,
95   "birthDateYear": null,
96   "devices": null,
97   "emailAuthenticationChannels": [{
98     "addedOn": 1461144420925,
99     "blockStatus": "NORMAL",
100    "deletedOn": null,

```

```
101         "emailAddress": "abc@cde.com",
102         "emailPinResetStatus": null,
103         "emailVerificationStatus": "VERIFIED",
104         "lastUsedOn": 1461144420925,
105         "loginType": "EMAIL",
106         "primary": null
107     }],
108     "firstName": null,
109     "fullName": null,
110     "groupTag": null,
111     "lastName": null,
112     "locationCountry": null,
113     "locationZipCode": null,
114     "mobileAuthenticationChannels": null,
115     "pinCreated": false,
116     "profileImagePath": null,
117     "profileName": null,
118     "registrationDate": null,
119     "socialAuthenticationChannels": null,
120     "status": null,
121     "timezone": null,
122     "userSetting": null,
123     "verified": false
124 },
125 "userId": "2f67fdd2-fab5-466d-9949-9fd94ee735da",
126 "comments": "ok123",
127 "overall": 4,
128 "design": 3.1,
129 "gamePlay" : 4.8,
130 "ease" : 4.2,
131 "appVersion": "v0.3",
132 "appBuild": 18
133 },
134 "detail": null,
135 "error": false,
136 "message": "Application review created successfully"
137 }
138
```

## Description

Fetches application reviews.

## Request Endpoint

GET <https://<Example api server address>/application/review?{appId}&{appVersion}&{appBuild}&{pagesToSkip}&{recordsPerPage}>

## Parameters

Parameter	Type	Use	Description
appId	String	Required	ID of the application required.
appVersion	String	Required	Version of the application required.
appBuild	Number	Required	Build of the application required.
pagesToSkip	Number	Optional	Number of pages to skip.
recordsPerPage	Number	Optional	Number of records per page.

## cURL syntax

```
curl
1 | curl --include \
2 | 'https://core.dev.Example.net/api/application/review?appId&appVersion&appBuild&pagesToSkip&recordsPerPage'
```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
json
1 | {
2 |   "data": [
3 |     {
4 |       "id": "61425a6a-6975-40fb-9593-41875214cf32",
5 |       "updatedBy": "",
6 |       "application": {
7 |         "id": "79d16bde-d88b-4da4-b8c4-f9d6dd3e1f69",
8 |         "updatedBy": "",
9 |         "appPackage": "appPac",
10 |        "banner": "banner",
11 |        "bundleIdentifier": "app123",
12 |        "casino": {
13 |          "id": "4796c79c-7755-4c98-8084-2b55ca4ec33c",
14 |          "updatedBy": "",
15 |          "imageUrl": "Simple",
16 |          "name": "Sample",
17 |          "videoUrl": "Sample"
18 |        },
19 |        "casinoId": null,
20 |        "categories": [
21 |          {
22 |            "id": "cb79543c-e521-4ded-a704-bdf9db17aab9",
23 |            "updatedBy": "",
24 |            "imageUrl": "Simple",
25 |            "name": "Sample",
26 |            "videoUrl": "Sample"
```



```

27     }
28   ],
29   "categoryIds": null,
30   "description": "description about application 1",
31   "downloads": 4646,
32   "featured": true,
33   "versionHistories": [
34     {
35       "build": 18,
36       "version": "v0.3",
37       "versionDate": 1461144420923,
38       "downloadLink": "http://www.google.com/",
39       "averageRating": 3,
40       "ratingCount": 1
41     }
42   ],
43   "image": "www.google.com",
44   "keywords": [
45     "key1",
46     "key2",
47     "key3",
48     "key4",
49     "key5"
50   ],
51   "latestBuild": 18,
52   "latestVersion": "v0.3",
53   "name": "Application 1",
54   "order": 345,
55   "paragraph1": "1 paragraph",
56   "paragraph2": "2st paragraph",
57   "paragraph3": "3st paragraph",
58   "paragraph4": "4th para",
59   "presetPriceList": null,
60   "price": 3436,
61   "publisher": null,
62   "ranking": 23,
63   "rating": 23523,
64   "sliderImages": [
65     "url 1",
66     "url 2",
67     "url 3"
68   ],
69   "subtitle": "subtitle",
70   "updated": 1461144420923,
71   "video": "www.youtube.com",
72   "status": null,
73   "downloadLink": null,
74   "compatibility": null,
75   "sizeOnDisk": null,
76   "permissionDetails": null,
77   "locationSupported": null,
78   "languageSupported": null,
79   "additionalDetails": null,
80   "tags": null,
81   "promotionalBonus": null
82 },
83 "applicationIds": null,
84 "user": {
85   "id": "2f67fdd2-fab5-466d-9949-9fd94ee735da",
86   "updatedBy": "",
87   "addresses": null,

```

```

88     "birthDateDay": 3,
89     "birthDateMonth": 2,
90     "birthDateYear": 2013,
91     "devices": [
92         {
93             "id": "8297793b-ef67-456f-97e6-0479f1d6f63a",
94             "updatedAt": "",
95             "description": "device description",
96             "deviceStatus": "NORMAL",
97             "manufacturer": "manufacturer name",
98             "model": "model name",
99             "os": "os type",
100            "udid": "75f39012-9d41-4789-a900-86fa8ee7f618",
101            "simStateHashCode": null,
102            "simCardState": null
103        },
104        {
105            "id": "ed96f8ad-aad2-47d6-9a72-cb53e349fc05",
106            "updatedAt": "",
107            "description": "device description",
108            "deviceStatus": "NORMAL",
109            "manufacturer": "manufacturer name",
110            "model": "model name",
111            "os": "os type",
112            "udid": "8c7907c4-1cc5-4b49-9643-370baab753ab",
113            "simStateHashCode": null,
114            "simCardState": null
115        }
116    ],
117    "emailAuthenticationChannels": [
118        {
119            "addedOn": 1461144420925,
120            "blockStatus": "NORMAL",
121            "deletedOn": null,
122            "emailAddress": "abc@cde.com",
123            "emailPinResetStatus": null,
124            "emailVerificationStatus": "VERIFIED",
125            "lastUsedOn": 1461144420925,
126            "loginType": "EMAIL",
127            "primary": null
128        }
129    ],
130    "firstName": "someone",
131    "fullName": null,
132    "groupTag": null,
133    "lastName": "somebody",
134    "locationCountry": "India",
135    "locationZipCode": "123456",
136    "mobileAuthenticationChannels": null,
137    "pinCreated": false,
138    "profileImagePath": null,
139    "profileName": "somebody",
140    "registrationDate": 1461144420925,
141    "socialAuthenticationChannels": null,
142    "status": "EXISTING",
143    "timezone": "ist",
144    "userSetting": null,
145    "verified": true
146 },
147 "userIds": null,
148 "comments": "ok123",

```

```
149     "rating": 3,  
150     "appVersion": "v0.3",  
151     "appBuild": 18  
152   }  
153 ],  
154 "detail": null,  
155 "error": false,  
156 "message": "Application review fetch successful"  
157 }
```

## Description

Gets an application review for a given `userId`.

## Request Endpoint

GET `https://<Example api server address>/application/review/user?userId={userId}&pagesToSkip={pagesToSkip}&recordsPerPage={recordsPerPage}`

## Parameters

Parameter	Type	Use	Description
<code>userId</code>	String	Required	ID of the user who created the review.
<code>pagesToSkip</code>	Number	Optional	Number of pages to skip.
<code>recordsPerPage</code>	Number	Optional	Number of records per page.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/application/review/user?userId=userId&pagesToSkip=pagesToSkip&recordsPe
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "522cac10-aae6-4779-9000-b2d43a5781ce",  
5 |       "updatedBy": "",  
6 |       "application": {  
7 |         "id": "9cd7d412-4717-4740-bc31-21ad826ee8cb",  
8 |         "updatedBy": "",  
9 |         "appPackage": "appPac",  
10 |        "banner": "banner",  
11 |        "bundleIdentifier": "app123",  
12 |        "casino": {  
13 |          "id": "9b21ce50-fdd7-4446-b6a8-a7aea4d82883",  
14 |          "updatedBy": "",  
15 |          "imageUrl": "Simple",  
16 |          "name": "Sample",  
17 |          "videoUrl": "Sample"  
18 |        },  
19 |        "casinoId": null,  
20 |        "categories": [  
21 |          {  
22 |            "id": "58902e22-3358-46e0-8ef5-0956fb46b432",  
23 |            "updatedBy": "",  
24 |            "imageUrl": "Simple",  
25 |            "name": "Sample",  
26 |            "videoUrl": "Sample",  
27 |            "iconUrl": null,  
28 |            "colorCode": null,  
29 |            "heroImageReference": null
```

json

```

30     }
31 ],
32 "categoryIds": null,
33 "description": "description about application 1",
34 "downloads": 4646,
35 "featured": true,
36 "versionHistories": [
37   {
38     "build": 18,
39     "version": "v0.3",
40     "versionDate": 1462355283916,
41     "downloadLink": "http://www.google.com/",
42     "averageRating": null,
43     "ratingCount": 1
44   }
45 ],
46 "image": "www.google.com",
47 "keywords": [
48   "key1",
49   "key2",
50   "key3",
51   "key4",
52   "key5"
53 ],
54 "latestBuild": 18,
55 "latestVersion": "v0.3",
56 "name": "Application 1",
57 "order": 345,
58 "paragraph1": "1 paragraph",
59 "paragraph2": "2st paragraph",
60 "paragraph3": "3st paragraph",
61 "paragraph4": "4th para",
62 "presetPriceList": null,
63 "price": 3436,
64 "publisher": null,
65 "ranking": 23,
66 "rating": 23523,
67 "sliderImages": [
68   "url 1",
69   "url 2",
70   "url 3"
71 ],
72 "subtitle": "subtitle",
73 "updated": 1462355283916,
74 "video": "www.youtube.com",
75 "status": null,
76 "downloadLink": null,
77 "compatibility": null,
78 "sizeOnDisk": null,
79 "permissionDetails": null,
80 "locationSupported": null,
81 "languageSupported": null,
82 "additionalDetails": null,
83 "tags": null,
84 "promotionalBonus": null
85 },
86 "applicationIds": null,
87 "user": {
88   "id": "a610245c-f1e0-4bcc-83c9-613f6e86daef",
89   "updatedBy": "",
90   "addresses": null,

```

```

91     "birthDateDay": 3,
92     "birthDateMonth": 2,
93     "birthDateYear": 2013,
94     "devices": [
95         {
96             "id": "74cc12a9-f0c3-4255-9b10-f95d41120137",
97             "updatedBy": "",
98             "description": "device description",
99             "deviceStatus": "NORMAL",
100            "manufacturer": "manufacturer name",
101            "model": "model name",
102            "os": "os type",
103            "udid": "fe40a974-e1c0-49dc-832a-5dc52137655d",
104            "simStateHashCode": null,
105            "simCardState": null
106        },
107        {
108            "id": "6829406b-e0ee-42a1-9694-905612b8a9ce",
109            "updatedBy": "",
110            "description": "device description",
111            "deviceStatus": "NORMAL",
112            "manufacturer": "manufacturer name",
113            "model": "model name",
114            "os": "os type",
115            "udid": "fda75bdd-8ca4-4a60-b6d0-1340603f5697",
116            "simStateHashCode": null,
117            "simCardState": null
118        }
119    ],
120    "emailAuthenticationChannels": [
121        {
122            "addedOn": 1462355284381,
123            "blockStatus": "NORMAL",
124            "deletedOn": null,
125            "emailAddress": "abc@cde.com",
126            "emailPinResetStatus": null,
127            "emailVerificationStatus": "VERIFIED",
128            "lastUsedOn": 1462355284381,
129            "loginType": "EMAIL",
130            "primary": null
131        }
132    ],
133    "firstName": "someone",
134    "fullName": null,
135    "groupTag": null,
136    "lastName": "somebody",
137    "locationCountry": "India",
138    "locationZipCode": "123456",
139    "mobileAuthenticationChannels": null,
140    "pinCreated": false,
141    "profileImagePath": null,
142    "profileName": "somebody",
143    "registrationDate": 1462355284381,
144    "socialAuthenticationChannels": null,
145    "status": "EXISTING",
146    "timezone": "ist",
147    "userSetting": null,
148    "verified": true
149 },
150 "userIds": null,
151 "comments": "fine",

```

```
152     "rating": 3.5,  
153     "appVersion": "v0.3",  
154     "appBuild": 18  
155   }  
156 ],  
157 "detail": null,  
158 "error": false,  
159 "message": "Fetching user application review successful"  
160 }
```

## POST Find Application Review of a User

### Description

Fetches an application review of a user.

### Request Endpoint

POST <https://<Example api server address>/application/review/find/user>

### Parameters

None.

### cURL Syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \"applicationId\": \"0906bb50-4704-4a18-b93d-dd3cdc16906d\",  
6     \"userId\": \"7d090a29-0016-477a-9ae7-af80582c8a55\"  
7     }" \  
8 'https://core.dev.Example.net/api/application/review/find/user'
```

https

### POST body attributes (JSON)

Attribute	Type	Use	Description
applicationId	String	Required	ID of the application.
userId	String	Required	ID of the user who reviewed the application.

### POST body

**Headers:** Content-Type: application/json

```
1 {  
2     \"applicationId\": \"0906bb50-4704-4a18-b93d-dd3cdc16906d\",  
3     \"userId\": \"7d090a29-0016-477a-9ae7-af80582c8a55\"  
4 }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 {  
2     \"data\": {  
3         \"id\": \"42555e0d-927f-4484-9049-d282a1c889ed\",  
4         \"createdOn\": 1479822926189,  
5         \"lastModifiedOn\": 1479822927353,  
6         \"updatedBy\": \"\",  
7         \"deleted\": false,  
8         \"application\": {  
9             \"id\": \"0906bb50-4704-4a18-b93d-dd3cdc16906d\",  
10            \"createdOn\": 1479822832006,  
11            \"lastModifiedOn\": 1479822832006,  
12            \"updatedBy\": \"\",  
13            \"deleted\": false,  
14            \"name\": \"hcotVJwck0\",
```

json



```

15 "description": null,
16 "appPackage": "appPac",
17 "bundleIdentifier": "bzArBRetHD",
18 "casino": {
19   "id": "21ec50b6-a954-492e-8148-883006db77f6",
20   "createdOn": 1479822825768,
21   "lastModifiedOn": 1479822927956,
22   "updatedBy": "",
23   "deleted": false,
24   "name": "tCuKCPoGVf",
25   "videoUrl": null,
26   "imageUrl": null,
27   "description": null,
28   "website": null,
29   "icon": null,
30   "banner": null,
31   "deletedBy": null,
32   "deletedOn": null,
33   "operatorStatus": "VERIFIED",
34   "email": "3d54695e38d84940ba1e92e6d06ed5b6@gmail.com",
35   "userRole": "OPERATOR",
36   "firstName": null,
37   "lastName": null,
38   "address": null,
39   "externalId": "21ec50b6-a954-492e-8148-883006db77f6",
40   "featuredAppId": "9a6b950f-0fdd-42e1-961d-04e69187fa72",
41   "latestAppId": "0906bb50-4704-4a18-b93d-dd3cdc16906d"
42 },
43 "casinoId": null,
44 "categories": [
45   {
46     "id": "1b61c3f9-41b7-4358-a26d-d4e753f60afe",
47     "createdOn": 1479822825409,
48     "lastModifiedOn": 1479822825409,
49     "updatedBy": "",
50     "deleted": false,
51     "imageUrl": "http://www.google.com/betting.png",
52     "name": "XEkyXmfMdZ",
53     "description": "Some poker category",
54     "videoUrl": "https://www.google.com/betting-video.mov",
55     "iconUrl": "https://www.google.com/betting-icon.png",
56     "colorCode": "#FFFFFF",
57     "heroImageReference": "https://www.google.com/hero.png",
58     "priority": 1,
59     "deletedBy": null,
60     "deletedOn": null,
61     "apps": null
62   }
63 ],
64 "categoryIds": null,
65 "downloads": 0,
66 "featured": false,
67 "applicationVersions": [
68   {
69     "id": "f41671ff-abf6-48e2-b422-177a6697f4b9",
70     "createdOn": 1479822832006,
71     "lastModifiedOn": 1479822832006,
72     "updatedBy": "",
73     "deleted": false,
74     "build": 1,
75     "version": "10",

```

```

76     "versionDate": 1479822840163,
77     "releaseDate": null,
78     "downloadLink": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.mkt/google.apk",
79     "rating": {
80         "count": 0,
81         "overall": 0,
82         "gamePlay": 0,
83         "design": 0,
84         "ease": 0
85     },
86     "description": "dexc",
87     "image": null,
88     "sliderImages": [
89         {
90             "id": "32ab1214-42cf-4d62-b777-1070c8552891",
91             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
92             "order": 1
93         },
94         {
95             "id": "6c9c8227-b202-415f-8473-86cfc3d6d439",
96             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
97             "order": 0
98         }
99     ],
100    "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner1.png",
101    "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/video1.mp4",
102    "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1.png",
103    "featuredImage": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/featuredImage1.png",
104    "versionStatus": "PUBLISHED",
105    "privacyPolicy": null,
106    "locationSupported": [
107        "US"
108    ],
109    "languageSupported": [
110        "en"
111    ],
112    "publishNow": false,
113    "publishDate": 1480663515096,
114    "silent": "v0.3",
115    "optional": "v0.3",
116    "forced": "v0.3",
117    "signatureToken": null,
118    "applicationId": "0906bb50-4704-4a18-b93d-dd3cdc16906d",
119    "reason": "I released"
120 },
121 {
122     "id": "db767333-3ce3-4112-b08a-456bb5557cc8",
123     "createdOn": 1479822852443,
124     "lastModifiedOn": 1479822852443,
125     "updatedBy": "",
126     "deleted": false,
127     "build": null,
128     "version": "v0.23",
129     "versionDate": 1479822852444,
130     "releaseDate": null,
131     "downloadLink": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.mkt/1b311227-fa05-47ac-b2a7-79",
132     "rating": null,
133     "description": "desc",
134     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/image.jpg",
135     "sliderImages": [
136         {

```

```

137         "id": "9caa8d58-d11f-491c-9634-9fec62c6d2b8",
138         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider3.jpg",
139         "order": 1
140     },
141     {
142         "id": "90eb24a8-fd8e-4de0-a4fc-18d9610ab337",
143         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider4.jpg",
144         "order": 0
145     }
146 ],
147 "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner.jpg",
148 "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/video.mp4",
149 "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon.jpg",
150 "featuredImage": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/featuredImage.jpg",
151 "versionStatus": "SUBMITTED",
152 "privacyPolicy": null,
153 "locationSupported": [
154     "IN"
155 ],
156 "languageSupported": [
157     "en"
158 ],
159 "publishNow": null,
160 "publishDate": null,
161 "silent": null,
162 "optional": null,
163 "forced": null,
164 "signatureToken": "Rat3FhTq4NjoqjpvaF0K2dZeDmULJl4SkBajc1RlqIkMzmHm6t/ktSvT21xm95CVPzHTdbPkfcMi",
165 "applicationId": "0906bb50-4704-4a18-b93d-dd3cdc16906d",
166 "reason": null
167 },
168 {
169     "id": "29d72b8d-71b6-4ea2-aa6b-91621a794180",
170     "createdOn": 1479822852620,
171     "lastModifiedOn": 1479822852620,
172     "updatedBy": "",
173     "deleted": false,
174     "build": null,
175     "version": "2",
176     "versionDate": 1479822852620,
177     "releaseDate": null,
178     "downloadLink": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.mkt//home/umesh/IdeaProjects/E",
179     "rating": null,
180     "description": "desc",
181     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/image.jpg",
182     "sliderImages": [
183         {
184             "id": "f52374c6-47b1-4332-a73e-55d508c7e972",
185             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider3.jpg",
186             "order": 1
187         },
188         {
189             "id": "3987ce58-967e-4f3a-a19d-bdcbbe932afd",
190             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider4.jpg",
191             "order": 0
192         }
193     ],
194     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner.jpg",
195     "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/video.mp4",
196     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon.jpg",
197     "featuredImage": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/featuredImage.jpg",

```

```

198     "versionStatus": "DRAFTED",
199     "privacyPolicy": null,
200     "locationSupported": [
201         "IN"
202     ],
203     "languageSupported": [
204         "en"
205     ],
206     "publishNow": null,
207     "publishDate": null,
208     "silent": null,
209     "optional": null,
210     "forced": null,
211     "signatureToken": null,
212     "applicationId": "0906bb50-4704-4a18-b93d-dd3cdc16906d",
213     "reason": null
214 }
215 ],
216 "keywords": null,
217 "latestBuild": 1,
218 "latestVersion": "10",
219 "initialVersionPublishDate": 1480663515096,
220 "latestVersionPublishDate": 1480663515096,
221 "order": null,
222 "paragraph1": "1 paragraph",
223 "paragraph2": "2st paragraph",
224 "paragraph3": "4th para",
225 "paragraph4": null,
226 "presetPriceList": null,
227 "price": 3436,
228 "publisherId": "e570f49f-0599-4eb8-b991-fba8d357d2ba",
229 "publisher": {
230     "id": "e570f49f-0599-4eb8-b991-fba8d357d2ba",
231     "createdOn": 1479822832348,
232     "lastModifiedOn": 1479822832348,
233     "updatedBy": "",
234     "deleted": false,
235     "name": "aGwtXNDTX1",
236     "description": null,
237     "email": "a59858c6244e48ceb91b935d438aeea4@gmail.com",
238     "website": null,
239     "phone": null,
240     "publisherStatus": "VERIFIED",
241     "operatorId": "21ec50b6-a954-492e-8148-883006db77f6",
242     "userRole": "PUBLISHER"
243 },
244 "ranking": null,
245 "subtitle": null,
246 "updated": null,
247 "status": "SUSPENDED",
248 "downloadLink": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.mkt//home/umesh/IdeaProjects/Exampl
249 "compatibility": "kitkat",
250 "sizeOnDisk": null,
251 "permissionDetails": null,
252 "additionalDetails": "This application is very popular",
253 "tags": null,
254 "rating": {
255     "count": 1,
256     "overall": 3,
257     "gamePlay": 3.5,
258     "design": 2.3,

```

```
259     "ease": 3
260   },
261   "silent": null,
262   "normal": {
263     "min": 1,
264     "max": 1
265   },
266   "mandatory": null,
267   "downgrade": null,
268   "incentives": null,
269   "deletedBy": null,
270   "deletedOn": null,
271   "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.png",
272   "sliderImages": [
273     {
274       "id": "c037d395-f73b-4c99-9810-2e8616d1ed9f",
275       "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
276       "order": 1
277     },
278     {
279       "id": "2f63ef96-ec30-415b-a625-8b780efb6e08",
280       "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
281       "order": 0
282     }
283   ],
284   "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner1.png",
285   "video": null,
286   "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon.png",
287   "featuredImage": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.jpeg",
288   "privacyPolicy": "www.privacypolicy.com/2345",
289   "locationSupported": [
290     "India",
291     "UK",
292     "IN",
293     "IN"
294   ],
295   "languageSupported": [
296     "English",
297     "French",
298     "en",
299     "en"
300   ],
301   "reviewer": {
302     "id": "30361870-3c42-414b-8b05-a3597a2c0963",
303     "createdOn": 1479822826151,
304     "lastModifiedOn": 1479822826151,
305     "updatedBy": "",
306     "deleted": false,
307     "email": "3c69b07610304365a3a33513aaabdee7@gmail.com",
308     "name": "QnexpVfGXA",
309     "phone": "+919916248135",
310     "userRole": "REVIEWER_USER",
311     "reviewerStatus": "VERIFIED"
312   },
313   "certificates": null
314 },
315 "applicationIds": null,
316 "user": {
317   "id": "7d090a29-0016-477a-9ae7-af80582c8a55",
318   "createdOn": 1479822828180,
319   "lastModifiedOn": 1479822828180,
```

```

320 "updatedBy": "",
321 "deleted": false,
322 "addresses": null,
323 "devices": [
324   {
325     "id": "5915dc1a-818d-4459-8184-b2d87b8ae4f3",
326     "createdOn": 1479822827562,
327     "lastModifiedOn": 1479822827562,
328     "updatedBy": "",
329     "deleted": false,
330     "description": "device description34",
331     "deviceStatus": "NORMAL",
332     "manufacturer": "sony",
333     "model": "34",
334     "os": "jelly bean",
335     "udid": "ghjhrdecf",
336     "simStateHashCode": null,
337     "simCardState": null,
338     "deletedUdid": null,
339     "deletedBy": null,
340     "deletedOn": null,
341     "name": null,
342     "brand": null,
343     "androidID": null,
344     "advertiserID": null,
345     "operator": null,
346     "country": null,
347     "language": null,
348     "screenWidthInPixels": null,
349     "screenHeightInPixels": null,
350     "screenWidthInInches": null,
351     "screenHeightInInches": null
352   },
353   {
354     "id": "84b7a9aa-b7f7-4c21-944a-ff1dc4f3a78b",
355     "createdOn": 1479822828253,
356     "lastModifiedOn": 1479822828253,
357     "updatedBy": "",
358     "deleted": false,
359     "description": "device description34",
360     "deviceStatus": "NORMAL",
361     "manufacturer": "sony",
362     "model": "34",
363     "os": "jelly bean",
364     "udid": "ghjhrdecf1234",
365     "simStateHashCode": null,
366     "simCardState": null,
367     "deletedUdid": null,
368     "deletedBy": null,
369     "deletedOn": null,
370     "name": null,
371     "brand": null,
372     "androidID": null,
373     "advertiserID": null,
374     "operator": null,
375     "country": null,
376     "language": null,
377     "screenWidthInPixels": null,
378     "screenHeightInPixels": null,
379     "screenWidthInInches": null,
380     "screenHeightInInches": null

```

```

381     }
382 ],
383 "emailAuthenticationChannels": [],
384 "firstName": "mayank",
385 "fullName": "mayank meheta",
386 "groupTag": [
387     "FACEBOOK",
388     "jelly bean",
389     "34",
390     "sony",
391     "NY",
392     "4235655"
393 ],
394 "lastName": "meheta",
395 "locationCountry": "NY",
396 "locationZipCode": "4235655",
397 "mobileAuthenticationChannels": [],
398 "pinCreated": true,
399 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-image.p
400 "profileName": "S.E",
401 "registrationDate": 1479822827616,
402 "socialAuthenticationChannels": [
403     {
404         "addedOn": 1479822828173,
405         "blockStatus": "NORMAL",
406         "deletedOn": null,
407         "lastUsedOn": 1479822828766,
408         "loginType": "FACEBOOK",
409         "socialId": "04eec571a2104ae197b69d7cb758d831",
410         "deleted": false,
411         "recycleSocialId": null,
412         "emailAddress": null,
413         "profileName": null
414     }
415 ],
416 "status": "EXISTING",
417 "timezone": null,
418 "userSetting": {
419     "autoUpdateBetcadeApp": true,
420     "autoUpdateDownloadedApps": true,
421     "monthlyDepositMaxLimit": 0,
422     "monthlyDepositMaxLimitCurrency": "GBP",
423     "prefillUserInfoInCasino": true,
424     "receiveEmailReceipt": true,
425     "receiveNotifications": true,
426     "shareRegistrationInfo": true,
427     "userEmailProvided": true,
428     "versionOfDownloadedBetcadeApp": "v1",
429     "wifiDownloadLimitInMB": 0,
430     "preferredCategories": [],
431     "autoSaveCard": true,
432     "autoAddHomeIcon": true,
433     "receiveUpdateNotifications": true,
434     "receiveAutoUpdatedNotifications": true,
435     "receiveRecommendationNotifications": true,
436     "preferredCurrency": null,
437     "appSetting": {
438         "autoUpdateApps": 2,
439         "addIconHomeScreen": false,
440         "saveNewCreditOrDebitCards": true,
441         "appUpdatesAvailable": true,

```

```
442     "appsWereAutoUpdated": true,
443     "recommendedContentAvailable": true
444   },
445   "allowLargeFilesOverWifiOnly": null
446 },
447 "verified": true,
448 "pinResetDate": null,
449 "pinChangeDate": 1479822828830,
450 "singularId": null,
451 "acquisitionIds": null,
452 "userAuditInfo": {
453   "initialLoginDate": 1479822828517,
454   "initialLoginIp": "127.0.0.1",
455   "initialLoginLocation": " ",
456   "initialRegistrationDate": null,
457   "initialRegistrationIp": null,
458   "initialRegistrationLocation": null
459 },
460 "email": "e3550283136649febaec69384f57b3d4@gmail.com",
461 "phone": "+919874654244",
462 "dob": 663359640000,
463 "statusBeforeBlacklisting": null,
464 "muid": "c08c39f1-5b4f-4715-9680-ddffabb7a73f",
465 "testUser": null
466 },
467 "userIds": null,
468 "comments": "fine",
469 "appVersion": "10",
470 "appBuild": 1,
471 "ease": 3,
472 "design": 2.3,
473 "gamePlay": 3.5,
474 "overall": 2.9
475 },
476 "detail": null,
477 "error": false,
478 "message": "Fetching user application review successful",
479 "code": "1000"
480 }
```



## PUT Update (Existing App Review)

### Description

Allows client to update an application review.

### Request Endpoint

PUT <https://<Example api server address>/application/review>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"applicationReviewId\": \"c8191a29-f7df-42ee-8ff6-d560c31a2a85\",\  
6 |         \"design\": 3.1,  
7 |         \"gamePlay\" : 4.8,  
8 |         \"ease\" : 4.2,  
9 |         \"updatedComments\": \"something\"\  
10 |     }" \  
11 | 'https://core.dev.Example.net/api/application/review'
```

curl

### PUT body attributes (JSON)

ease

Attribute	Type	Use	Description
<b>applicationReviewId</b>	String	Required	ID of the application review which is being updated.
Number	Required	Rating that indicates the level of easiness of the game application.	
<b>design</b>	Number	Required	Rating for the design of the game application.
<b>gamePlay</b>	Number	Required	Rating for gamePlay of the game application.
<b>updatedComments</b>	String	Optional	Comments of the review (max 100 characters).

### PUT body

**Headers:** Content-Type: application/json

```
1 | {  
2 |     \"applicationReviewId\": \"c8191a29-f7df-42ee-8ff6-d560c31a2a85\",  
3 |     \"ease\": 4.5,  
4 |     \"design\": 4.5,  
5 |     \"gamePlay\": 4.5,  
6 |     \"updatedComments\": \"something\"  
7 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1  {
2    "data": {
3      "id": "c8191a29-f7df-42ee-8ff6-d560c31a2a85",
4      "updatedBy": "",
5      "application": {
6        "id": "9d66fbc8-8f77-4229-9d83-a9b3a7b8ce31",
7        "updatedBy": "",
8        "appPackage": "appPac",
9        "banner": "banner",
10       "bundleIdentifier": "app123",
11       "casino": {
12         "id": "bfd10200-72c4-439b-b7a1-0a07287bdf29",
13         "updatedBy": "",
14         "imageUrl": "Simple",
15         "name": "Sample",
16         "videoUrl": "Sample"
17       },
18       "casinoId": null,
19       "categories": [
20         {
21           "id": "6de332a7-d4e3-4b21-99dc-17dc265b4889",
22           "updatedBy": "",
23           "imageUrl": "Simple",
24           "name": "Sample",
25           "videoUrl": "Sample",
26           "iconUrl": null,
27           "colorCode": null,
28           "heroImageReference": null
29         }
30       ],
31       "categoryIds": null,
32       "description": "description about application 1",
33       "downloads": 4646,
34       "featured": true,
35       "versionHistories": [
36         {
37           "build": 18,
38           "version": "v0.3",
39           "versionDate": 1462258993347,
40           "downloadLink": "http://www.google.com/",
41           "averageRating": 4.5,
42           "ratingCount": 1
43         }
44       ],
45       "image": "www.google.com",
46       "keywords": [
47         "key1",
48         "key2",
49         "key3",
50         "key4",
51         "key5"
52       ],
53       "latestBuild": 18,
54       "latestVersion": "v0.3",
55       "name": "Application 1",
56       "order": 345,
57       "paragraph1": "1 paragraph",
58       "paragraph2": "2st paragraph",
59       "paragraph3": "3st paragraph",
60       "paragraph4": "4th para",
```

```

61     "presetPriceList": null,
62     "price": 3436,
63     "publisher": null,
64     "ranking": 23,
65     "rating": 23523,
66     "sliderImages": [
67         "url 1",
68         "url 2",
69         "url 3"
70     ],
71     "subtitle": "subtitle",
72     "updated": 1462258993347,
73     "video": "www.youtube.com",
74     "status": null,
75     "downloadLink": null,
76     "compatibility": null,
77     "sizeOnDisk": null,
78     "permissionDetails": null,
79     "locationSupported": null,
80     "languageSupported": null,
81     "additionalDetails": null,
82     "tags": null,
83     "promotionalBonus": null
84 },
85 "applicationIds": null,
86 "user": {
87     "id": "e5114d7c-e4a3-4a22-87b5-f4ec824d47ae",
88     "updatedBy": "",
89     "addresses": null,
90     "birthDateDay": 3,
91     "birthDateMonth": 2,
92     "birthDateYear": 2013,
93     "devices": [
94         {
95             "id": "a40057c6-030b-4352-9a92-e8c7d96396c9",
96             "updatedBy": "",
97             "description": "device description",
98             "deviceStatus": "NORMAL",
99             "manufacturer": "manufacturer name",
100            "model": "model name",
101            "os": "os type",
102            "udid": "5b57371f-c4cc-492a-8b32-ad727289e6ef",
103            "simStateHashCode": null,
104            "simCardState": null
105        },
106        {
107            "id": "72127832-48f4-4fed-be04-8593c64e738f",
108            "updatedBy": "",
109            "description": "device description",
110            "deviceStatus": "NORMAL",
111            "manufacturer": "manufacturer name",
112            "model": "model name",
113            "os": "os type",
114            "udid": "d019ec60-21e3-4a0d-bac9-94b91f9dc416",
115            "simStateHashCode": null,
116            "simCardState": null
117        }
118    ],
119    "emailAuthenticationChannels": [
120        {
121            "addedOn": 1462258993808,

```

```
122     "blockStatus": "NORMAL",
123     "deletedOn": null,
124     "emailAddress": "abc@cde.com",
125     "emailPinResetStatus": null,
126     "emailVerificationStatus": "VERIFIED",
127     "lastUsedOn": 1462258993808,
128     "loginType": "EMAIL",
129     "primary": null
130   }
131 ],
132   "firstName": "someone",
133   "fullName": null,
134   "groupTag": null,
135   "lastName": "somebody",
136   "locationCountry": "India",
137   "locationZipCode": "123456",
138   "mobileAuthenticationChannels": null,
139   "pinCreated": false,
140   "profileImagePath": null,
141   "profileName": "somebody",
142   "registrationDate": 1462258993807,
143   "socialAuthenticationChannels": null,
144   "status": "EXISTING",
145   "timezone": "ist",
146   "userSetting": null,
147   "verified": true
148 },
149   "userIds": null,
150   "comments": "something",
151   "rating": 4.5,
152   "appVersion": "v0.3",
153   "appBuild": 18
154 },
155 "detail": null,
156 "error": false,
157 "message": "Update of application review successful"
158 }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Global Search APIs

#### GET By Keyword

##### Description

Allows a client to search based on keyword and returns an array of game apps, casinos, and categories with the present implementation.

##### Request Endpoint

GET `https://<Example api server address>/search/{keyword}/{userId}`

##### Parameters

Parameter	Type	Use	Description
keyword	String	Required	Keyword on which the search is based.
userId	String	Required	Id of the user to track search history.

##### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/search/keyword/userId'
```

curl

##### Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "applications": [  
4 |       {  
5 |         "id": "ad614349-a8c5-44dd-ac90-9ff8d151ada6",  
6 |         "updatedBy": "",  
7 |         "name": "Green Land",  
8 |         "appPackage": "Trees",  
9 |         "banner": "Deep Green Land",  
10 |        "bundleIdentifier": "ojnhrdvh2564369",  
11 |        "casino": {  
12 |          "id": "7a8d9f34-64d3-4641-9d66-63ad85768dd2",  
13 |          "updatedBy": "",  
14 |          "imageUrl": "http://www.google.com",  
15 |          "name": "SRS",  
16 |          "videoUrl": "http://www.facebook.com"  
17 |        },  
18 |      },  
19 |    ],  
20 |   },  
21 | }
```

json

```

18     "casinoId": null,
19     "categories": null,
20     "categoryIds": null,
21     "description": "Large Leaves and Flowers.",
22     "downloads": 1258152,
23     "featured": null,
24     "versionHistories": null,
25     "image": "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/icons/%2F4b1f7e5a-772c",
26     "keywords": null,
27     "latestBuild": 16847,
28     "latestVersion": "357",
29     "order": null,
30     "paragraph1": "Land 1.",
31     "paragraph2": "Land 2.",
32     "paragraph3": "Land 3.",
33     "paragraph4": "Land 4.",
34     "presetPriceList": null,
35     "price": 5,
36     "publisher": "DeepPIWood Blue.",
37     "ranking": 15,
38     "rating": null,
39     "sliderImages": [
40         "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/slider/%2F672f1251-508b-49f2-",
41     ],
42     "subtitle": "Land of The Greens.",
43     "updated": null,
44     "video": "https://s3-us-west-2.amazonaws.com/Example-qa/application_videos/something.mp4",
45     "status": "SUBMITTED",
46     "downloadLink": "https://s3-us-west-2.amazonaws.com/Example-qa/application_apk/%2F3b7a54f8-d6f8-4",
47     "compatibility": null,
48     "sizeOnDisk": null,
49     "permissionDetails": null,
50     "locationSupported": null,
51     "languageSupported": null,
52     "additionalDetails": null,
53     "tags": [
54         "live",
55         "rebuilt",
56         "mobile",
57         "live",
58         "popular",
59         "starter",
60         "top"
61     ],
62     "promotionalBonus": null
63 },
64 {
65     "id": "86d05a78-6916-4211-9d0a-766e8f3286fe",
66     "updatedBy": "",
67     "name": "Brown Land",
68     "appPackage": "Trees Brown",
69     "banner": "Deep Brown Land",
70     "bundleIdentifier": "ojnhrdvh58712569874235",
71     "casino": {
72         "id": "7a8d9f34-64d3-4641-9d66-63ad85768dd2",
73         "updatedBy": "",
74         "imageUrl": "http://www.google.com",
75         "name": "SRS",
76         "videoUrl": "http://www.facebook.com"
77     },
78     "casinoId": null,

```

```

79     "categories": null,
80     "categoryIds": null,
81     "description": "Large Leaves and Flowers Brown.",
82     "downloads": 12523917,
83     "featured": null,
84     "versionHistories": null,
85     "image": "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/icons/%2Ffc90e9541-4f06",
86     "keywords": null,
87     "latestBuild": 16847,
88     "latestVersion": "357",
89     "order": null,
90     "paragraph1": "Brown Land 1.",
91     "paragraph2": "Brown Land 2.",
92     "paragraph3": "Brown Land 3.",
93     "paragraph4": "Brown Land 4.",
94     "presetPriceList": null,
95     "price": 6,
96     "publisher": "DeepPIWood Brown.",
97     "ranking": 16,
98     "rating": null,
99     "sliderImages": [
100      "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/slider/%2F0e76a747-d5ba-4bc9-",
101    ],
102     "subtitle": "Land of The Browns",
103     "updated": null,
104     "video": "https://s3-us-west-2.amazonaws.com/Example-qa/application_videos/%2F7cd582e0-08db-4311-",
105     "status": "SUBMITTED",
106     "downloadLink": "https://s3-us-west-2.amazonaws.com/Example-qa/application_apk/%2F685e5bb8-ec9c-4",
107     "compatibility": null,
108     "sizeOnDisk": null,
109     "permissionDetails": null,
110     "locationSupported": null,
111     "languageSupported": null,
112     "additionalDetails": null,
113     "tags": [
114       "live",
115       "windows",
116       "android",
117       "starter",
118       "top"
119     ],
120     "promotionalBonus": null
121   },
122   {
123     "id": "1d90576a-9aa0-441f-9960-0ec0164bb435",
124     "updatedBy": "",
125     "name": "Grey Land",
126     "appPackage": "Trees Grey",
127     "banner": "Deep Grey Land",
128     "bundleIdentifier": "ojnhrdvh5769871536458726",
129     "casino": {
130       "id": "7a8d9f34-64d3-4641-9d66-63ad85768dd2",
131       "updatedBy": "",
132       "imageUrl": "http://www.google.com",
133       "name": "SRS",
134       "videoUrl": "http://www.facebook.com"
135     },
136     "casinoId": null,
137     "categories": null,
138     "categoryIds": null,
139     "description": "Large Leaves and Flowers Grey.",

```

```

140     "downloads": null,
141     "featured": null,
142     "versionHistories": null,
143     "image": "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/icons/%2F23e476a9-03dd
144     "keywords": null,
145     "latestBuild": 16847,
146     "latestVersion": "357",
147     "order": null,
148     "paragraph1": "Grey Land 1.",
149     "paragraph2": "Grey Land 2.",
150     "paragraph3": "Grey Land 3.",
151     "paragraph4": "Grey Land 4.",
152     "presetPriceList": null,
153     "price": 6,
154     "publisher": "DeepPIWood Grey.",
155     "ranking": null,
156     "rating": null,
157     "sliderImages": [
158         "https://s3-us-west-2.amazonaws.com/Example-qa/application_images/slider/%2F8328b59e-6480-4aa0-
159     ],
160     "subtitle": "Land of The Grey.",
161     "updated": null,
162     "video": "https://s3-us-west-2.amazonaws.com/Example-qa/application_videos/%2Fd1c10ac9-7f38-48de-
163     "status": "SUBMITTED",
164     "downloadLink": "https://s3-us-west-2.amazonaws.com/Example-qa/application_apk/%2Fd66f2f4b-7087-4
165     "compatibility": null,
166     "sizeOnDisk": null,
167     "permissionDetails": null,
168     "locationSupported": null,
169     "languageSupported": null,
170     "additionalDetails": null,
171     "tags": [
172         "live",
173         "Windows",
174         "Android",
175         "I"
176     ],
177     "promotionalBonus": null
178     }
179 ],
180     "casinos": [],
181     "categories": []
182 },
183     "detail": null,
184     "error": false,
185     "message": "Keyword based search successful"
186 }

```



## DELETE Clear Search History

### Description

Allows a client to delete a user's search history.

### Request Endpoint

DELETE <https://<Example api server address>/search/user/{userId}/history>

### Parameters

Parameter	Type	Use	Description
userId	String	Required	Id of the user to fetch search history.

### cURL syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 | 'https://core.dev.Example.net/api/search/user/userId/history'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [],  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Clearing user search history successful"  
6 | }
```

json

**GET****Fetch (Common Keywords)****Description**

Allows a client to fetch common keywords from an application and casino DB.

**Request Endpoint**

GET <https://<Example api server address>/search/{keyword}>

**Parameters**

Parameter	Type	Use	Description
keyword	String	Required	Keyword search on which applications and casinos can be fetched.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/search/keyword'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     "App",  
4 |     "App 1.1 Version Earth Edit",  
5 |     "Application",  
6 |     "Application 1",  
7 |     "Application Recent",  
8 |     "Application recent",  
9 |     "ApplicationMusic",  
10 |    "NewApplication",  
11 |    "NewApplicationRecord",  
12 |    "UpdatedApplicationRecord",  
13 |    "sample,App",  
14 |    "sampleApp",  
15 |    "some app",  
16 |    "AppCasino"  
17 |  ],  
18 |   "detail": null,  
19 |   "error": false,  
20 |   "message": "Fetching common keyword successful"  
21 | }
```

json

**GET****Fetch (User Search History)****Description**

Allows a client to fetch a user's search history.

**Request Endpoint**

GET `https://<Example api server address>/search/user/{userId}/history`

**Parameters**

Parameter	Type	Use	Description
<code>userId</code>	String	Required	Id of the user to fetch a search history.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/search/user/userId/history'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     "poker",  
4 |     "land",  
5 |     "Example"  
6 |   ],  
7 |   "detail": null,  
8 |   "error": false,  
9 |   "message": "Fetching user search history successful"  
10 | }
```

json

**GET****Fetch (Filter by Category)****Description**

Allows a client to fetch a user's search history.

**Request Endpoint**

GET <https://<Example api server address>/search/category/{categoryName}/{userId}>

**Parameters**

Parameter	Type	Use	Description
categoryName	String	Required	Name of the category on which the game apps are to be fetched.
userId	String	Required	Id of the user to fetch search history.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/search/category/categoryName/userId' curl
```

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | { json  
2 |   "data": [  
3 |     {  
4 |       "id": "1a1dbdeb-89d8-480e-b007-a1948b6d4dd1",  
5 |       "updatedBy": "",  
6 |       "name": "Coconut.",  
7 |       "appPackage": "1.002",  
8 |       "banner": "Football.",  
9 |       "bundleIdentifier": "EFC8239",  
10 |      "casino": {  
11 |        "id": "f586aad2-79c9-4ed3-a05b-dd73a7268b3c",  
12 |        "updatedBy": "",  
13 |        "imageUrl": "http://www.google.com",  
14 |        "name": "Leicester Poker",  
15 |        "videoUrl": "http://www.facebook.com"  
16 |      },  
17 |      "casinoId": null,  
18 |      "categories": [  
19 |        {  
20 |          "id": "5e0e953e-b577-4b5c-81e8-a598e09e6984",  
21 |          "updatedBy": "",  
22 |          "imageUrl": "www.google.com",  
23 |          "name": "Pik Pok",  
24 |          "description": "This is a great poker game, you know",  
25 |          "videoUrl": "www.youtube.com",  
26 |          "iconUrl": null,  
27 |          "colorCode": null,  
28 |          "heroImageReference": null  
29 |        }  
30 |      ],  
31 |      "categoryIds": null,  
32 |      "description": "Fruit with hard Shell.",
```

```
33     "downloads": null,
34     "featured": null,
35     "versionHistories": null,
36     "image": null,
37     "keywords": null,
38     "latestBuild": 195,
39     "latestVersion": "V1.22468",
40     "order": null,
41     "paragraph1": "zxcv48",
42     "paragraph2": "asdf159",
43     "paragraph3": "qwer26",
44     "paragraph4": "tyui62",
45     "presetPriceList": null,
46     "price": 1,
47     "publisher": "Casino.",
48     "ranking": null,
49     "rating": null,
50     "sliderImages": null,
51     "subtitle": "Fruit",
52     "updated": null,
53     "video": null,
54     "status": "SUBMITTED",
55     "downloadLink": null,
56     "compatibility": "Windows, Android.",
57     "sizeOnDisk": null,
58     "permissionDetails": "Full Access.",
59     "locationSupported": [
60         "US",
61         "Eden"
62     ],
63     "languageSupported": [
64         "English",
65         "German",
66         "French"
67     ],
68     "additionalDetails": "Awesome Application.",
69     "tags": null,
70     "promotionalBonus": null
71 }
72 ],
73 "detail": null,
74 "error": false,
75 "message": "Fetching applications by category successful"
76 }
```

**GET****Fetch (Trending)****Description**

Allows a client to fetch a popular search.

**Request Endpoint**

GET <https://<Example api server address>/search/popular>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/search/popular'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     "app",  
4 |     "rec",  
5 |     "new",  
6 |     "shru"  
7 |   ],  
8 |   "detail": null,  
9 |   "error": false,  
10 |   "message": "Fetching popular search successful"  
11 | }
```

json

**GET**

## Fetch Related Search Keywords

### Description

Fetches applications downloaded by other users.

### Request Endpoint

GET `https://<Example api server address>/search/related/{keyword}`

### Parameters

Parameter	Type	Use	Description
keyword	String	Required	Keyword for related search queries that are to be returned.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/search/related/keyword'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     "lotbwin"  
4 |   ],  
5 |   "detail": null,  
6 |   "error": false,  
7 |   "message": "Fetching related keywords successful"  
8 | }
```

json

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Incentives APIs

#### PUT Associate with Application

##### Description

Sets multiple incentives to a set of applications.

##### Request Endpoint

PUT `https://<Example api server address>/admin/set/incentives/application`

##### Parameters

None.

##### cURL syntax

```
curl --include \  
  --request PUT \  
  --header "Content-Type: application/json" \  
  --data-binary "{  
    \"applicationIds\": [\"8c68054f-4963-47bc-b40d-ff7b69d9d280\", \"9sge054f-4963-47bc-b40d-ff7b69d9d280\", \"c7e0299e-07d5-4878-a7bf-dd390e1d6867\", \"af0b9c14-1579-4936-ad58-d8120cfe58f5\"],  
    \"incentiveIds\": [\"c7e0299e-07d5-4878-a7bf-dd390e1d6867\", \"af0b9c14-1579-4936-ad58-d8120cfe58f5\"]  
  }" \  
'https://core.dev.Example.net/api/admin/set/incentives/application'
```

##### PUT body attributes (JSON)

Attribute	Type	Use	Description
<code>applicationIds</code>	Array	Required	An array of application ids to which incentives should be set.
<code>incentiveIds</code>	Array	Required	An array of incentive ids to set to an application.

##### PUT body

Headers: Content-Type: application/json

```
{  
  \"applicationIds\": [  
    \"8c68054f-4963-47bc-b40d-ff7b69d9d280\",  
    \"9sge054f-4963-47bc-b40d-ff7b69d9d280\"  
  ],  
  \"incentiveIds\": [  
    \"c7e0299e-07d5-4878-a7bf-dd390e1d6867\",  
    \"af0b9c14-1579-4936-ad58-d8120cfe58f5\"  
  ]  
}
```



```
9 | ]  
10 | }
```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     "8c68054f-4963-47bc-b40d-ff7b69d9d280",  
4 |     "9sge054f-4963-47bc-b40d-ff7b69d9d280"  
5 |   ],  
6 |   "detail": null,  
7 |   "error": false,  
8 |   "message": "Setting incentives to application successful."  
9 | }
```

json

## POST Create

### Description

Enables an Admin to create a new incentive.

### Request Endpoint

POST <https://<Example api server address>/admin/incentive>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"title\" : \"20$ for a deposit\",  
6 |         \"type\" : \"FIXED\",  
7 |         \"amount\" : 20,  
8 |         \"expired\" : false,  
9 |         \"limit\" : 100,  
10 |        \"validTill\" : 1465391392  
11 |    }" \  
12 | 'https://core.dev.Example.net/api/admin/incentive'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
title	String	Required	Unique title for an incentive.
type	String	Required	It can be "FIXED" or "PERCENT".
amount	Number	Required	Amount for the incentive.
limit	Number	Optional	Limit amount for the incentive.
expired	Boolean	Optional	Incentive has expired or not.
validTill	String	Optional	Date till which the incentive is valid.

### POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "title": "20$ for a deposit",  
3 |     "type": "FIXED",  
4 |     "amount": 20,  
5 |     "expired": false,  
6 |     "limit": 100,  
7 |     "validTill": 1465391392  
8 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1  {
2    "data": {
3      "id": "c7e0299e-07d5-4878-a7bf-dd390e1d6867",
4      "updatedBy": "",
5      "title": "20$ for a deposit",
6      "type": "FIXED",
7      "amount": 20,
8      "limit": 100,
9      "expired": false,
10     "validTill": 1465391392
11   },
12   "detail": null,
13   "error": false,
14   "message": "Creating incentive successful."
15 }
```

## DELETE Delete

### Description

Deletes an existing incentive.

### Request Endpoint

DELETE <https://<Example api server address>/admin/incentive/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of an incentive.

### cURL syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 | 'https://core.dev.Example.net/api/admin/incentive/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Deleting an incentive successful."  
6 | }
```

json

**GET****Fetch All****Description**

Fetches all incentives.

**Request Endpoint**

GET <https://<Example api server address>/admin/incentives>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/incentives'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "90064c1a-d9d1-4d87-af65-c84b0565676c",  
5 |       "updatedBy": "",  
6 |       "title": "30$ for a deposit",  
7 |       "type": "FIXED",  
8 |       "amount": 30,  
9 |       "limit": 100,  
10 |      "expired": false,  
11 |      "validTill": 1465391392  
12 |     }  
13 |   ],  
14 |   "detail": null,  
15 |   "error": false,  
16 |   "message": "Fetching all incentives successful."  
17 | }
```

json

**GET****Fetch by Application****Description**

Fetches all incentives of an application.

**Request Endpoint**

GET `https://<Example api server address>/application/{id}/incentives`

**Parameters**

Parameter	Type	Use	Description
id	String	Required	UUID of an application.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/application/id/incentives'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "af0b9c14-1579-4936-ad58-d8120cfe58f5",  
5 |       "title": "10$ for a deposit",  
6 |       "type": "PERCENT",  
7 |       "amount": 10,  
8 |       "limit": null,  
9 |       "expired": false,  
10 |      "validTill": null  
11 |     }  
12 |   ],  
13 |   "detail": null,  
14 |   "error": false,  
15 |   "message": "Fetching incentives of an application successful."  
16 | }
```

json

**PUT****Update****Description**

Updates an existing incentive.

**Request Endpoint**

PUT <https://<Example api server address>/admin/incentive/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	UUID of an incentive.

**cURL syntax**

```
1 curl --include \  
2     --request PUT \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \"title\" : \"20$ for a deposit\",  
6     \"type\" : \"FIXED\",  
7     \"amount\" : 25,  
8     \"expired\" : false,  
9     \"limit\" : 50,  
10    \"validTill\" : 1465391392  
11 }" \  
12 'https://core.dev.Example.net/api/admin/incentive/id'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
title	String	Required	Unique title for an incentive.
type	String	Required	It can be "FIXED" or "PERCENT".
amount	Number	Required	Amount for the incentive.
limit	Number	Optional	Limit amount for the incentive.
expired	Boolean	Optional	Incentive has expired or not.
validTill	String	Optional	Date till which the incentive is valid.

**PUT body**

**Headers:** Content-Type: application/json

```
1 {  
2     "title": "20$ for a deposit",  
3     "type": "FIXED",  
4     "amount": 25,  
5     "expired": false,  
6     "limit": 50,  
7     "validTill": 1465391392  
8 }
```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

json

```
1  {
2  "data": {
3    "id": "90064c1a-d9d1-4d87-af65-c84b0565676c",
4    "updatedBy": "",
5    "title": "30$ for a deposit",
6    "type": "FIXED",
7    "amount": 25,
8    "limit": 50,
9    "expired": false,
10   "validTill": 1465391392
11  },
12  "detail": null,
13  "error": false,
14  "message": "Updating an incentive successful."
15  }
```



## POST Use with Deposit

### Description

Applies incentives to a deposit amount.

### Request Endpoint

POST <https://<Example api server address>/user/apply/incentives>

### Parameters

None.

### cURL syntax

```
curl --include \  
  --request POST \  
  --header "Content-Type: application/json" \  
  --data-binary "{  
    \"userId\" : \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",  
    \"applicationId\" : \"8c68054f-4963-47bc-b40d-ff7b69d9d\",  
    \"incentiveIds\" : [\"c7e0299e-07d5-4878-a7bf-dd390e1d6867\"],  
    \"depositAmount\" : 50  
  }" \  
'https://core.dev.Example.net/api/user/apply/incentive'
```

### POST body attributes (JSON)

Attribute	Type	Use	Description
userId	String	Required	UUID of a user.
applicationId	String	Required	UUID of an application.
incentiveIds	Array	Required	UUID's of incentives.
depositAmount	Number	Required	Double value of the deposit amount.

### POST body

Headers: Content-Type: application/json

```
{  
  \"userId\": \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",  
  \"applicationId\": \"8c68054f-4963-47bc-b40d-ff7b69d9d\",  
  \"incentiveIds\": [  
    \"c7e0299e-07d5-4878-a7bf-dd390e1d6867\"  
  ],  
  \"depositAmount\": 50  
}
```

### Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
{  
  \"data\": {  
    \"depositAmount\": 60,  
    \"incentivesApplied\": [  
      {  
        \"userId\": \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",  
        \"applicationId\": \"8c68054f-4963-47bc-b40d-ff7b69d9d\",  
        \"incentiveIds\": [\"c7e0299e-07d5-4878-a7bf-dd390e1d6867\"],  
        \"depositAmount\": 50  
      }  
    ]  
  }  
}
```

```
6     "incentiveApplied": false,  
7     "incentiveId": "c7e0299e-07d5-4878-a7bf-dd390e1d6867",  
8     "incentiveAmount": 10,  
9     "message": "Added incentive amount to deposit amount successfully."  
10  }  
11  ],  
12 },  
13 "detail": null,  
14 "error": false,  
15 "message": "Applying incentives to deposit amount successful."  
16 }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Payout Transaction APIs

#### POST Payout User Transaction

##### Description

Helps the admin to payout the amount to a user.

##### Request Endpoint

POST <https://<Example api server address>/user/payout/transaction>

##### Parameters

None.

##### cURL syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5         \"userId\" : \"e02fd3eb-11c8-4a53-91f5-70fed0de34c1\",  
6         \"payoutType\" : \"KYC_AND_PL\",  
7         \"paymentId\" : \"a72ada3b-3865-4e0e-8156-bcbd1f6e07bd\",  
8         \"amount\" : 10,  
9         \"reason\" : \"I want to get my winning money\",  
10        \"notes\" : \"payment comment\",  
11        \"currencyCode\" : \"GBP\",  
12        \"casinoId\" : \"11c8-sefwef-4a53-91f5-70fed0de34c1\"  
13    }" \  
14 'https://core.dev.Example.net/api/user/payout/transaction'
```

##### POST body attributes (JSON)

Attribute	Type	Use	Description
payoutType	String	Required	Payout type can be: KYC_AND_PL, PL, or MANUAL.
userId	String	Required	UUID of a user.
amount	Number	Required	Amount is double.
reason	String	Optional	Comments for paying out the amount.
notes	String	Optional	Payment comments by the admin.
paymentId	String	Conditional	UUID of a user payment info. Mandatory when "payoutType" is either KYC_AND_PL or PL.
currencyCode	String	Required	The currency code.

Attribute	Type	Use	Description
casinoId	String	Required	UUID of a casino.

## POST body

Headers: Content-Type: application/json

```
1 | {
2 |   "userId": "e02fd3eb-11c8-4a53-91f5-70fed0de34c1",
3 |   "payoutType": "KYC_AND_PL",
4 |   "paymentId": "a72ada3b-3865-4e0e-8156-bcbd1f6e07bd",
5 |   "amount": 10,
6 |   "reason": "I want to get my winning money",
7 |   "notes": "payment comment",
8 |   "currencyCode": "GBP",
9 |   "casinoId": "11c8-sefwef-4a53-91f5-70fed0de34c1"
10 | }
```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {
2 |   "data": true,
3 |   "detail": null,
4 |   "error": false,
5 |   "message": "Paying out amount to the user successful."
6 | }
```

json

**GET**

## Fetch User Payment Method for Payout

### Description

Helps to fetch all user payment methods for payout.

### Request Endpoint

GET <https://<Example api server address>/user/{userid}/paymentinfos/payout>

### Parameters

Parameter	Type	Use	Description
userId	String	Required	the user's UUID.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/userid/paymentinfos/payout'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "a72ada3b-3865-4e0e-8156-bcbd1f6e07bd",  
4 |     "addedOn": 1468925289954,  
5 |     "defaultPaymentInfo": true,  
6 |     "fullName": "Shruthi",  
7 |     "issuingAuthority": "HDFC",  
8 |     "lastUsedOn": 1468925257777,  
9 |     "nickName": "Vishwas Shashidhar",  
10 |    "paymentInfoStatus": "VERIFIED",  
11 |    "paymentProvider": "PAYLETTER",  
12 |    "paymentType": "CREDITCARD",  
13 |    "providerPaymentId": "c8559aca-4b9d-4b85-bea9-51592e10deac",  
14 |    "providerPaymentNumber": "2006",  
15 |    "providerToken": "100000000005331",  
16 |    "deletedBy": null,  
17 |    "deletedOn": null,  
18 |    "extRisk3DSEnrolledCard": null,  
19 |    "extRisk3DSResult": null,  
20 |    "deviceUdid": "drrthbs",  
21 |    "cardBrand": "Visa",  
22 |    "cardBinCountry": "India"  
23 |  },  
24 |  "detail": null,  
25 |  "error": false,  
26 |  "message": "Fetching user payment methods for Payout successful."  
27 | }
```

json

## POST Fetch User Transaction Payout History

### Description

Helps the admin to get the user transaction payout history.

### Request Endpoint

POST <https://<Example api server address>/user/payout/transaction/history>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"userId\" : \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",  
6 |         \"userPaymentInfoId\" : \"7f81f47c-4674-4d95-b888-bf35b189ecc3\"  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/user/payout/transaction/history'
```

### POST body attributes (JSON)

Attribute	Type	Use	Description
userPaymentInfoId	String	Required	UUID of a user payment info.
userId	String	Required	UUID of a user.

### POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |     \"userId\": \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",  
3 |     \"userPaymentInfoId\": \"7f81f47c-4674-4d95-b888-bf35b189ecc3\"  
4 | }
```

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     \"data\": [  
3 |         {  
4 |             \"id\": \"fa36a9e5-ad10-4d59-917a-96112ddcb9f2\",  
5 |             \"additionalIdentifier\": null,  
6 |             \"amount\": 10,  
7 |             \"application\": {  
8 |                 \"id\": \"4999a67e-4096-4caf-b3f8-adc2334b9721\",  
9 |                 \"name\": \"Application123\",  
10 |                \"appPackage\": \"appPac\",  
11 |                \"banner\": \"https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner\",  
12 |                \"bundleIdentifier\": \"app\",  
13 |                \"casino\": {  
14 |                    \"id\": \"c58b99a7-2300-4df2-963e-bc4514f6ca4d\",
```

```

15     "name": "UserApps",
16     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
17     "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
18     "description": "This casino has lot of game apps",
19     "website": "www.casino.com",
20     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",
21     "banner": "banner234",
22     "deletedBy": null,
23     "deletedOn": null,
24     "operatorStatus": null,
25     "email": null,
26     "userRole": null,
27     "firstName": null,
28     "lastName": null,
29     "address": null
30 },
31 "casinoId": null,
32 "categories": [
33     {
34         "id": "6df1a667-9b07-4f0c-821d-697732d6ee0d",
35         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.category1.com",
36         "name": "category1",
37         "description": null,
38         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.categoryVideo.",
39         "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.icon.com",
40         "colorCode": "#222fff",
41         "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.imag
42         "priority": 18,
43         "deletedBy": null,
44         "deletedOn": null
45     }
46 ],
47 "categoryIds": null,
48 "description": "description about application 1",
49 "downloads": 4646,
50 "featured": null,
51 "versionHistories": [
52     {
53         "build": 18,
54         "version": "v0.3",
55         "versionDate": 1468818976890,
56         "releaseDate": null,
57         "downloadLink": null,
58         "rating": {
59             "count": 0,
60             "overall": 0,
61             "gamePlay": 0,
62             "design": 0,
63             "ease": 0
64         },
65         "image": null,
66         "sliderImages": null,
67         "banner": null,
68         "video": null,
69         "versionStatus": null
70     }
71 ],
72 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
73 "keywords": [
74     "key1",
75     "key2",

```

```

76     "key3"
77   ],
78   "latestBuild": 18,
79   "latestVersion": "v0.3",
80   "order": 345,
81   "paragraph1": "1 paragraph",
82   "paragraph2": "2st paragraph",
83   "paragraph3": "3st paragraph",
84   "paragraph4": "4th para",
85   "presetPriceList": null,
86   "price": 3436,
87   "publisherId": null,
88   "publisher": {
89     "id": "475d0371-73a3-422f-a0f1-ee71cf5fca89",
90     "name": "Publisher1",
91     "description": null,
92     "email": "navya.gopalakrishna@innoflexion.com",
93     "website": "http://pek@appyow1.com",
94     "phone": "+917899763654",
95     "publisherStatus": "VERIFIED",
96     "operatorId": "c81bbbec-6ae9-45cc-93ca-23261158faeb",
97     "userRole": "PUBLISHER"
98   },
99   "ranking": 23,
100  "sliderImages": [
101    {
102      "id": "321b8445-69da-4046-bea7-e69555ebddf8",
103      "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_1.jpg",
104      "order": 1
105    },
106    {
107      "id": "a8bb358c-f6bd-435f-a8b0-2d3a83dfddc3",
108      "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_2.jpg",
109      "order": 0
110    },
111    {
112      "id": "87a635e2-a1a3-4240-8b93-04385019a0c9",
113      "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_3.jpg",
114      "order": 3
115    }
116  ],
117  "subtitle": "subtitle",
118  "updated": null,
119  "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
120  "status": "SUBMITTED",
121  "downloadLink": null,
122  "compatibility": "kitkat",
123  "sizeOnDisk": "12MB",
124  "permissionDetails": "You should have kitkat version to run this app",
125  "locationSupported": [
126    "India",
127    "UK"
128  ],
129  "languageSupported": [
130    "English",
131    "French"
132  ],
133  "additionalDetails": "This application is very popular",
134  "tags": null,
135  "rating": {
136    "count": 0,

```



```

137     "overall": 0,
138     "gamePlay": 0,
139     "design": 0,
140     "ease": 0
141   },
142   "silent": {
143     "min": 1,
144     "max": 1
145   },
146   "normal": {
147     "min": 1,
148     "max": 1
149   },
150   "mandatory": {
151     "min": 1,
152     "max": 1
153   },
154   "downgrade": {
155     "min": null,
156     "max": null
157   },
158   "incentives": null,
159   "deletedBy": null,
160   "deletedOn": null
161 },
162 "currencyCode": "GBP",
163 "orderDate": 1470397565726,
164 "orderNumber": "419d7ea0-3d6c-4698-842b-ecd4f5fff9b6",
165 "paymentType": null,
166 "providerPaymentId": "6e24269b-03f8-4b42-8645-ada1cafff7862",
167 "providerTransactionId": "201608050094173",
168 "remarks": null,
169 "transactionType": null,
170 "past": false,
171 "extCasinoPaymentGatewayID": null,
172 "deviceUdid": null,
173 "promoCodes": null,
174 "extCasinoUserID": null,
175 "extCasinoTransID": null,
176 "providerOrderId": "f6f0bbab-4141-4d56-b594-08ab1406b2ca",
177 "pspCode": "SCTD",
178 "pspTID": "2-9-1837952",
179 "appliedIncentives": null,
180 "applicationVersion": "v0.3",
181 "transactionResult": "PAYOUT",
182 "amlData": null,
183 "threeDSDData": null,
184 "casino": null,
185 "transactionCategory": "PAYOUT",
186 "parentTransactionId": null,
187 "reasonForRefund": null,
188 "refundedAmount": null,
189 "reasonForChargeBack": null,
190 "paymentComment": "payment comment",
191 "payoutAmount": null,
192 "reasonForPayout": "I want to get my winning money",
193 "transactionOrderId": null,
194 "manualRefund": false
195 }
196 ],
197 "detail": null,

```

```
198 | "error": false,  
199 | "message": "Fetching payout transaction history successful"  
200 | }
```

**GET**

## Fetch Payout History By UserId

### Description

Gets the existing user payout history by passing the userId.

### Request Endpoint

GET <https://<Example api server address>/user/{userid}/payout/user/history>

### Parameters

Parameter	Type	Use	Description
userId	String	Required	The user's UDID.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/userid/payout/user/history'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "fa36a9e5-ad10-4d59-917a-96112ddcb9f2",  
5 |       "additionalIdentifier": null,  
6 |       "amount": 10,  
7 |       "application": {  
8 |         "id": "4999a67e-4096-4caf-b3f8-adc2334b9721",  
9 |         "name": "Application123",  
10 |        "appPackage": "appPac",  
11 |        "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",  
12 |        "bundleIdentifier": "app",  
13 |        "casino": {  
14 |          "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",  
15 |          "name": "UserApps",  
16 |          "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",  
17 |          "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",  
18 |          "description": "This casino has lot of game apps",  
19 |          "website": "www.casino.com",  
20 |          "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",  
21 |          "banner": "banner234",  
22 |          "deletedBy": null,  
23 |          "deletedOn": null,  
24 |          "operatorStatus": null,  
25 |          "email": null,  
26 |          "userRole": null,  
27 |          "firstName": null,  
28 |          "lastName": null,  
29 |          "address": null  
30 |        },  
31 |        "casinoId": null,  
32 |        "categories": [  
33 |          {  
34 |            "id": "6df1a667-9b07-4f0c-821d-697732d6ee0d",
```

json

```

35     "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.category1.com"
36     "name": "category1",
37     "description": null,
38     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.categoryVideo.",
39     "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.icon.com",
40     "colorCode": "#222fff",
41     "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.imag
42     "priority": 18,
43     "deletedBy": null,
44     "deletedOn": null
45   }
46 ],
47 "categoryIds": null,
48 "description": "description about application 1",
49 "downloads": 4646,
50 "featured": null,
51 "versionHistories": [
52   {
53     "build": 18,
54     "version": "v0.3",
55     "versionDate": 1468818976890,
56     "releaseDate": null,
57     "downloadLink": null,
58     "rating": {
59       "count": 0,
60       "overall": 0,
61       "gamePlay": 0,
62       "design": 0,
63       "ease": 0
64     },
65     "image": null,
66     "sliderImages": null,
67     "banner": null,
68     "video": null,
69     "versionStatus": null
70   }
71 ],
72 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
73 "keywords": [
74   "key1",
75   "key2",
76   "key3"
77 ],
78 "latestBuild": 18,
79 "latestVersion": "v0.3",
80 "order": 345,
81 "paragraph1": "1 paragraph",
82 "paragraph2": "2st paragraph",
83 "paragraph3": "3st paragraph",
84 "paragraph4": "4th para",
85 "presetPriceList": null,
86 "price": 3436,
87 "publisherId": null,
88 "publisher": {
89   "id": "475d0371-73a3-422f-a0f1-ee71cf5fca89",
90   "name": "Publisher1",
91   "description": null,
92   "email": "navya.gopalakrishna@innoflexion.com",
93   "website": "http://pek@appyow1.com",
94   "phone": "+917899763654",
95   "publisherStatus": "VERIFIED",

```

```

96     "operatorId": "c81bbbec-6ae9-45cc-93ca-23261158faeb",
97     "userRole": "PUBLISHER"
98 },
99 "ranking": 23,
100 "sliderImages": [
101   {
102     "id": "321b8445-69da-4046-bea7-e69555ebddf8",
103     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_1.jpg",
104     "order": 1
105   },
106   {
107     "id": "a8bb358c-f6bd-435f-a8b0-2d3a83dfddc3",
108     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_2.jpg",
109     "order": 0
110   },
111   {
112     "id": "87a635e2-a1a3-4240-8b93-04385019a0c9",
113     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_3.jpg",
114     "order": 3
115   }
116 ],
117 "subtitle": "subtitle",
118 "updated": null,
119 "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
120 "status": "SUBMITTED",
121 "downloadLink": null,
122 "compatibility": "kitkat",
123 "sizeOnDisk": "12MB",
124 "permissionDetails": "You should have kitkat version to run this app",
125 "locationSupported": [
126   "India",
127   "UK"
128 ],
129 "languageSupported": [
130   "English",
131   "French"
132 ],
133 "additionalDetails": "This application is very popular",
134 "tags": null,
135 "rating": {
136   "count": 0,
137   "overall": 0,
138   "gamePlay": 0,
139   "design": 0,
140   "ease": 0
141 },
142 "silent": {
143   "min": 1,
144   "max": 1
145 },
146 "normal": {
147   "min": 1,
148   "max": 1
149 },
150 "mandatory": {
151   "min": 1,
152   "max": 1
153 },
154 "downgrade": {
155   "min": null,
156   "max": null

```

```

157     },
158     "incentives": null,
159     "deletedBy": null,
160     "deletedOn": null
161   },
162   "currencyCode": "GBP",
163   "orderDate": 1470397565726,
164   "orderNumber": "419d7ea0-3d6c-4698-842b-ecd4f5fff9b6",
165   "paymentType": null,
166   "providerPaymentId": "6e24269b-03f8-4b42-8645-ada1caff7862",
167   "providerTransactionId": "201608050094173",
168   "remarks": null,
169   "transactionType": null,
170   "past": false,
171   "extCasinoPaymentGatewayID": null,
172   "deviceUdid": null,
173   "promoCodes": null,
174   "extCasinoUserID": null,
175   "extCasinoTransID": null,
176   "providerOrderId": "f6f0bbab-4141-4d56-b594-08ab1406b2ca",
177   "pspCode": "SCTD",
178   "pspTID": "2-9-1837952",
179   "appliedIncentives": null,
180   "applicationVersion": "v0.3",
181   "transactionResult": "PAYOUT",
182   "amlData": null,
183   "threeDSDData": null,
184   "casino": null,
185   "transactionCategory": "PAYOUT",
186   "parentTransactionId": null,
187   "reasonForRefund": null,
188   "refundedAmount": null,
189   "reasonForChargeBack": null,
190   "paymentComment": "payment comment",
191   "payoutAmount": null,
192   "reasonForPayout": "I want to get my winning money",
193   "transactionOrderId": null,
194   "manualRefund": false
195   }
196 ],
197 "detail": null,
198 "error": false,
199 "message": "Fetching payout transaction history successful"
200 }

```

**GET**

## Fetch Payout History By User PaymentInfoId

### Description

Gets the existing user payout history by passing the user paymentInfoId.

### Request Endpoint

GET <https://<Example api server address>/user/{paymentinfoId}/payout/transaction/history>

### Parameters

Parameter	Type	Use	Description
paymentInfoId	String	Required	A user's payment info UUID.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/paymentinfoId/payout/transaction/history'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "fa36a9e5-ad10-4d59-917a-96112ddcb9f2",  
5 |       "additionalIdentifier": null,  
6 |       "amount": 10,  
7 |       "application": {  
8 |         "id": "4999a67e-4096-4caf-b3f8-adc2334b9721",  
9 |         "name": "Application123",  
10 |        "appPackage": "appPac",  
11 |        "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",  
12 |        "bundleIdentifier": "app",  
13 |        "casino": {  
14 |          "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",  
15 |          "name": "UserApps",  
16 |          "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",  
17 |          "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",  
18 |          "description": "This casino has lot of game apps",  
19 |          "website": "www.casino.com",  
20 |          "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",  
21 |          "banner": "banner234",  
22 |          "deletedBy": null,  
23 |          "deletedOn": null,  
24 |          "operatorStatus": null,  
25 |          "email": null,  
26 |          "userRole": null,  
27 |          "firstName": null,  
28 |          "lastName": null,  
29 |          "address": null  
30 |        },  
31 |        "casinoId": null,  
32 |        "categories": [  
33 |          {  
34 |            "id": "6df1a667-9b07-4f0c-821d-697732d6ee0d",
```

json

```

35     "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.category1.com"
36     "name": "category1",
37     "description": null,
38     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.categoryVideo.",
39     "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.icon.com",
40     "colorCode": "#222fff",
41     "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.imag
42     "priority": 18,
43     "deletedBy": null,
44     "deletedOn": null
45   }
46 ],
47 "categoryIds": null,
48 "description": "description about application 1",
49 "downloads": 4646,
50 "featured": null,
51 "versionHistories": [
52   {
53     "build": 18,
54     "version": "v0.3",
55     "versionDate": 1468818976890,
56     "releaseDate": null,
57     "downloadLink": null,
58     "rating": {
59       "count": 0,
60       "overall": 0,
61       "gamePlay": 0,
62       "design": 0,
63       "ease": 0
64     },
65     "image": null,
66     "sliderImages": null,
67     "banner": null,
68     "video": null,
69     "versionStatus": null
70   }
71 ],
72 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
73 "keywords": [
74   "key1",
75   "key2",
76   "key3"
77 ],
78 "latestBuild": 18,
79 "latestVersion": "v0.3",
80 "order": 345,
81 "paragraph1": "1 paragraph",
82 "paragraph2": "2st paragraph",
83 "paragraph3": "3st paragraph",
84 "paragraph4": "4th para",
85 "presetPriceList": null,
86 "price": 3436,
87 "publisherId": null,
88 "publisher": {
89   "id": "475d0371-73a3-422f-a0f1-ee71cf5fca89",
90   "name": "Publisher1",
91   "description": null,
92   "email": "navya.gopalakrishna@innoflexion.com",
93   "website": "http://pek@appyow1.com",
94   "phone": "+917899763654",
95   "publisherStatus": "VERIFIED",

```



```

96     "operatorId": "c81bbbec-6ae9-45cc-93ca-23261158faeb",
97     "userRole": "PUBLISHER"
98   },
99   "ranking": 23,
100  "sliderImages": [
101    {
102      "id": "321b8445-69da-4046-bea7-e69555ebddf8",
103      "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_1.jpg",
104      "order": 1
105    },
106    {
107      "id": "a8bb358c-f6bd-435f-a8b0-2d3a83dfddc3",
108      "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_2.jpg",
109      "order": 0
110    },
111    {
112      "id": "87a635e2-a1a3-4240-8b93-04385019a0c9",
113      "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_3.jpg",
114      "order": 3
115    }
116  ],
117  "subtitle": "subtitle",
118  "updated": null,
119  "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
120  "status": "SUBMITTED",
121  "downloadLink": null,
122  "compatibility": "kitkat",
123  "sizeOnDisk": "12MB",
124  "permissionDetails": "You should have kitkat version to run this app",
125  "locationSupported": [
126    "India",
127    "UK"
128  ],
129  "languageSupported": [
130    "English",
131    "French"
132  ],
133  "additionalDetails": "This application is very popular",
134  "tags": null,
135  "rating": {
136    "count": 0,
137    "overall": 0,
138    "gamePlay": 0,
139    "design": 0,
140    "ease": 0
141  },
142  "silent": {
143    "min": 1,
144    "max": 1
145  },
146  "normal": {
147    "min": 1,
148    "max": 1
149  },
150  "mandatory": {
151    "min": 1,
152    "max": 1
153  },
154  "downgrade": {
155    "min": null,
156    "max": null

```

```

157     },
158     "incentives": null,
159     "deletedBy": null,
160     "deletedOn": null
161   },
162   "currencyCode": "GBP",
163   "orderDate": 1470397565726,
164   "orderNumber": "419d7ea0-3d6c-4698-842b-ecd4f5fff9b6",
165   "paymentType": null,
166   "providerPaymentId": "6e24269b-03f8-4b42-8645-ada1caff7862",
167   "providerTransactionId": "201608050094173",
168   "remarks": null,
169   "transactionType": null,
170   "past": false,
171   "extCasinoPaymentGatewayID": null,
172   "deviceUdid": null,
173   "promoCodes": null,
174   "extCasinoUserID": null,
175   "extCasinoTransID": null,
176   "providerOrderId": "f6f0bbab-4141-4d56-b594-08ab1406b2ca",
177   "pspCode": "SCTD",
178   "pspTID": "2-9-1837952",
179   "appliedIncentives": null,
180   "applicationVersion": "v0.3",
181   "transactionResult": "PAYOUT",
182   "amlData": null,
183   "threeDSDData": null,
184   "casino": null,
185   "transactionCategory": "PAYOUT",
186   "parentTransactionId": null,
187   "reasonForRefund": null,
188   "refundedAmount": null,
189   "reasonForChargeBack": null,
190   "paymentComment": "payment comment",
191   "payoutAmount": null,
192   "reasonForPayout": "I want to get my winning money",
193   "transactionOrderId": null,
194   "manualRefund": false
195   }
196 ],
197 "detail": null,
198 "error": false,
199 "message": "Fetching payout transaction history successful"
200 }

```

**GET**

## Fetch User Payout History

### Description

Gets all user payout history.

### Request Endpoint

GET <https://<Example api server address>/user/payout/history>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/payout/history'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "fa36a9e5-ad10-4d59-917a-96112ddcb9f2",  
5 |       "additionalIdentifier": null,  
6 |       "amount": 10,  
7 |       "application": {  
8 |         "id": "4999a67e-4096-4caf-b3f8-adc2334b9721",  
9 |         "name": "Application123",  
10 |        "appPackage": "appPac",  
11 |        "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",  
12 |        "bundleIdentifier": "app",  
13 |        "casino": {  
14 |          "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",  
15 |          "name": "UserApps",  
16 |          "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",  
17 |          "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",  
18 |          "description": "This casino has lot of game apps",  
19 |          "website": "www.casino.com",  
20 |          "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",  
21 |          "banner": "banner234",  
22 |          "deletedBy": null,  
23 |          "deletedOn": null,  
24 |          "operatorStatus": null,  
25 |          "email": null,  
26 |          "userRole": null,  
27 |          "firstName": null,  
28 |          "lastName": null,  
29 |          "address": null  
30 |        },  
31 |        "casinoId": null,  
32 |        "categories": [  
33 |          {  
34 |            "id": "6df1a667-9b07-4f0c-821d-697732d6ee0d",  
35 |            "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.category1.com",  
36 |            "name": "category1",  
37 |            "description": null,  
38 |            "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.categoryVideo.  
39 |          }  
40 |        ]  
41 |      }  
42 |     ]  
43 |   }  
44 | }
```

json

```

39         "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.icon.com",
40         "colorCode": "#222fff",
41         "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.imag
42         "priority": 18,
43         "deletedBy": null,
44         "deletedOn": null
45     }
46 ],
47     "categoryIds": null,
48     "description": "description about application 1",
49     "downloads": 4646,
50     "featured": null,
51     "versionHistories": [
52     {
53         "build": 18,
54         "version": "v0.3",
55         "versionDate": 1468818976890,
56         "releaseDate": null,
57         "downloadLink": null,
58         "rating": {
59             "count": 0,
60             "overall": 0,
61             "gamePlay": 0,
62             "design": 0,
63             "ease": 0
64         },
65         "image": null,
66         "sliderImages": null,
67         "banner": null,
68         "video": null,
69         "versionStatus": null
70     }
71 ],
72     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
73     "keywords": [
74         "key1",
75         "key2",
76         "key3"
77 ],
78     "latestBuild": 18,
79     "latestVersion": "v0.3",
80     "order": 345,
81     "paragraph1": "1 paragraph",
82     "paragraph2": "2st paragraph",
83     "paragraph3": "3st paragraph",
84     "paragraph4": "4th para",
85     "presetPriceList": null,
86     "price": 3436,
87     "publisherId": null,
88     "publisher": {
89         "id": "475d0371-73a3-422f-a0f1-ee71cf5fca89",
90         "name": "Publisher1",
91         "description": null,
92         "email": "navya.gopalakrishna@innoflexion.com",
93         "website": "http://pek@appyow1.com",
94         "phone": "+917899763654",
95         "publisherStatus": "VERIFIED",
96         "operatorId": "c81bbbec-6ae9-45cc-93ca-23261158faeb",
97         "userRole": "PUBLISHER"
98     },
99     "ranking": 23,

```

```

100     "sliderImages": [
101         {
102             "id": "321b8445-69da-4046-bea7-e69555ebddf8",
103             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_1.jpg",
104             "order": 1
105         },
106         {
107             "id": "a8bb358c-f6bd-435f-a8b0-2d3a83dfddc3",
108             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_2.jpg",
109             "order": 0
110         },
111         {
112             "id": "87a635e2-a1a3-4240-8b93-04385019a0c9",
113             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_3.jpg",
114             "order": 3
115         }
116     ],
117     "subtitle": "subtitle",
118     "updated": null,
119     "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
120     "status": "SUBMITTED",
121     "downloadLink": null,
122     "compatibility": "kitkat",
123     "sizeOnDisk": "12MB",
124     "permissionDetails": "You should have kitkat version to run this app",
125     "locationSupported": [
126         "India",
127         "UK"
128     ],
129     "languageSupported": [
130         "English",
131         "French"
132     ],
133     "additionalDetails": "This application is very popular",
134     "tags": null,
135     "rating": {
136         "count": 0,
137         "overall": 0,
138         "gamePlay": 0,
139         "design": 0,
140         "ease": 0
141     },
142     "silent": {
143         "min": 1,
144         "max": 1
145     },
146     "normal": {
147         "min": 1,
148         "max": 1
149     },
150     "mandatory": {
151         "min": 1,
152         "max": 1
153     },
154     "downgrade": {
155         "min": null,
156         "max": null
157     },
158     "incentives": null,
159     "deletedBy": null,
160     "deletedOn": null

```

```
161     },
162     "currencyCode": "GBP",
163     "orderDate": 1470397565726,
164     "orderNumber": "419d7ea0-3d6c-4698-842b-ecd4f5fff9b6",
165     "paymentType": null,
166     "providerPaymentId": "6e24269b-03f8-4b42-8645-ada1caff7862",
167     "providerTransactionId": "201608050094173",
168     "remarks": null,
169     "transactionType": null,
170     "past": false,
171     "extCasinoPaymentGatewayID": null,
172     "deviceUdid": null,
173     "promoCodes": null,
174     "extCasinoUserID": null,
175     "extCasinoTransID": null,
176     "providerOrderId": "f6f0bbab-4141-4d56-b594-08ab1406b2ca",
177     "pspCode": "SCTD",
178     "pspTID": "2-9-1837952",
179     "appliedIncentives": null,
180     "applicationVersion": "v0.3",
181     "transactionResult": "PAYOUT",
182     "amlData": null,
183     "threeDSDData": null,
184     "casino": null,
185     "transactionCategory": "PAYOUT",
186     "parentTransactionId": null,
187     "reasonForRefund": null,
188     "refundedAmount": null,
189     "reasonForChargeBack": null,
190     "paymentComment": "payment comment",
191     "payoutAmount": null,
192     "reasonForPayout": "I want to get my winning money",
193     "transactionOrderId": null,
194     "manualRefund": false
195   }
196 ],
197 "detail": null,
198 "error": false,
199 "message": "Fetching payout transaction history successful"
200 }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Promotions APIs

#### POST Create Promotion - Incentive

##### Description

Creates new promotions.

##### Request Endpoint

POST <https://<Example api server address>/admin/promotion>

##### Parameters

None.

##### cURL syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5         \"name\": \"FREEMONEY2\",  
6         \"promotionType\": \"PROMOTION\",  
7         \"promotionCode\" : \"PROMO123\",  
8         \"qualifyingItemType\": \"PM\",  
9         \"qualifyingItem\": \"VISA-CARD\",  
10        \"paidBy\": \"CASINO\",  
11        \"paidByItem\" : \"vb835f0c-f4b4-4472-aaef-c85f0d5b26a2\",  
12        \"currencies\": [  
13            \"USD\"  
14        ],  
15        \"description\": \"desc\",  
16        \"finePrint\": \"fine print1\",  
17        \"minDeposit\": 200.5,  
18        \"promoAmountType\": \"AMOUNT\",  
19        \"promoAmount\": 40,  
20        \"usageLimit\": 100,  
21        \"userLimit\": 1,  
22        \"validityStartDate\": \"2017-10-21\",  
23        \"validityEndDate\": \"2017-10-22\"  
24    }" \  
25    'https://core.dev.Example.net/api/admin/promotion'
```

##### POST body attributes (JSON)

Attribute	Type	Use	Description
name	String	Required	The promotion name.

Attribute	Type	Use	Description
promotionType	String	Required	PROMOTION / INCENTIVE.
qualifyingItemType	String	Required	PM / CASINO / APPLICATION.
qualifyingItem	String	Required	Visa Card / Master Card / Casino id / Application id.
promotionCode	String	Conditional	The PromoCode. Mandatory when promoType is "promotion".
paidBy	String	Required	Can be either Example, CASINO, OTHER, etc.
paidByItem	String	Conditional	Can be casnioId, etc. Mandatory when paidBy is other than Example.
currencies	Array	Required	Enables the ability to select specific currencies. <ul style="list-style-type: none"> <li>The Player must be using the currency type defined by the promo</li> <li>Ties in with the CLIENT.</li> </ul>
description	String	Required	A description of the promo or incentive.
finePrint	String	Optional	The fine print description.
minDeposit	Number	Required	Promotion min deposit.
maxDeposit	Number	Conditional	The maximum deposit amount of the promotion can be applied. <ul style="list-style-type: none"> <li>It is mandatory when promoAmountType is PERCENTAGE.</li> <li>0 indicates no maximum limit to use the promotion.</li> </ul>
promoAmountType	String	Required	AMOUNT or PERCENTAGE.
promoAmount	String	Required	The promotion promo amount.
usagelimit	Number	Required	The usage limit.
userLimit	Number	Required	The user limit.
validityStartDate	String	Required	The validity Start Date in UTC format: yyyy-mm-dd.
validityEndDate	String	Required	The validity end Date in UTC format: yyyy-mm-dd.

## POST body

Headers: Content-Type: application/json

```

1  {
2    "name": "FREEMONEY2",
3    "promotionType": "PROMOTION",
4    "promotionCode": "PROMO123",
5    "qualifyingItemType": "PM",
6    "qualifyingItem": "VISA-CARD",
7    "paidBy": "CASINO",
8    "paidByItem": "vb835f0c-f4b4-4472-aaef-c85f0d5b26a2",
9    "currencies": [
10   "USD"
11  ],
12   "description": "desc",
13   "finePrint": "fine print1",
14   "minDeposit": 200.5,
15   "promoAmountType": "AMOUNT",
16   "promoAmount": 40,
17   "usageLimit": 100,
18   "userLimit": 1,
19   "validityStartDate": "2017-10-21",

```

json



```
20 | "validityEndDate": "2017-10-22"
21 | }
```

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {
2 |   "data": {
3 |     "id": "18835f0c-f4b4-4472-aaef-c85f0d5b26a2",
4 |     "createdOn": 1480672577278,
5 |     "lastModifiedOn": 1480672577278,
6 |     "updatedBy": "",
7 |     "deleted": false,
8 |     "name": "FREEMONEY2",
9 |     "promotionType": "PROMOTION",
10 |    "qualifyingItemType": "PM",
11 |    "promotionCode": null,
12 |    "description": "desc",
13 |    "finePrint": "fine print1",
14 |    "paidBy": "CASINO",
15 |    "paidByCasino": {
16 |      "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
17 |      "createdOn": 1472021963085,
18 |      "lastModifiedOn": 1472021963085,
19 |      "updatedBy": "",
20 |      "deleted": false,
21 |      "name": "Poker 26",
22 |      "videoUrl": "https://www.google.com/betting-video.mov",
23 |      "imageUrl": "http://www.google.com/betting.png",
24 |      "description": "This casino has lot of game apps1",
25 |      "website": "http://www.casino1.com",
26 |      "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
27 |      "banner": "banner2345",
28 |      "deletedBy": null,
29 |      "deletedOn": null,
30 |      "operatorStatus": "NEW",
31 |      "email": null,
32 |      "userRole": "OPERATOR",
33 |      "firstName": null,
34 |      "lastName": null,
35 |      "address": null,
36 |      "externalId": null,
37 |      "featuredAppId": null,
38 |      "latestAppId": null
39 |    },
40 |    "currencies": [
41 |      "USD"
42 |    ],
43 |    "qualifyingItem": "VISA-CARD",
44 |    "casino": null,
45 |    "application": null,
46 |    "minDeposit": 200.5,
47 |    "promoAmountType": "AMOUNT",
48 |    "promoAmount": 40,
49 |    "usageLimit": 100,
50 |    "userLimit": 1,
51 |    "validityStartDate": 1508544000000,
52 |    "validityEndDate": 1508630400000,
53 |    "promotionStatus": "SCHEDULED",
```

json

```
54     "usageLimitUsed": 0
55   },
56   "detail": null,
57   "error": false,
58   "message": "Creating promotion successful.",
59   "code": "1000"
60 }
```

**GET****Fetch All Promotions****Description**

Fetches all Promotions and Incentives.

**Request Endpoint**

GET <https://<Example api server address>admin/promotion>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/promotion'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "18835f0c-f4b4-4472-aaef-c85f0d5b26a2",  
5 |       "createdOn": 1480672577278,  
6 |       "lastModifiedOn": 1480672577278,  
7 |       "updatedBy": "",  
8 |       "deleted": false,  
9 |       "name": "FREEMONEY2",  
10 |      "promotionType": "PROMOTION",  
11 |      "qualifyingItemType": "PM",  
12 |      "promotionCode": null,  
13 |      "description": "desc",  
14 |      "finePrint": "fine print1",  
15 |      "paidBy": "Example",  
16 |      "currencies": [  
17 |        "USD"  
18 |      ],  
19 |      "qualifyingItem": "VISA-CARD",  
20 |      "casino": null,  
21 |      "application": null,  
22 |      "minDeposit": 200.5,  
23 |      "promoAmountType": "AMOUNT",  
24 |      "promoAmount": 40,  
25 |      "usageLimit": 100,  
26 |      "userLimit": 1,  
27 |      "validityStartDate": 1508544000000,  
28 |      "validityEndDate": 1508630400000,  
29 |      "promotionStatus": "SCHEDULED",  
30 |      "usageLimitUsed": 0  
31 |     },  
32 |     {  
33 |       "id": "28835f0c-f4b4-4472-aaef-c85f0d5b26a2",  
34 |       "createdOn": 1480672577278,  
35 |       "lastModifiedOn": 1480672577278,  
36 |       "updatedBy": "",  
37 |       "deleted": false,  
38 |       "name": "FREEMONEY3",
```

json

```
39     "promotionType": "PROMOTION",
40     "qualifyingItemType": "PM",
41     "promotionCode": null,
42     "description": "desc",
43     "finePrint": "fine print1",
44     "paidBy": "Example",
45     "currencies": [
46         "USD"
47     ],
48     "qualifyingItem": "VISA-CARD",
49     "casino": null,
50     "application": null,
51     "minDeposit": 200.5,
52     "promoAmountType": "AMOUNT",
53     "promoAmount": 40,
54     "usageLimit": 100,
55     "userLimit": 1,
56     "validityStartDate": 1508544000000,
57     "validityEndDate": 1508630400000,
58     "promotionStatus": "SCHEDULED",
59     "usageLimitUsed": 0
60 }
61 ],
62 "detail": null,
63 "error": false,
64 "message": "Fetching all promotions successful."
65 }
```

**PUT****Update Promotion****Description**

Updates an existing promotion. For null attributes, the value will not be updated.

**Request Endpoint**

PUT <https://<Example api server address>/admin/promotion/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	UUID of a Promotion.

**cURL syntax**

```

1 curl --include \
2     --request PUT \
3     --header "Content-Type: application/json" \
4     --data-binary "{
5     \"name\": \"FREEMONEY2\",
6     \"qualifyingItemType\": \"PM\",
7     \"qualifyingItem\": \"VISA-CARD\",
8     \"paidBy\": \"Example\",
9     \"currencies\": [
10    \"USD\"
11    ],
12    \"description\": \"desc\",
13    \"finePrint\": \"fine print1\",
14    \"minDeposit\": 200.5,
15    \"promoAmountType\": \"AMOUNT\",
16    \"promoAmount\": 40,
17    \"usagelimit\": 100,
18    \"userLimit\": 1,
19    \"validityStartDate\": \"2017-10-21\",
20    \"validityEndDate\": \"2017-10-22\"
21  }" \
22  'https://core.dev.Example.net/api/admin/promotion/{id}'

```

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
name	String	Required	The promotion name.
qualifyingItemType	String	Required	PM / CASINO / APPLICATION.
qualifyingItem	String	Required	Visa Card / Master Card / Casino id / Application id.
paidBy	String	Required	Can be either Example, CASINO, OTHER, etc.
paidByItem	String	Conditional	Can be casnioId, etc. Mandatory when paidBy is other than Example.
currencies	Array	Required	Enables the ability to select specific currencies. <ul style="list-style-type: none"> <li>The Player must be using the currency type defined by the promo</li> <li>Ties in with the CLIENT.</li> </ul>
description	String	Required	A description of the promo or incentive.

Attribute	Type	Use	Description
finePrint	String	Optional	The fine print description.
minDeposit	Number	Required	Promotion min deposit.
maxDeposit	Number	Conditional	The maximum deposit amount of the promotion can be applied. <ul style="list-style-type: none"> <li>It is mandatory when promoAmountType is PERCENTAGE.</li> <li>0 indicates no maximum limit to use the promotion.</li> </ul>
promoAmountType	String	Required	AMOUNT or PERCENTAGE.
promoAmount	String	Required	The promotion promo amount.
usageLimit	Number	Required	The usage limit.
userLimit	Number	Required	The user limit.
validityStartDate	String	Required	The validity Start Date in UTC format: yyyy-mm-dd.
validityEndDate	String	Required	The validity end Date in UTC format: yyyy-mm-dd.

## PUT body

Headers: Content-Type: application/json

```

1  {
2    "name": "FREEMONEY2",
3    "qualifyingItemType": "PM",
4    "qualifyingItem": "VISA-CARD",
5    "paidBy": "Example",
6    "currencies": [
7      "USD"
8    ],
9    "description": "desc",
10   "finePrint": "fine print1",
11   "minDeposit": 200.5,
12   "promoAmountType": "AMOUNT",
13   "promoAmount": 40,
14   "usageLimit": 100,
15   "userLimit": 1,
16   "validityStartDate": "2017-10-21",
17   "validityEndDate": "2017-10-22"
18  }

```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2    "data": {
3      "id": "18835f0c-f4b4-4472-aaef-c85f0d5b26a2",
4      "createdOn": 1480672577278,
5      "lastModifiedOn": 1480672577278,
6      "updatedBy": "",
7      "deleted": false,
8      "name": "FREEMONEY2",
9      "promotionType": "PROMOTION",
10     "qualifyingItemType": "PM",
11     "promotionCode": null,
12     "description": "desc",

```

json

```
12     "finePrint": "fine print1",
13     "paidBy": "Example",
14     "currencies": [
15         "USD"
16     ],
17     "qualifyingItem": "VISA-CARD",
18     "casino": null,
19     "application": null,
20     "minDeposit": 200.5,
21     "promoAmountType": "AMOUNT",
22     "promoAmount": 40,
23     "usageLimit": 100,
24     "userLimit": 1,
25     "validityStartDate": 1508544000000,
26     "validityEndDate": 1508630400000,
27     "promotionStatus": "SCHEDULED",
28     "usageLimitUsed": 0
29 },
30 "detail": null,
31 "error": false,
32 "message": "Updating promotion successful.",
33 "code": "1000"
34 }
35
```

## DELETE Delete Promotion

### Description

Deletes a Promotion - Incentive.

### Request Endpoint

DELETE <https://<Example api server address>/admin/promotion/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of a promotion.

### cURL syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 | 'https://core.dev.Example.net/api/admin/promotion/{id}'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Deleting promotion successful"  
6 | }
```

json



**GET****Fetch Promotion Details****Description**

Fetches details of a particular promotion.

**Request Endpoint**

GET <https://<Example api server address>/admin/promotion/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	UUID of a Promotion.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://private-5f8be-betcadessdkapi.apiary-mock.com/api/admin/promotion/{id}'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "1ca4a947-5cd1-46f9-b518-0cf56b655112",  
4 |     "createdOn": 1481715798781,  
5 |     "lastModifiedOn": 1481715798782,  
6 |     "updatedBy": "",  
7 |     "deleted": false,  
8 |     "name": "FREEMONEY2",  
9 |     "promotionType": "PROMOTION",  
10 |    "qualifyingItemType": "PM",  
11 |    "promotionCode": null,  
12 |    "description": "desc",  
13 |    "finePrint": "fine print1",  
14 |    "paidBy": "Example",  
15 |    "currencies": [  
16 |      "USD"  
17 |    ],  
18 |    "qualifyingItem": "VISA-CARD",  
19 |    "casino": null,  
20 |    "application": null,  
21 |    "minDeposit": 200.5,  
22 |    "promoAmountType": "AMOUNT",  
23 |    "promoAmount": 40,  
24 |    "usageLimit": 100,  
25 |    "userLimit": 1,  
26 |    "validityStartDate": 1508544000000,  
27 |    "validityEndDate": 1508630400000,  
28 |    "promotionStatus": "SCHEDULED",  
29 |    "usageLimitUsed": 0  
30 |  },  
31 |   "detail": null,  
32 |   "error": false,  
33 |   "message": "Fetching promotion detail successful.",  
34 | }
```

json

```
35 | "code": "1000"  
    | }
```

**POST****Search Promotion****Description**

Searches for a Promotion by either id or name.

**Request Endpoint**

POST <https://<Example api server address>/admin/promotion/search>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"promotionId\": \"993d7157-d7a0-4ba7-8225-d9936aa1566d\"  
6 |     }" \  
7 | 'https://private-5f8be-betcadessdkapi.apiary-mock.com/api/admin/promotion/search'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
promotionId	String	Optional	UUID of the promotion.
name	String	Optional	Name of the promotion.

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "promotionId": "993d7157-d7a0-4ba7-8225-d9936aa1566d"  
3 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     "data": [  
3 |         {  
4 |             "id": "18835f0c-f4b4-4472-aaef-c85f0d5b26a2",  
5 |             "createdOn": 1480672577278,  
6 |             "lastModifiedOn": 1480672577278,  
7 |             "updatedBy": "",  
8 |             "deleted": false,  
9 |             "name": "FREEMONEY2",  
10 |            "promotionType": "PROMOTION",  
11 |            "qualifyingItemType": "PM",  
12 |            "promotionCode": null,  
13 |            "description": "desc",  
14 |            "finePrint": "fine print1",  
15 |            "paidBy": "Example",  
16 |            "currencies": [  
17 |                "USD",  
18 |                "EUR",  
19 |                "GBP",  
20 |                "JPY",  
21 |                "AUD",  
22 |                "CAD",  
23 |                "CHF",  
24 |                "CNY",  
25 |                "HKD",  
26 |                "INR",  
27 |                "KRW",  
28 |                "MXN",  
29 |                "NZD",  
30 |                "SGD",  
31 |                "TWD",  
32 |                "ZAR",  
33 |                "BRL",  
34 |                "RUB",  
35 |                "TRY",  
36 |                "PLN",  
37 |                "SEK",  
38 |                "NOK",  
39 |                "DKK",  
40 |                "ISK",  
41 |                "HUF",  
42 |                "CZK",  
43 |                "SKK",  
44 |                "THB",  
45 |                "MYR",  
46 |                "IDR",  
47 |                "PHP",  
48 |                "VND",  
49 |                "BID",  
50 |                "LAK",  
51 |                "KHR",  
52 |                "KHR",  
53 |                "KHR",  
54 |                "KHR",  
55 |                "KHR",  
56 |                "KHR",  
57 |                "KHR",  
58 |                "KHR",  
59 |                "KHR",  
60 |                "KHR",  
61 |                "KHR",  
62 |                "KHR",  
63 |                "KHR",  
64 |                "KHR",  
65 |                "KHR",  
66 |                "KHR",  
67 |                "KHR",  
68 |                "KHR",  
69 |                "KHR",  
70 |                "KHR",  
71 |                "KHR",  
72 |                "KHR",  
73 |                "KHR",  
74 |                "KHR",  
75 |                "KHR",  
76 |                "KHR",  
77 |                "KHR",  
78 |                "KHR",  
79 |                "KHR",  
80 |                "KHR",  
81 |                "KHR",  
82 |                "KHR",  
83 |                "KHR",  
84 |                "KHR",  
85 |                "KHR",  
86 |                "KHR",  
87 |                "KHR",  
88 |                "KHR",  
89 |                "KHR",  
90 |                "KHR",  
91 |                "KHR",  
92 |                "KHR",  
93 |                "KHR",  
94 |                "KHR",  
95 |                "KHR",  
96 |                "KHR",  
97 |                "KHR",  
98 |                "KHR",  
99 |                "KHR",  
100 |               ]  
101 |            }  
102 |        ]  
103 |    }
```

json

```
17     "USD"
18   ],
19   "qualifyingItem": "VISA-CARD",
20   "casino": null,
21   "application": null,
22   "minDeposit": 200.5,
23   "promoAmountType": "AMOUNT",
24   "promoAmount": 40,
25   "usageLimit": 100,
26   "userLimit": 1,
27   "validityStartDate": 1508544000000,
28   "validityEndDate": 1508630400000,
29   "promotionStatus": "SCHEDULED",
30   "usageLimitUsed": 0
31 }
32 ],
33 "detail": null,
34 "error": false,
35 "message": "Searching promotion successful"
36 }
```

## Description

Fetches promotion details by promotion code.

## Request Endpoint

GET <https://<Example api server address>/admin/promotion/by/code/{code}>

## Parameters

Parameter	Type	Use	Description
code	String	Required	Promotion code of the promotion.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/promotion/by/code/{code}'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "0e4378f6-9c23-4656-bbfa-0479cc722076",  
4 |     "createdOn": 1481971928555,  
5 |     "lastModifiedOn": 1481971928555,  
6 |     "updatedBy": "",  
7 |     "deleted": false,  
8 |     "name": "FREEMONEYnz",  
9 |     "promotionType": "PROMOTION",  
10 |    "qualifyingItemType": "PM",  
11 |    "promotionCode": "segwegn",  
12 |    "description": "desc",  
13 |    "finePrint": "fine print1",  
14 |    "paidBy": "CASINO",  
15 |    "paidByCasino": {  
16 |      "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",  
17 |      "createdOn": 1472021963085,  
18 |      "lastModifiedOn": 1472021963085,  
19 |      "updatedBy": "",  
20 |      "deleted": false,  
21 |      "name": "Poker 26",  
22 |      "videoUrl": "https://www.google.com/betting-video.mov",  
23 |      "imageUrl": "http://www.google.com/betting.png",  
24 |      "description": "This casino has lot of game apps1",  
25 |      "website": "http://www.casino1.com",  
26 |      "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",  
27 |      "banner": "banner2345",  
28 |      "deletedBy": null,  
29 |      "deletedOn": null,  
30 |      "operatorStatus": "NEW",  
31 |      "email": null,  
32 |      "userRole": "OPERATOR",  
33 |      "firstName": null,  
34 |      "lastName": null,
```

json

```
35     "address": null,
36     "externalId": null,
37     "featuredAppId": null,
38     "latestAppId": null
39   },
40   "paidByItem": null,
41   "currencies": [
42     "USD"
43   ],
44   "qualifyingItem": "VISA-CARD",
45   "casino": null,
46   "application": null,
47   "minDeposit": 200.5,
48   "promoAmountType": "AMOUNT",
49   "promoAmount": 40,
50   "usageLimit": 100,
51   "userLimit": 1,
52   "validityStartDate": 1508544000000,
53   "validityEndDate": 1508630400000,
54   "promotionStatus": "SCHEDULED",
55   "usageLimitUsed": 0,
56   "maxDeposit": null,
57   "deletedOn": null,
58   "deletedBy": null
59 },
60 "detail": null,
61 "error": false,
62 "message": "Fetching promotion detail successful.",
63 "code": "1000"
64 }
```

**GET**

## Fetch Promotion By Promotion Name

### Description

Fetches promotion details by promotion name.

### Request Endpoint

GET <https://<Example api server address>/admin/promotion/by/name/{name}>

### Parameters

Parameter	Type	Use	Description
name	String	Required	Promotion name of the promotion.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/promotion/by/name/{name}'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "8b72480f-f5d2-4d92-89af-8e12dd61d424",  
4 |     "createdOn": 1481968543885,  
5 |     "lastModifiedOn": 1481968543885,  
6 |     "updatedBy": "",  
7 |     "deleted": false,  
8 |     "name": "FREEMONEY",  
9 |     "promotionType": "INCENTIVE",  
10 |    "qualifyingItemType": "CASINO",  
11 |    "promotionCode": null,  
12 |    "description": "desc",  
13 |    "finePrint": "fine print1",  
14 |    "paidBy": "CASINO",  
15 |    "paidByCasino": {  
16 |      "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",  
17 |      "createdOn": 1472021963085,  
18 |      "lastModifiedOn": 1472021963085,  
19 |      "updatedBy": "",  
20 |      "deleted": false,  
21 |      "name": "Poker 26",  
22 |      "videoUrl": "https://www.google.com/betting-video.mov",  
23 |      "imageUrl": "http://www.google.com/betting.png",  
24 |      "description": "This casino has lot of game apps1",  
25 |      "website": "http://www.casino1.com",  
26 |      "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",  
27 |      "banner": "banner2345",  
28 |      "deletedBy": null,  
29 |      "deletedOn": null,  
30 |      "operatorStatus": "NEW",  
31 |      "email": null,  
32 |      "userRole": "OPERATOR",  
33 |      "firstName": null,  
34 |      "lastName": null,
```

json

```

35     "address": null,
36     "externalId": null,
37     "featuredAppId": null,
38     "latestAppId": null
39   },
40   "paidByItem": null,
41   "currencies": [
42     "USD"
43   ],
44   "qualifyingItem": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
45   "casino": {
46     "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
47     "createdOn": 1472021963085,
48     "lastModifiedOn": 1472021963085,
49     "updatedBy": "",
50     "deleted": false,
51     "name": "Poker 26",
52     "videoUrl": "https://www.google.com/betting-video.mov",
53     "imageUrl": "http://www.google.com/betting.png",
54     "description": "This casino has lot of game apps1",
55     "website": "http://www.casino1.com",
56     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
57     "banner": "banner2345",
58     "deletedBy": null,
59     "deletedOn": null,
60     "operatorStatus": "NEW",
61     "email": null,
62     "userRole": "OPERATOR",
63     "firstName": null,
64     "lastName": null,
65     "address": null,
66     "externalId": null,
67     "featuredAppId": null,
68     "latestAppId": null
69   },
70   "application": null,
71   "minDeposit": 200.5,
72   "promoAmountType": "AMOUNT",
73   "promoAmount": 40,
74   "usageLimit": 100,
75   "userLimit": 1,
76   "validityStartDate": 1508544000000,
77   "validityEndDate": 1508630400000,
78   "promotionStatus": "SCHEDULED",
79   "usageLimitUsed": 0,
80   "maxDeposit": null,
81   "deletedOn": null,
82   "deletedBy": null
83 },
84 "detail": null,
85 "error": false,
86 "message": "Fetching promotion detail successful.",
87 "code": "1000"
88 }

```



## POST Fetch Promotion By Promotion Type

### Description

Fetches promotion details by promotion type.

### Request Endpoint

POST <https://<Example api server address>/admin/promotions/by/type>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |       \"promotionType\" : \"PROMOTION\  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/admin/promotions/by/type'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
promotionType	String	Required	The promotion type. Can be PROMOTION / INCENTIVE.

### POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "promotionType": "PROMOTION"  
3 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "0e4378f6-9c23-4656-bbfa-0479cc722076",  
6 |         "createdOn": 1481971928555,  
7 |         "lastModifiedOn": 1481971928555,  
8 |         "updatedBy": "",  
9 |         "deleted": false,  
10 |        "name": "FREEMONEYnz",  
11 |        "promotionType": "PROMOTION",  
12 |        "qualifyingItemType": "PM",  
13 |        "promotionCode": "segwegn",  
14 |        "description": "desc",  
15 |        "finePrint": "fine print1",  
16 |        "paidBy": "CASINO",  
17 |        "paidByCasino": {
```

json

```

18     "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
19     "createdOn": 1472021963085,
20     "lastModifiedOn": 1472021963085,
21     "updatedBy": "",
22     "deleted": false,
23     "name": "Poker 26",
24     "videoUrl": "https://www.google.com/betting-video.mov",
25     "imageUrl": "http://www.google.com/betting.png",
26     "description": "This casino has lot of game apps1",
27     "website": "http://www.casino1.com",
28     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
29     "banner": "banner2345",
30     "deletedBy": null,
31     "deletedOn": null,
32     "operatorStatus": "NEW",
33     "email": null,
34     "userRole": "OPERATOR",
35     "firstName": null,
36     "lastName": null,
37     "address": null,
38     "externalId": null,
39     "featuredAppId": null,
40     "latestAppId": null
41   },
42   "paidByItem": null,
43   "currencies": [
44     "USD"
45   ],
46   "qualifyingItem": "VISA-CARD",
47   "casino": null,
48   "application": null,
49   "minDeposit": 200.5,
50   "promoAmountType": "AMOUNT",
51   "promoAmount": 40,
52   "usageLimit": 100,
53   "userLimit": 1,
54   "validityStartDate": 1508544000000,
55   "validityEndDate": 1508630400000,
56   "promotionStatus": "SCHEDULED",
57   "usageLimitUsed": 0,
58   "maxDeposit": null,
59   "deletedOn": null,
60   "deletedBy": null
61 }
62 ],
63 "last": true,
64 "totalElements": 1,
65 "totalPages": 1,
66 "numberOfElements": 1,
67 "sort": null,
68 "first": true,
69 "size": 70,
70 "number": 0
71 },
72 "detail": null,
73 "error": false,
74 "message": "Fetching promotions successful.",
75 "code": "1000"
76 }

```



## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Refund Transaction APIs

#### POST Refund User Transaction

##### Description

Refunds the user transaction amount.

##### Request Endpoint

POST <https://<Example api server address>/user/refund/transaction>

##### Parameters

None.

##### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"userTransactionId\" : \"b1906295-1b93-41f3-84b7-a32fad448c18\",  
6 |         \"amount\" : 10,  
7 |         \"reason\" : \"I have not done any transaction. May be some one used my card to do so\",  
8 |         \"notes\" : \"check number\",  
9 |         \"currencyCode\" : \"23wer5\"  
10 |     }" \  
11 | 'https://core.dev.Example.net/api/user/refund/transaction'
```

##### POST body attributes (JSON)

Attribute	Type	Use	Description
userTransactionId	String	Required	UUID of a user transaction.
amount	Number	Required	The amount is double.
reason	String	Required	Comments for refunding the transaction amount.
notes	String	Optional	Payment comments by admin.
currencyCode	String	Optional	The currency code.

##### POST body

Headers: Content-Type: application/json

```
1 | {  
2 |     \"userTransactionId\": \"b1906295-1b93-41f3-84b7-a32fad448c18\",
```

```
3 | "amount": 10,  
4 | "reason": "I have not done any transaction. May be some one used my card to do so",  
5 | "notes": "check number",  
6 | "currencyCode": "23wer5"  
7 | }
```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Refunding user transaction amount successful."  
6 | } json
```

## POST Fetch User Transaction Refund History

### Description

Gets the user transaction refund history.

### Request Endpoint

POST <https://<Example api server address>/user/refund/transaction/history>

### Parameters

None.

### cURL syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5         \"userId\" : \"82c8a4e4-f373-451c-8509-8e9687313a3c\",  
6         \"userTransactionId\" : \"701790fb-991a-438f-b60d-5bb2bb52f30c\"  
7     }" \  
8 'https://core.dev.Example.net/api/user/refund/transaction/history'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
userTransactionId	String	Required	UUID of a user transaction.
userId	String	Required	UUID of a user.

### POST body

**Headers:** Content-Type: application/json

```
1 {  
2     \"userId\": \"82c8a4e4-f373-451c-8509-8e9687313a3c\",  
3     \"userTransactionId\": \"701790fb-991a-438f-b60d-5bb2bb52f30c\"  
4 }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 {  
2     \"data\": [  
3         {  
4             \"id\": \"5e28bdf6-1d38-45fd-b81f-a567ce10080f\",  
5             \"additionalIdentifier\": null,  
6             \"amount\": 1,  
7             \"application\": {  
8                 \"id\": \"d6f1a957-218e-410e-9cf3-7e62c45eee13\",  
9                 \"name\": \"Application11\",  
10                \"appPackage\": \"appPac\",  
11                \"banner\": \"https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner\",  
12                \"bundleIdentifier\": \"asap\",  
13                \"casino\": {  
14                    \"id\": \"c58b99a7-2300-4df2-963e-bc4514f6ca4d\",
```

json

```

15     "name": "UserApps",
16     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
17     "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
18     "description": "This casino has lot of game apps",
19     "website": "www.casino.com",
20     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",
21     "banner": "banner234",
22     "deletedBy": null,
23     "deletedOn": null,
24     "operatorStatus": null,
25     "email": null,
26     "userRole": null,
27     "firstName": null,
28     "lastName": null,
29     "address": null
30 },
31 "casinoId": null,
32 "categories": [
33     {
34         "id": "6df1a667-9b07-4f0c-821d-697732d6ee0d",
35         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.category1.com",
36         "name": "category1",
37         "description": null,
38         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.categoryVideo.",
39         "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.icon.com",
40         "colorCode": "#222fff",
41         "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.imag
42         "priority": 18,
43         "deletedBy": null,
44         "deletedOn": null
45     }
46 ],
47 "categoryIds": null,
48 "description": "description about application 1",
49 "downloads": 4646,
50 "featured": null,
51 "versionHistories": [
52     {
53         "build": 18,
54         "version": "v0.3",
55         "versionDate": 1469439294718,
56         "releaseDate": null,
57         "downloadLink": null,
58         "rating": {
59             "count": 0,
60             "overall": 0,
61             "gamePlay": 0,
62             "design": 0,
63             "ease": 0
64         },
65         "image": null,
66         "sliderImages": null,
67         "banner": null,
68         "video": null,
69         "versionStatus": null
70     }
71 ],
72 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
73 "keywords": [
74     "key1",
75     "key2",

```

```

76     "key3"
77   ],
78   "latestBuild": 18,
79   "latestVersion": "v0.3",
80   "order": 345,
81   "paragraph1": "1 paragraph",
82   "paragraph2": "2st paragraph",
83   "paragraph3": "3st paragraph",
84   "paragraph4": "4th para",
85   "presetPriceList": null,
86   "price": 3436,
87   "publisherId": null,
88   "publisher": null,
89   "ranking": 23,
90   "sliderImages": [
91     {
92       "id": "59e1799f-c671-462e-a67b-780d4ca1f0d1",
93       "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_1.jpg",
94       "order": 1
95     },
96     {
97       "id": "44308337-3899-45cc-9c3f-48dc19abdadf",
98       "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_2.jpg",
99       "order": 0
100    },
101    {
102      "id": "928734fe-0684-4872-a5db-ca3182f9f1bc",
103      "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_3.jpg",
104      "order": 3
105    }
106  ],
107  "subtitle": "subtitle",
108  "updated": null,
109  "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
110  "status": "SUBMITTED",
111  "downloadLink": null,
112  "compatibility": "kitkat",
113  "sizeOnDisk": "12MB",
114  "permissionDetails": "You should have kitkat version to run this app",
115  "locationSupported": [
116    "India",
117    "UK"
118  ],
119  "languageSupported": [
120    "English",
121    "French"
122  ],
123  "additionalDetails": "This application is very popular",
124  "tags": null,
125  "rating": {
126    "count": 0,
127    "overall": 0,
128    "gamePlay": 0,
129    "design": 0,
130    "ease": 0
131  },
132  "silent": {
133    "min": 1,
134    "max": 1
135  },
136  "normal": {

```



```

137         "min": 1,
138         "max": 1
139     },
140     "mandatory": {
141         "min": 1,
142         "max": 1
143     },
144     "downgrade": {
145         "min": null,
146         "max": null
147     },
148     "incentives": null,
149     "deletedBy": null,
150     "deletedOn": null
151 },
152 "currencyCode": "GBP",
153 "orderDate": 1470305061814,
154 "orderNumber": "b6b5e571-1685-4c0e-bda9-a13ff0f6b701",
155 "paymentType": null,
156 "providerPaymentId": null,
157 "providerTransactionId": "201608040094124",
158 "remarks": null,
159 "transactionType": null,
160 "past": false,
161 "extCasinoPaymentGatewayID": null,
162 "deviceUdid": null,
163 "promoCodes": null,
164 "extCasinoUserID": null,
165 "extCasinoTransID": null,
166 "providerOrderId": "3a627247-cd91-415d-a813-47050d67f06d",
167 "pspCode": "SCTD",
168 "pspTID": "2-9-1836998",
169 "appliedIncentives": null,
170 "applicationVersion": "v0.3",
171 "transactionResult": "REFUNDED",
172 "amlData": null,
173 "threeDSData": null,
174 "casino": {
175     "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",
176     "name": "UserApps",
177     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
178     "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
179     "description": "This casino has lot of game apps",
180     "website": "www.casino.com",
181     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",
182     "banner": "banner234",
183     "deletedBy": null,
184     "deletedOn": null,
185     "operatorStatus": null,
186     "email": null,
187     "userRole": null,
188     "firstName": null,
189     "lastName": null,
190     "address": null
191 },
192 "transactionCategory": "REFUND",
193 "parentTransactionId": "701790fb-991a-438f-b60d-5bb2bb52f30c",
194 "reasonForRefund": "game winner",
195 "refundedAmount": null,
196 "reasonForChargeBack": null,
197 "paymentComment": null,

```

```
198     "payoutAmount": null,  
199     "reasonForPayout": null,  
200     "transactionOrderId": null,  
201     "manualRefund": false  
202   }  
203 ],  
204 "detail": null,  
205 "error": false,  
206 "message": "Fetching refund transaction history successful"  
207 }
```

**GET**

## Fetch Refund History By UserId

### Description

Gets the existing user refund history by passing the userId.

### Request Endpoint

GET <https://<Example api server address>/user/{userid}/refund/user/history>

### Parameters

Parameter	Type	Use	Description
userId	String	Required	The user's UDID.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/userid/refund/user/history'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "5e28bdf6-1d38-45fd-b81f-a567ce10080f",  
5 |       "additionalIdentifier": null,  
6 |       "amount": 1,  
7 |       "application": {  
8 |         "id": "d6f1a957-218e-410e-9cf3-7e62c45eee13",  
9 |         "name": "Application11",  
10 |        "appPackage": "appPac",  
11 |        "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",  
12 |        "bundleIdentifier": "asap",  
13 |        "casino": {  
14 |          "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",  
15 |          "name": "UserApps",  
16 |          "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",  
17 |          "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",  
18 |          "description": "This casino has lot of game apps",  
19 |          "website": "www.casino.com",  
20 |          "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",  
21 |          "banner": "banner234",  
22 |          "deletedBy": null,  
23 |          "deletedOn": null,  
24 |          "operatorStatus": null,  
25 |          "email": null,  
26 |          "userRole": null,  
27 |          "firstName": null,  
28 |          "lastName": null,  
29 |          "address": null  
30 |        },  
31 |        "casinoId": null,  
32 |        "categories": [  
33 |          {  
34 |            "id": "6df1a667-9b07-4f0c-821d-697732d6ee0d",
```

json

```

35     "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.category1.com"
36     "name": "category1",
37     "description": null,
38     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.categoryVideo.",
39     "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.icon.com",
40     "colorCode": "#222fff",
41     "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.imag
42     "priority": 18,
43     "deletedBy": null,
44     "deletedOn": null
45   }
46 ],
47 "categoryIds": null,
48 "description": "description about application 1",
49 "downloads": 4646,
50 "featured": null,
51 "versionHistories": [
52   {
53     "build": 18,
54     "version": "v0.3",
55     "versionDate": 1469439294718,
56     "releaseDate": null,
57     "downloadLink": null,
58     "rating": {
59       "count": 0,
60       "overall": 0,
61       "gamePlay": 0,
62       "design": 0,
63       "ease": 0
64     },
65     "image": null,
66     "sliderImages": null,
67     "banner": null,
68     "video": null,
69     "versionStatus": null
70   }
71 ],
72 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
73 "keywords": [
74   "key1",
75   "key2",
76   "key3"
77 ],
78 "latestBuild": 18,
79 "latestVersion": "v0.3",
80 "order": 345,
81 "paragraph1": "1 paragraph",
82 "paragraph2": "2st paragraph",
83 "paragraph3": "3st paragraph",
84 "paragraph4": "4th para",
85 "presetPriceList": null,
86 "price": 3436,
87 "publisherId": null,
88 "publisher": null,
89 "ranking": 23,
90 "sliderImages": [
91   {
92     "id": "59e1799f-c671-462e-a67b-780d4ca1f0d1",
93     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_1.jpg",
94     "order": 1
95   }

```

```

96     {
97         "id": "44308337-3899-45cc-9c3f-48dc19abdadf",
98         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_2.jpg",
99         "order": 0
100    },
101    {
102        "id": "928734fe-0684-4872-a5db-ca3182f9f1bc",
103        "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_3.jpg",
104        "order": 3
105    }
106 ],
107 "subtitle": "subtitle",
108 "updated": null,
109 "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
110 "status": "SUBMITTED",
111 "downloadLink": null,
112 "compatibility": "kitkat",
113 "sizeOnDisk": "12MB",
114 "permissionDetails": "You should have kitkat version to run this app",
115 "locationSupported": [
116     "India",
117     "UK"
118 ],
119 "languageSupported": [
120     "English",
121     "French"
122 ],
123 "additionalDetails": "This application is very popular",
124 "tags": null,
125 "rating": {
126     "count": 0,
127     "overall": 0,
128     "gamePlay": 0,
129     "design": 0,
130     "ease": 0
131 },
132 "silent": {
133     "min": 1,
134     "max": 1
135 },
136 "normal": {
137     "min": 1,
138     "max": 1
139 },
140 "mandatory": {
141     "min": 1,
142     "max": 1
143 },
144 "downgrade": {
145     "min": null,
146     "max": null
147 },
148 "incentives": null,
149 "deletedBy": null,
150 "deletedOn": null
151 },
152 "currencyCode": "GBP",
153 "orderDate": 1470305061814,
154 "orderNumber": "b6b5e571-1685-4c0e-bda9-a13ff0f6b701",
155 "paymentType": null,
156 "providerPaymentId": null,

```

```
157     "providerTransactionId": "201608040094124",
158     "remarks": null,
159     "transactionType": null,
160     "past": false,
161     "extCasinoPaymentGatewayID": null,
162     "deviceUdid": null,
163     "promoCodes": null,
164     "extCasinoUserID": null,
165     "extCasinoTransID": null,
166     "providerOrderId": "3a627247-cd91-415d-a813-47050d67f06d",
167     "pspCode": "SCTD",
168     "pspTID": "2-9-1836998",
169     "appliedIncentives": null,
170     "applicationVersion": "v0.3",
171     "transactionResult": "REFUNDED",
172     "amlData": null,
173     "threeDSData": null,
174     "casino": {
175         "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",
176         "name": "UserApps",
177         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
178         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
179         "description": "This casino has lot of game apps",
180         "website": "www.casino.com",
181         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",
182         "banner": "banner234",
183         "deletedBy": null,
184         "deletedOn": null,
185         "operatorStatus": null,
186         "email": null,
187         "userRole": null,
188         "firstName": null,
189         "lastName": null,
190         "address": null
191     },
192     "transactionCategory": "REFUND",
193     "parentTransactionId": "701790fb-991a-438f-b60d-5bb2bb52f30c",
194     "reasonForRefund": "game winner",
195     "refundedAmount": null,
196     "reasonForChargeBack": null,
197     "paymentComment": null,
198     "payoutAmount": null,
199     "reasonForPayout": null,
200     "transactionOrderId": null,
201     "manualRefund": false
202 }
203 ],
204 "detail": null,
205 "error": false,
206 "message": "Fetching refund transaction history successful"
207 }
```

**GET**

## Fetch Refund History By User TransactionId

### Description

Gets the existing user refund history by passing the userTransactionId.

### Request Endpoint

GET <https://<Example api server address>/user/{transactionid}/refund/transaction/history>

### Parameters

Parameter	Type	Use	Description
transactionId	String	Required	The user's transaction id.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/transactionid/refund/transaction/history'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "5e28bdf6-1d38-45fd-b81f-a567ce10080f",  
5 |       "additionalIdentifier": null,  
6 |       "amount": 1,  
7 |       "application": {  
8 |         "id": "d6f1a957-218e-410e-9cf3-7e62c45eee13",  
9 |         "name": "Application11",  
10 |        "appPackage": "appPac",  
11 |        "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",  
12 |        "bundleIdentifier": "asap",  
13 |        "casino": {  
14 |          "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",  
15 |          "name": "UserApps",  
16 |          "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",  
17 |          "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",  
18 |          "description": "This casino has lot of game apps",  
19 |          "website": "www.casino.com",  
20 |          "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",  
21 |          "banner": "banner234",  
22 |          "deletedBy": null,  
23 |          "deletedOn": null,  
24 |          "operatorStatus": null,  
25 |          "email": null,  
26 |          "userRole": null,  
27 |          "firstName": null,  
28 |          "lastName": null,  
29 |          "address": null  
30 |        },  
31 |        "casinoId": null,  
32 |        "categories": [  
33 |          {  
34 |            "id": "6df1a667-9b07-4f0c-821d-697732d6ee0d",
```

json

```

35     "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.category1.com"
36     "name": "category1",
37     "description": null,
38     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.categoryVideo.",
39     "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.icon.com",
40     "colorCode": "#222fff",
41     "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.imag
42     "priority": 18,
43     "deletedBy": null,
44     "deletedOn": null
45   }
46 ],
47 "categoryIds": null,
48 "description": "description about application 1",
49 "downloads": 4646,
50 "featured": null,
51 "versionHistories": [
52   {
53     "build": 18,
54     "version": "v0.3",
55     "versionDate": 1469439294718,
56     "releaseDate": null,
57     "downloadLink": null,
58     "rating": {
59       "count": 0,
60       "overall": 0,
61       "gamePlay": 0,
62       "design": 0,
63       "ease": 0
64     },
65     "image": null,
66     "sliderImages": null,
67     "banner": null,
68     "video": null,
69     "versionStatus": null
70   }
71 ],
72 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
73 "keywords": [
74   "key1",
75   "key2",
76   "key3"
77 ],
78 "latestBuild": 18,
79 "latestVersion": "v0.3",
80 "order": 345,
81 "paragraph1": "1 paragraph",
82 "paragraph2": "2st paragraph",
83 "paragraph3": "3st paragraph",
84 "paragraph4": "4th para",
85 "presetPriceList": null,
86 "price": 3436,
87 "publisherId": null,
88 "publisher": null,
89 "ranking": 23,
90 "sliderImages": [
91   {
92     "id": "59e1799f-c671-462e-a67b-780d4ca1f0d1",
93     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_1.jpg",
94     "order": 1
95   }

```



```

96     {
97         "id": "44308337-3899-45cc-9c3f-48dc19abdadf",
98         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_2.jpg",
99         "order": 0
100    },
101    {
102        "id": "928734fe-0684-4872-a5db-ca3182f9f1bc",
103        "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_3.jpg",
104        "order": 3
105    }
106 ],
107 "subtitle": "subtitle",
108 "updated": null,
109 "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
110 "status": "SUBMITTED",
111 "downloadLink": null,
112 "compatibility": "kitkat",
113 "sizeOnDisk": "12MB",
114 "permissionDetails": "You should have kitkat version to run this app",
115 "locationSupported": [
116     "India",
117     "UK"
118 ],
119 "languageSupported": [
120     "English",
121     "French"
122 ],
123 "additionalDetails": "This application is very popular",
124 "tags": null,
125 "rating": {
126     "count": 0,
127     "overall": 0,
128     "gamePlay": 0,
129     "design": 0,
130     "ease": 0
131 },
132 "silent": {
133     "min": 1,
134     "max": 1
135 },
136 "normal": {
137     "min": 1,
138     "max": 1
139 },
140 "mandatory": {
141     "min": 1,
142     "max": 1
143 },
144 "downgrade": {
145     "min": null,
146     "max": null
147 },
148 "incentives": null,
149 "deletedBy": null,
150 "deletedOn": null
151 },
152 "currencyCode": "GBP",
153 "orderDate": 1470305061814,
154 "orderNumber": "b6b5e571-1685-4c0e-bda9-a13ff0f6b701",
155 "paymentType": null,
156 "providerPaymentId": null,

```

```

157     "providerTransactionId": "201608040094124",
158     "remarks": null,
159     "transactionType": null,
160     "past": false,
161     "extCasinoPaymentGatewayID": null,
162     "deviceUdid": null,
163     "promoCodes": null,
164     "extCasinoUserID": null,
165     "extCasinoTransID": null,
166     "providerOrderId": "3a627247-cd91-415d-a813-47050d67f06d",
167     "pspCode": "SCTD",
168     "pspTID": "2-9-1836998",
169     "appliedIncentives": null,
170     "applicationVersion": "v0.3",
171     "transactionResult": "REFUNDED",
172     "amlData": null,
173     "threeDSData": null,
174     "casino": {
175         "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",
176         "name": "UserApps",
177         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
178         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
179         "description": "This casino has lot of game apps",
180         "website": "www.casino.com",
181         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",
182         "banner": "banner234",
183         "deletedBy": null,
184         "deletedOn": null,
185         "operatorStatus": null,
186         "email": null,
187         "userRole": null,
188         "firstName": null,
189         "lastName": null,
190         "address": null
191     },
192     "transactionCategory": "REFUND",
193     "parentTransactionId": "701790fb-991a-438f-b60d-5bb2bb52f30c",
194     "reasonForRefund": "game winner",
195     "refundedAmount": null,
196     "reasonForChargeBack": null,
197     "paymentComment": null,
198     "payoutAmount": null,
199     "reasonForPayout": null,
200     "transactionOrderId": null,
201     "manualRefund": false
202 }
203 ],
204 "detail": null,
205 "error": false,
206 "message": "Fetching refund transaction history successful"
207 }

```

**GET**

## Fetch User Refund History

### Description

Fetches all user refund history.

### Request Endpoint

GET <https://<Example api server address>/user/refund/history>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/refund/history'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "5e28bdf6-1d38-45fd-b81f-a567ce10080f",  
5 |       "additionalIdentifier": null,  
6 |       "amount": 1,  
7 |       "application": {  
8 |         "id": "d6f1a957-218e-410e-9cf3-7e62c45eee13",  
9 |         "name": "Application11",  
10 |        "appPackage": "appPac",  
11 |        "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",  
12 |        "bundleIdentifier": "asap",  
13 |        "casino": {  
14 |          "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",  
15 |          "name": "UserApps",  
16 |          "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",  
17 |          "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",  
18 |          "description": "This casino has lot of game apps",  
19 |          "website": "www.casino.com",  
20 |          "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",  
21 |          "banner": "banner234",  
22 |          "deletedBy": null,  
23 |          "deletedOn": null,  
24 |          "operatorStatus": null,  
25 |          "email": null,  
26 |          "userRole": null,  
27 |          "firstName": null,  
28 |          "lastName": null,  
29 |          "address": null  
30 |        },  
31 |        "casinoId": null,  
32 |        "categories": [  
33 |          {  
34 |            "id": "6df1a667-9b07-4f0c-821d-697732d6ee0d",  
35 |            "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.category1.com",  
36 |            "name": "category1",  
37 |            "description": null,  
38 |            "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.categoryVideo.  
38 |
```

json

```

39     "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.icon.com",
40     "colorCode": "#222fff",
41     "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.imag
42     "priority": 18,
43     "deletedBy": null,
44     "deletedOn": null
45   }
46 ],
47 "categoryIds": null,
48 "description": "description about application 1",
49 "downloads": 4646,
50 "featured": null,
51 "versionHistories": [
52   {
53     "build": 18,
54     "version": "v0.3",
55     "versionDate": 1469439294718,
56     "releaseDate": null,
57     "downloadLink": null,
58     "rating": {
59       "count": 0,
60       "overall": 0,
61       "gamePlay": 0,
62       "design": 0,
63       "ease": 0
64     },
65     "image": null,
66     "sliderImages": null,
67     "banner": null,
68     "video": null,
69     "versionStatus": null
70   }
71 ],
72 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
73 "keywords": [
74   "key1",
75   "key2",
76   "key3"
77 ],
78 "latestBuild": 18,
79 "latestVersion": "v0.3",
80 "order": 345,
81 "paragraph1": "1 paragraph",
82 "paragraph2": "2st paragraph",
83 "paragraph3": "3st paragraph",
84 "paragraph4": "4th para",
85 "presetPriceList": null,
86 "price": 3436,
87 "publisherId": null,
88 "publisher": null,
89 "ranking": 23,
90 "sliderImages": [
91   {
92     "id": "59e1799f-c671-462e-a67b-780d4ca1f0d1",
93     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_1.jpg",
94     "order": 1
95   },
96   {
97     "id": "44308337-3899-45cc-9c3f-48dc19abdadf",
98     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_2.jpg",
99     "order": 0

```

```

100     },
101     {
102         "id": "928734fe-0684-4872-a5db-ca3182f9f1bc",
103         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_3.jpg",
104         "order": 3
105     }
106 ],
107 "subtitle": "subtitle",
108 "updated": null,
109 "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
110 "status": "SUBMITTED",
111 "downloadLink": null,
112 "compatibility": "kitkat",
113 "sizeOnDisk": "12MB",
114 "permissionDetails": "You should have kitkat version to run this app",
115 "locationSupported": [
116     "India",
117     "UK"
118 ],
119 "languageSupported": [
120     "English",
121     "French"
122 ],
123 "additionalDetails": "This application is very popular",
124 "tags": null,
125 "rating": {
126     "count": 0,
127     "overall": 0,
128     "gamePlay": 0,
129     "design": 0,
130     "ease": 0
131 },
132 "silent": {
133     "min": 1,
134     "max": 1
135 },
136 "normal": {
137     "min": 1,
138     "max": 1
139 },
140 "mandatory": {
141     "min": 1,
142     "max": 1
143 },
144 "downgrade": {
145     "min": null,
146     "max": null
147 },
148 "incentives": null,
149 "deletedBy": null,
150 "deletedOn": null
151 },
152 "currencyCode": "GBP",
153 "orderDate": 1470305061814,
154 "orderNumber": "b6b5e571-1685-4c0e-bda9-a13ff0f6b701",
155 "paymentType": null,
156 "providerPaymentId": null,
157 "providerTransactionId": "201608040094124",
158 "remarks": null,
159 "transactionType": null,
160 "past": false,

```

```
161     "extCasinoPaymentGatewayID": null,
162     "deviceUdid": null,
163     "promoCodes": null,
164     "extCasinoUserID": null,
165     "extCasinoTransID": null,
166     "providerOrderId": "3a627247-cd91-415d-a813-47050d67f06d",
167     "pspCode": "SCTD",
168     "pspTID": "2-9-1836998",
169     "appliedIncentives": null,
170     "applicationVersion": "v0.3",
171     "transactionResult": "REFUNDED",
172     "amlData": null,
173     "threeDSData": null,
174     "casino": {
175         "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",
176         "name": "UserApps",
177         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
178         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
179         "description": "This casino has lot of game apps",
180         "website": "www.casino.com",
181         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",
182         "banner": "banner234",
183         "deletedBy": null,
184         "deletedOn": null,
185         "operatorStatus": null,
186         "email": null,
187         "userRole": null,
188         "firstName": null,
189         "lastName": null,
190         "address": null
191     },
192     "transactionCategory": "REFUND",
193     "parentTransactionId": "701790fb-991a-438f-b60d-5bb2bb52f30c",
194     "reasonForRefund": "game winner",
195     "refundedAmount": null,
196     "reasonForChargeBack": null,
197     "paymentComment": null,
198     "payoutAmount": null,
199     "reasonForPayout": null,
200     "transactionOrderId": null,
201     "manualRefund": false
202 }
203 ],
204 "detail": null,
205 "error": false,
206 "message": "Fetching refund transaction history successful"
207 }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Reject Transaction APIs

#### GET Fetch All Rejected Transactions

##### Description

Fetches all transactions that are rejected.

##### Request Endpoint

GET `https://<Example api server address>/user/reject/transaction`

##### Parameters

None.

##### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/reject/transactions'
```

curl

##### Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "b4acf632-e0f0-42d5-b6d4-f86f8d16b6a5",  
5 |       "deleted": false,  
6 |       "additionalIdentifier": "CUSTOM",  
7 |       "amount": 60,  
8 |       "application": {  
9 |         "id": "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",  
10 |        "deleted": false,  
11 |        "name": "Application Recent",  
12 |        "appPackage": "appPac",  
13 |        "bundleIdentifier": "app",  
14 |        "casino": {  
15 |          "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",  
16 |          "deleted": false,  
17 |          "name": "Poker 26",  
18 |          "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/bett  
19 |          "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.com/betti  
20 |          "description": "This casino has lot of game apps1",  
21 |          "website": "http://www.casino1.com",  
22 |          "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",  
23 |          "banner": "banner2345",  
24 |          "deletedBy": null,  
25 |        }  
26 |      }  
27 |     ]  
28 |   }  
29 | }
```

json

```

25     "deletedOn": null,
26     "operatorStatus": "NEW",
27     "email": null,
28     "userRole": "OPERATOR",
29     "firstName": null,
30     "lastName": null,
31     "address": null
32 },
33 "casinoId": null,
34 "categories": [
35     {
36         "id": "e068a967-4da6-40b3-ae83-f7c3d4af533e",
37         "deleted": false,
38         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.com/bet
39         "name": "Poker 1",
40         "description": "Some poker category",
41         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/be
42         "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/bet
43         "colorCode": "#FFFFFF",
44         "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.goc
45         "priority": 1,
46         "deletedBy": null,
47         "deletedOn": null
48     }
49 ],
50 "categoryIds": null,
51 "downloads": 4646,
52 "featured": null,
53 "versionHistories": [
54     {
55         "build": 18,
56         "version": "v0.3",
57         "versionDate": 1472021965242,
58         "releaseDate": 1472021965242,
59         "downloadLink": null,
60         "rating": {
61             "count": 0,
62             "overall": 0,
63             "gamePlay": 0,
64             "design": 0,
65             "ease": 0
66         },
67         "description": null,
68         "image": null,
69         "sliderImages": null,
70         "banner": null,
71         "video": null,
72         "icon": null,
73         "featuredImage": null,
74         "versionStatus": null,
75         "privacyPolicy": null,
76         "locationSupported": null,
77         "languageSupported": null
78     }
79 ],
80 "keywords": [
81     "key1",
82     "key2",
83     "key3"
84 ],
85 "latestBuild": 18,

```



```

86     "latestVersion": "v0.3",
87     "order": 345,
88     "paragraph1": "1 paragraph",
89     "paragraph2": "2st paragraph",
90     "paragraph3": "3st paragraph",
91     "paragraph4": "4th para",
92     "presetPriceList": null,
93     "price": 3436,
94     "publisherId": null,
95     "publisher": null,
96     "ranking": 23,
97     "subtitle": "subtitle",
98     "updated": null,
99     "status": "PUBLISHED",
100    "downloadLink": null,
101    "compatibility": "kitkat",
102    "sizeOnDisk": "12MB",
103    "permissionDetails": "You should have kitkat version to run this app",
104    "additionalDetails": "This application is very popular",
105    "tags": null,
106    "rating": {
107      "count": 0,
108      "overall": 0,
109      "gamePlay": 0,
110      "design": 0,
111      "ease": 0
112    },
113    "silent": {
114      "min": 1,
115      "max": 1
116    },
117    "normal": {
118      "min": 1,
119      "max": 1
120    },
121    "mandatory": {
122      "min": 1,
123      "max": 1
124    },
125    "downgrade": {
126      "min": null,
127      "max": null
128    },
129    "incentives": null,
130    "deletedBy": null,
131    "deletedOn": null,
132    "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
133    "sliderImages": [
134      {
135        "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
136        "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
137        "order": 1
138      },
139      {
140        "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
141        "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
142        "order": 0
143      }
144    ],
145    "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
146    "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",

```

```

147     "icon": null,
148     "featuredImage": null
149   },
150   "currencyCode": "GBP",
151   "orderDate": 1472622412963,
152   "orderNumber": "8d5b63ce-e4fa-42d3-a9b0-8c16b91a30fd",
153   "paymentType": "CREDITCARD",
154   "providerPaymentId": null,
155   "providerTransactionId": "201608310000067",
156   "remarks": null,
157   "transactionType": "SAVE_CARD",
158   "past": false,
159   "user": {
160     "id": "139f0344-0641-4d9f-a47f-e695d05842a9",
161     "deleted": false,
162     "addresses": null,
163     "devices": [
164       {
165         "id": "431dd159-158e-4c72-b509-7c1e450bbe26",
166         "deleted": false,
167         "description": "Old Device",
168         "deviceStatus": "NORMAL",
169         "manufacturer": "Apple",
170         "model": "iPhone 5",
171         "os": "iOS 9",
172         "udid": "2083718938012321038243",
173         "simStateHashCode": null,
174         "simCardState": null,
175         "deletedUdid": null,
176         "deletedBy": null,
177         "deletedOn": null
178       }
179     ],
180     "emailAuthenticationChannels": [],
181     "firstName": "ABC ",
182     "fullName": "ABC DEF",
183     "groupTag": [
184       "FACEBOOK",
185       "Apple",
186       "United Kingdom",
187       "iOS 9",
188       "1234234",
189       "iPhone 5"
190     ],
191     "lastName": "DEF",
192     "locationCountry": "United Kingdom",
193     "locationZipCode": "1234234",
194     "mobileAuthenticationChannels": [],
195     "pinCreated": true,
196     "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-image",
197     "profileName": "ABC",
198     "registrationDate": 1472622061861,
199     "socialAuthenticationChannels": [
200       {
201         "addedOn": 1472622065207,
202         "blockStatus": "NORMAL",
203         "deletedOn": null,
204         "lastUsedOn": 1472622065207,
205         "loginType": "FACEBOOK",
206         "socialId": "social123",
207         "deleted": false,

```

```

208         "recycleSocialId": null
209     }
210 ],
211 "status": "EXISTING",
212 "timezone": null,
213 "userSetting": {
214     "autoUpdateBetcadeApp": true,
215     "autoUpdateDownloadedApps": true,
216     "monthlyDepositMaxLimit": 0,
217     "monthlyDepositMaxLimitCurrency": "GBP",
218     "prefillUserInfoInCasino": true,
219     "receiveEmailReceipt": true,
220     "receiveNotifications": true,
221     "shareRegistrationInfo": true,
222     "userEmailProvided": true,
223     "versionOfDownloadedBetcadeApp": "v1",
224     "wifiDownloadLimitInMB": 0,
225     "preferredCategories": [],
226     "autoSaveCard": true,
227     "autoAddHomeIcon": true,
228     "receiveUpdateNotifications": true,
229     "receiveAutoUpdatedNotifications": true,
230     "receiveRecommendationNotifications": true,
231     "appSetting": {
232         "autoUpdateApps": true,
233         "addIconHomeScreen": false,
234         "saveNewCreditOrDebitCards": true,
235         "appUpdatesAvailable": true,
236         "appsWereAutoUpdated": true,
237         "recommendedContentAvailable": true
238     }
239 },
240 "verified": true,
241 "pinResetDate": null,
242 "kycStatus": null,
243 "singularId": null,
244 "acquisitionIds": null,
245 "userAuditInfo": {
246     "initialLoginDate": 1472622061861,
247     "initialLoginIp": "127.0.0.1",
248     "initialLoginLocation": " ",
249     "initialRegistrationDate": null,
250     "initialRegistrationIp": null,
251     "initialRegistrationLocation": null
252 },
253 "email": "san.sh555@gmail.com",
254 "phone": "+919874654244",
255 "dob": 663359640000,
256 "testUser": null
257 },
258 "extCasinoPaymentGatewayID": "w123",
259 "deviceUdid": "2083718938012321038243",
260 "promoCodes": [
261     {
262         "promoCode": "PROMO1",
263         "bonusAmount": 10.5
264     },
265     {
266         "promoCode": "PROMO2",
267         "bonusAmount": 15.5
268     }

```

```

269 ],
270 "extCasinoUserID": "token",
271 "extCasinoTransID": "ppi12345",
272 "providerOrderId": "oi12345sdfs",
273 "pspCode": "code123",
274 "pspTID": "tid123",
275 "appliedIncentives": [
276   {
277     "incentiveId": "cb1c-4c9c-acef-44b9a784efb5",
278     "amount": 25.75
279   },
280   {
281     "incentiveId": "76c24-cb1c-4c9c-acef-44b9a784efb5",
282     "amount": 20.56
283   }
284 ],
285 "applicationVersion": "v0.3",
286 "transactionResult": "REJECTED_BY_CASINO",
287 "amlData": {
288   "extRiskCheckResult": "PASS",
289   "extRiskCheckScore": 1,
290   "extRiskCheckDateTime": 1462361924,
291   "extRiskCheckData": {
292     "data": "sample",
293     "result": false
294   }
295 },
296 "threeDSData": {
297   "extRisk3DSTransaction": true,
298   "extRisk3DSSecureTransId": "tr123",
299   "extRisk3DSEnrolledCard": true,
300   "extRisk3DSResult": "Success",
301   "extRisk3DSData": {
302     "data": "sample",
303     "result": false
304   }
305 },
306 "casino": {
307   "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
308   "deleted": false,
309   "name": "Poker 26",
310   "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/bettin",
311   "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.com/betting",
312   "description": "This casino has lot of game apps1",
313   "website": "http://www.casino1.com",
314   "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
315   "banner": "banner2345",
316   "deletedBy": null,
317   "deletedOn": null,
318   "operatorStatus": "NEW",
319   "email": null,
320   "userRole": "OPERATOR",
321   "firstName": null,
322   "lastName": null,
323   "address": null
324 },
325 "transactionCategory": "DEPOSIT",
326 "parentTransactionId": null,
327 "refundedAmount": null,
328 "manualRefund": false,
329 "notes": "We want to reject this transaction as it is fraud",

```

```
330     "reason": "Rejected by casino - Fraud"
331   }
332 ],
333 "detail": null,
334 "error": false,
335 "message": "Fetching all reject transaction successful."
336 }
```

**GET**

## Fetch User's Rejected Transactions

### Description

Fetches a user's rejected transactions.

### Request Endpoint

GET <https://<Example api server address>/user/{id}/reject/transactions>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of an existing user.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/{id}/reject/transactions'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "b4acf632-e0f0-42d5-b6d4-f86f8d16b6a5",  
5 |       "deleted": false,  
6 |       "additionalIdentifier": "CUSTOM",  
7 |       "amount": 60,  
8 |       "application": {  
9 |         "id": "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",  
10 |        "deleted": false,  
11 |        "name": "Application Recent",  
12 |        "appPackage": "appPac",  
13 |        "bundleIdentifier": "app",  
14 |        "casino": {  
15 |          "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",  
16 |          "deleted": false,  
17 |          "name": "Poker 26",  
18 |          "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/betti",  
19 |          "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.com/betti",  
20 |          "description": "This casino has lot of game apps1",  
21 |          "website": "http://www.casino1.com",  
22 |          "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",  
23 |          "banner": "banner2345",  
24 |          "deletedBy": null,  
25 |          "deletedOn": null,  
26 |          "operatorStatus": "NEW",  
27 |          "email": null,  
28 |          "userRole": "OPERATOR",  
29 |          "firstName": null,  
30 |          "lastName": null,  
31 |          "address": null  
32 |        },  
33 |        "casinoId": null,  
34 |        "categories": [  
35 |
```

json

```

35     {
36         "id": "e068a967-4da6-40b3-ae83-f7c3d4af533e",
37         "deleted": false,
38         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.com/bet
39         "name": "Poker 1",
40         "description": "Some poker category",
41         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/be
42         "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/bet
43         "colorCode": "#FFFFFF",
44         "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.goc
45         "priority": 1,
46         "deletedBy": null,
47         "deletedOn": null
48     }
49 ],
50 "categoryIds": null,
51 "downloads": 4646,
52 "featured": null,
53 "versionHistories": [
54     {
55         "build": 18,
56         "version": "v0.3",
57         "versionDate": 1472021965242,
58         "releaseDate": 1472021965242,
59         "downloadLink": null,
60         "rating": {
61             "count": 0,
62             "overall": 0,
63             "gamePlay": 0,
64             "design": 0,
65             "ease": 0
66         },
67         "description": null,
68         "image": null,
69         "sliderImages": null,
70         "banner": null,
71         "video": null,
72         "icon": null,
73         "featuredImage": null,
74         "versionStatus": null,
75         "privacyPolicy": null,
76         "locationSupported": null,
77         "languageSupported": null
78     }
79 ],
80 "keywords": [
81     "key1",
82     "key2",
83     "key3"
84 ],
85 "latestBuild": 18,
86 "latestVersion": "v0.3",
87 "order": 345,
88 "paragraph1": "1 paragraph",
89 "paragraph2": "2st paragraph",
90 "paragraph3": "3st paragraph",
91 "paragraph4": "4th para",
92 "presetPriceList": null,
93 "price": 3436,
94 "publisherId": null,
95 "publisher": null,

```

```

96     "ranking": 23,
97     "subtitle": "subtitle",
98     "updated": null,
99     "status": "PUBLISHED",
100    "downloadLink": null,
101    "compatibility": "kitkat",
102    "sizeOnDisk": "12MB",
103    "permissionDetails": "You should have kitkat version to run this app",
104    "additionalDetails": "This application is very popular",
105    "tags": null,
106    "rating": {
107        "count": 0,
108        "overall": 0,
109        "gamePlay": 0,
110        "design": 0,
111        "ease": 0
112    },
113    "silent": {
114        "min": 1,
115        "max": 1
116    },
117    "normal": {
118        "min": 1,
119        "max": 1
120    },
121    "mandatory": {
122        "min": 1,
123        "max": 1
124    },
125    "downgrade": {
126        "min": null,
127        "max": null
128    },
129    "incentives": null,
130    "deletedBy": null,
131    "deletedOn": null,
132    "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
133    "sliderImages": [
134        {
135            "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
136            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
137            "order": 1
138        },
139        {
140            "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
141            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
142            "order": 0
143        }
144    ],
145    "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
146    "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
147    "icon": null,
148    "featuredImage": null
149 },
150 "currencyCode": "GBP",
151 "orderDate": 1472622412963,
152 "orderNumber": "8d5b63ce-e4fa-42d3-a9b0-8c16b91a30fd",
153 "paymentType": "CREDITCARD",
154 "providerPaymentId": null,
155 "providerTransactionId": "201608310000067",
156 "remarks": null,

```



```
157 "transactionType": "SAVE_CARD",
158 "past": false,
159 "user": {
160   "id": "139f0344-0641-4d9f-a47f-e695d05842a9",
161   "deleted": false,
162   "addresses": null,
163   "devices": [
164     {
165       "id": "431dd159-158e-4c72-b509-7c1e450bbe26",
166       "deleted": false,
167       "description": "Old Device",
168       "deviceStatus": "NORMAL",
169       "manufacturer": "Apple",
170       "model": "iPhone 5",
171       "os": "iOS 9",
172       "udid": "2083718938012321038243",
173       "simStateHashCode": null,
174       "simCardState": null,
175       "deletedUdid": null,
176       "deletedBy": null,
177       "deletedOn": null
178     }
179   ],
180   "emailAuthenticationChannels": [],
181   "firstName": "ABC ",
182   "fullName": "ABC DEF",
183   "groupTag": [
184     "FACEBOOK",
185     "Apple",
186     "United Kingdom",
187     "iOS 9",
188     "1234234",
189     "iPhone 5"
190   ],
191   "lastName": "DEF",
192   "locationCountry": "United Kingdom",
193   "locationZipCode": "1234234",
194   "mobileAuthenticationChannels": [],
195   "pinCreated": true,
196   "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-image",
197   "profileName": "ABC",
198   "registrationDate": 1472622061861,
199   "socialAuthenticationChannels": [
200     {
201       "addedOn": 1472622065207,
202       "blockStatus": "NORMAL",
203       "deletedOn": null,
204       "lastUsedOn": 1472622065207,
205       "loginType": "FACEBOOK",
206       "socialId": "social123",
207       "deleted": false,
208       "recycleSocialId": null
209     }
210   ],
211   "status": "EXISTING",
212   "timezone": null,
213   "userSetting": {
214     "autoUpdateBetcadeApp": true,
215     "autoUpdateDownloadedApps": true,
216     "monthlyDepositMaxLimit": 0,
217     "monthlyDepositMaxLimitCurrency": "GBP",
```

```

218     "prefillUserInfoInCasino": true,
219     "receiveEmailReceipt": true,
220     "receiveNotifications": true,
221     "shareRegistrationInfo": true,
222     "userEmailProvided": true,
223     "versionOfDownloadedBetcadeApp": "v1",
224     "wifiDownloadLimitInMB": 0,
225     "preferredCategories": [],
226     "autoSaveCard": true,
227     "autoAddHomeIcon": true,
228     "receiveUpdateNotifications": true,
229     "receiveAutoUpdatedNotifications": true,
230     "receiveRecommendationNotifications": true,
231     "appSetting": {
232         "autoUpdateApps": true,
233         "addIconHomeScreen": false,
234         "saveNewCreditOrDebitCards": true,
235         "appUpdatesAvailable": true,
236         "appsWereAutoUpdated": true,
237         "recommendedContentAvailable": true
238     }
239 },
240 "verified": true,
241 "pinResetDate": null,
242 "kycStatus": null,
243 "singularId": null,
244 "acquisitionIds": null,
245 "userAuditInfo": {
246     "initialLoginDate": 1472622061861,
247     "initialLoginIp": "127.0.0.1",
248     "initialLoginLocation": " ",
249     "initialRegistrationDate": null,
250     "initialRegistrationIp": null,
251     "initialRegistrationLocation": null
252 },
253 "email": "san.sh555@gmail.com",
254 "phone": "+919874654244",
255 "dob": 663359640000,
256 "testUser": null
257 },
258 "extCasinoPaymentGatewayID": "w123",
259 "deviceUdid": "2083718938012321038243",
260 "promoCodes": [
261     {
262         "promoCode": "PROMO1",
263         "bonusAmount": 10.5
264     },
265     {
266         "promoCode": "PROMO2",
267         "bonusAmount": 15.5
268     }
269 ],
270 "extCasinoUserID": "token",
271 "extCasinoTransID": "ppi12345",
272 "providerOrderId": "oi12345sdfs",
273 "pspCode": "code123",
274 "pspTID": "tid123",
275 "appliedIncentives": [
276     {
277         "incentiveId": "cb1c-4c9c-acef-44b9a784efb5",
278         "amount": 25.75

```

```

279     },
280     {
281         "incentiveId": "76c24-cb1c-4c9c-acef-44b9a784efb5",
282         "amount": 20.56
283     }
284 ],
285 "applicationVersion": "v0.3",
286 "transactionResult": "REJECTED_BY_CASINO",
287 "amlData": {
288     "extRiskCheckResult": "PASS",
289     "extRiskCheckScore": 1,
290     "extRiskCheckDateTime": 1462361924,
291     "extRiskCheckData": {
292         "data": "sample",
293         "result": false
294     }
295 },
296 "threeDSData": {
297     "extRisk3DSTransaction": true,
298     "extRisk3DSecureTransId": "tr123",
299     "extRisk3DSEnrolledCard": true,
300     "extRisk3DSResult": "Success",
301     "extRisk3DSData": {
302         "data": "sample",
303         "result": false
304     }
305 },
306 "casino": {
307     "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
308     "deleted": false,
309     "name": "Poker 26",
310     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/bettin",
311     "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.com/betting",
312     "description": "This casino has lot of game apps1",
313     "website": "http://www.casino1.com",
314     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
315     "banner": "banner2345",
316     "deletedBy": null,
317     "deletedOn": null,
318     "operatorStatus": "NEW",
319     "email": null,
320     "userRole": "OPERATOR",
321     "firstName": null,
322     "lastName": null,
323     "address": null
324 },
325 "transactionCategory": "DEPOSIT",
326 "parentTransactionId": null,
327 "refundedAmount": null,
328 "manualRefund": false,
329 "notes": "We want to reject this transaction as it is fraud",
330 "reason": "Rejected by casino - Fraud"
331 }
332 ],
333 "detail": null,
334 "error": false,
335 "message": "Fetching User's all reject transaction successful."
336 }

```



## POST Reject User Transaction

### Description

Rejects a user transaction.

### Request Endpoint

POST <https://<Example api server address>/user/reject/transaction>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"userTransactionId\" : \"b4acf632-e0f0-42d5-b6d4-f86f8d16b6a5\",  
6 |         \"timestamp\" : 1472620207,  
7 |         \"reasonForReject\" : \"Rejected by casino\",  
8 |         \"notes\" : \"we want to badly reject this transaction as it is fraud\"  
9 |     }" \  
10 | 'https://core.dev.Example.net/api/user/reject/transaction'
```

### POST body attributes (JSON)

Attribute	Type	Use	Description
userTransactionId	String	Required	UUID of an existing User transaction.
timestamp	Number	Required	Timestamp of reject transaction.
reasonForReject	String	Required	Reason for reject transaction.
notes	String	Optional	Notes to be recorded.

### POST body

Headers: Content-Type: application/json

```
1 | {  
2 |     "userTransactionId": "b4acf632-e0f0-42d5-b6d4-f86f8d16b6a5",  
3 |     "timestamp": 1472620207,  
4 |     "reasonForReject": "Rejected by casino",  
5 |     "notes": "we want to badly reject this transaction as it is fraud"  
6 | }
```

### Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     "data": true,  
3 |     "detail": null,  
4 |     "error": false,  
5 |     "message": "Rejecting user transaction successful."  
6 | }
```



## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Store App APIs

#### POST Create Store App

##### Description

Creates a store app.

##### Request Endpoint

POST <https://<Example api server address>/store>

##### Parameters

None.

##### cURL syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \ "privacyPolicy\":"Standard\  
6     \ "name\":"VjuvAkgqKG\  
7     \ "icon\":"182312-19238128321-192381203.ico\  
8     \ "locationsSupported\":[  
9         \ "UK\  
10        \ "US\  
11    ]\  
12    \ "description\":"Store app\  
13    \ "bundleIdentifier\":"DEqcYvbPhV\  
14    \ "current\": false  
15    }" \  
16    'https://core.dev.Example.net/api/store'
```

curl

##### POST body attributes (JSON)

Attribute	Type	Use	Description
name	String	Required	Name of the store app.
icon	String	Optional	Icon for the store app.
locationsSupported	Array	Optional	An array of the locations supported.
bundleIdentifier	String	Required	Bundle identifier of the store app.
description	String	Optional	Description for the store app.
privacyPolicy	String	Optional	privacyPolicy of the store app.
current	String	Optional	Sets this store as the default.

## POST body

Headers: Content-Type: application/json

```
1 {
2   "privacyPolicy": "Standard",
3   "name": "VjuvAkgqKG",
4   "icon": "182312-19238128321-192381203.ico",
5   "locationsSupported": [
6     "UK",
7     "US"
8   ],
9   "description": "Store app",
10  "bundleIdentifier": "DEqcYvbPhV",
11  "current": false
12 }
```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 {
2   "data": {
3     "id": "3a254485-7c89-4814-aaa4-a8de367f081e",
4     "deleted": false,
5     "name": "VjuvAkgqKG",
6     "downloadLink": null,
7     "icon": "182312-19238128321-192381203.ico",
8     "locationsSupported": [
9       "UK",
10      "US"
11    ],
12    "bundleIdentifier": "DEqcYvbPhV",
13    "downloads": 0,
14    "latestBuild": null,
15    "latestVersion": null,
16    "description": "Store app",
17    "privacyPolicy": "Standard",
18    "rating": null,
19    "current": false,
20    "silent": null,
21    "normal": null,
22    "mandatory": null,
23    "downgrade": null
24  },
25  "detail": null,
26  "error": false,
27  "message": "Creating Store successful"
28 }
```

json



## POST Create Store App Version

### Description

Creates a store app version.

### Request Endpoint

POST <https://<Example api server address>/store/version>

### Parameters

None.

### cURL syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \ "permissionDetails\":"Camera access\  
6     \ "build\":"577658,  
7     \ "downloadLink\":"8a170c24-3109-453a-b6e9-d13a474a4899.apk\  
8     \ "languagesSupported\":[  
9         \ "en-US\  
10        \ "en-IN\  
11    ],  
12    \ "locationsSupported\":[  
13        \ "UK\  
14        \ "US\  
15        \ "IN\  
16    ],  
17    \ "storeId\":"8fef9eb9-4e0c-4614-94e4-144e886ec53c\  
18    \ "sizeOnDisk\":"50 MB\  
19    \ "version\":"v2.0\  
20    \ "compatibility\":"Android 5.0 and above\  
21    }" \  
22    'https://core.dev.Example.net/api/store/version'
```

### POST body attributes (JSON)

Attribute	Type	Use	Description
<b>build</b>	Number	Required	Build number of the store app version. Must be unique for every version.
<b>version</b>	String	Optional	Version number of the store app.
<b>downloadLink</b>	String	Required	Location of the .apk file in the cloud store.
<b>storeId</b>	String	Required	Store id of a version that is being created.
<b>locationsSupported</b>	Array	Optional	An array of locations supported.
<b>languagesSupported</b>	Array	Optional	An array of languages supported.
<b>compatibility</b>	String	Optional	Compatibility of the version.
<b>sizeOnDisk</b>	String	Optional	Storage details of the .apk.
<b>permissionDetails</b>	String	Optional	Permission details of the .apk.

### POST body

**Headers:** Content-Type: application/json

```

1  {
2    "permissionDetails": "Camera access",
3    "build": 577658,
4    "downloadLink": "8a170c24-3109-453a-b6e9-d13a474a4899.apk",
5    "languagesSupported": [
6      "en-US",
7      "en-IN"
8    ],
9    "locationsSupported": [
10     "UK",
11     "US",
12     "IN"
13   ],
14   "storeId": "8fef9eb9-4e0c-4614-94e4-144e886ec53c",
15   "sizeOnDisk": "50 MB",
16   "version": "v2.0",
17   "compatibility": "Android 5.0 and above"
18 }

```

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2    "data": {
3      "id": "e1c63904-ac7a-4e71-a69e-3ad1cfb63415",
4      "deleted": false,
5      "store": {
6        "id": "8fef9eb9-4e0c-4614-94e4-144e886ec53c",
7        "deleted": false,
8        "name": "BvrQQjyilN",
9        "downloadLink": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.mkt/018ff74f-9e4d-4777-9476-0e117f",
10       "icon": "182312-19238128321-192381203.ico",
11       "locationsSupported": [
12         "UK",
13         "US",
14         "IN"
15       ],
16       "bundleIdentifier": "rEOQsRCkeL",
17       "downloads": 0,
18       "latestBuild": 577657,
19       "latestVersion": "v1.0",
20       "description": "Store app",
21       "privacyPolicy": "Special",
22       "rating": null,
23       "current": false,
24       "silent": null,
25       "normal": null,
26       "mandatory": null,
27       "downgrade": null
28     },
29     "storeId": "8fef9eb9-4e0c-4614-94e4-144e886ec53c",
30     "build": 577658,
31     "version": "v2.0",
32     "latest": null,
33     "releaseDate": null,
34     "downloadLink": "8a170c24-3109-453a-b6e9-d13a474a4899.apk",
35     "rating": null,
36     "status": "DRAFTED",

```

```
37     "locationsSupported": [  
38         "UK",  
39         "US",  
40         "IN"  
41     ],  
42     "languagesSupported": [  
43         "en-US",  
44         "en-IN"  
45     ],  
46     "compatibility": "Android 5.0 and above",  
47     "sizeOnDisk": "50 MB",  
48     "permissionDetails": "Camera access",  
49     "updateAvailable": null  
50 },  
51 "detail": null,  
52 "error": false,  
53 "message": "Creating store version successful"  
54 }
```

**GET****Find All Stores****Description**

Get all stores.

**Request Endpoint**

GET <https://<Example api server address>/store>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/store'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "caaedbc0-9869-4744-8126-3f5a2878cc25",  
6 |         "deleted": false,  
7 |         "name": "QOmdxANcgi",  
8 |         "downloadLink": null,  
9 |         "icon": "182312-19238128321-192381203.ico",  
10 |        "locationsSupported": [  
11 |          "UK",  
12 |          "US"  
13 |        ],  
14 |        "bundleIdentifier": "CLTbWEYUSE",  
15 |        "downloads": 0,  
16 |        "latestBuild": null,  
17 |        "latestVersion": null,  
18 |        "description": "Store app",  
19 |        "privacyPolicy": "Standard",  
20 |        "rating": null,  
21 |        "current": true,  
22 |        "silent": null,  
23 |        "normal": null,  
24 |        "mandatory": null,  
25 |        "downgrade": null  
26 |      }  
27 |    ],  
28 |    "totalElements": 1,  
29 |    "totalPages": 1,  
30 |    "last": true,  
31 |    "size": 70,  
32 |    "number": 0,  
33 |    "sort": null,  
34 |    "numberOfElements": 1,  
35 |    "first": true  
36 |  },  
37 |  "detail": null,  
38 |  "error": false,
```

json

```
39 | "message": "Fetching all stores successful"  
40 | }  
41 |
```

**GET****Find One Store App****Description**

Gets one store app.

**Request Endpoint**

GET <https://<Example api server address>/store/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	Id of the store app version.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/store/id'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "3a254485-7c89-4814-aaa4-a8de367f081e",  
4 |     "deleted": false,  
5 |     "name": "NVFJejMrCH",  
6 |     "downloadLink": null,  
7 |     "icon": "182312-19238128321-192381203.ico",  
8 |     "locationsSupported": [  
9 |       "UK",  
10 |      "US",  
11 |      "IN"  
12 |    ],  
13 |     "bundleIdentifier": "kJnr0JwGgn",  
14 |     "downloads": 0,  
15 |     "latestBuild": null,  
16 |     "latestVersion": null,  
17 |     "description": "Store app",  
18 |     "privacyPolicy": "Special",  
19 |     "rating": null,  
20 |     "current": false,  
21 |     "silent": null,  
22 |     "normal": null,  
23 |     "mandatory": null,  
24 |     "downgrade": null  
25 |   },  
26 |   "detail": null,  
27 |   "error": false,  
28 |   "message": "Updating Store successful"  
29 | }
```

json

**PUT****Update Store App****Description**

Updates a store app.

**Request Endpoint**

PUT <https://<Example api server address>/store/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	Id of the store app version.

**cURL syntax**

```

1 curl --include \
2     --request PUT \
3     --header "Content-Type: application/json" \
4     --data-binary "{
5     \"name\": \"Example UK\",
6     \"bundleIdentifier\": \"com.Example.store\",
7     \"privacyPolicy\": \"Special\",
8     \"locationsSupported\": [
9         \"UK\",
10        \"US\",
11        \"IN\"
12    ],
13     \"current\": true,
14     \"silent\": {
15         \"min\": 4,
16         \"max\": 10
17     },
18     \"normal\": {
19         \"min\": 3,
20         \"max\": 7
21     },
22     \"mandatory\": {
23         \"min\": 2,
24         \"max\": 5
25     },
26     \"downgrade\": {
27         \"min\": 0,
28         \"max\": 0
29     }
30 }" \
31 'https://core.dev.Example.net/api/store/id'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
name	String	Required	The name of the store app.
icon	String	Optional	An icon for the store app.
locationsSupported	Array	Optional	An array of the locations supported.

Attribute	Type	Use	Description
<b>bundleIdentifier</b>	String	Required	Bundle identifier of the store app.
<b>description</b>	String	Optional	Description for the store app.
<b>privacyPolicy</b>	String	Optional	"privacyPolicy" of the store app.
<b>current</b>	String	Optional	Sets this store as the default.
<b>silent</b>	Object	Optional	Manages silent updates.
<b>min</b>	Number	Optional	The minimum build number.
<b>max</b>	Number	Optional	The maximum build number.
<b>normal</b>	Object	Optional	Manages normal updates.
<b>min</b>	Number	Optional	The minimum build number.
<b>max</b>	Number	Optional	The maximum build number.
<b>mandatory</b>	Object	Optional	Manages mandatory updates.
<b>min</b>	Number	Optional	The minimum build number.
<b>max</b>	Number	Optional	The maximum build number.
<b>downgrade</b>	Object	Optional	Manages downgrades.
<b>min</b>	Number	Optional	The minimum build number.
<b>max</b>	Number	Optional	The maximum build number.

## PUT body

**Headers:** Content-Type: application/json

```

1  {
2    "name": "Example UK",
3    "bundleIdentifier": "com.Example.store",
4    "privacyPolicy": "Special",
5    "locationsSupported": [
6      "UK",
7      "US",
8      "IN"
9    ],
10   "current": true,
11   "silent": {
12     "min": 4,
13     "max": 10
14   },
15   "normal": {
16     "min": 3,
17     "max": 7
18   },
19   "mandatory": {
20     "min": 2,
21     "max": 5
22   },
23   "downgrade": {
24     "min": 0,
25     "max": 0
26   }
27 }

```

json



## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

json

```
1  {
2    "data": {
3      "id": "92d47bf1-bfdb-40cd-a8bc-401b7fa05cd0",
4      "deleted": false,
5      "name": "yvutjkhKJB",
6      "downloadLink": null,
7      "icon": "182312-19238128321-192381203.ico",
8      "locationsSupported": [
9        "UK",
10       "US",
11       "IN"
12     ],
13     "bundleIdentifier": "lJMjqq0Kno",
14     "downloads": 0,
15     "latestBuild": null,
16     "latestVersion": null,
17     "description": "Store app",
18     "privacyPolicy": "Special",
19     "rating": null,
20     "current": true,
21     "silent": {
22       "min": 4,
23       "max": 10
24     },
25     "normal": {
26       "min": 3,
27       "max": 7
28     },
29     "mandatory": {
30       "min": 2,
31       "max": 5
32     },
33     "downgrade": {
34       "min": 0,
35       "max": 0
36     }
37   },
38   "detail": null,
39   "error": false,
40   "message": "Updating Store successful"
41 }
```

**Description**

Updates a store app version.

**Request Endpoint**

PUT <https://<Example api server address>/store/version/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	Id of the store app version

**cURL syntax**

```

1 curl --include \
2     --request PUT \
3     --header "Content-Type: application/json" \
4     --data-binary "{
5     \"permissionDetails\": \"Camera access\",
6     \"build\": 577657,
7     \"downloadLink\": \"018ff74f-9e4d-4777-9476-0e117f3520c4.apk\",
8     \"languagesSupported\": [
9         \"en-US\",
10        \"en-IN\"
11    ],
12    \"locationsSupported\": [
13        \"UK\",
14        \"US\"
15    ],
16    \"storeId\": \"8fef9eb9-4e0c-4614-94e4-144e886ec53c\",
17    \"sizeOnDisk\": \"50 MB\",
18    \"version\": \"v1.0\",
19    \"compatibility\": \"Android 5.0 and above\"
20 }" \
21 'https://core.dev.Example.net/api/store/version/id'

```

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
build	Number	Required	Build number of the store app version. Must be unique for every version.
version	String	Optional	Version number of the store app.
downloadLink	String	Required	Location of the .apk file in the cloud store.
storeId	String	Required	Store id for a version that is being created.
locationsSupported	Array	Optional	An array of supported locations.
languagesSupported	Array	Optional	an array of supported languages.
compatibility	String	Optional	Compatibility of the version.
sizeOnDisk	String	Optional	Storage details of the apk.
permissionDetails	String	Optional	Permission details of the apk.

## PUT body

Headers: Content-Type: application/json

```
1 {
2   "permissionDetails": "Camera access",
3   "build": 577657,
4   "downloadLink": "018ff74f-9e4d-4777-9476-0e117f3520c4.apk",
5   "languagesSupported": [
6     "en-US",
7     "en-IN"
8   ],
9   "locationsSupported": [
10    "UK",
11    "US"
12  ],
13  "storeId": "8fef9eb9-4e0c-4614-94e4-144e886ec53c",
14  "sizeOnDisk": "50 MB",
15  "version": "v1.0",
16  "compatibility": "Android 5.0 and above"
17 }
```

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 {
2   "data": {
3     "id": "192c6e51-6451-4626-b0df-a8e7285695f3",
4     "deleted": false,
5     "store": {
6       "id": "8fef9eb9-4e0c-4614-94e4-144e886ec53c",
7       "deleted": false,
8       "name": "BvrQQjyilN",
9       "downloadLink": null,
10      "icon": "182312-19238128321-192381203.ico",
11      "locationsSupported": [
12        "UK",
13        "US",
14        "IN"
15      ],
16      "bundleIdentifier": "rEQsRCkeL",
17      "downloads": 0,
18      "latestBuild": null,
19      "latestVersion": null,
20      "description": "Store app",
21      "privacyPolicy": "Special",
22      "rating": null,
23      "current": false,
24      "silent": null,
25      "normal": null,
26      "mandatory": null,
27      "downgrade": null
28    },
29    "storeId": "8fef9eb9-4e0c-4614-94e4-144e886ec53c",
30    "build": 577657,
31    "version": "v1.0",
32    "latest": null,
33    "releaseDate": null,
34    "downloadLink": "018ff74f-9e4d-4777-9476-0e117f3520c4.apk",
```

```
35     "rating": null,  
36     "status": "DRAFTED",  
37     "locationsSupported": [  
38         "UK",  
39         "US"  
40     ],  
41     "languagesSupported": [  
42         "en-US",  
43         "en-IN"  
44     ],  
45     "compatibility": "Android 5.0 and above",  
46     "sizeOnDisk": "50 MB",  
47     "permissionDetails": "Camera access",  
48     "updateAvailable": null  
49 },  
50 "detail": null,  
51 "error": false,  
52 "message": "Creating store version successful"  
53 }
```

## Description

Gets a store app version.

## Request Endpoint

GET <https://<Example api server address>/store/version/{id}>

## Parameters

Parameter	Type	Use	Description
id	String	Required	Id of the store app version

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/store/version/id'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "192c6e51-6451-4626-b0df-a8e7285695f3",  
4 |     "deleted": false,  
5 |     "store": {  
6 |       "id": "8fef9eb9-4e0c-4614-94e4-144e886ec53c",  
7 |       "deleted": false,  
8 |       "name": "BvrQQjyilN",  
9 |       "downloadLink": null,  
10 |      "icon": "182312-19238128321-192381203.ico",  
11 |      "locationsSupported": [  
12 |        "UK",  
13 |        "US",  
14 |        "IN"  
15 |      ],  
16 |      "bundleIdentifier": "rEQsRCkeL",  
17 |      "downloads": 0,  
18 |      "latestBuild": null,  
19 |      "latestVersion": null,  
20 |      "description": "Store app",  
21 |      "privacyPolicy": "Special",  
22 |      "rating": null,  
23 |      "current": false,  
24 |      "silent": null,  
25 |      "normal": null,  
26 |      "mandatory": null,  
27 |      "downgrade": null  
28 |    },  
29 |    "storeId": null,  
30 |    "build": 577657,  
31 |    "version": "v1.0",  
32 |    "latest": null,  
33 |    "releaseDate": null,  
34 |    "downloadLink": "8a170c24-3109-453a-b6e9-d13a474a4899.apk",
```

json

```
35     "rating": null,  
36     "status": "DRAFTED",  
37     "locationsSupported": [  
38         "UK",  
39         "US"  
40     ],  
41     "languagesSupported": [  
42         "en-US",  
43         "en-IN"  
44     ],  
45     "compatibility": "Android 5.0 and above",  
46     "sizeOnDisk": "50 MB",  
47     "permissionDetails": "Camera access",  
48     "updateAvailable": null  
49 },  
50 "detail": null,  
51 "error": false,  
52 "message": "Fetching store version successful"  
53 }
```

## Description

Publishes a store app version.

## Request Endpoint

PUT `https://<Example api server address>/store/version/{id}/publish`

## Parameters

Parameter	Type	Use	Description
id	String	Required	Id of the store app version.

## cURL syntax

```
1 | curl --include \  
2 |   --request PUT \  
3 | 'https://core.dev.Example.net/api/store/version/id/publish'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "192c6e51-6451-4626-b0df-a8e7285695f3",  
4 |     "deleted": false,  
5 |     "store": {  
6 |       "id": "8fef9eb9-4e0c-4614-94e4-144e886ec53c",  
7 |       "deleted": false,  
8 |       "name": "BvrQQjyiIN",  
9 |       "downloadLink": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.mkt/018ff74f-9e4d-4777-9476-0e117f",  
10 |      "icon": "182312-19238128321-192381203.ico",  
11 |      "locationsSupported": [  
12 |        "UK",  
13 |        "US",  
14 |        "IN"  
15 |      ],  
16 |      "bundleIdentifier": "rEQsRCkeL",  
17 |      "downloads": 0,  
18 |      "latestBuild": 577657,  
19 |      "latestVersion": "v1.0",  
20 |      "description": "Store app",  
21 |      "privacyPolicy": "Special",  
22 |      "rating": null,  
23 |      "current": false,  
24 |      "silent": null,  
25 |      "normal": null,  
26 |      "mandatory": null,  
27 |      "downgrade": null  
28 |    },  
29 |    "storeId": null,  
30 |    "build": 577657,  
31 |    "version": "v1.0",  
32 |    "latest": null,  
33 |    "releaseDate": 1478510559402,
```

json

```
34     "downloadLink": "018ff74f-9e4d-4777-9476-0e117f3520c4.apk",
35     "rating": null,
36     "status": "PUBLISHED",
37     "locationsSupported": [
38         "UK",
39         "US"
40     ],
41     "languagesSupported": [
42         "en-US",
43         "en-IN"
44     ],
45     "compatibility": "Android 5.0 and above",
46     "sizeOnDisk": "50 MB",
47     "permissionDetails": "Camera access",
48     "updateAvailable": null
49 },
50 "detail": null,
51 "error": false,
52 "message": "Publishing store version successful"
53 }
```



**GET****Find Store Versions****Description**

Gets store versions.

**Request Endpoint**

GET <https://<Example api server address>store/{id}/versions>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	Id of the store app.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/store/id/versions'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "8e86ecf2-19e1-4cd3-8d5c-e710291241ef",  
6 |         "deleted": false,  
7 |         "store": {  
8 |           "id": "caaedbc0-9869-4744-8126-3f5a2878cc25",  
9 |           "deleted": false,  
10 |          "name": "rFopFUKuCR",  
11 |          "downloadLink": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.mkt/b8636e2c-2017-47a4-b8c9-ef",  
12 |          "icon": "182312-19238128321-192381203.ico",  
13 |          "locationsSupported": [  
14 |            "UK",  
15 |            "US",  
16 |            "IN"  
17 |          ],  
18 |          "bundleIdentifier": "mckkebrHDp",  
19 |          "downloads": 0,  
20 |          "latestBuild": 542084,  
21 |          "latestVersion": "v2.0",  
22 |          "description": "Store app",  
23 |          "privacyPolicy": "Special",  
24 |          "rating": null,  
25 |          "current": true,  
26 |          "silent": null,  
27 |          "normal": null,  
28 |          "mandatory": null,  
29 |          "downgrade": null  
30 |        },  
31 |        "storeId": null,  
32 |        "build": 542083,  
33 |        "version": "v1.0",  
34 |        "latest": null,  
35 |      }  
36 |     ]  
37 |   }  
38 | }
```

json

```

35     "releaseDate": 1478515297643,
36     "downloadLink": "eb04156b-de61-4e50-8394-a27aac75172.apk",
37     "rating": null,
38     "status": "PUBLISHED",
39     "locationsSupported": [
40         "UK",
41         "US"
42     ],
43     "languagesSupported": [
44         "en-US",
45         "en-IN"
46     ],
47     "compatibility": "Android 5.0 and above",
48     "sizeOnDisk": "50 MB",
49     "permissionDetails": "Camera access",
50     "updateAvailable": null
51 },
52 {
53     "id": "08c3339b-6288-4a5f-bd4e-ece65458b4e2",
54     "deleted": false,
55     "store": {
56         "id": "caaedbc0-9869-4744-8126-3f5a2878cc25",
57         "deleted": false,
58         "name": "rFopFUKuCR",
59         "downloadLink": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.mkt/b8636e2c-2017-47a4-b8c9-ef
60         "icon": "182312-19238128321-192381203.ico",
61         "locationsSupported": [
62             "UK",
63             "US",
64             "IN"
65         ],
66         "bundleIdentifier": "mckkebrHDp",
67         "downloads": 0,
68         "latestBuild": 542084,
69         "latestVersion": "v2.0",
70         "description": "Store app",
71         "privacyPolicy": "Special",
72         "rating": null,
73         "current": true,
74         "silent": null,
75         "normal": null,
76         "mandatory": null,
77         "downgrade": null
78     },
79     "storeId": null,
80     "build": 542084,
81     "version": "v2.0",
82     "latest": null,
83     "releaseDate": 1478515297762,
84     "downloadLink": "b8636e2c-2017-47a4-b8c9-ef90a246c7ea.apk",
85     "rating": null,
86     "status": "PUBLISHED",
87     "locationsSupported": [
88         "UK",
89         "US",
90         "IN"
91     ],
92     "languagesSupported": [
93         "en-US",
94         "en-IN"
95     ],

```

```
96     "compatibility": "Android 5.0 and above",
97     "sizeOnDisk": "50 MB",
98     "permissionDetails": "Camera access",
99     "updateAvailable": null
100   }
101 ],
102 "totalElements": 2,
103 "totalPages": 1,
104 "last": true,
105 "size": 70,
106 "number": 0,
107 "sort": null,
108 "numberOfElements": 2,
109 "first": true
110 },
111 "detail": null,
112 "error": false,
113 "message": "Fetching all store versions successful"
114 }
```

**PUT****Check Store Updates****Description**

Checks for store updates.

**Request Endpoint**

PUT `https://<Example api server address>/store/update`

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"build\":983647,  
6 |         \"storeId\":\"66d08392-1b36-473c-b929-f821c9214d70\"  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/store/update'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
build	Number	Optional	Build number of the store app.
storeId	String	Optional	UUID of the store app. This is optional and need not be passed if not known. Client will pick the default store automatically.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "build": 983647,  
3 |   "storeId": "66d08392-1b36-473c-b929-f821c9214d70"  
4 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "56fbb084-d8d4-43af-b519-ba8bde547487",  
4 |     "deleted": false,  
5 |     "store": {  
6 |       "id": "66d08392-1b36-473c-b929-f821c9214d70",  
7 |       "deleted": false,  
8 |       "name": "JToLhULWXG",  
9 |       "downloadLink": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.mkt/834fd4ef-266c-4ea5-846a-ca9d99",  
10 |      "icon": "182312-19238128321-192381203.ico",  
11 |      "locationsSupported": [  
12 |        "UK",  
13 |        "US",
```

json

```
14     "IN"
15 ],
16 "bundleIdentifier": "nZZRySghsi",
17 "downloads": 0,
18 "latestBuild": 983648,
19 "latestVersion": "v2.0",
20 "description": "Store app",
21 "privacyPolicy": "Special",
22 "rating": null,
23 "current": false,
24 "silent": null,
25 "normal": null,
26 "mandatory": null,
27 "downgrade": null
28 },
29 "storeId": null,
30 "build": 983648,
31 "version": "v2.0",
32 "latest": null,
33 "releaseDate": 1478525131933,
34 "downloadLink": "834fd4ef-266c-4ea5-846a-ca9d9941d391.apk",
35 "rating": null,
36 "status": "PUBLISHED",
37 "locationsSupported": [
38     "UK",
39     "US",
40     "IN"
41 ],
42 "languagesSupported": [
43     "en-US",
44     "en-IN"
45 ],
46 "compatibility": "Android 5.0 and above",
47 "sizeOnDisk": "50 MB",
48 "permissionDetails": "Camera access",
49 "updateAvailable": null
50 },
51 "detail": null,
52 "error": false,
53 "message": "Checking for store updates successful"
54 }
```

## Description

Gets the default store.

## Request Endpoint

GET <https://<Example api server address>/store/default>

## Parameters

None.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/store/default'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "92d47bf1-bfdb-40cd-a8bc-401b7fa05cd0",  
4 |     "deleted": false,  
5 |     "name": "yvutjkhKJB",  
6 |     "downloadLink": null,  
7 |     "icon": "182312-19238128321-192381203.ico",  
8 |     "locationsSupported": [  
9 |       "UK",  
10 |      "US",  
11 |      "IN"  
12 |    ],  
13 |     "bundleIdentifier": "lJMjJq0Kno",  
14 |     "downloads": 0,  
15 |     "latestBuild": null,  
16 |     "latestVersion": null,  
17 |     "description": "Store app",  
18 |     "privacyPolicy": "Special",  
19 |     "rating": null,  
20 |     "current": true,  
21 |     "silent": {  
22 |       "min": 4,  
23 |       "max": 10  
24 |     },  
25 |     "normal": {  
26 |       "min": 3,  
27 |       "max": 7  
28 |     },  
29 |     "mandatory": {  
30 |       "min": 2,  
31 |       "max": 5  
32 |     },  
33 |     "downgrade": {  
34 |       "min": 0,  
35 |       "max": 0  
36 |     }  
37 |   },  
   "detail": null,
```

json

```
38 | "error": false,  
39 | "message": "Finding the default store successful"  
40 | }  
41
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### System Settings APIs

#### GET Fetch System Settings

##### Description

Allows a client to fetch all system settings.

##### Request Endpoint

GET `https://<Example api server address>/setting`

##### Parameters

None.

##### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/setting'
```

curl

##### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "error": false,  
3 |   "message": "Fetching system settings successful",  
4 |   "detail": null,  
5 |   "data": [  
6 |     {  
7 |       "id": "18ccdbfe-7c49-467e-86f9-a4e214565eec",  
8 |       "param": "bypass.sms.numbers",  
9 |       "value": "+919916248135,+919916248136"  
10 |     }  
11 |   ]  
12 | }
```

json



**PUT****Update a System Setting****Description**

Updates a particular system setting.

**Request Endpoint**

PUT <https://<Example api server address>/setting/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	Unique id of the setting.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --data-binary "{  
4 |         \"id\": \"18ccdbfe-7c49-467e-86f9-a4e214565eec\",  
5 |         \"param\": \"bypass.sms.numbers\",  
6 |         \"value\": \"+919916248135,+919916248136\"  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/setting/id' curl
```

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
id	String	Required	Unique id of the setting.
param	String	Optional	The param.
value	String	Optional	The value.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | { json  
2 |   "id": "18ccdbfe-7c49-467e-86f9-a4e214565eec",  
3 |   "param": "bypass.sms.numbers",  
4 |   "value": "+919916248135,+919916248136"  
5 | }
```

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | { json  
2 |   "error": false,  
3 |   "message": "Updating system settings successful",  
4 |   "detail": null,  
5 |   "data": {  
6 |     "id": "18ccdbfe-7c49-467e-86f9-a4e214565eec",  
7 |     "param": "bypass.sms.numbers",
```

```
8 | "value": "+919916248135,+919916248136"  
9 | }  
10 | }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Terms APIs

#### GET By Country and Language

##### Description

Return terms and conditions as text.

##### Request Endpoint

GET `https://<Example api server address>common/fetch/terms/{countryCode}/{language}`

##### Parameters

None.

##### cURL Syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/common/fetch/terms/countryCode/language'
```

https

##### Parameters

Parameter	Type	Use	Description
countryCode	String	Required	A country code.
language	String	Required	A human language native to a country.

##### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "362ff701-df13-476c-8bec-8bb46527de8f",  
4 |     "updatedBy": "",  
5 |     "countryCode": "IN",  
6 |     "language": "HI",  
7 |     "terms": "<!DOCTYPE html><html ..."  
8 |   },  
9 |   "detail": null,  
10 |   "error" false,  
11 |   "message": "Terms and conditions are fetched successfully"  
12 | }
```

json

**POST****Create / Update****Description**

(Only for Admin) This service will upload a HTML file as multipart form data and stores the content of the file as a string in the database against countryCode and language. The countryCode and language combination is unique, hence, if the service is called again, it will extract HTML content and update the terms text content only.

- terms (required, multipart) - browse HTML file with header Accept-Encoding : multipart/form-data

**Request Endpoint**

POST `https://<Example api server address>/common/upload/terms/countryCode/language`

**Parameters**

None.

**cURL Syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 | 'https://core.dev.Example.net/api/common/upload/terms/countryCode/language'
```

https

**POST Attributes (JSON)**

Attribute	Type	Use	Description
countryCode	String	Required	A country code.
language	String	Required	A human language native to a country.

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Terms and conditions are saved successfully"  
6 | }
```

json

## GET

## Fetch All

### Description

(Only for Admin) This service will return all terms and condition as text.

### Request Endpoint

GET <https://<Example api server address>/common/fetch/all/terms>

### Parameters

None.

### cURL Syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/common/fetch/all/terms'
```

https

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "362ff701-df13-476c-8bec-8bb46527de8f",  
5 |       "updatedBy": "",  
6 |       "countryCode": "IN",  
7 |       "language": "HI",  
8 |       "terms": "<!DOCTYPE html><html ..."  
9 |     },  
10 |  ],  
11 |   "detail": null,  
12 |   "error": false,  
13 |   "message": "All Terms and conditions are fetched successfully"  
14 | }
```

json

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### User - Admin Portal Functionalities APIs

#### PUT Blacklist a User or Device

##### Description

Use this API to blacklist a user, device, payment, or login mechanism.

##### Request Endpoint

PUT `https://<Example api server address>/user/blacklist`

##### Parameters

None.

##### cURL syntax (for Device)

```
curl --include \  
  --request PUT \  
  --header "Content-Type: application/json" \  
  --data-binary "{  
    \"userId\": \"1a630978-0053-4f84-9976-ccfcd4dc9aab\",  
    \"blockType\": \"DEVICE\",  
    \"deviceUdid\": \"udid-12345\"  
  }" \  
'https://core.dev.Example.net/api/user/blacklist'
```

##### PUT body attributes (JSON)

Attribute	Type	Use	Description
userId	String	Required	UUID of the user to be blacklisted.
blockType	String	Required	Takes one of following values: USER, PAYMENT, EMAIL, SOCIAL, PHONE, OR DEVICE.
deviceUdid	String	Optional	UDID of the device to be blacklisted.
paymentId	String	Optional	Payment Id of method to be blacklisted.
emailAddress	String	Optional	Email address being blacklisted.
mobileNumber	String	Optional	Phone being blacklisted.
socialLoginType	String	Optional	Login type for the social id being blacklisted, like TWITTER, FACEBOOK. etc.
socialId	String	Optional	The social id being blacklisted.

##### PUT body (for Device)

Headers: Content-Type: application/json

json

```

1 | {
2 |   "userId": "1a630978-0053-4f84-9976-ccfcd4dc9aab",
3 |   "blockType": "DEVICE",
4 |   "deviceUdid": "udid-12345"
5 | }

```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

json

```

1 | {
2 |   "error": false,
3 |   "message": "Blacklisting of user/device/payment successful.",
4 |   "detail": null,
5 |   "data": null
6 | }

```

## PUT body (for Email)

**Headers:** Content-Type: application/json

json

```

1 | {
2 |   "userId": "1a630978-0053-4f84-9976-ccfcd4dc9aab",
3 |   "blockType": "EMAIL",
4 |   "emailAddress": "rn.shruti@gmail.com",
5 |   "paymentId": null
6 | }

```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

json

```

1 | {
2 |   "error": false,
3 |   "message": "Blacklisting of user/device/payment successful.",
4 |   "detail": null,
5 |   "data": {
6 |     "id": "1a630978-0053-4f84-9976-ccfcd4dc9aab",
7 |     "updatedAt": "",
8 |     "firstName": "Shruti",
9 |     "lastName": "Nagarkar",
10 |    "fullName": "Shruti Nagarkar",
11 |    "profileName": "ShrutiN",
12 |    "registrationDate": 1453116326399,
13 |    "birthDateDay": 15,
14 |    "birthDateMonth": 9,
15 |    "birthDateYear": 1991,
16 |    "locationCountry": "India",
17 |    "locationZipCode": "581320",
18 |    "timezone": "IST",
19 |    "profileImagePath": "www.google.com",
20 |    "userSetting": {
21 |      "autoUpdateBetcadeApp": true,
22 |      "autoUpdateDownloadedApps": false,
23 |      "userEmailProvided": false,
24 |      "monthlyDepositMaxLimit": null,
25 |      "monthlyDepositMaxLimitCurrency": "USD",

```

```

26     "wifiDownloadLimitInMB": 23,
27     "prefillUserInfoInCasino": true,
28     "versionOfDownloadedBetcadeApp": null,
29     "receiveEmailReceipt": null,
30     "receiveNotifications": null,
31     "shareRegistrationInfo": true
32 },
33 "socialAuthenticationChannels": [
34     {
35         "loginType": "FACEBOOK",
36         "socialId": "social12345",
37         "addedOn": 1453116326444,
38         "lastUsedOn": 1453116326444,
39         "deletedOn": null,
40         "blockStatus": "BLACKLISTED"
41     }
42 ],
43 "emailAuthenticationChannels": [
44     {
45         "loginType": "EMAIL",
46         "primary": null,
47         "emailAddress": "rn.shruti@gmail.com",
48         "blockStatus": "BLACKLISTED",
49         "emailVerificationStatus": "VERIFIED",
50         "emailPinResetStatus": null,
51         "addedOn": 1453116326444,
52         "lastUsedOn": 1453116326444,
53         "deletedOn": null
54     }
55 ],
56 "mobileAuthenticationChannels": [
57     {
58         "loginType": "MOBILE",
59         "primary": false,
60         "mobileNumber": "+918050022027",
61         "mobileVerificationStatus": "VERIFIED",
62         "mobilePinResetStatus": null,
63         "blockStatus": "NORMAL",
64         "addedOn": 1453116326444,
65         "lastUsedOn": 1453116326444,
66         "deletedOn": null
67     }
68 ],
69 "addresses": [
70     {
71         "id": "9ac4966c-073a-4d46-a3e3-06de07bbef99",
72         "updatedBy": "",
73         "street1": "Wilson garden",
74         "street2": null,
75         "street3": null,
76         "city": "Bangalore",
77         "state": null,
78         "county": null,
79         "postal": "560073",
80         "country": null,
81         "addressType": "HOME"
82     },
83     {
84         "id": "b896b33f-7111-4564-970d-c07b9e7c609c",
85         "updatedBy": "",
86         "street1": "Wilson garden",

```



```

87         "street2": null,
88         "street3": null,
89         "city": "Bangalore",
90         "state": null,
91         "county": null,
92         "postal": "560073",
93         "country": null,
94         "addressType": "HOME"
95     }
96 ],
97     "blockTypes": [
98         "EMAIL",
99         "SOCIAL"
100    ],
101     "status": "EXISTING",
102     "verified": true,
103     "blockStatus": "PARTIAL_BLACKLIST",
104     "pinCreated": true,
105     "reasonForDeleting": null,
106     "lastWrongPinAttemptTime": null,
107     "blockedMinutes": 0,
108     "userBlockedNumber": 0,
109     "userBlockedTime": null
110 }
111 }

```

## PUT body (for Login)

Headers: Content-Type: application/json

```

1  {
2      "userId": "1a630978-0053-4f84-9976-ccfcd4dc9aab",
3      "blockType": "SOCIAL",
4      "socialLoginType": "FACEBOOK",
5      "socialId": "social12345",
6      "emailAddress": null,
7      "paymentId": null
8  }

```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2      "error": false,
3      "message": "Blacklisting of user/device/payment successful.",
4      "detail": null,
5      "data": {
6          "id": "1a630978-0053-4f84-9976-ccfcd4dc9aab",
7          "updatedBy": "",
8          "firstName": "Shruti",
9          "lastName": "Nagarkar",
10         "fullName": "Shruti Nagarkar",
11         "profileName": "ShrutiN",
12         "registrationDate": 1453116326399,
13         "birthDateDay": 15,
14         "birthDateMonth": 9,
15         "birthDateYear": 1991,
16         "locationCountry": "India",

```

json

```

17     "locationZipCode": "581320",
18     "timezone": "IST",
19     "profileImagePath": "www.google.com",
20     "userSetting": {
21         "autoUpdateBetcadeApp": true,
22         "autoUpdateDownloadedApps": false,
23         "userEmailProvided": false,
24         "monthlyDepositMaxLimit": null,
25         "monthlyDepositMaxLimitCurrency": "USD",
26         "wifiDownloadLimitInMB": 23,
27         "prefillUserInfoInCasino": true,
28         "versionOfDownloadedBetcadeApp": null,
29         "receiveEmailReceipt": null,
30         "receiveNotifications": null,
31         "shareRegistrationInfo": true
32     },
33     "socialAuthenticationChannels": [
34         {
35             "loginType": "FACEBOOK",
36             "socialId": "social12345",
37             "addedOn": 1453116326444,
38             "lastUsedOn": 1453116326444,
39             "deletedOn": null,
40             "blockStatus": "BLACKLISTED"
41         }
42     ],
43     "emailAuthenticationChannels": [
44         {
45             "loginType": "EMAIL",
46             "primary": null,
47             "emailAddress": "rn.shruti@gmail.com",
48             "blockStatus": "NORMAL",
49             "emailVerificationStatus": "VERIFIED",
50             "emailPinResetStatus": null,
51             "addedOn": 1453116326444,
52             "lastUsedOn": 1453116326444,
53             "deletedOn": null
54         }
55     ],
56     "mobileAuthenticationChannels": [
57         {
58             "loginType": "MOBILE",
59             "primary": false,
60             "mobileNumber": "+918050022027",
61             "mobileVerificationStatus": "VERIFIED",
62             "mobilePinResetStatus": null,
63             "blockStatus": "NORMAL",
64             "addedOn": 1453116326444,
65             "lastUsedOn": 1453116326444,
66             "deletedOn": null
67         }
68     ],
69     "addresses": [
70         {
71             "id": "9ac4966c-073a-4d46-a3e3-06de07bbef99",
72             "updatedBy": "",
73             "street1": "Wilson garden",
74             "street2": null,
75             "street3": null,
76             "city": "Bangalore",
77             "state": null,

```

```

78         "county": null,
79         "postal": "560073",
80         "country": null,
81         "addressType": "HOME"
82     },
83     {
84         "id": "b896b33f-7111-4564-970d-c07b9e7c609c",
85         "updatedBy": "",
86         "street1": "Wilson garden",
87         "street2": null,
88         "street3": null,
89         "city": "Bangalore",
90         "state": null,
91         "county": null,
92         "postal": "560073",
93         "country": null,
94         "addressType": "HOME"
95     }
96 ],
97 "blockTypes": [
98     "SOCIAL"
99 ],
100 "status": "EXISTING",
101 "verified": true,
102 "blockStatus": "PARTIAL_BLACKLIST",
103 "pinCreated": true,
104 "reasonForDeleting": null,
105 "lastWrongPinAttemptTime": null,
106 "blockedMinutes": 0,
107 "userBlockedNumber": 0,
108 "userBlockedTime": null
109 }
110 }

```

## PUT body (for Phone)

**Headers:** Content-Type: application/json

```

1  {
2  "userId": "1a630978-0053-4f84-9976-ccfcd4dc9aab",
3  "blockType": "PHONE",
4  "mobileNumber": "+918050022027",
5  "paymentId": null
6  }

```

json

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2  "error": false,
3  "message": "Blacklisting of user/device/payment successful.",
4  "detail": null,
5  "data": {
6  "id": "1a630978-0053-4f84-9976-ccfcd4dc9aab",
7  "updatedBy": "",
8  "firstName": "Shruti",
9  "lastName": "Nagarkar",
10 "fullName": "Shruti Nagarkar",

```

json

```
11     "profileName": "ShrutiN",
12     "registrationDate": 1453116326399,
13     "birthDateDay": 15,
14     "birthDateMonth": 9,
15     "birthDateYear": 1991,
16     "locationCountry": "India",
17     "locationZipCode": "581320",
18     "timezone": "IST",
19     "profileImagePath": "www.google.com",
20     "userSetting": {
21         "autoUpdateBetcadeApp": true,
22         "autoUpdateDownloadedApps": false,
23         "userEmailProvided": false,
24         "monthlyDepositMaxLimit": null,
25         "monthlyDepositMaxLimitCurrency": "USD",
26         "wifiDownloadLimitInMB": 23,
27         "prefillUserInfoInCasino": true,
28         "versionOfDownloadedBetcadeApp": null,
29         "receiveEmailReceipt": null,
30         "receiveNotifications": null,
31         "shareRegistrationInfo": true
32     },
33     "socialAuthenticationChannels": [
34         {
35             "loginType": "FACEBOOK",
36             "socialId": "social12345",
37             "addedOn": 1453116326444,
38             "lastUsedOn": 1453116326444,
39             "deletedOn": null,
40             "blockStatus": "BLACKLISTED"
41         }
42     ],
43     "emailAuthenticationChannels": [
44         {
45             "loginType": "EMAIL",
46             "primary": null,
47             "emailAddress": "rn.shruti@gmail.com",
48             "blockStatus": "BLACKLISTED",
49             "emailVerificationStatus": "VERIFIED",
50             "emailPinResetStatus": null,
51             "addedOn": 1453116326444,
52             "lastUsedOn": 1453116326444,
53             "deletedOn": null
54         }
55     ],
56     "mobileAuthenticationChannels": [
57         {
58             "loginType": "MOBILE",
59             "primary": false,
60             "mobileNumber": "+918050022027",
61             "mobileVerificationStatus": "VERIFIED",
62             "mobilePinResetStatus": null,
63             "blockStatus": "BLACKLISTED",
64             "addedOn": 1453116326444,
65             "lastUsedOn": 1453116326444,
66             "deletedOn": null
67         }
68     ],
69     "addresses": [
70         {
71             "id": "9ac4966c-073a-4d46-a3e3-06de07bbef99",
```

```
72         "updatedBy": "",
73         "street1": "Wilson garden",
74         "street2": null,
75         "street3": null,
76         "city": "Bangalore",
77         "state": null,
78         "county": null,
79         "postal": "560073",
80         "country": null,
81         "addressType": "HOME"
82     },
83     {
84         "id": "b896b33f-7111-4564-970d-c07b9e7c609c",
85         "updatedBy": "",
86         "street1": "Wilson garden",
87         "street2": null,
88         "street3": null,
89         "city": "Bangalore",
90         "state": null,
91         "county": null,
92         "postal": "560073",
93         "country": null,
94         "addressType": "HOME"
95     }
96 ],
97 "blockTypes": [
98     "EMAIL",
99     "PHONE",
100    "SOCIAL"
101 ],
102 "status": "EXISTING",
103 "verified": true,
104 "blockStatus": "PARTIAL_BLACKLIST",
105 "pinCreated": true,
106 "reasonForDeleting": null,
107 "lastWrongPinAttemptTime": null,
108 "blockedMinutes": 0,
109 "userBlockedNumber": 0,
110 "userBlockedTime": null
111 }
112 }
```

**PUT****Delete by Email****Description**

Allows an admin to delete users by their email address.

**Request Endpoint**

PUT <https://<Example api server address>/user/by/email>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"emailList\" : [\"john.doe@gmail.com\", \"jack.doe@gmail.com\"]  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/user/by/email'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
emailList	Array	Required	An array of strings containing the users' email addresses.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "emailList": [  
3 |     "john.doe@gmail.com",  
4 |     "jack.doe@gmail.com"  
5 |   ]  
6 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "error": false,  
3 |   "message": "Deleted users successfully",  
4 |   "detail": null,  
5 |   "data": true  
6 | }
```

json

**PUT****Delete by Mobile****Description**

Allows an admin to delete users by their mobile number.

**Request Endpoint**

PUT <https://<Example api server address>/user/by/mobile>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"mobileList\" : [\"8120321321\", \"1239812093\"]\  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/user/by/mobile'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
mobileList	Array	Required	An array of strings containing the users' mobile numbers.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {\  
2 |   "mobileList": [\  
3 |     "8120321321",\  
4 |     "1239812093"  
5 |   ]\  
6 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |   "error": false,  
3 |   "message": "Deleted users successfully",  
4 |   "detail": null,  
5 |   "data": true  
6 | }
```

json

**PUT****Delete by Social ID****Description**

Allows an admin to delete users by their social ID.

**Request Endpoint**

PUT <https://<Example api server address>/user/by/social>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"socialList\" : [\"123719831931\", \"123761029312\"]  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/user/by/social'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
socialList	Array	Required	An array of strings containing the users' social IDs.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "socialList": [  
3 |     "123719831931",  
4 |     "123761029312"  
5 |   ]  
6 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "error": false,  
3 |   "message": "Deleted users successfully",  
4 |   "detail": null,  
5 |   "data": true  
6 | }
```

json



## Description

Find all the users where a group matches with the tag passed.

- One or more than one group may match.
- You can pass the following tag value : login type, zip code, postal code, state, country, county, city, birth year, device OS, device manufacturer, device model.
- Note: The birth year is considered as an integer.

## Request Endpoint

POST `https://<Example api server address>/user/getUsersByGroup`

## Parameters

None.

## cURL syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \"groups\" : [\"MOBILE\", \"Samsung\", \"Apple\", \"1980\", \"56789\"]  
6     }" \  
7     'https://core.dev.Example.net/api/user/tags'
```

curl

## POST body attributes (JSON)

Attribute	Type	Use	Description
groups	String	Required	An array of string of tags to filter the results.

## POST body

**Headers:** Content-Type: application/json

```
1 {  
2     "groups": [  
3         "MOBILE",  
4         "Samsung",  
5         "Apple",  
6         "1980",  
7         "56789"  
8     ]  
9 }
```

json

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 {  
2     "error": false,  
3     "message": "Getting user list is successfully",  
4     "detail": null,  
5     "data": [  
6         {  
7             "id": 1,  
8             "login": "test",  
9             "password": "123456",  
10            "zip": "12345",  
11            "postal": "12345",  
12            "state": "CA",  
13            "country": "USA",  
14            "county": "San Diego",  
15            "city": "San Diego",  
16            "birth": 1980,  
17            "device": "iPhone",  
18            "os": "iOS",  
19            "manufacturer": "Apple",  
20            "model": "iPhone11" } ]
```

json

```

6   {
7     "id": "a257c0e8-7109-402e-a9dc-68c70dee4814",
8     "firstName": "Sudipta",
9     "lastName": "Sudipta",
10    "fullName": "Sudipta Bhaumik",
11    "profileName": "profile",
12    "registrationDate": 1450350326271,
13    "birthDateDay": 12,
14    "birthDateMonth": 5,
15    "birthDateYear": 1980,
16    "locationCountry": "India",
17    "locationZipCode": "560010",
18    "timezone": "IST",
19    "profileImagePath": null,
20    "userSetting": null,
21    "socialAuthenticationChannels": [],
22    "emailAuthenticationChannels": [],
23    "mobileAuthenticationChannels": [
24      {
25        "loginType": "MOBILE",
26        "primary": true,
27        "mobileNumber": "+919916248135",
28        "mobileVerificationStatus": "VERIFIED",
29        "mobilePinResetStatus": "RESET_COMPLETE",
30        "addedOn": 1450350326272,
31        "lastUsedOn": 1450350326272,
32        "deletedOn": null
33      }
34    ],
35    "addresses": [
36      {
37        "id": "3d6baf86-1208-4126-8ac8-e9c64f3bd1da",
38        "street1": "123 Test Ln",
39        "street2": "",
40        "street3": "",
41        "city": "Somewhere",
42        "state": "st",
43        "county": "Clark",
44        "postal": "89101",
45        "country": "United Kingdon",
46        "addressType": "BILLING"
47      }
48    ],
49    "status": "NEW",
50    "verified": true,
51    "wrongPinAttempts": 0,
52    "pinCreated": true
53  },
54  {
55    "id": "d1bb60d9-e856-4169-9ea3-83941cb799e2",
56    "firstName": "Sudipta1",
57    "lastName": "",
58    "fullName": "Sudipta1 ",
59    "profileName": "sudipta1",
60    "registrationDate": 1450355680011,
61    "birthDateDay": 4,
62    "birthDateMonth": 1,
63    "birthDateYear": 1978,
64    "locationCountry": "",
65    "locationZipCode": "",
66    "timezone": null,

```

```
67     "profileImagePath": null,  
68     "userSetting": null,  
69     "socialAuthenticationChannels": [],  
70     "emailAuthenticationChannels": [],  
71     "mobileAuthenticationChannels": [  
72         {  
73             "loginType": "MOBILE",  
74             "primary": true,  
75             "mobileNumber": "+91991624813",  
76             "mobileVerificationStatus": "VERIFICATION_PENDING",  
77             "mobilePinResetStatus": "RESET_NA",  
78             "addedOn": 1450355680011,  
79             "lastUsedOn": 1450355680011,  
80             "deletedOn": null  
81         }  
82     ],  
83     "addresses": null,  
84     "status": "NEW",  
85     "verified": false,  
86     "wrongPinAttempts": 0,  
87     "pinCreated": false  
88 }  
89 ]  
90 }
```

**GET****Fetch Email Verification Status****Description**

This API helps to fetch all user email verification statuses.

**Request Endpoint**

GET <https://<Example api server address>/user/emailverificationstatus>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/emailverificationstatus'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "BLOCKED": "EmailVerificationStatus",  
4 |     "DEACTIVATED": "EmailVerificationStatus",  
5 |     "DELETED": "EmailVerificationStatus",  
6 |     "VERIFICATION_PENDING": "EmailVerificationStatus",  
7 |     "VERIFIED": "EmailVerificationStatus"  
8 |   },  
9 |   "detail": null,  
10 |  "error": false,  
11 |  "message": "Fetching the email verification status successful"  
12 | }
```

json

**GET****Fetch Mobile Verification Status****Description**

This API helps to fetch all user mobile verification statuses.

**Request Endpoint**

GET <https://<Example api server address>/user/mobileverificationstatus>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/mobileverificationstatus'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "BLOCKED": "MobileVerificationStatus",  
4 |     "DEACTIVATED": "MobileVerificationStatus",  
5 |     "DELETED": "MobileVerificationStatus",  
6 |     "VERIFICATION_PENDING": "MobileVerificationStatus",  
7 |     "VERIFIED": "MobileVerificationStatus"  
8 |   },  
9 |   "detail": null,  
10 |  "error": false,  
11 |  "message": "Fetching the mobile verification status successful"  
12 | }
```

json

**GET****Fetch Payment Method Status****Description**

This API helps to fetch all user payment info statuses.

**Request Endpoint**

GET <https://<Example api server address>/user/paymentinfostatus>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/paymentinfostatus'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "BLACKLISTED": "PaymentInfoStatus",  
4 |     "BLOCKED": "PaymentInfoStatus",  
5 |     "DEACTIVATED": "PaymentInfoStatus",  
6 |     "DELETED": "PaymentInfoStatus",  
7 |     "USER_IDENTIFICATION_PENDING": "PaymentInfoStatus",  
8 |     "VERIFICATION_PENDING": "PaymentInfoStatus",  
9 |     "VERIFIED": "PaymentInfoStatus"  
10 |   },  
11 |   "detail": null,  
12 |   "error": false,  
13 |   "message": "Fetching the payment info status successful"  
14 | }
```

json

**GET**

## Fetch User Audit Trail Data

### Description

Gets data contained in a user's audit trail.

### Request Endpoint

GET `https://<Example api server address>/user/data/trail/{userId}?offset=0&limit=10`

### Parameters

Parameter	Type	Use	Description
<b>userId</b>	String	Required	UUID of the user.
<b>offset</b>	Integer	Optional	Sets an offset for specifying a page number in pagination: default = 0.
<b>limit</b>	Integer	Optional	Specifying a limit to use in the pagination: default = 0.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/data/trail/userId?offset=0&limit=10'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "c9524c9c-da0f-42ca-b8a8-025c1d72e166",  
5 |       "event": "User is deleted",  
6 |       "message": "User Interface is not friendly",  
7 |       "timestamp": 1465373872320  
8 |     }  
9 |   ],  
10 |   "detail": null,  
11 |   "error": false,  
12 |   "message": "Fetching user audit trail data successful"  
13 | }
```

json

**GET****Fetch User Statuses****Description**

This API helps to fetch all user statuses.

**Request Endpoint**

GET <https://<Example api server address>/user/userstatus>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/statuses'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "BLACKLISTED": "UserStatus",  
4 |     "BLOCKED": "UserStatus",  
5 |     "DEACTIVATED": "UserStatus",  
6 |     "DELETED": "UserStatus",  
7 |     "EXISTING": "UserStatus",  
8 |     "NEW": "UserStatus",  
9 |     "TEMPORARILY_BLOCKED": "UserStatus"  
10 |   },  
11 |   "detail": null,  
12 |   "error": false,  
13 |   "message": "Fetching the user status successful"  
14 | }
```

json



**GET****Get Deleted Users****Description**

An endpoint to get deleted users. Provides pagination support.

**Request Endpoint**

GET <https://<Example api server address>/admin/deleted/user>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/deleted/user'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "04d97e55-d1ae-4227-9e1e-f3629905544e",  
5 |       "addresses": null,  
6 |       "birthDateDay": null,  
7 |       "birthDateMonth": null,  
8 |       "birthDateYear": null,  
9 |       "devices": [  
10 |        {  
11 |          "id": "9ca31867-2a4a-4aa4-ba6c-2241ffb2b0b0",  
12 |          "description": "desc",  
13 |          "deviceStatus": "NORMAL",  
14 |          "manufacturer": "samsung",  
15 |          "model": "SPH-L710",  
16 |          "os": "Android:4.4.2",  
17 |          "udid": "CE9B49AD-8985-4564-8204-790B073F266C",  
18 |          "simStateHashCode": null,  
19 |          "simCardState": null  
20 |        },  
21 |        {  
22 |          "id": "05b678cc-7c39-4dda-8ad5-53502fbc54d0",  
23 |          "description": "desc",  
24 |          "deviceStatus": "NORMAL",  
25 |          "manufacturer": "motorola",  
26 |          "model": "Nexus 6",  
27 |          "os": "Android:6.0.1",  
28 |          "udid": "97F5881F-43E0-4115-A408-A5CC04951DBB",  
29 |          "simStateHashCode": null,  
30 |          "simCardState": null  
31 |        }  
32 |      ],  
33 |       "emailAuthenticationChannels": [  
34 |         {  
35 |           "addedOn": 1458688528550,  
36 |           "blockStatus": "NORMAL",  
37 |           "deletedOn": null,  
38 |           "emailAddress": "james+10@impekable.com",
```

json

```

39     "emailPinResetStatus": "RESET_COMPLETE",
40     "emailVerificationStatus": "VERIFIED",
41     "lastUsedOn": 1458688528550,
42     "loginType": "EMAIL",
43     "primary": false,
44     "deleted": false,
45     "recycleEmailAddress": null
46   }
47 ],
48 "firstName": null,
49 "fullName": "null null",
50 "groupTag": [
51   "SPH-L710",
52   "samsung",
53   "Android:4.4.2",
54   "EMAIL"
55 ],
56 "lastName": null,
57 "locationCountry": null,
58 "locationZipCode": null,
59 "mobileAuthenticationChannels": [],
60 "pinCreated": true,
61 "profileImagePath": null,
62 "profileName": null,
63 "registrationDate": 1458688528550,
64 "socialAuthenticationChannels": [],
65 "status": "DELETED",
66 "timezone": null,
67 "userSetting": {
68   "autoUpdateBetcadeApp": true,
69   "autoUpdateDownloadedApps": true,
70   "monthlyDepositMaxLimit": 50,
71   "monthlyDepositMaxLimitCurrency": "USD",
72   "prefillUserInfoInCasino": true,
73   "receiveEmailReceipt": true,
74   "receiveNotifications": true,
75   "shareRegistrationInfo": true,
76   "userEmailProvided": true,
77   "versionOfDownloadedBetcadeApp": "1.0",
78   "wifiDownloadLimitInMB": 0,
79   "preferredCategories": null,
80   "autoSaveCard": null,
81   "autoAddHomeIcon": null,
82   "receiveUpdateNotifications": null,
83   "receiveAutoUpdatedNotifications": null,
84   "receiveRecommendationNotifications": null
85 },
86 "verified": true,
87 "pinResetDate": null,
88 "casinoUserData": null,
89 "testUser": null
90 },
91 ],
92 "detail": null,
93 "error": false,
94 "message": "fetching deleted users successful"
95 }

```

**PUT****Update (Authentication Channel Status)****Description**

Updates a user's authentication channel status.

**Request Endpoint**

PUT <https://<Example api server address>/user/credential/status>

**Parameters**

None.

**cURL syntax**

```

1 | curl --include \
2 |     --request PUT \
3 |     --header "Content-Type: application/json" \
4 |     --data-binary "{
5 |     \"userId\": \"ed359f0f-064c-4ca2-a5de-720bf3e270a4\",
6 |     \"credentialStatuses\": [
7 |         {
8 |             \"loginType\": \"EMAIL\",
9 |             \"emailAddress\": \"sudipta@gmail.in.co17\",
10 |            \"emailStatus\": \"DELETED\"
11 |        },
12 |        {
13 |            \"loginType\": \"MOBILE\",
14 |            \"mobileNumber\" : \"+919916248108\",
15 |            \"mobileStatus\" : \"VERIFIED\"
16 |        }
17 |    ]
18 | }" \
19 | 'https://core.dev.Example.net/api/user/credential/status'

```

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
<b>userId</b>	String	Required	The user id.
<b>credentialStatuses</b>	Object (Array)	Required	The credential statuses object.
<b>loginType</b>	String	Required	Login Type (can be "EMAIL" and "MOBILE").
<b>emailAddress</b>	String	Conditional	Email address of a user (mandatory when login type is email).
<b>mobileNumber</b>	String	Conditional	Mobile number of a user (mandatory when login type is mobile).
<b>emailStatus</b>	String	Conditional	Email status, mandatory when login type is email (BLOCKED, VERIFIED, DELETED, DEACTIVATED, and VERIFICATION_PENDING).
<b>mobileStatus</b>	String	Conditional	Mobile status, mandatory when login type is mobile (BLOCKED, VERIFIED, DELETED, DEACTIVATED, and VERIFICATION_PENDING).

**PUT body**

**Headers:** Content-Type: application/json

```

1 | {
2 |     "userId": "ed359f0f-064c-4ca2-a5de-720bf3e270a4",

```

```
3 | "credentialStatuses": [  
4 |   {  
5 |     "loginType": "EMAIL",  
6 |     "emailAddress": "sudipta@gmail.in.co17",  
7 |     "emailStatus": "DELETED"  
8 |   },  
9 |   {  
10 |    "loginType": "MOBILE",  
11 |    "mobileNumber": "+919916248108",  
12 |    "mobileStatus": "VERIFIED"  
13 |   }  
14 | ]  
15 | }
```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Editing user credential status successful"  
6 | }
```

json

**PUT****Update (User Status)****Description**

This Api helps to edit the user status.

**Request Endpoint**

PUT <https://<Example api server address>/user/status>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"userId\": \"ed359f0f-064c-4ca2-a5de-720bf3e270a4\",\  
6 |         \"status\": \"BLACKLISTED\"\  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/user/status'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
userId	String	Required	UUID of a user.
status	String	Required	Status of a user (status can be Blacklisted, Blocked, Existing, New, Deleted, Deactivated).

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {\  
2 |     \"userId\": \"ed359f0f-064c-4ca2-a5de-720bf3e270a4\",\  
3 |     \"status\": \"BLACKLISTED\"\  
4 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |     \"data\": true,  
3 |     \"detail\": null,  
4 |     \"error\": false,  
5 |     \"message\": \"Editing user status successful\"\  
6 | }
```

json

**PUT****Update User PM Status****Description**

Updates a user's PM status.

**Request Endpoint**

PUT <https://<Example api server address>/user/payment/status>

**Parameters**

None.

**cURL syntax**

```
1 curl --include \  
2     --request PUT \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{\  
5     \"userId\" : \"491c6bc6-8a6f-4e44-aa08-d66e36a65eec\",\  
6     \"paymentMethodStatuses\" : [  
7         {\  
8             \"paymentId\" : \"be2fdfd0-d588-4cae-844b-be3c68369916\",\  
9             \"status\" : \"USER_IDENTIFICATION_PENDING\"\  
10        }\  
11    ]\  
12 }" \  
13 'https://core.dev.Example.net/api/user/payment/staus'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
userId	String	Required	UUID of an existing User.
paymentMethodStatuses	Array	Required	An array of the following attributes.
paymentId	String	Required	UUID of an User PM.
status	String	Required	Status of Payment Method (PM). Can be either "BLACKLISTED", "BLACKLISTED_CS", "BLACKLISTED_FRAUD", "BLOCKED_CVV", "BLOCKED_FRAUD", "BLOCKED_TEMP_CVV", "DEACTIVATED", "DELETED", "USER_IDENTIFICATION_PENDING", "VERIFIED".

**PUT body**

Headers: Content-Type: application/json

```
1 {\  
2     \"userId\": \"491c6bc6-8a6f-4e44-aa08-d66e36a65eec\",\  
3     \"paymentMethodStatuses\": [  
4         {\  
5             \"paymentId\": \"be2fdfd0-d588-4cae-844b-be3c68369916\",\  
6             \"status\": \"USER_IDENTIFICATION_PENDING\"\  
7         }\  
8     ]\  
9 }
```

json

**Response body**

Headers: Content-Type: application/json | HTTPS Status Code: 200

json

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Editing user payment method status successful"  
6 | }
```

## PUT

## Whitelist a User or Device

### Description

Note:

- **If UserId is passed:** Whitelist a user and all their associated devices and payment methods.
- **If DeviceUdid is passed:** Device is whitelisted.
- **If paymentId is passed:** Payment method is whitelisted.

### PUT Endpoint example: /user/{id}/whitelist

```
1 | Request (application/json)
2 |   {
3 |     "userId":null,
4 |     "deviceUdid" : "udid",
5 |     "paymentId":null
6 |   }
```

json

### Response body example:

```
1 | Response 200 (application/json)
2 |   {
3 |     "error": false,
4 |     "message": "UnBlacklisting of user/device/payment successful.",
5 |     "detail": null,
6 |     "data": null
7 |   }
```

json

### Request Endpoint

PUT <https://<Example api server address>/user/{id}/whitelist>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of the user.

### cURL syntax

```
1 | curl --include \
2 |     --request PUT \
3 |     --header "Content-Type: application/json" \
4 |     --data-binary "{
5 |     \"userId\":null,
6 |     \"deviceUdid\" : \"udid\",
7 |     \"paymentId\":null
8 |   }" \
9 |     'https://core.dev.Example.net/api/user/id/whitelist'
```

curl

### PUT body attributes (JSON)

Attribute	Type	Use	Description
blockType	String	Required	Takes one of following values: USER, PAYMENT, EMAIL, SOCIAL, PHONE, OR DEVICE.



Attribute	Type	Use	Description
deviceUdid	String	Optional	UDID of the device to be unblacklisted.
paymentId	String	Optional	Payment Id of method to be unblacklisted.
emailAddress	String	Optional	Email address being unblacklisted.
mobileNumber	String	Optional	Phone being unblacklisted.
socialLoginType	String	Optional	Login type for a social id being blacklisted, like TWITTER, FACEBOOK, etc.
socialId	String	Optional	The social id being unblacklisted.

## PUT body

Headers: Content-Type: application/json

```

1  {
2  "userId": "af964804-7f1d-4662-9fca-af7e6042da43",
3  "deviceUdid": null,
4  "paymentId": null
5  }

```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2  "error": false,
3  "message": "UnBlacklisting of user/device/payment successful.",
4  "detail": null,
5  "data": {
6  "id": "af964804-7f1d-4662-9fca-af7e6042da43",
7  "updatedBy": "",
8  "firstName": "Shruti",
9  "lastName": "Nagarkar",
10 "fullName": "Shruti Nagarkar",
11 "profileName": "ShrutiN",
12 "registrationDate": 1452067175740,
13 "birthDateDay": 15,
14 "birthDateMonth": 9,
15 "birthDateYear": 1991,
16 "locationCountry": "India",
17 "locationZipCode": "581320",
18 "timezone": "IST",
19 "profileImagePath": "www.google.com",
20 "userSetting": {
21 "autoUpdateBetcadeApp": true,
22 "autoUpdateDownloadedApps": true,
23 "userEmailProvided": false,
24 "monthlyDepositMaxLimit": 2414,
25 "monthlyDepositMaxLimitCurrency": "USD",
26 "wifiDownloadLimitInMB": 232,
27 "prefillUserInfoInCasino": false,
28 "versionOfDownloadedBetcadeApp": "sg34",
29 "receiveEmailReceipt": true,
30 "receiveNotifications": false,
31 "shareRegistrationInfo": false
32 },
33 "socialAuthenticationChannels": [

```

json

```
34     {
35         "loginType": "FACEBOOK",
36         "socialId": "social12345",
37         "addedOn": 1452067175742,
38         "lastUsedOn": 1452067175742,
39         "deletedOn": null
40     }
41 ],
42 "emailAuthenticationChannels": [
43     {
44         "loginType": "EMAIL",
45         "primary": null,
46         "emailAddress": "rn.shruti@gmail.com",
47         "emailVerificationStatus": "VERIFIED",
48         "emailPinResetStatus": null,
49         "addedOn": 1452067175742,
50         "lastUsedOn": 1452067175742,
51         "deletedOn": null
52     }
53 ],
54 "mobileAuthenticationChannels": [
55     {
56         "loginType": "MOBILE",
57         "primary": false,
58         "mobileNumber": "+918050022027",
59         "mobileVerificationStatus": "VERIFIED",
60         "mobilePinResetStatus": null,
61         "addedOn": 1452067175742,
62         "lastUsedOn": 1452067175742,
63         "deletedOn": null
64     }
65 ],
66 "addresses": [
67     {
68         "id": "4827828e-0719-4510-8378-c80000318a8f",
69         "updatedBy": "",
70         "street1": "Wilson garden",
71         "street2": null,
72         "street3": null,
73         "city": "Bangalore",
74         "state": null,
75         "county": null,
76         "postal": "560073",
77         "country": null,
78         "addressType": "HOME"
79     },
80     {
81         "id": "e987b583-41cb-4bf9-bfd2-8490a5ee35c5",
82         "updatedBy": "",
83         "street1": "Wilson garden",
84         "street2": null,
85         "street3": null,
86         "city": "Bangalore",
87         "state": null,
88         "county": null,
89         "postal": "560073",
90         "country": null,
91         "addressType": "HOME"
92     }
93 ],
94 "status": "EXISTING",
```

```
95     "verified": true,  
96     "pinCreated": true,  
97     "reasonForDeleting": null,  
98     "lastWrongPinAttemptTime": null,  
99     "blockedMinutes": 0,  
100    "userBlockedNumber": 0,  
101    "userBlockedTime": null  
102  }  
103 }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### User Acquisition APIs

#### POST User Acquisition Landing Page

##### Description

Sets acquisition records on the landing page. Note:

- Before calling user acquisition, the Create Store App (/store) API should perform which will contain the Example apk name as a downloadLink.
- From the response: Use id as GUID.

##### Request Endpoint

POST <https://<Example api server address>/acquisition/landing>

##### Parameters

None.

##### cURL syntax

```
curl --include \  
  --request POST \  
  --header "Content-Type: application/json" \  
  --data-binary "{  
    \"uaLandingDeviceType\": \"device type1\",  
    \"uaDownloadUserAgent\": \"landing\",  
    \"uaLandingPageVersion\": \"v1.0\",  
    \"uaLinkType\": \"EMAIL\",  
    \"uaApp\": \"10XgmJLQRA\",  
    \"uaLandingUserAgent\": \"agnt1\",  
    \"uaBreferrer\": \"uaBreferrer 1\",  
    \"uaSource\": \"SINGULAR\",  
    \"uaReferrer\": \"referrer1\",  
    \"uaReferrerUrl\": \"ur11\"  
  }" \  
  'https://core.dev.Example.net/api/acquisition/landing'
```

##### POST body attributes (JSON)

Attribute	Type	Use	Description
uaApp	String	Required	An app bundle identifier.
uaSource	String	Required	SINGULAR.
uaLinkType	String	Optional	SMS or EMAIL.

Attribute	Type	Use	Description
uaReferrer	String	Optional	The referrer.
uaLandingUserAgent	String	Optional	The landing user agent.
uaLandingDeviceType	String	Optional	The device type.
uaDownloadUserAgent	String	Optional	The download agent.
uaLandingPageVersion	String	Optional	The landing page version.
uaBreferrer	String	Optional	The Breferrer.
uaReferrerUrl	String	Optional	The Referrer Url.

## POST body

Headers: Content-Type: application/json

```

123456789101112
1  {
2    "uaLandingDeviceType": "device type1",
3    "uaDownloadUserAgent": "landing",
4    "uaLandingPageVersion": "v1.0",
5    "uaLinkType": "EMAIL",
6    "uaApp": "lOXgmJLQRA",
7    "uaLandingUserAgent": "agnt1",
8    "uaBreferrer": "uaBreferrer 1",
9    "uaSource": "SINGULAR",
10   "uaReferrer": "referrer1",
11   "uaReferrerUrl": "url1"
12  }

```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```

123456789101112131415161718192021222324
1  {
2    "data": {
3      "id": "369f00a0-06a7-413e-a8fa-70ae65f92573",
4      "deleted": false,
5      "uaSource": "SINGULAR",
6      "uaApp": "lOXgmJLQRA",
7      "uaReferrer": "referrer1",
8      "uaReferrerUrl": "www.url1"
9      "uaLandingUserAgent": "agnt1",
10     "uaLandingDeviceType": "device type1",
11     "uaLinkType": "EMAIL",
12     "linkTypeValue": null,
13     "uaDownloadUserAgent": "landing",
14     "uaLandingPageVersion": "v1.0",
15     "acquisitionStates": [{
16       "uaUserStatus": "LandingPage",
17       "timeStamp": 1478501648580
18     }],
19     "uaAppUrl": null,
20     "uaReferrerUrl": null,
21     "uaAdPartner": null,
22     "uaBreferrer": "uaBreferrer 1",
23     "uaNALandingUserAgent": null
24   },

```

json

```
25 |     "detail": null,  
26 |     "error": false,  
27 |     "message": "Acquisition LandingPage success."  
28 | }
```

**PUT****User Acquisition Link Sent****Description**

Sets the GUID and provides the latest apk link.

**Request Endpoint**

PUT <https://<Example api server address>/acquisition/link/sent>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"id\": \"369f00a0-06a7-413e-a8fa-70ae65f92573\",  
6 |         \"uaLinkType\" : \"EMAIL\",  
7 |         \"linkTypeValue\" : \"sudipta.bhaumik@innoflexion.com\"  
8 |     }" \  
9 | 'https://core.dev.Example.net/api/acquisition/link/sent'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
id	String	Required	The acquisition id.
uaLinkType	String	Required	EMAIL / SMS.
linkTypeValue	String	Required	Email or phone number.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "id": "369f00a0-06a7-413e-a8fa-70ae65f92573",  
3 |   "uaLinkType": "EMAIL",  
4 |   "linkTypeValue": "sudipta.bhaumik@innoflexion.com"  
5 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "369f00a0-06a7-413e-a8fa-70ae65f92573",  
4 |     "deleted": false,  
5 |     "uaSource": "SINGULAR",  
6 |     "uaApp": "lOXgmJLQRA",  
7 |     "uaReferrer": "referrer1",  
8 |     "uaLandingUserAgent": "agnt1",  
9 |     "uaLandingDeviceType": "device type1",  
10 |     "uaLinkType": "EMAIL",
```

json

```
11 | "linkTypeValue": "sudipta.bhaumik@innoflexion.com",
12 | "uaDownloadUserAgent": "landing",
13 | "uaLandingPageVersion": "v1.0",
14 | "acquisitionStates": [
15 |   {
16 |     "uaUserStatus": "LandingPage",
17 |     "timeStamp": 1478501648580
18 |   },
19 |   {
20 |     "uaUserStatus": "LinkSent",
21 |     "timeStamp": 1478501649256
22 |   }
23 | ],
24 | "uaAppUrl": null,
25 | "uaReferrerUrl": null,
26 | "uaAdPartner": null,
27 | "uaBreferrer": "uaBreferrer 1",
28 | "uaNALandingUserAgent": null
29 | },
30 | "detail": null,
31 | "error": false,
32 | "message": "Acquisition LinkSent success."
33 | }
```



**PUT****User Acquisition DownloadPage****Description**

Updates the DownloadPage status.

- If GUID (id) is passed, it will modify the status with the following response type, otherwise, it will create a new record.
- This service will return the Example apk download magic url as well.

**Request Endpoint**

PUT <https://<Example api server address>/acquisition/download/page>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |       \"id\": \"369f00a0-06a7-413e-a8fa-70ae65f92573\"  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/acquisition/download/page'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
id	String	Optional	The acquisition id.
uaApp	String	Optional	The app bundle identifier.
uaSource	String	Optional	SINGULAR.
uaReferrer	String	Optional	The referrer.
uaLandingUserAgent	String	Optional	The landing user agent.
uaLandingDeviceType	String	Optional	The device type.
uaDownloadUserAgent	String	Optional	The download agent.
uaLandingPageVersion	String	Optional	The landing page version.
uaBreferrer	String	Optional	The Breferrer.
uaReferrerUrl	String	Optional	The referrer url.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   \"id\": \"369f00a0-06a7-413e-a8fa-70ae65f92573\"  
3 | }
```

json

**Response body**

```
1  {
2    "data": {
3      "id": "369f00a0-06a7-413e-a8fa-70ae65f92573",
4      "deleted": false,
5      "uaSource": "SINGULAR",
6      "uaApp": "lOXgmJLQRA",
7      "uaReferrer": "referrer1",
8      "uaLandingUserAgent": "agnt1",
9      "uaLandingDeviceType": "device type1",
10     "uaLinkType": "EMAIL",
11     "linkTypeValue": null,
12     "uaDownloadUserAgent": "landing",
13     "uaLandingPageVersion": "v1.0",
14     "acquisitionStates": [
15       {
16         "uaUserStatus": "LandingPage",
17         "timeStamp": 1478501648580
18       },
19       {
20         "uaUserStatus": "LinkSent",
21         "timeStamp": 1478501649256
22       },
23       {
24         "uaUserStatus": "DownloadPage",
25         "timeStamp": 1478501649374
26       }
27     ],
28     "uaAppUrl": "https://btc.inf.apdx.mkt.s3-us-west-2.amazonaws.com/?response-content-disposition=attach",
29     "uaReferrerUrl": null,
30     "uaAdPartner": null,
31     "uaBreferrer": "uaBreferrer 1",
32     "uaNALandingUserAgent": null
33   },
34   "detail": null,
35   "error": false,
36   "message": "Acquisition DownloadPage success."
37 }
```

## PUT

# User Acquisition Download Started

## Description

Updates the Download started status.

## Request Endpoint

PUT <https://<Example api server address>/acquisition/download/started>

## Parameters

None.

## cURL syntax

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"id\": \"369f00a0-06a7-413e-a8fa-70ae65f92573\"  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/acquisition/download/started'
```

curl

## PUT body attributes (JSON)

Attribute	Type	Use	Description
id	String	Required	The acquisition id.

## PUT body

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "id": "369f00a0-06a7-413e-a8fa-70ae65f92573"  
3 | }
```

json

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     "data": {  
3 |         "id": "369f00a0-06a7-413e-a8fa-70ae65f92573",  
4 |         "deleted": false,  
5 |         "uaSource": "SINGULAR",  
6 |         "uaApp": "10XgmJLQRA",  
7 |         "uaReferrer": "referrer1",  
8 |         "uaLandingUserAgent": "agnt1",  
9 |         "uaLandingDeviceType": "device type1",  
10 |        "uaLinkType": "EMAIL",  
11 |        "linkTypeValue": null,  
12 |        "uaDownloadUserAgent": "landing",  
13 |        "uaLandingPageVersion": "v1.0",  
14 |        "acquisitionStates": [  
15 |            {  
16 |                "uaUserStatus": "LandingPage",  
17 |                "timeStamp": 1468399251320
```

json

```
18     },
19     {
20         "uaUserStatus": "LinkSent",
21         "timeStamp": 1468399263582
22     },
23     {
24         "uaUserStatus": "DownloadPage",
25         "timeStamp": 1468399268589
26     },
27     {
28         "uaUserStatus": "DownloadStarted",
29         "timeStamp": 1468399598585
30     }
31 ],
32 "uaReferrerUrl": null,
33 "uaAdPartner": null,
34 "uaBreferrer": "uaBreferrer 1",
35 "uaNALandingUserAgent": null
36 },
37 "detail": null,
38 "error": false,
39 "message": "Acquisition DownloadStarted success."
40 }
```

**PUT****User Acquisition AppLaunched****Description**

Updates the AppLaunched status.

**Request Endpoint**

PUT <https://<Example api server address>/acquisition/app/launched>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"id\": \"93ab983d-f81c-469a-8dc2-b23f50691312\"\  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/acquisition/app/launched'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
id	String	Required	The acquisition id.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "id": "93ab983d-f81c-469a-8dc2-b23f50691312"  
3 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     "data": {  
3 |         "id": "93ab983d-f81c-469a-8dc2-b23f50691312",  
4 |         "uaSource": "SINGULAR",  
5 |         "uaApp": null,  
6 |         "uaLandingUserAgent": "agnt1",  
7 |         "uaLandingDeviceType": "device type1",  
8 |         "uaLinkType": "EMAIL",  
9 |         "uaDownloadUserAgent": "landing",  
10 |        "uaLandingPageVersion": "v1.0",  
11 |        "acquisitionStates": [  
12 |            {  
13 |                "uaUserStatus": "LandingPage",  
14 |                "timeStamp": 1468399251320  
15 |            },  
16 |            {  
17 |                "uaUserStatus": "LinkSent",
```

json

```
18     "timeStamp": 1468399263582
19   },
20   {
21     "uaUserStatus": "DownloadPage",
22     "timeStamp": 1468399268589
23   },
24   {
25     "uaUserStatus": "DownloadStarted",
26     "timeStamp": 1468399598585
27   },
28   {
29     "uaUserStatus": "AppLaunched",
30     "timeStamp": 1468399598585
31   }
32 ]
33 },
34 "detail": null,
35 "error": false,
36 "message": "Acquisition AppLaunched success."
37 }
```

**GET****User Acquisition Fetch****Description**

Gets a user acquisition.

**Request Endpoint**

GET <https://<Example api server address>/acquisition/{id}>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	The acquisition id.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/acquisition/id'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "93ab983d-f81c-469a-8dc2-b23f50691312",  
4 |     "uaSource": "SINGULAR",  
5 |     "uaApp": "b45899a3-f71d-4d4d-9359-bc885d529fa2",  
6 |     "uaLandingUserAgent": "agnt1",  
7 |     "uaLandingDeviceType": "device type1",  
8 |     "uaLinkType": "EMAIL",  
9 |     "uaDownloadUserAgent": "landing",  
10 |    "uaLandingPageVersion": "v1.0",  
11 |    "acquisitionStates": [  
12 |      {  
13 |        "uaUserStatus": "LandingPage",  
14 |        "timeStamp": 1468399251320  
15 |      },  
16 |      {  
17 |        "uaUserStatus": "LinkSent",  
18 |        "timeStamp": 1468399263582  
19 |      },  
20 |      {  
21 |        "uaUserStatus": "DownloadPage",  
22 |        "timeStamp": 1468399268589  
23 |      },  
24 |      {  
25 |        "uaUserStatus": "DownloadStarted",  
26 |        "timeStamp": 1468399598585  
27 |      },  
28 |      {  
29 |        "uaUserStatus": "AppLaunched",  
30 |        "timeStamp": 1468399598585  
31 |      }  
32 |    ]  
33 |  },  
34 |  "detail": null,
```

json

```
35 | "error": false,  
36 | "message": "Acquisition fetch success."  
37 | }
```



## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### User APIs

#### POST Add Authentication Channel

##### Description

A new login mechanism can be added for a user using this API.

##### Request Endpoint

POST `https://<Example api server address>/user/auth`

##### Parameters

None.

##### cURL syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \"userId\": \"453af1f1-7b5c-418e-a2d3-71f074d3a018\",  
6     \"loginType\": \"TWITTER\",  
7     \"socialId\": \"xuy5gk\",  
8     \"socialEmail\": \"san.sh555@gmail.com\",  
9     \"socialProfileName\": \"Twitter\"  
10  }" \  
11  'https://core.dev.Example.net/api/user/auth'
```

##### POST body attributes (JSON)

Attribute	Type	Use	Description
<code>userId</code>	String	Required	UUID of a user.
<code>loginType</code>	String	Required	Login Type (can be "EMAIL", "MOBILE", "GOOGLE", "FACEBOOK", "TWITTER").
<code>socialId</code>	String	Conditional	Social Id of the user in case of facebook, google or twitter login (mandatory for google, facebook or twitter login).
<code>socialEmail</code>	String	Conditional	Social email address of the user in case of email login (mandatory for email login).
<code>socialProfileName</code>	String	Conditional	Profile name of a social app.

##### POST body

**Headers:** Content-Type: application/json

```
1 {
2   "userId": "453af1f1-7b5c-418e-a2d3-71f074d3a018",
3   "loginType": "TWITTER",
4   "socialId": "xuy5gk",
5   "socialEmail": "san.sh555@gmail.com",
6   "socialProfileName": "Twitter"
7 }
```

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 {
2   "data": {
3     "id": "453af1f1-7b5c-418e-a2d3-71f074d3a018",
4     "deleted": false,
5     "addresses": null,
6     "devices": [
7       {
8         "id": "19454557-9e13-4335-93fe-d574f03a7577",
9         "deleted": false,
10        "description": "Old Device",
11        "deviceStatus": "NORMAL",
12        "manufacturer": "Apple",
13        "model": "iPhone 5",
14        "os": "iOS 9",
15        "udid": "2083718938012321038243",
16        "simStateHashCode": null,
17        "simCardState": null,
18        "deletedUdid": null,
19        "deletedBy": null,
20        "deletedOn": null,
21        "name": "Moto",
22        "brand": null,
23        "androidID": "etr657y",
24        "advertiserID": null,
25        "operator": null,
26        "country": "India",
27        "language": "English",
28        "screenWidthInPixels": null,
29        "screenHeightInPixels": null,
30        "screenWidthInInches": null,
31        "screenHeightInInches": null
32      }
33    ],
34    "emailAuthenticationChannels": [
35      {
36        "addedOn": 1474124449464,
37        "blockStatus": "NORMAL",
38        "deletedOn": null,
39        "emailAddress": "abc@gmail.com",
40        "emailPinResetStatus": "RESET_NA",
41        "emailVerificationStatus": "VERIFICATION_PENDING",
42        "lastUsedOn": 1474124449464,
43        "loginType": "EMAIL",
44        "primary": false,
45        "deleted": false,
46        "recycleEmailAddress": null
47      }
48    ]
49  }
```

```

48 ],
49 "firstName": "Shruti",
50 "fullName": "ABC DEF",
51 "groupTag": [
52   "FACEBOOK",
53   "Apple",
54   "United Kingdom",
55   "iOS 9",
56   "1234234",
57   "iPhone 5",
58   "EMAIL",
59   "TWITTER"
60 ],
61 "lastName": "Nagarkar",
62 "locationCountry": "United Kingdom",
63 "locationZipCode": "1234234",
64 "mobileAuthenticationChannels": [],
65 "pinCreated": true,
66 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://jfhj.jdhhg.png",
67 "profileName": "ABC",
68 "registrationDate": 1474087326311,
69 "socialAuthenticationChannels": [
70   {
71     "addedOn": 1474262514664,
72     "blockStatus": "NORMAL",
73     "deletedOn": null,
74     "lastUsedOn": 1474262514664,
75     "loginType": "TWITTER",
76     "socialId": "xuy5g",
77     "deleted": false,
78     "recycleSocialId": null,
79     "emailAddress": "san.sh555@gmail.com",
80     "profileName": "facebook"
81   },
82   {
83     "addedOn": 1474262597961,
84     "blockStatus": "NORMAL",
85     "deletedOn": null,
86     "lastUsedOn": 1474262597961,
87     "loginType": "TWITTER",
88     "socialId": "xuy5gk",
89     "deleted": false,
90     "recycleSocialId": null,
91     "emailAddress": "san.sh555@gmail.com",
92     "profileName": "Twitter"
93   }
94 ],
95 "status": "EXISTING",
96 "timezone": null,
97 "userSetting": {
98   "autoUpdateBetcadeApp": true,
99   "autoUpdateDownloadedApps": true,
100  "monthlyDepositMaxLimit": 0,
101  "monthlyDepositMaxLimitCurrency": "GBP",
102  "prefillUserInfoInCasino": true,
103  "receiveEmailReceipt": true,
104  "receiveNotifications": true,
105  "shareRegistrationInfo": true,
106  "userEmailProvided": true,
107  "versionOfDownloadedBetcadeApp": "v1",
108  "wifiDownloadLimitInMB": 0,

```

```
109     "preferredCategories": [],
110     "autoSaveCard": true,
111     "autoAddHomeIcon": true,
112     "receiveUpdateNotifications": true,
113     "receiveAutoUpdatedNotifications": true,
114     "receiveRecommendationNotifications": true,
115     "appSetting": {
116         "autoUpdateApps": 2,
117         "addIconHomeScreen": false,
118         "saveNewCreditOrDebitCards": true,
119         "appUpdatesAvailable": true,
120         "appsWereAutoUpdated": true,
121         "recommendedContentAvailable": true
122     }
123 },
124 "verified": true,
125 "pinResetDate": null,
126 "kycStatus": "KYC_DELAY",
127 "singularId": null,
128 "acquisitionIds": null,
129 "userAuditInfo": {
130     "initialLoginDate": 1474087326311,
131     "initialLoginIp": "127.0.0.1",
132     "initialLoginLocation": " ",
133     "initialRegistrationDate": null,
134     "initialRegistrationIp": null,
135     "initialRegistrationLocation": null
136 },
137 "email": "san.sh555@gmail.com",
138 "phone": "+919874654244",
139 "dob": 663359640000,
140 "testUser": null
141 },
142 "detail": null,
143 "error": false,
144 "message": "Adding login channel successful"
145 }
```

**POST**

## Change Pic

### Description

Allows a user to change their profile picture.

### Request Endpoint

POST <https://<Example api server address>/user/{id}/profile/pic>

### Parameters

Parameter	Type	Use	Description
id	String	Required	uuid of the User.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     'https://core.dev.Example.net/api/user/id/profile/pic'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "error": false,  
3 |   "message": "Profile Image upload is successfully",  
4 |   "detail": null,  
5 |   "data": true  
6 | }
```

json

**POST****Create (User PIN)****Description**

A pin can be created for a user using this API.

**Request Endpoint**

POST <https://<Example api server address>/user/pin>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"loginType\": \"EMAIL\",  
6 |         \"emailAddress\": \"abc@gmail.com\",  
7 |         \"pin\": \"1234\"  
8 |     }" \  
9 | 'https://core.dev.Example.net/api/user/pin'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
loginType	String	Required	The login type (Can be "EMAIL", "MOBILE", "GOOGLE", "FACEBOOK", "TWITTER").
emailAddress	String	Conditional	Email address of the user in case of email login (mandatory for email login).
mobileNumber	String	Conditional	Mobile number of the user in case of mobile login (mandatory for mobile login).
socialId	String	Conditional	Social Id of the user in case of facebook, google or twitter login (mandatory for google, facebook or twitter login).
pin	String	Optional	PIN for the user. Should be a valid 4 digit numeric string.

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "loginType": "EMAIL",  
3 |     "emailAddress": "abc@gmail.com",  
4 |     "pin": "1234"  
5 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     "error": false,  
3 |     "message": "Creating pin successful",  
4 |     "detail": null,  
5 |     "data": true  
6 | }
```

json



**POST****Create SDK Record****Description**

Allows a user to save SDK information in a DB.

**Request Endpoint**

POST <https://<Example api server address>/user/sdkinfo>

**Parameters**

None.

**cURL syntax**

```

1 | curl --include \
2 |     --request POST \
3 |     --header "Content-Type: application/json" \
4 |     --data-binary "{
5 |         \"userId\": \"77fc6409-9e7c-4d1d-8c6c-160e95004dc6\",
6 |         \"applicationId\": \"23dcad17-73d9-4bef-bca4-f12e7f8e249b\",
7 |         \"udid\": \"gkfgji7-hg-876-hdfgfdgggb\",
8 |         \"deviceDescription\": \"good\",
9 |         \"deviceManufacturer\": \"rt67\",
10 |        \"deviceModel\": \"ng-09\",
11 |        \"deviceOS\": \"android\",
12 |        \"telephoneAvailability\": \"ffd\",
13 |        \"carriers\": \"3435\",
14 |        \"phoneNetworkType\": \"G3\",
15 |        \"dataNetworkType\": \"WIFI\",
16 |        \"ipAddress\": \"34.454.6.78\",
17 |        \"action\": \"Deposit\"
18 |    }" \
19 | 'https://core.dev.Example.net/api/user/sdkinfo'

```

**POST body attributes (JSON)**

Attribute	Type	Use	Description
<b>deviceOS</b>	String	Optional	Operating system of a device.
<b>telephoneAvailability</b>	String	Optional	Availability of a telephone.
<b>carriers</b>	String	Optional	Mobile carriers.
<b>phoneNetworkType</b>	String	Optional	A phone network type.
<b>dataNetworkType</b>	String	Optional	A data network type.
<b>ipAddress</b>	String	Optional	An ip address.
<b>action</b>	String	Optional	Indicates an action taken by a user.

**POST body**

**Headers:** Content-Type: application/json

```

1 | {
2 |     \"userId\": \"77fc6409-9e7c-4d1d-8c6c-160e95004dc6\",
3 |     \"applicationId\": \"23dcad17-73d9-4bef-bca4-f12e7f8e249b\",
4 |     \"udid\": \"gkfgji7-hg-876-hdfgfdgggb\",
5 |     \"deviceDescription\": \"good\",

```



```
6 | "deviceManufacturer": "rt67",
7 | "deviceModel": "ng-09",
8 | "deviceOS": "android",
9 | "telephoneAvailability": "ffd",
10 | "carriers": "3435",
11 | "phoneNetworkType": "G3",
12 | "dataNetworkType": "WIFI",
13 | "ipAddress": "34.454.6.78",
14 | "action": "Deposit"
15 | }
```

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {
2 |   "data": {
3 |     "id": "389b8e33-b1f7-4faa-be00-b4b0cfbaac32",
4 |     "updatedBy": "",
5 |     "userId": "77fc6409-9e7c-4d1d-8c6c-160e95004dc6",
6 |     "applicationId": "23dcad17-73d9-4bef-bca4-f12e7f8e249b",
7 |     "udid": "gkfgji7-hg-876-hdfgfdgggb",
8 |     "deviceDescription": "good",
9 |     "deviceManufacturer": "rt67",
10 |    "deviceModel": "ng-09",
11 |    "deviceOS": "android",
12 |    "telephoneAvailability": "ffd",
13 |    "carriers": "3435",
14 |    "phoneNetworkType": "G3",
15 |    "dataNetworkType": "WIFI",
16 |    "ipAddress": "34.454.6.78",
17 |    "action": "Deposit"
18 |   },
19 |   "detail": null,
20 |   "error": false,
21 |   "message": "Creating Sdk Information successful"
22 | }
```

json

## POST Create User Note

### Description

Allows a client to create a note for a user.

### Request Endpoint

POST <https://<Example api server address>/user/note>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"userId\": \"d53d9d0a-88a8-49a3-965b-416da7e4d889\",\  
6 |         \"content\": \"User happy\  
7 |     }" \  
8 |     'https://core.dev.Example.net/api/user/note'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
userId	String	Required	UUID of a User.
content	String	Required	Content of the note.

### POST body

**Headers:** Content-Type: application/json

```
1 | {\  
2 |     \"userId\": \"d53d9d0a-88a8-49a3-965b-416da7e4d889\",\  
3 |     \"content\": \"User happy\"\  
4 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |     \"data\": {\  
3 |         \"id\": \"2fbb8d7f-e6fb-43d8-9eaf-4f20008da17f\",\  
4 |         \"deleted\": false,\  
5 |         \"user\": {\  
6 |             \"id\": \"c15f25aa-1b4e-4f9d-918f-173074bb8107\",\  
7 |             \"deleted\": false,\  
8 |             \"addresses\": null,\  
9 |             \"devices\": [\  
10 |                 {\  
11 |                     \"id\": \"54171238-95b9-4f4f-bb84-cc4d5df045f0\",\  
12 |                     \"deleted\": false,\  
13 |                     \"description\": \"Old Device\",\  
14 |                     \"deviceStatus\": \"NORMAL\",
```

json

```

15     "manufacturer": "Apple",
16     "model": "iPhone 5",
17     "os": "iOS 9",
18     "udid": "2083718938012321038243",
19     "simStateHashCode": null,
20     "simCardState": null,
21     "deletedUdid": null,
22     "deletedBy": null,
23     "deletedOn": null
24 }
25 ],
26 "emailAuthenticationChannels": [
27   {
28     "addedOn": 1468583650199,
29     "blockStatus": "NORMAL",
30     "deletedOn": null,
31     "emailAddress": "navyag@gmail.com",
32     "emailPinResetStatus": "RESET_COMPLETE",
33     "emailVerificationStatus": "VERIFIED",
34     "lastUsedOn": 1468583650199,
35     "loginType": "EMAIL",
36     "primary": true,
37     "deleted": false,
38     "recycleEmailAddress": null
39   }
40 ],
41 "firstName": "Shruti",
42 "fullName": "Navya G",
43 "groupTag": [
44   "Apple",
45   "United Kingdom",
46   "iOS 9",
47   "1234234",
48   "EMAIL",
49   "iPhone 5"
50 ],
51 "lastName": "Nagarkar",
52 "locationCountry": "United Kingdom",
53 "locationZipCode": "1234234",
54 "mobileAuthenticationChannels": [],
55 "pinCreated": true,
56 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-image.p
57 "profileName": "Navyag",
58 "registrationDate": 1468583650198,
59 "socialAuthenticationChannels": [],
60 "status": "EXISTING",
61 "timezone": null,
62 "userSetting": {
63   "autoUpdateBetcadeApp": true,
64   "autoUpdateDownloadedApps": true,
65   "monthlyDepositMaxLimit": 0,
66   "monthlyDepositMaxLimitCurrency": "GBP",
67   "prefillUserInfoInCasino": true,
68   "receiveEmailReceipt": true,
69   "receiveNotifications": true,
70   "shareRegistrationInfo": true,
71   "userEmailProvided": true,
72   "versionOfDownloadedBetcadeApp": "v1",
73   "wifiDownloadLimitInMB": 0,
74   "preferredCategories": [],
75   "autoSaveCard": true,

```

```
76     "autoAddHomeIcon": true,
77     "receiveUpdateNotifications": true,
78     "receiveAutoUpdatedNotifications": true,
79     "receiveRecommendationNotifications": true,
80     "appSetting": {
81         "autoUpdateApps": true,
82         "addIconHomeScreen": false,
83         "saveNewCreditOrDebitCards": true,
84         "appUpdatesAvailable": true,
85         "appsWereAutoUpdated": true,
86         "recommendedContentAvailable": true
87     }
88 },
89     "verified": true,
90     "pinResetDate": null,
91     "kycStatus": "KYC_FAIL",
92     "singularId": null,
93     "acquisitionIds": null,
94     "userAuditInfo": null,
95     "email": null,
96     "phone": null,
97     "dob": null,
98     "testUser": null
99 },
100     "userId": "c15f25aa-1b4e-4f9d-918f-173074bb8107",
101     "content": "Test",
102     "recordedDate": 1472049779325
103 },
104     "detail": null,
105     "error": false,
106     "message": "Creating user note successful"
107 }
```

## DELETE Delete Account

### Description

Allows a user to delete their account.

### Request Endpoint

DELETE <https://<Example api server address>/user/{id}>

### Parameters

Parameter	Type	Use	Description
id	UUID	Required	uuid of the User.

### cURL syntax

```
curl --include \  
  --request DELETE \  
  --header "Content-Type: application/json" \  
  --data-binary "{  
    \"deviceUdid\" : \"d49b-3937-49\",  
    \"reasonForDeleting\" : \"User Interface is not friendly\",  
    \"deletedBy\" : \"Xyz\"  
  }" \  
  'https://core.dev.Example.net/api/user/id'
```

### DELETE body attributes (JSON)

Attribute	Type	Use	Description
deviceUdid	String	Required	UDID of the device.
reasonForDeleting	String	Optional	Reason for deleting the account.
deletedBy	String	Required	Identity of the person who changed the status.

### DELETE body

**Headers:** Content-Type: application/json

```
{  
  \"deviceUdid\": \"d49b-3937-49\",  
  \"reasonForDeleting\": \"User Interface is not friendly\",  
  \"deletedBy\": \"Xyz\"  
}
```

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
{  
  \"data\": true,  
  \"detail\": null,  
  \"error\": false,  
  \"message\": \"Deleted user successfully\"  
}
```



## DELETE Delete User Profile Image

### Description

Deletes the user profile image from a user profile.

### Request Endpoint

DELETE <https://<Example api server address>/user/{id}/profile/pic>

### Parameters

Parameter	Type	Use	Description
id	String	Required	uuid of the User.

### cURL syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 |     --header "Content-Type: application/json" \  
4 |     'https://core.dev.Example.net/api/user/id/profile/pic'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "error": false,  
3 |   "message": "Profile Image deleted successfully",  
4 |   "detail": null,  
5 |   "data": true  
6 | }
```

json

**GET**

## Fetch Categories With List of Applications Downloaded by a User

### Description

Fetches categories with a list of applications downloaded by a user.

### Request Endpoint

GET <https://<Example api server address>/user/{id}/app/downloads/category>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of a user.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/id/app/downloads/category'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "e068a967-4da6-40b3-ae83-f7c3d4af533e",  
6 |         "deleted": false,  
7 |         "imageUrl": "http://www.google.com/betting.png",  
8 |         "name": "Poker 1",  
9 |         "description": "Some poker category",  
10 |        "videoUrl": "https://www.google.com/betting-video.mov",  
11 |        "iconUrl": "https://www.google.com/betting-icon.png",  
12 |        "colorCode": "#FFFFFF",  
13 |        "heroImageReference": "https://www.google.com/hero.png",  
14 |        "priority": 1,  
15 |        "deletedBy": null,  
16 |        "deletedOn": null,  
17 |        "apps": [  
18 |          "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",  
19 |          "1bbba7f9-a8dd-4b84-abc8-19899b2cf0a7"  
20 |        ]  
21 |      },  
22 |      {  
23 |        "id": "86714a54-7325-4b63-b188-05e62d928539",  
24 |        "deleted": false,  
25 |        "imageUrl": "http://www.google.com/betting.png",  
26 |        "name": "EMkudkOYhw",  
27 |        "description": "Some poker category",  
28 |        "videoUrl": "https://www.google.com/betting-video.mov",  
29 |        "iconUrl": "https://www.google.com/betting-icon.png",  
30 |        "colorCode": "#FFFFFF",  
31 |        "heroImageReference": "https://www.google.com/hero.png",  
32 |        "priority": 1,  
33 |        "deletedBy": null,  
34 |        "deletedOn": null,  
35 |      }  
36 |    ]  
37 |   }  
38 | }
```

json



```
35     "apps": [  
36         "1bbba7f9-a8dd-4b84-abc8-19899b2cf0a7"  
37     ]  
38     }  
39 ],  
40 "last": true,  
41 "totalPages": 1,  
42 "totalElements": 2,  
43 "sort": null,  
44 "numberOfElements": 2,  
45 "first": true,  
46 "size": 70,  
47 "number": 0  
48 },  
49 "detail": null,  
50 "error": false,  
51 "message": "Fetching user downloaded applications by category."  
52 }
```

**GET**

## Fetch Category With List of Applications Downloaded by a User for a Particular Category

### Description

Fetches a casino with featured and latest applications.

### Request Endpoint

GET `https://<Example api server address>/user/{id}/app/downloads/category/{categoryid}`

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of a user.
categoryId	String	Required	UUID of a category.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/id/app/downloads/category/categoryid'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "e068a967-4da6-40b3-ae83-f7c3d4af533e",  
4 |     "deleted": false,  
5 |     "imageUrl": "http://www.google.com/betting.png",  
6 |     "name": "Poker 1",  
7 |     "description": "Some poker category",  
8 |     "videoUrl": "https://www.google.com/betting-video.mov",  
9 |     "iconUrl": "https://www.google.com/betting-icon.png",  
10 |    "colorCode": "#FFFFFF",  
11 |    "heroImageReference": "https://www.google.com/hero.png",  
12 |    "priority": 1,  
13 |    "deletedBy": null,  
14 |    "deletedOn": null,  
15 |    "apps": [  
16 |      "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",  
17 |      "1bbba7f9-a8dd-4b84-abc8-19899b2cf0a7"  
18 |    ]  
19 |  },  
20 |  "detail": null,  
21 |  "error": false,  
22 |  "message": "Fetching user downloaded applications by category."  
23 | }
```

json

**GET****Fetch User Criteria Attributes****Description**

Fetches user attributes to build a criteria.

**Request Endpoint**

GET <https://<Example api server address>/user/attributes>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/attributes'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "lastName": "String",  
4 |     "loginType": "LoginType",  
5 |     "addresses.postal": "String",  
6 |     "addresses.city": "String",  
7 |     "devices.udid": "String",  
8 |     "addresses.street1": "String",  
9 |     "addresses.street2": "String",  
10 |    "addresses.street": "String",  
11 |    "firstName": "String",  
12 |    "emailAddress": "String",  
13 |    "phone": "String",  
14 |    "addresses.state": "String",  
15 |    "dob": "String",  
16 |    "socialId": "String",  
17 |    "addresses.country": "String",  
18 |    "email": "String",  
19 |    "status": "UserStatus"  
20 |   },  
21 |   "detail": null,  
22 |   "error": false,  
23 |   "message": "Fetching all users attributes successful"  
24 | }
```

json

**GET**

## Fetch User Information

### Description

Fetch a user's information from a uuid.

### Request Endpoint

GET <https://<Example api server address>/user/{id}>

### Parameters

Parameter	Type	Use	Description
id	UUID	Required	The uuid of the user.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "error": false,  
3 |   "message": "Fetching user detail successful",  
4 |   "detail": null,  
5 |   "data": {  
6 |     "id": "d2e59517-d98e-447a-87e5-567094702614",  
7 |     "firstName": "Vishwas ",  
8 |     "lastName": "Shashidhar",  
9 |     "fullName": "Vishwas Shashidhar",  
10 |    "profileName": "Vishwas",  
11 |    "profileImagePath": null,  
12 |    "registrationDate": 1448899629867,  
13 |    "birthDateDay": 12,  
14 |    "birthDateMonth": 1,  
15 |    "birthDateYear": 1945,  
16 |    "locationCountry": "India",  
17 |    "locationZipCode": "1234234",  
18 |    "timezone": null,  
19 |    "userSetting": null,  
20 |    "socialAuthenticationChannels": [],  
21 |    "emailAuthenticationChannels": [],  
22 |    "mobileAuthenticationChannels": [  
23 |      {  
24 |        "primary": false,  
25 |        "mobileNumber": "+919845697457",  
26 |        "mobileVerificationStatus": "VERIFIED",  
27 |        "addedOn": 1448899629867,  
28 |        "lastUsedOn": 1448899629867  
29 |      }  
30 |    ],  
31 |    "addresses": null,  
32 |    "status": "NEW",  
33 |    "verified": true,  
34 |    "pinResetDate": null
```

json

35		}
36		}

**GET**

## Fetch User Login Types

### Description

Fetches all login types available.

### Request Endpoint

GET <https://<Example api server address>/user/login/types>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/login/types'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "FACEBOOK": "LoginType",  
4 |     "EMAIL": "LoginType",  
5 |     "type": "String",  
6 |     "TWITTER": "LoginType",  
7 |     "$VALUES": "LoginType[]",  
8 |     "GOOGLE": "LoginType",  
9 |     "MOBILE": "LoginType"  
10 |   },  
11 |   "detail": null,  
12 |   "error": false,  
13 |   "message": "Fetching user login type values successful."  
14 | }
```

json

**GET****Fetch User Notes****Description**

Allows a client to fetch the notes of a user.

**Request Endpoint**

GET `https://<Example api server address>/user/note/{userId}`

**Parameters**

Parameter	Type	Use	Description
userId	String	Required	UUID of the user.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/note/userId'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "2fbb8d7f-e6fb-43d8-9eaf-4f2008da17f",  
6 |         "deleted": false,  
7 |         "user": {  
8 |           "id": "c15f25aa-1b4e-4f9d-918f-173074bb8107",  
9 |           "deleted": false,  
10 |          "addresses": null,  
11 |          "devices": [  
12 |            {  
13 |              "id": "54171238-95b9-4f4f-bb84-cc4d5df045f0",  
14 |              "deleted": false,  
15 |              "description": "Old Device",  
16 |              "deviceStatus": "NORMAL",  
17 |              "manufacturer": "Apple",  
18 |              "model": "iPhone 5",  
19 |              "os": "iOS 9",  
20 |              "udid": "2083718938012321038243",  
21 |              "simStateHashCode": null,  
22 |              "simCardState": null,  
23 |              "deletedUdid": null,  
24 |              "deletedBy": null,  
25 |              "deletedOn": null  
26 |            }  
27 |          ],  
28 |          "emailAuthenticationChannels": [  
29 |            {  
30 |              "addedOn": 1468583650199,  
31 |              "blockStatus": "NORMAL",  
32 |              "deletedOn": null,  
33 |              "emailAddress": "navyag@gmail.com",  
34 |              "emailPinResetStatus": "RESET_COMPLETE",
```

json

```

35         "emailVerificationStatus": "VERIFIED",
36         "lastUsedOn": 1468583650199,
37         "loginType": "EMAIL",
38         "primary": true,
39         "deleted": false,
40         "recycleEmailAddress": null
41     }
42 ],
43     "firstName": "Shruti",
44     "fullName": "Navya G",
45     "groupTag": [
46         "Apple",
47         "United Kingdom",
48         "iOS 9",
49         "1234234",
50         "EMAIL",
51         "iPhone 5"
52     ],
53     "lastName": "Nagarkar",
54     "locationCountry": "United Kingdom",
55     "locationZipCode": "1234234",
56     "mobileAuthenticationChannels": [],
57     "pinCreated": true,
58     "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-ima
59     "profileName": "Navyag",
60     "registrationDate": 1468583650198,
61     "socialAuthenticationChannels": [],
62     "status": "EXISTING",
63     "timezone": null,
64     "userSetting": {
65         "autoUpdateBetcadeApp": true,
66         "autoUpdateDownloadedApps": true,
67         "monthlyDepositMaxLimit": 0,
68         "monthlyDepositMaxLimitCurrency": "GBP",
69         "prefillUserInfoInCasino": true,
70         "receiveEmailReceipt": true,
71         "receiveNotifications": true,
72         "shareRegistrationInfo": true,
73         "userEmailProvided": true,
74         "versionOfDownloadedBetcadeApp": "v1",
75         "wifiDownloadLimitInMB": 0,
76         "preferredCategories": [],
77         "autoSaveCard": true,
78         "autoAddHomeIcon": true,
79         "receiveUpdateNotifications": true,
80         "receiveAutoUpdatedNotifications": true,
81         "receiveRecommendationNotifications": true,
82         "appSetting": {
83             "autoUpdateApps": true,
84             "addIconHomeScreen": false,
85             "saveNewCreditOrDebitCards": true,
86             "appUpdatesAvailable": true,
87             "appsWereAutoUpdated": true,
88             "recommendedContentAvailable": true
89         }
90     },
91     "verified": true,
92     "pinResetDate": null,
93     "kycStatus": "KYC_FAIL",
94     "singularId": null,
95     "acquisitionIds": null,

```



```
96     "userAuditInfo": null,  
97     "email": null,  
98     "phone": null,  
99     "dob": null,  
100    "testUser": null  
101  },  
102  "userId": null,  
103  "content": "Test",  
104  "recordedDate": 1472049779325  
105  }  
106 ],  
107 "last": true,  
108 "totalPages": 1,  
109 "totalElements": 1,  
110 "size": 70,  
111 "number": 0,  
112 "sort": null,  
113 "first": true,  
114 "numberOfElements": 1  
115 },  
116 "detail": null,  
117 "error": false,  
118 "message": "Fetching user notes successful"  
119 }
```

**GET****Fetch User Private Information****Description**

Fetches user private information like DOB, emailAddress, mobileNumber, BillingAddress.

**Request Endpoint**

GET `https://<Example api server address>/user/{userid}/private/info`

**Parameters**

Parameter	Type	Use	Description
userid	String	Required	UUID of a User.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/userid/private/info'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "dob": "1991-09-15",  
4 |     "emailAddress": "rn.shruti@gmail.com",  
5 |     "mobileNumber": "+918050022027",  
6 |     "billingAddress": {  
7 |       "street": "3rd cross",  
8 |       "street2": "wilson garden",  
9 |       "city": "Bangalore",  
10 |      "state": "karnataka",  
11 |      "postalCode": "134413",  
12 |      "countryCode": "IND"  
13 |     }  
14 |   },  
15 |   "detail": null,  
16 |   "error": false,  
17 |   "message": "Fetching user private info successful"  
18 | }
```

json

## POST Fetch Users by Multiple Criteria

### Description

Fetches users with multiple criteria.

### Request Endpoint

POST <https://<Example api server address>/user/fetch/bycriteria>

### Parameters

None.

### cURL Syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \"searchCriteriaList\" : [  
6         {  
7             \"field\" : \"addresses.country\",  
8             \"startValue\" : \"kingdon\"  
9         }  
10    ]  
11 }" \  
12 'https://core.dev.Example.net/api/user/fetch/bycriteria'
```

https

### POST body

**Headers:** Content-Type: application/json

```
1 {  
2     "searchCriteriaList": [  
3         "field": "addresses.country",  
4         "startValue": "kingdon"  
5     ]  
6 }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 {  
2     "data": {  
3         "content": [  
4             {  
5                 "id": "9a33492a-0a9b-4eef-87cd-f4fdcd8a705a",  
6                 "createdOn": 1475730250180,  
7                 "lastModifiedOn": 1479887647762,  
8                 "updatedBy": "",  
9                 "deleted": false,  
10                "addresses": [  
11                    {  
12                        "id": "e2459859-7de1-4e5c-a363-e6428ec4c9b6",  
13                        "createdOn": 1479887647733,  
14                        "lastModifiedOn": 1479887647733,  
15                        "updatedBy": "",  
16                        "deleted": false,
```

json

```

17     "addressType": "BILLING",
18     "city": "ewhere",
19     "country": "Kingdon",
20     "countryCode": null,
21     "county": "Clark gjv",
22     "postal": "89105",
23     "state": "stsd",
24     "street": null,
25     "street1": "Tes",
26     "street2": "fsf",
27     "street3": "35sf"
28   }
29 ],
30 "devices": [
31   {
32     "id": "9146350a-8104-4fd3-aa2c-601afc43f2a9",
33     "createdOn": 1474966270642,
34     "lastModifiedOn": 1474966270642,
35     "updatedBy": "",
36     "deleted": false,
37     "description": "Old Device",
38     "deviceStatus": "NORMAL",
39     "manufacturer": "Apple",
40     "model": "iPhone 5",
41     "os": "iOS 9",
42     "udid": "2083718938012321038243",
43     "simStateHashCode": null,
44     "simCardState": null,
45     "deletedUdid": null,
46     "deletedBy": null,
47     "deletedOn": null,
48     "name": "Moto",
49     "brand": null,
50     "androidID": "etr657y",
51     "advertiserID": null,
52     "operator": null,
53     "country": "India",
54     "language": "English",
55     "screenWidthInPixels": null,
56     "screenHeightInPixels": null,
57     "screenWidthInInches": null,
58     "screenHeightInInches": null
59   }
60 ],
61 "emailAuthenticationChannels": [],
62 "firstName": "Shruti",
63 "fullName": "Sudipta Bhaumik",
64 "groupTag": [
65   "FACEBOOK",
66   "Apple",
67   "United Kingdom",
68   "iOS 9",
69   "1234234",
70   "iPhone 5",
71   "india",
72   "260057",
73   "ewhere",
74   "stsd",
75   "Kingdon",
76   "Clark gjv",
77   "89105"

```

```

78     ],
79     "lastName": "Nagarkar",
80     "locationCountry": "india",
81     "locationZipCode": "260057",
82     "mobileAuthenticationChannels": [],
83     "pinCreated": true,
84     "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-image",
85     "profileName": "profile",
86     "registrationDate": 1475730247428,
87     "socialAuthenticationChannels": [
88         {
89             "addedOn": 1475730250140,
90             "blockStatus": "NORMAL",
91             "deletedOn": null,
92             "lastUsedOn": 1475730250140,
93             "loginType": "FACEBOOK",
94             "socialId": "sef4t434",
95             "deleted": false,
96             "recycleSocialId": null,
97             "emailAddress": null,
98             "profileName": null
99         }
100    ],
101    "status": "NEW",
102    "timezone": "IST",
103    "userSetting": {
104        "autoUpdateBetcadeApp": true,
105        "autoUpdateDownloadedApps": true,
106        "monthlyDepositMaxLimit": 0,
107        "monthlyDepositMaxLimitCurrency": "GBP",
108        "prefillUserInfoInCasino": true,
109        "receiveEmailReceipt": true,
110        "receiveNotifications": true,
111        "shareRegistrationInfo": true,
112        "userEmailProvided": true,
113        "versionOfDownloadedBetcadeApp": "v1",
114        "wifiDownloadLimitInMB": 0,
115        "preferredCategories": [],
116        "autoSaveCard": true,
117        "autoAddHomeIcon": true,
118        "receiveUpdateNotifications": true,
119        "receiveAutoUpdatedNotifications": true,
120        "receiveRecommendationNotifications": true,
121        "preferredCurrency": null,
122        "appSetting": {
123            "autoUpdateApps": 2,
124            "addIconHomeScreen": false,
125            "saveNewCreditOrDebitCards": true,
126            "appUpdatesAvailable": true,
127            "appsWereAutoUpdated": true,
128            "recommendedContentAvailable": true
129        }
130    },
131    "verified": true,
132    "pinResetDate": null,
133    "pinChangeDate": null,
134    "singularId": null,
135    "acquisitionIds": null,
136    "userAuditInfo": {
137        "initialLoginDate": 1475730247428,
138        "initialLoginIp": "127.0.0.1",

```

```

139     "initialLoginLocation": " ",
140     "initialRegistrationDate": 1475730290789,
141     "initialRegistrationIp": "127.0.0.1",
142     "initialRegistrationLocation": " "
143 },
144 "email": "rn.shruti@gmail.com",
145 "phone": "+918050022027",
146 "dob": 663878340000,
147 "statusBeforeBlacklisting": null,
148 "muid": null,
149 "testUser": null
150 },
151 {
152     "id": "491c6bc6-8a6f-4e44-aa08-d66e36a65eec",
153     "createdOn": 1474966273775,
154     "lastModifiedOn": 1479887033703,
155     "updatedBy": "",
156     "deleted": false,
157     "addresses": [
158         {
159             "id": "9617a0ae-b8d1-4f6d-a108-9236e66e7586",
160             "createdOn": 1479887033409,
161             "lastModifiedOn": 1479887033409,
162             "updatedBy": "",
163             "deleted": false,
164             "addressType": "BILLING",
165             "city": "Somewhere",
166             "country": "United Kingdon",
167             "countryCode": null,
168             "county": "Clark",
169             "postal": "89101",
170             "state": "st",
171             "street": null,
172             "street1": "123 Test Ln",
173             "street2": "",
174             "street3": ""
175         }
176     ],
177     "devices": [
178         {
179             "id": "9146350a-8104-4fd3-aa2c-601afc43f2a9",
180             "createdOn": 1474966270642,
181             "lastModifiedOn": 1474966270642,
182             "updatedBy": "",
183             "deleted": false,
184             "description": "Old Device",
185             "deviceStatus": "NORMAL",
186             "manufacturer": "Apple",
187             "model": "iPhone 5",
188             "os": "iOS 9",
189             "udid": "2083718938012321038243",
190             "simStateHashCode": null,
191             "simCardState": null,
192             "deletedUdid": null,
193             "deletedBy": null,
194             "deletedOn": null,
195             "name": "Moto",
196             "brand": null,
197             "androidID": "etr657y",
198             "advertiserID": null,
199             "operator": null,

```

```

200     "country": "India",
201     "language": "English",
202     "screenWidthInPixels": null,
203     "screenHeightInPixels": null,
204     "screenWidthInInches": null,
205     "screenHeightInInches": null
206   }
207 ],
208 "emailAuthenticationChannels": [],
209 "firstName": "Shruti",
210 "fullName": "Sudipta Bhaumik",
211 "groupTag": [
212   "FACEBOOK",
213   "Apple",
214   "United Kingdom",
215   "iOS 9",
216   "1234234",
217   "iPhone 5",
218   "india",
219   "260057",
220   "Somewhere",
221   "st",
222   "United Kingdon",
223   "Clark",
224   "89101"
225 ],
226 "lastName": "Nagarkar",
227 "locationCountry": "india",
228 "locationZipCode": "260057",
229 "mobileAuthenticationChannels": [
230   {
231     "addedOn": 1474966273458,
232     "blockStatus": "NORMAL",
233     "deletedOn": null,
234     "lastUsedOn": 1474966273458,
235     "loginType": "MOBILE",
236     "mobileNumber": null,
237     "mobilePinResetStatus": null,
238     "mobileVerificationStatus": null,
239     "primary": null,
240     "deleted": false,
241     "recycleMobileNumber": null
242   }
243 ],
244 "pinCreated": true,
245 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-image",
246 "profileName": "profile",
247 "registrationDate": 1474966271005,
248 "socialAuthenticationChannels": null,
249 "status": "NEW",
250 "timezone": "IST",
251 "userSetting": {
252   "autoUpdateBetcadeApp": true,
253   "autoUpdateDownloadedApps": true,
254   "monthlyDepositMaxLimit": 0,
255   "monthlyDepositMaxLimitCurrency": "GBP",
256   "prefillUserInfoInCasino": true,
257   "receiveEmailReceipt": true,
258   "receiveNotifications": true,
259   "shareRegistrationInfo": true,
260   "userEmailProvided": true,

```

```

261     "versionOfDownloadedBetcadeApp": "v1",
262     "wifiDownloadLimitInMB": 0,
263     "preferredCategories": [],
264     "autoSaveCard": true,
265     "autoAddHomeIcon": true,
266     "receiveUpdateNotifications": true,
267     "receiveAutoUpdatedNotifications": true,
268     "receiveRecommendationNotifications": true,
269     "preferredCurrency": null,
270     "appSetting": {
271         "autoUpdateApps": 2,
272         "addIconHomeScreen": false,
273         "saveNewCreditOrDebitCards": true,
274         "appUpdatesAvailable": true,
275         "appsWereAutoUpdated": true,
276         "recommendedContentAvailable": true
277     }
278 },
279     "verified": true,
280     "pinResetDate": null,
281     "pinChangeDate": null,
282     "singularId": null,
283     "acquisitionIds": null,
284     "userAuditInfo": {
285         "initialLoginDate": 1474966271005,
286         "initialLoginIp": "127.0.0.1",
287         "initialLoginLocation": " ",
288         "initialRegistrationDate": 1474997035043,
289         "initialRegistrationIp": "127.0.0.1",
290         "initialRegistrationLocation": " "
291     },
292     "email": "rn.shruti@gmail.com",
293     "phone": "+918050022027",
294     "dob": 663878340000,
295     "statusBeforeBlacklisting": null,
296     "muid": null,
297     "testUser": null
298 }
299 ],
300     "last": true,
301     "totalPages": 1,
302     "totalElements": 2,
303     "numberOfElements": 2,
304     "sort": [
305         {
306             "direction": "DESC",
307             "property": "lastModifiedOn",
308             "ignoreCase": false,
309             "nullHandling": "NATIVE",
310             "ascending": false
311         }
312     ],
313     "first": true,
314     "size": 70,
315     "number": 0
316 },
317     "detail": null,
318     "error": false,
319     "message": "Fetching all users criteria successful",
320     "code": "1000"
321 }

```





## Description

A user can fetch all SDK information.

## Request Endpoint

GET <https://<Example api server address>/user/sdkinfo>

## Parameters

None.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/sdkinfo'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "389b8e33-b1f7-4faa-be00-b4b0cfbaac32",  
4 |     "updatedBy": "",  
5 |     "uuid": "77fc6409-9e7c-4d1d-8c6c-160e95004dc6",  
6 |     "applicationId": "23dcad17-73d9-4bef-bca4-f12e7f8e249b",  
7 |     "udid": "gkfgji7-hg-876-hdfgfdgggb",  
8 |     "deviceDescription": "good",  
9 |     "deviceManufacturer": "rt67",  
10 |    "deviceModel": "ng-09",  
11 |    "deviceOS": "android",  
12 |    "telephoneAvailability": "ffd",  
13 |    "carriers": "3435",  
14 |    "phoneNetworkType": "G3",  
15 |    "dataNetworkType": "WIFI",  
16 |    "ipAddress": "34.454.6.78"  
17 |  },  
18 |  {  
19 |    "id": "3e33-b1f7-4faa-be00-b4b0cfbaac32",  
20 |    "updatedBy": "",  
21 |    "uuid": "7b6c4-a5ac-41e4-8ac1-4a1780ecdaec",  
22 |    "applicationId": "fdgfgg97668",  
23 |    "udid": "gkfgji787",  
24 |    "deviceDescription": "dfhj",  
25 |    "deviceManufacturer": "rt67",  
26 |    "deviceModel": "ng",  
27 |    "deviceOS": "ggfdg",  
28 |    "telephoneAvailability": "ffd",  
29 |    "carriers": "3435",  
30 |    "phoneNetworkType": "G3",  
31 |    "dataNetworkType": "WIFI",  
32 |    "ipAddress": "34.4545.6"  
33 |  }  
34 | ],  
35 | "detail": null,  
36 | "error": false,  
37 | "message": "Fetching Sdk Information succesfully"  
38 | }
```

json



## Description

Fetches applications downloaded by other Users.

## Request Endpoint

GET `https://<Example api server address>/user/{id}/other/app/{appid}/downloads`

## Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of a user.
appId	String	Required	UUID of an application.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/id/other/app/appid/downloads' curl
```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | { json  
2 |   "data": [  
3 |     {  
4 |       "id": "1bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",  
5 |       "deleted": false,  
6 |       "name": "Application1",  
7 |       "appPackage": "appPac",  
8 |       "bundleIdentifier": "app1",  
9 |       "casino": {  
10 |         "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",  
11 |         "deleted": false,  
12 |         "name": "Poker 26",  
13 |         "videoUrl": "https://www.google.com/betting-video.mov",  
14 |         "imageUrl": "http://www.google.com/betting.png",  
15 |         "description": "This casino has lot of game apps1",  
16 |         "website": "http://www.casino1.com",  
17 |         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",  
18 |         "banner": "banner2345",  
19 |         "deletedBy": null,  
20 |         "deletedOn": null,  
21 |         "operatorStatus": "NEW",  
22 |         "email": null,  
23 |         "userRole": "OPERATOR",  
24 |         "firstName": null,  
25 |         "lastName": null,  
26 |         "address": null,  
27 |         "externalId": null,  
28 |         "featuredAppId": null,  
29 |         "latestAppId": null  
30 |       },  
31 |       "casinoId": null,  
32 |       "categories": [  
33 |
```

```

33     {
34         "id": "e068a967-4da6-40b3-ae83-f7c3d4af533e",
35         "deleted": false,
36         "imageUrl": "http://www.google.com/betting.png",
37         "name": "Poker 1",
38         "description": "Some poker category",
39         "videoUrl": "https://www.google.com/betting-video.mov",
40         "iconUrl": "https://www.google.com/betting-icon.png",
41         "colorCode": "#FFFFFF",
42         "heroImageReference": "https://www.google.com/hero.png",
43         "priority": 1,
44         "deletedBy": null,
45         "deletedOn": null,
46         "apps": null
47     },
48     {
49         "id": "86714a54-7325-4b63-b188-05e62d928539",
50         "deleted": false,
51         "imageUrl": "http://www.google.com/betting.png",
52         "name": "EMkudkOYhw",
53         "description": "Some poker category",
54         "videoUrl": "https://www.google.com/betting-video.mov",
55         "iconUrl": "https://www.google.com/betting-icon.png",
56         "colorCode": "#FFFFFF",
57         "heroImageReference": "https://www.google.com/hero.png",
58         "priority": 1,
59         "deletedBy": null,
60         "deletedOn": null,
61         "apps": null
62     }
63 ],
64 "categoryIds": null,
65 "downloads": 20,
66 "featured": true,
67 "applicationVersionIds": null,
68 "keywords": [
69     "key1",
70     "key2",
71     "key3"
72 ],
73 "latestBuild": 18,
74 "latestVersion": "v0.3",
75 "initialVersionPublishDate": null,
76 "latestVersionPublishDate": null,
77 "order": 345,
78 "paragraph1": "1 paragraph",
79 "paragraph2": "2st paragraph",
80 "paragraph3": "3st paragraph",
81 "paragraph4": "4th para",
82 "presetPricelist": null,
83 "price": 3436,
84 "publisherId": null,
85 "publisher": null,
86 "ranking": 23,
87 "subtitle": "subtitle",
88 "updated": null,
89 "status": "PUBLISHED",
90 "downloadLink": null,
91 "compatibility": "kitkat",
92 "sizeOnDisk": "12MB",
93 "permissionDetails": "You should have kitkat version to run this app",

```

```

94     "additionalDetails": "This application is very popular",
95     "tags": null,
96     "rating": {
97         "count": 0,
98         "overall": 0,
99         "gamePlay": 0,
100        "design": 0,
101        "ease": 0
102    },
103    "silent": {
104        "min": 1,
105        "max": 1
106    },
107    "normal": {
108        "min": 1,
109        "max": 1
110    },
111    "mandatory": {
112        "min": 1,
113        "max": 1
114    },
115    "downgrade": {
116        "min": null,
117        "max": null
118    },
119    "deletedBy": null,
120    "deletedOn": null,
121    "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
122    "sliderImages": [
123        {
124            "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
125            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
126            "order": 1
127        },
128        {
129            "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
130            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
131            "order": 0
132        }
133    ],
134    "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
135    "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
136    "icon": null,
137    "featuredImage": null,
138    "privacyPolicy": null,
139    "locationSupported": [
140        "India",
141        "UK"
142    ],
143    "languageSupported": [
144        "English",
145        "French"
146    ]
147    }
148 ],
149 "detail": null,
150 "error": false,
151 "message": "Fetching applications downloaded by other Users."
152 }

```



**GET****Fetching Starter Packs By User****Description**

Fetches the top 4 most-used apps by downloads across categories that the user selected.

**Request Endpoint**

GET `https://<Example api server address>/user/{id}/starter/packs`

**Parameters**

Parameter	Type	Use	Description
id	String	Required	UUID of a user.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/id/starter/packs'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "1bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",  
5 |       "deleted": false,  
6 |       "name": "Application1",  
7 |       "appPackage": "appPac",  
8 |       "bundleIdentifier": "app1",  
9 |       "casino": {  
10 |         "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",  
11 |         "deleted": false,  
12 |         "name": "Poker 26",  
13 |         "videoUrl": "https://www.google.com/betting-video.mov",  
14 |         "imageUrl": "http://www.google.com/betting.png",  
15 |         "description": "This casino has lot of game apps1",  
16 |         "website": "http://www.casino1.com",  
17 |         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",  
18 |         "banner": "banner2345",  
19 |         "deletedBy": null,  
20 |         "deletedOn": null,  
21 |         "operatorStatus": "NEW",  
22 |         "email": null,  
23 |         "userRole": "OPERATOR",  
24 |         "firstName": null,  
25 |         "lastName": null,  
26 |         "address": null,  
27 |         "externalId": null,  
28 |         "featuredAppId": null,  
29 |         "latestAppId": null  
30 |       },  
31 |       "casinoId": null,  
32 |       "categories": [  
33 |         {  
34 |           "id": "e068a967-4da6-40b3-ae83-f7c3d4af533e",
```

json



```

35     "deleted": false,
36     "imageUrl": "http://www.google.com/betting.png",
37     "name": "Poker 1",
38     "description": "Some poker category",
39     "videoUrl": "https://www.google.com/betting-video.mov",
40     "iconUrl": "https://www.google.com/betting-icon.png",
41     "colorCode": "#FFFFFF",
42     "heroImageReference": "https://www.google.com/hero.png",
43     "priority": 1,
44     "deletedBy": null,
45     "deletedOn": null,
46     "apps": null
47   },
48   {
49     "id": "86714a54-7325-4b63-b188-05e62d928539",
50     "deleted": false,
51     "imageUrl": "http://www.google.com/betting.png",
52     "name": "EMkudkOYhW",
53     "description": "Some poker category",
54     "videoUrl": "https://www.google.com/betting-video.mov",
55     "iconUrl": "https://www.google.com/betting-icon.png",
56     "colorCode": "#FFFFFF",
57     "heroImageReference": "https://www.google.com/hero.png",
58     "priority": 1,
59     "deletedBy": null,
60     "deletedOn": null,
61     "apps": null
62   }
63 ],
64 "categoryIds": null,
65 "downloads": 20,
66 "featured": true,
67 "applicationVersionIds": null,
68 "keywords": [
69   "key1",
70   "key2",
71   "key3"
72 ],
73 "latestBuild": 18,
74 "latestVersion": "v0.3",
75 "initialVersionPublishDate": null,
76 "latestVersionPublishDate": null,
77 "order": 345,
78 "paragraph1": "1 paragraph",
79 "paragraph2": "2st paragraph",
80 "paragraph3": "3st paragraph",
81 "paragraph4": "4th para",
82 "presetPricelist": null,
83 "price": 3436,
84 "publisherId": null,
85 "publisher": null,
86 "ranking": 23,
87 "subtitle": "subtitle",
88 "updated": null,
89 "status": "PUBLISHED",
90 "downloadLink": null,
91 "compatibility": "kitkat",
92 "sizeOnDisk": "12MB",
93 "permissionDetails": "You should have kitkat version to run this app",
94 "additionalDetails": "This application is very popular",
95 "tags": null,

```

```

96     "rating": {
97         "count": 0,
98         "overall": 0,
99         "gamePlay": 0,
100        "design": 0,
101        "ease": 0
102    },
103    "silent": {
104        "min": 1,
105        "max": 1
106    },
107    "normal": {
108        "min": 1,
109        "max": 1
110    },
111    "mandatory": {
112        "min": 1,
113        "max": 1
114    },
115    "downgrade": {
116        "min": null,
117        "max": null
118    },
119    "deletedBy": null,
120    "deletedOn": null,
121    "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
122    "sliderImages": [
123        {
124            "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
125            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
126            "order": 1
127        },
128        {
129            "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
130            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
131            "order": 0
132        }
133    ],
134    "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
135    "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
136    "icon": null,
137    "featuredImage": null,
138    "privacyPolicy": null,
139    "locationSupported": [
140        "India",
141        "UK"
142    ],
143    "languageSupported": [
144        "English",
145        "French"
146    ]
147 },
148 {
149     "id": "2bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",
150     "deleted": false,
151     "name": "Application2",
152     "appPackage": "appPac",
153     "bundleIdentifier": "app2",
154     "casino": {
155         "id": "2ffc77e5-6dea-45a7-8b40-bb19e9b2615a",
156         "deleted": false,

```

```

157     "name": "DgDvmvkDXG",
158     "videoUrl": null,
159     "imageUrl": null,
160     "description": null,
161     "website": null,
162     "icon": null,
163     "banner": null,
164     "deletedBy": null,
165     "deletedOn": null,
166     "operatorStatus": "INVITED",
167     "email": "5b5afdb68dc4469d93432c263e57625b@gmail.com",
168     "userRole": "OPERATOR",
169     "firstName": null,
170     "lastName": null,
171     "address": null,
172     "externalId": null,
173     "featuredAppId": null,
174     "latestAppId": null
175 },
176 "casinoId": null,
177 "categories": [
178     {
179         "id": "86714a54-7325-4b63-b188-05e62d928539",
180         "deleted": false,
181         "imageUrl": "http://www.google.com/betting.png",
182         "name": "EMkudkOYhW",
183         "description": "Some poker category",
184         "videoUrl": "https://www.google.com/betting-video.mov",
185         "iconUrl": "https://www.google.com/betting-icon.png",
186         "colorCode": "#FFFFFF",
187         "heroImageReference": "https://www.google.com/hero.png",
188         "priority": 1,
189         "deletedBy": null,
190         "deletedOn": null,
191         "apps": null
192     }
193 ],
194 "categoryIds": null,
195 "downloads": 5,
196 "featured": true,
197 "applicationVersionIds": null,
198 "keywords": [
199     "key1",
200     "key2",
201     "key3"
202 ],
203 "latestBuild": 18,
204 "latestVersion": "v0.3",
205 "initialVersionPublishDate": null,
206 "latestVersionPublishDate": null,
207 "order": 345,
208 "paragraph1": "1 paragraph",
209 "paragraph2": "2st paragraph",
210 "paragraph3": "3st paragraph",
211 "paragraph4": "4th para",
212 "presetPricelist": null,
213 "price": 3436,
214 "publisherId": null,
215 "publisher": null,
216 "ranking": 23,
217 "subtitle": "subtitle",

```

```

218     "updated": null,
219     "status": "PUBLISHED",
220     "downloadLink": null,
221     "compatibility": "kitkat",
222     "sizeOnDisk": "12MB",
223     "permissionDetails": "You should have kitkat version to run this app",
224     "additionalDetails": "This application is very popular",
225     "tags": null,
226     "rating": {
227         "count": 0,
228         "overall": 0,
229         "gamePlay": 0,
230         "design": 0,
231         "ease": 0
232     },
233     "silent": {
234         "min": 1,
235         "max": 1
236     },
237     "normal": {
238         "min": 1,
239         "max": 1
240     },
241     "mandatory": {
242         "min": 1,
243         "max": 1
244     },
245     "downgrade": {
246         "min": null,
247         "max": null
248     },
249     "deletedBy": null,
250     "deletedOn": null,
251     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
252     "sliderImages": [
253         {
254             "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
255             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
256             "order": 1
257         },
258         {
259             "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
260             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
261             "order": 0
262         }
263     ],
264     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
265     "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
266     "icon": null,
267     "featuredImage": null,
268     "privacyPolicy": null,
269     "locationSupported": [
270         "India",
271         "UK"
272     ],
273     "languageSupported": [
274         "English",
275         "French"
276     ]
277 }
278 ],

```

```
279 | "detail": null,  
280 | "error": false,  
281 | "message": "Fetching user starter packs info successful"  
282 | }
```

**GET**

## Get SDK Information Based on UserId

### Description

This service will fetch SDK information based on the based on UserId passed.

### Request Endpoint

GET <https://<Example api server address>/user/sdkinfo/byuserid/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of the user.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/sdkinfo/byuserid/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "49abfd0e-0cf9-4f5c-b98f-6628dcb07fd1",  
4 |     "updatedBy": "",  
5 |     "uuid": "7b680bc4-a5ac-41e4-8ac1-4a1780ecdaec",  
6 |     "applicationId": "fdgfgg97668",  
7 |     "udid": "gkfgji787",  
8 |     "deviceDescription": "dfhj",  
9 |     "deviceManufacturer": "rt67",  
10 |    "deviceModel": "ng",  
11 |    "deviceOS": "ggfdg",  
12 |    "telephoneAvailability": "ffd",  
13 |    "carriers": "3435",  
14 |    "phoneNetworkType": "G3",  
15 |    "dataNetworkType": "WIFI",  
16 |    "ipAddress": "34.4545.6"  
17 |  },  
18 |  "detail": null,  
19 |  "error": false,  
20 |  "message": "Fetched Sdk Information succesfully"  
21 | }
```

json

**GET**

## Get SDK Information Based on DeviceUDID

### Description

This service will fetch SDK information based on DeviceUdid passed.

### Request Endpoint

GET <https://<Example api server address>/user/sdkinfo/bydeviceudid/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UDID of the device.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/sdkinfo/bydeviceudid/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "49abfd0e-0cf9-4f5c-b98f-6628dcb07fd1",  
4 |     "updatedBy": "",  
5 |     "uuid": "7b680bc4-a5ac-41e4-8ac1-4a1780ecdaec",  
6 |     "applicationId": "fdgfgg97668",  
7 |     "udid": "gkfgji787",  
8 |     "deviceDescription": "dfhj",  
9 |     "deviceManufacturer": "rt67",  
10 |    "deviceModel": "ng",  
11 |    "deviceOS": "ggfdg",  
12 |    "telephoneAvailability": "ffd",  
13 |    "carriers": "3435",  
14 |    "phoneNetworkType": "G3",  
15 |    "dataNetworkType": "WIFI",  
16 |    "ipAddress": "34.4545.6"  
17 |  },  
18 |  "detail": null,  
19 |  "error": false,  
20 |  "message": "Fetched Sdk Information succesfully"  
21 | }
```

json

**GET****Get Verification Pending Credentials of a User****Description**

Fetches all credentials of a user whose verification is still pending.

**Request Endpoint**

GET `https://<Example api server address>/user/{id}/verification/pending/credential`

**Parameters**

Parameter	Type	Use	Description
id	String	Required	UUID of an existing user.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/id/verification/pending/credential' | curl
```

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | { | json  
2 |   "data": {  
3 |     "mobileAuthenticationChannels": [],  
4 |     "emailAuthenticationChannels": [  
5 |       {  
6 |         "addedOn": 1455625239183,  
7 |         "blockStatus": "NORMAL",  
8 |         "deletedOn": null,  
9 |         "emailAddress": "rn.shruti@gmail.com",  
10 |        "emailPinResetStatus": "RESET_NA",  
11 |        "emailVerificationStatus": "VERIFICATION_PENDING",  
12 |        "lastUsedOn": 1455625239183,  
13 |        "loginType": "EMAIL",  
14 |        "primary": null  
15 |      }  
16 |    ]  
17 |  },  
18 |  "detail": null,  
19 |  "error": false,  
20 |  "message": "Fetching verification pending credentials of an user successful"  
21 | }
```



**Description**

A user can be registered using one of the login methods: Email, Mobile, Facebook, Twitter or Google.

**Request Endpoint**

POST <https://<Example api server address>/user/login>

**Parameters**

None.

**cURL syntax**

```

1  curl --include \
2      --request POST \
3      --header "Content-Type: application/json" \
4      --data-binary "{
5  \"loginType\": \"FACEBOOK\",
6  \"socialId\": \"s1123\",
7  \"primary\": true,
8  \"firstName\": \"ABC \",
9  \"lastName\": \"DEF\",
10  \"profileName\": \"ABC\",
11  \"profileImage\": \"https://jfjh.jdhhg.png\",
12  \"birthDateDay\": 12,
13  \"birthDateMonth\": 1,
14  \"birthDateYear\": 1945,
15  \"locationCountry\": \"United Kingdom\",
16  \"locationZipCode\": \"1234234\",
17  \"device\": {
18    \"udid\": \"2083718938012321038243\",
19    \"description\": \"Old Device\",
20    \"manufacturer\": \"Apple\",
21    \"model\": \"iPhone 5\",
22    \"os\": \"iOS 9\",
23    \"name\": \"Moto\",
24    \"androidID\": \"etr657y\",
25    \"advertiserID\": \"gfhy67\",
26    \"operator\": null,
27    \"country\": \"India\",
28    \"language\": \"English\",
29    \"screenWidth\": \"5\",
30    \"screenHeight\": \"9\",
31    \"brand\": null
32  },
33  \"email\": \"san.sh555@gmail.com\",
34  \"phone\": \"+919874654244\",
35  \"dob\": \"1991-04-09\",
36  \"socialEmail\": \"san.sh555@gmail.com\",
37  \"socialProfileName\": \"facebook\"
38  }" \
39  'https://core.dev.Example.net/api/user/login'

```

**POST body attributes (JSON)**

Attribute	Type	Use	Description
-----------	------	-----	-------------

<b>loginType</b>	String	Required	The login type (can be "EMAIL", "MOBILE", "GOOGLE", "FACEBOOK", "TWITTER").
<b>emailAddress</b>	String	Conditional	Email address of the user in case of email login (mandatory for email login).
<b>mobileNumber</b>	String	Conditional	Mobile number of the user in case of mobile login (mandatory for mobile login).
<b>socialId</b>	String	Conditional	Social Id of the user in the case of a facebook, google or twitter login (mandatory for google, facebook or twitter login).
<b>primary</b>	String	Optional	Indicates if the login mechanism is primary for the user.
<b>firstName</b>	String	Optional	First Name of the user.
<b>lastName</b>	String	Optional	Last Name of the user.
<b>profileName</b>	String	Optional	Profile name of the user.
<b>birthDateDay</b>	Number	Optional	Birth Date day of the user.
<b>birthDateMonth</b>	Number	Optional	Birth Date month of the user.
<b>birthDateYear</b>	Number	Optional	Birth Date Year of the user.
<b>locationCountry</b>	String	Optional	Country of the user.
<b>locationZipCode</b>	String	Optional	Zip code of the user.
<b>device</b>	Object	Optional	Device details of the user.
<b>udid</b>	String	Required	UDID of the device the user is using.
<b>description</b>	String	Optional	description of the device.
<b>manufacturer</b>	String	Optional	Manufacturer of the device.
<b>model</b>	String	Optional	The device model.
<b>os</b>	String	Optional	The current operating system of the device.
<b>name</b>	String	Optional	The name of the device.
<b>androidID</b>	String	Optional	The android id.
<b>advertiserID</b>	String	Optional	Id of an advertiser.
<b>operator</b>	String	Optional	The operator.
<b>country</b>	String	Optional	The country name.
<b>language</b>	String	Optional	The default language of the country.
<b>screenWidth</b>	String	Optional	The width of the screen.
<b>screenHeight</b>	String	Optional	The height of the screen.
<b>brand</b>	String	Optional	The device brand.
<b>guid</b>	String	Optional	The user acquisition id.
<b>phone</b>	String	Optional	The phone number of a user.
<b>email</b>	String	Optional	The email address of a user.
<b>dob</b>	String	Optional	The date of birth of a user.
<b>profileImage</b>	String	Optional	The profile image path.
<b>socialEmail</b>	String	Optional	The email address for social.
<b>socialProfileName</b>	String	Optional	The social name.

## POST body

**Headers:** Content-Type: application/json

```
1 {
2   "loginType": "FACEBOOK",
3   "socialId": "s1123",
4   "primary": true,
5   "firstName": "ABC ",
6   "lastName": "DEF",
7   "profileName": "ABC",
8   "profileImage": "https://jfh.jdhg.png",
9   "birthDateDay": 12,
10  "birthDateMonth": 1,
11  "birthDateYear": 1945,
12  "locationCountry": "United Kingdom",
13  "locationZipCode": "1234234",
14  "device": {
15    "udid": "2083718938012321038243",
16    "description": "Old Device",
17    "manufacturer": "Apple",
18    "model": "iPhone 5",
19    "os": "iOS 9",
20    "name": "Moto",
21    "androidID": "etr657y",
22    "advertiserID": "gfhy67",
23    "operator": null,
24    "country": "India",
25    "language": "English",
26    "screenWidth": "5",
27    "screenHeight": "9",
28    "brand": null
29  },
30  "email": "san.sh555@gmail.com",
31  "phone": "+919874654244",
32  "dob": "1991-04-09",
33  "socialEmail": "san.sh555@gmail.com",
34  "socialProfileName": "facebook"
35 }
```

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 {
2   "data": {
3     "id": "eccfd646-14a0-4fec-8582-ea908f8b1662",
4     "deleted": false,
5     "addresses": null,
6     "devices": [
7       {
8         "id": "19454557-9e13-4335-93fe-d574f03a7577",
9         "deleted": false,
10        "description": "Old Device",
11        "deviceStatus": "NORMAL",
12        "manufacturer": "Apple",
13        "model": "iPhone 5",
14        "os": "iOS 9",
15        "udid": "2083718938012321038243",
16        "simStateHashCode": null,
17        "simCardState": null,
18        "deletedUdid": null,
19        "deletedBy": null,
```

```

20     "deletedOn": null,
21     "name": "Moto",
22     "brand": null,
23     "androidID": "etr657y",
24     "advertiserID": null,
25     "operator": null,
26     "country": "India",
27     "language": "English",
28     "screenWidthInPixels": null,
29     "screenHeightInPixels": null,
30     "screenWidthInInches": null,
31     "screenHeightInInches": null
32   }
33 ],
34 "emailAuthenticationChannels": [],
35 "firstName": "ABC ",
36 "fullName": "ABC DEF",
37 "groupTag": [
38   "FACEBOOK",
39   "Apple",
40   "United Kingdom",
41   "iOS 9",
42   "1234234",
43   "iPhone 5"
44 ],
45 "lastName": "DEF",
46 "locationCountry": "United Kingdom",
47 "locationZipCode": "1234234",
48 "mobileAuthenticationChannels": [],
49 "pinCreated": false,
50 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://jfhj.jdhhg.png",
51 "profileName": "ABC",
52 "registrationDate": 1474023341958,
53 "socialAuthenticationChannels": [
54   {
55     "addedOn": 1474023344445,
56     "blockStatus": "NORMAL",
57     "deletedOn": null,
58     "lastUsedOn": 1474024878701,
59     "loginType": "FACEBOOK",
60     "socialId": "s1123",
61     "deleted": false,
62     "recycleSocialId": null,
63     "emailAddress": "san.sh555@gmail.com",
64     "profileName": "facebook"
65   }
66 ],
67 "status": "EXISTING",
68 "timezone": null,
69 "userSetting": {
70   "autoUpdateBetcadeApp": true,
71   "autoUpdateDownloadedApps": true,
72   "monthlyDepositMaxLimit": 0,
73   "monthlyDepositMaxLimitCurrency": "GBP",
74   "prefillUserInfoInCasino": true,
75   "receiveEmailReceipt": true,
76   "receiveNotifications": true,
77   "shareRegistrationInfo": true,
78   "userEmailProvided": true,
79   "versionOfDownloadedBetcadeApp": "v1",
80   "wifiDownloadLimitInMB": 0,

```

```
81     "preferredCategories": [],
82     "autoSaveCard": true,
83     "autoAddHomeIcon": true,
84     "receiveUpdateNotifications": true,
85     "receiveAutoUpdatedNotifications": true,
86     "receiveRecommendationNotifications": true,
87     "appSetting": {
88         "autoUpdateApps": 2,
89         "addIconHomeScreen": false,
90         "saveNewCreditOrDebitCards": true,
91         "appUpdatesAvailable": true,
92         "appsWereAutoUpdated": true,
93         "recommendedContentAvailable": true
94     }
95 },
96 "verified": true,
97 "pinResetDate": null,
98 "kycStatus": null,
99 "singularId": null,
100 "acquisitionIds": null,
101 "userAuditInfo": {
102     "initialLoginDate": 1474023341958,
103     "initialLoginIp": "127.0.0.1",
104     "initialLoginLocation": " ",
105     "initialRegistrationDate": null,
106     "initialRegistrationIp": null,
107     "initialRegistrationLocation": null
108 },
109 "email": "san.sh555@gmail.com",
110 "phone": "+919874654244",
111 "dob": 663359640000,
112 "testUser": null,
113 "pinChangeDate": null
114 },
115 "detail": null,
116 "error": false,
117 "message": "Creating login successful"
118 }
```

## DELETE Remove Authentication Channel

### Description

Removes the authentication mechanism.

### Request Endpoint

DELETE <https://<Example api server address>/user/auth>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"loginType\": \"MOBILE\",  
6 |         \"userId\": \"70faeb48-0b07-4942-afa2-f413e2f698fa\",  
7 |         \"socialId\": null,  
8 |         \"mobileNumber\": \"+919900111917\",  
9 |         \"emailAddress\": null  
10 |     }" \  
11 | 'https://core.dev.Example.net/api/user/auth'
```

curl

### DELETE body attributes (JSON)

Attribute	Type	Use	Description
loginType	String	Required	The login type (Can be "EMAIL", "MOBILE", "GOOGLE", "FACEBOOK", "TWITTER").
userId	String	Required	UUID of a user.
socialId	String	Conditional	Social ID of the user (only applicable and mandatory for login types "GOOGLE", "FACEBOOK" and "TWITTER").
mobileNumber	String	Conditional	Mobile number of the user (only applicable and mandatory for the login type "MOBILE").
emailAddress	String	Conditional	Email address of the user (Only applicable and mandatory for the login type "EMAIL").

### DELETE body

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "loginType": "FACEBOOK",  
3 |     "userId": "51aae6c2-0a17-42fe-8ad9-9e0d410cd662",  
4 |     "socialId": "social12345",  
5 |     "mobileNumber": null,  
6 |     "emailAddress": null  
7 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     "error": false,
```

json

```

3  "message": "Remove login channel successful",
4  "detail": null,
5  "data": {
6    "id": "51aae6c2-0a17-42fe-8ad9-9e0d410cd662",
7    "firstName": "Sashi",
8    "lastName": "Gubbi",
9    "fullName": null,
10   "profileName": "SumaG",
11   "registrationDate": 1449821338895,
12   "birthDateDay": 3,
13   "birthDateMonth": 2,
14   "birthDateYear": 2013,
15   "locationCountry": "India",
16   "locationZipCode": "123456",
17   "timezone": "ist",
18   "profileImagePath": null,
19   "userSetting": {
20     "autoUpdateBetcadeApp": true,
21     "autoUpdateDownloadedApps": true,
22     "userEmailProvided": false,
23     "monthlyDepositMaxLimit": 2414,
24     "monthlyDepositMaxLimitCurrency": "USD",
25     "wifiDownloadLimitInMB": 232,
26     "prefillUserInfoInCasino": false,
27     "versionOfDownloadedBetcadeApp": "sg34",
28     "receiveEmailReceipt": true,
29     "receiveNotifications": false,
30     "shareRegistrationInfo": false
31   },
32   "socialAuthenticationChannels": [],
33   "emailAuthenticationChannels": [
34     {
35       "loginType": "EMAIL",
36       "primary": null,
37       "emailAddress": "rn.shruti@gmail.com",
38       "emailVerificationStatus": "VERIFIED",
39       "emailPinResetStatus": null,
40       "addedOn": 1449821338895,
41       "lastUsedOn": 1449821338895
42     }
43   ],
44   "mobileAuthenticationChannels": [
45     {
46       "loginType": "MOBILE",
47       "primary": null,
48       "mobileNumber": "+918050022027",
49       "mobileVerificationStatus": "VERIFIED",
50       "mobilePinResetStatus": null,
51       "addedOn": 1449821338895,
52       "lastUsedOn": 1449821338895
53     }
54   ],
55   "addresses": null,
56   "status": "EXISTING",
57   "verified": true,
58   "wrongPinAttempts": 0,
59   "pinCreated": true,
60   "paymentMethods": []
61 }
62 }

```





**POST****Resend Email Code****Description**

A new email token can be requested using this API.

**Request Endpoint**

POST <https://<Example api server address>/user/auth/email/code>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"emailAddress\": \"abc@gmail.com\"\  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/user/auth/email/code'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
emailAddress	String	Required	Email address of the user.

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "emailAddress": "abc@gmail.com"  
3 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "error": false,  
3 |   "message": "Resending email link successful",  
4 |   "detail": null,  
5 |   "data": true  
6 | }
```

json

**POST****Resend SMS Code****Description**

A new SMS code can be requested by using this API.

**Request Endpoint**

POST <https://<Example api server address>/user/auth/mobile/code>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"mobileNumber\": \"123456789\"  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/user/auth/mobile/code'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
mobileNumber	String	Required	Mobile number of the user.

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "mobileNumber": "123456789"  
3 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     "error": false,  
3 |     "message": "Resending sms code successful",  
4 |     "detail": null,  
5 |     "data": true  
6 | }
```

json

**POST****Reset PIN****Description**

A user can request to reset their PIN using this API.

**Request Endpoint**

POST <https://<Example api server address>/user/auth/pin/reset>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"loginType\": \"MOBILE\",\  
6 |         \"mobileNumber\": \"+918050022027\",\  
7 |         \"pin\": \"1924\"\  
8 |     }" \  
9 | 'https://core.dev.Example.net/api/user/auth/pin/reset'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
loginType	String	Required	The login type (Can be "EMAIL", "MOBILE", "GOOGLE", "FACEBOOK", "TWITTER").
emailAddress	String	Conditional	Email address of the user in case of email login (mandatory for email login).
mobileNumber	String	Conditional	Mobile number of the user in case of mobile login (mandatory for mobile login).
socialId	String	Conditional	Social Id of the user in case of facebook, google or twitter login (mandatory for google, facebook or twitter login).
pin	String	Optional	PIN for the user. Should be a valid 4 digit numeric string.

**POST body**

**Headers:** Content-Type: application/json

```
1 | {\  
2 |     "loginType": "MOBILE",\  
3 |     "mobileNumber": "+918050022027",\  
4 |     "pin": "1924"\  
5 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |     "error": false,  
3 |     "message": "Resending authentication is successful to reset pin.",  
4 |     "detail": null,  
5 |     "data": true  
6 | }
```

json



## POST Set / Update Casino User Data

### Description

Helps in setting/updating casino user data to an existing user.

### Request Endpoint

POST <https://<Example api server address>/user/casino/data>

### Parameters

None.

### cURL syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5         \"userId\" : \"27f812d1-2f12-4b42-9275-8afbe3a0d0c2\",  
6         \"bundleIdentifier\" : \"bundmle1d234\",  
7         \"extCasinoUserId\" : \"sdsfsfa4ba92-dc26a81a-3c3-41eb-951c\",  
8         \"extCasinoUserStatus\" : \"NEW\"  
9     }" \  
10 'https://core.dev.Example.net/api/user/casino/data'
```

### POST body attributes (JSON)

Attribute	Type	Use	Description
userId	String	Required	UUID of a User.
bundleIdentifier	String	Required	Bundle identifier of an application.
extCasinoUserId	String	Required	UUID of a User registered with a casino.
extCasinoUserStatus	String	Required	Can be either "NEW" or "EXISTING".

### POST body

Headers: Content-Type: application/json

```
1 {  
2     \"userId\": \"27f812d1-2f12-4b42-9275-8afbe3a0d0c2\",  
3     \"bundleIdentifier\": \"bundmle1d234\",  
4     \"extCasinoUserId\": \"sdsfsfa4ba92-dc26a81a-3c3-41eb-951c\",  
5     \"extCasinoUserStatus\": \"NEW\"  
6 }
```

### Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 {  
2     \"data\": {  
3         \"id\": \"70fab1b6-2138-46d9-a479-ba5db0a9be5c\",  
4         \"user\": {  
5             \"id\": \"27f812d1-2f12-4b42-9275-8afbe3a0d0c2\",  
6             \"addresses\": null,  
7             \"birthDateDay\": 4,  
8         }  
9     }  
10 }
```

```

8     "birthDateMonth": 1,
9     "birthDateYear": 1980,
10    "devices": null,
11    "emailAuthenticationChannels": [
12      {
13        "addedOn": 1453186938762,
14        "blockStatus": "NORMAL",
15        "deletedOn": null,
16        "emailAddress": "sudipta.bhaumik@innoflexion.com",
17        "emailPinResetStatus": "RESET_NA",
18        "emailVerificationStatus": "VERIFICATION_PENDING",
19        "lastUsedOn": 1453186938762,
20        "loginType": "EMAIL",
21        "primary": true,
22        "deleted": false,
23        "recycleEmailAddress": null
24      }
25    ],
26    "firstName": "Sudipta",
27    "fullName": "Sudipta ",
28    "groupTag": [
29      "Samsung",
30      "manu1",
31      1980,
32      "EMAIL",
33      "IND",
34      "Android"
35    ],
36    "lastName": "",
37    "locationCountry": "IND",
38    "locationZipCode": "",
39    "mobileAuthenticationChannels": [
40      {
41        "addedOn": null,
42        "blockStatus": "NORMAL",
43        "deletedOn": null,
44        "lastUsedOn": null,
45        "loginType": null,
46        "mobileNumber": "+916616248136",
47        "mobilePinResetStatus": null,
48        "mobileVerificationStatus": "VERIFIED",
49        "primary": null,
50        "deleted": false,
51        "recycleMobileNumber": null
52      }
53    ],
54    "pinCreated": true,
55    "profileImagePath": null,
56    "profileName": "sudipta",
57    "registrationDate": 1453273338762,
58    "socialAuthenticationChannels": [
59      {
60        "addedOn": 1466427977555,
61        "blockStatus": "NORMAL",
62        "deletedOn": null,
63        "lastUsedOn": 1466427977555,
64        "loginType": null,
65        "socialId": "Glenn0257",
66        "deleted": false,
67        "recycleSocialId": null
68      }

```

```

69     ],
70     "status": "NEW",
71     "timezone": null,
72     "userSetting": null,
73     "verified": true,
74     "pinResetDate": null,
75     "testUser": null
76 },
77 "applications": [
78   {
79     "id": "8c68054f-4963-47bc-b40d-ff7b69d9d",
80     "name": "MongoDDDDN",
81     "appPackage": "appghhPac",
82     "banner": "bannfgher",
83     "bundleIdentifier": "bundmle1d234",
84     "casino": {
85       "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",
86       "name": "UserAppCas",
87       "videoUrl": "UserAppCas",
88       "imageUrl": "UserAppCas",
89       "description": null,
90       "website": null,
91       "icon": null,
92       "banner": null
93     },
94     "casinoId": null,
95     "categories": [
96       {
97         "id": "5a1e1b8b-db12-4f64-a6ae-85cf1c6dbc90",
98         "imageUrl": "UserAppCat",
99         "name": "UserAppCat",
100        "description": null,
101        "videoUrl": "UserAppCat",
102        "iconUrl": null,
103        "colorCode": null,
104        "heroImageReference": null,
105        "priority": 1000
106      }
107    ],
108    "categoryIds": null,
109    "description": "description about application 1",
110    "downloads": 4646,
111    "featured": null,
112    "versionHistories": [
113      {
114        "build": null,
115        "version": "cs",
116        "versionDate": 1464948221224,
117        "downloadLink": null,
118        "rating": {
119          "count": 0,
120          "overall": 0,
121          "gamePlay": 0,
122          "design": 0,
123          "ease": 0
124        }
125      }
126    ],
127    "image": "www.google.com",
128    "keywords": [
129      "key1",

```

```

130     "key2",
131     "key3",
132     "key4",
133     "key5"
134 ],
135 "latestBuild": null,
136 "latestVersion": "cs",
137 "order": 345,
138 "paragraph1": "1 paragraph",
139 "paragraph2": "2st paragraph",
140 "paragraph3": "3st paragraph",
141 "paragraph4": "4th para",
142 "presetPriceList": null,
143 "price": 3436,
144 "publisher": null,
145 "ranking": 23,
146 "sliderImages": null,
147 "subtitle": "subtitle",
148 "updated": null,
149 "video": "www.youtube.com",
150 "status": "SUBMITTED",
151 "downloadLink": null,
152 "compatibility": "kitkat",
153 "sizeOnDisk": "12MB",
154 "permissionDetails": "You should have kitkat version to run this app",
155 "locationSupported": [
156     "India",
157     "UK"
158 ],
159 "languageSupported": [
160     "English",
161     "French"
162 ],
163 "additionalDetails": "This application is very popular",
164 "tags": null,
165 "rating": {
166     "count": 0,
167     "overall": 0,
168     "gamePlay": 0,
169     "design": 0,
170     "ease": 0
171 },
172 "silent": null,
173 "normal": null,
174 "mandatory": null,
175 "downgrade": null,
176 "incentives": [
177     {
178         "id": "fafce5c0-78eb-458a-acc8-4478b8219660",
179         "title": "20$ for a percent deposit",
180         "type": "PERCENT",
181         "amount": 20,
182         "limit": 100,
183         "expired": false,
184         "validTill": null
185     },
186     {
187         "id": "73cbb51e-2b18-460d-97f3-f067264165c2",
188         "title": "20 for a percent deposit",
189         "type": "PERCENT",
190         "amount": 25,

```



```
191         "limit": 100,
192         "expired": false,
193         "validTill": null
194     }
195 ]
196 }
197 ],
198 "casino": {
199     "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",
200     "name": "UserAppCas",
201     "videoUrl": "UserAppCas",
202     "imageUrl": "UserAppCas",
203     "description": null,
204     "website": null,
205     "icon": null,
206     "banner": null
207 },
208 "extCasinoUserId": "sdfsfsfa4ba92-dc26a81a-3c3-41eb-951c",
209 "extCasinoUserStatus": "NEW"
210 },
211 "detail": null,
212 "error": false,
213 "message": "Setting/Updating casino user data successful"
214 }
```

## POST Update Privacy Setting

### Description

Sets the share registration information attribute for a user.

### Request Endpoint

POST <https://<Example api server address>/user/casino/register/info>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"userId\": \"c3da6ce7-0576-4772-93c1-da7h436fbf\",\  
6 |         \"shareRegistrationInfo\": true\  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/user/casino/register/info'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
userId	String	Required	UUID of a user.
shareRegistrationInfo	Boolean	Required	Attribute that indicates if a user wants to share their registration info with other casino game apps.

### POST body

**Headers:** Content-Type: application/json

```
1 | {\  
2 |   \"userId\": \"c3da6ce7-0576-4772-93c1-da7h436fbf\",\  
3 |   \"shareRegistrationInfo\": true\  
4 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |   \"error\": false,  
3 |   \"message\": \"Setting Share Registration Information successfully\",  
4 |   \"detail\": null,  
5 |   \"data\":  
6 |     {  
7 |       \"id\": \"c3da6ce7-0576-4772-93c1-da7h436fbf\",  
8 |       \"firstName\": \"John\",  
9 |       \"lastName\": \"Nair\",  
10 |      \"fullName\": \"John Nair\",  
11 |      \"profileName\": \"John\",  
12 |      \"registrationDate\": 1448898079793,  
13 |      \"birthDateDay\": 12,  
14 |     }  
15 | }
```

json

```
14     "birthDateMonth": 1,
15     "birthDateYear": 1945,
16     "locationCountry": "India",
17     "locationZipCode": "1234234",
18     "timezone": null,
19     "userSetting": [
20     {
21         "autoUpdateBetcadeApp": true,
22         "autoUpdateDownloadedApps": true,
23         "userEmailProvided": false,
24         "monthlyDepositMaxLimit": 34,
25         "monthlyDepositMaxLimitCurrency": "USD",
26         "wifiDownloadLimitInMB": 78,
27         "prefillUserInfoInCasino": true,
28         "versionOfDownloadedBetcadeApp": "v0.1",
29         "receiveEmailReceipt": true,
30         "receiveNotifications": false,
31         "shareRegistrationInfo": true
32     }],
33     "validated": "true",
34     "addedOn": 658745874,
35     "lastUsedOn": 67857902,
36     "status": "EXISTING",
37     "verified": true
38 }
39 }
```

**Description**

A user's information can be updated by using this API.

**Request Endpoint**

PUT <https://<Example api server address>/user/profile>

**Parameters**

None.

**cURL syntax**

```

1  curl --include \
2      --request PUT \
3      --header "Content-Type: application/json" \
4      --data-binary "{
5          \"userId\" : \"9a63fb67-63ab-4407-92d7-d94f8e3ca614\",
6          \"firstName\" : \"Sudipta\",
7          \"lastName\" : \"Sudipta\",
8          \"fullName\" : \"Sudipta Bhaumik\",
9          \"profileName\" : \"profile\",
10         \"profileImagePath\": null,
11         \"birthDateDay\" : \"12\",
12         \"birthDateMonth\" : \"05\",
13         \"birthDateYear\" : \"1980\",
14         \"locationCountry\" : \"\",
15         \"locationZipCode\" : \"\",
16         \"timezone\" : \"IST\",
17         \"address\" : {
18             \"street1\": \"123 Test Ln\",
19             \"street2\": \"\",
20             \"street3\": \"\",
21             \"city\": \"Somewhere\",
22             \"state\" : \"st\",
23             \"county\": \"Clark\",
24             \"postal\": \"89101\",
25             \"country\": \"United Kingdom\",
26             \"addressType\" : \"BILLING\"
27         }
28     }" \
29     'https://core.dev.Example.net/api/user/profile'

```

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
<b>userId</b>	String	Required	UUID for the user.
<b>firstName</b>	String	Required	First name of the user.
<b>lastName</b>	String	Optional	Last Name of the user.
<b>profileName</b>	String	Optional	Profile name of the user.
<b>profileImagePath</b>	String	Optional	Profile image name/path.
<b>birthDateDay</b>	Number	Optional	Birth Date day of the user.
<b>birthDateMonth</b>	Number	Optional	Birth Date month of the user.

Attribute	Type	Use	Description
birthDateYear	Number	Optional	Birth date year of the user.
locationCountry	String	Required	Country of the user.
locationZipCode	String	Optional	Zip code of the user.
timezone	String	Optional	Timezone of the user.
address	Object	Optional	Address details for the user. See the following PUT body JSON child attributes of this object.

## PUT body

Headers: Content-Type: application/json

```

1  {
2    "userId": "9a63fb67-63ab-4407-92d7-d94f8e3ca614",
3    "firstName": "Sudipta",
4    "lastName": "Sudipta",
5    "fullName": "Sudipta Bhaumik",
6    "profileName": "profile",
7    "birthDateDay": "12",
8    "birthDateMonth": "05",
9    "birthDateYear": "1980",
10   "locationCountry": "",
11   "locationZipCode": "",
12   "timezone": "IST",
13   "address": {
14     "street1": "123 Test Ln",
15     "street2": "",
16     "street3": "",
17     "city": "Somewhere",
18     "state": "st",
19     "county": "Clark",
20     "postal": "89101",
21     "country": "United Kingdom",
22     "addressType": "BILLING"
23   }
24 }
```

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2    "error": false,
3    "message": "Updating user information is successful",
4    "detail": null,
5    "data": {
6      "id": "9a63fb67-63ab-4407-92d7-d94f8e3ca614",
7      "firstName": "ABC ",
8      "lastName": "DEF",
9      "fullName": "ABC DEF",
10     "profileName": "ABC",
11     "registrationDate": 1448898079793,
12     "birthDateDay": 12,
13     "birthDateMonth": 1,
14     "birthDateYear": 1945,
15     "locationCountry": "India",
16     "locationZipCode": "1234234",
```

```
16     "timezone": null,  
17     "userSetting": null,  
18     "socialAuthenticationChannels": [],  
19     "emailAuthenticationChannels": [],  
20     "mobileAuthenticationChannels": [],  
21     "addresses": null,  
22     "status": "NEW",  
23     "verified": true  
24 }  
25 }  
26
```

**PUT****Update (User PIN)****Description****Request Endpoint**

PUT <https://<Example api server address>/user/pin>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |     \"loginType\" : \"MOBILE\",  
6 |     \"mobileNumber\" : \"+918050022027\",  
7 |     \"currentPin\" : \"3512\",  
8 |     \"newPin\" : \"2344\"  
9 | }" \  
10 | 'https://core.dev.Example.net/api/user/pin'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
loginType	String	Required	Login Type (Can be "EMAIL", "MOBILE", "GOOGLE", "FACEBOOK", "TWITTER").
emailAddress	String	Conditional	Email address of the user in case of email login (mandatory for email login).
mobileNumber	String	Conditional	Mobile number of the user in case of mobile login (mandatory for mobile login).
socialId	String	Conditional	Social Id of the user in case of facebook, google or twitter login (mandatory for google, facebook or twitter login).
currentPin	String	Required	Current PIN of a user.
newPin	String	Required	New PIN for the user. Should be a valid 4 digit numeric string.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "loginType": "MOBILE",  
3 |   "mobileNumber": "+918050022027",  
4 |   "currentPin": "3512",  
5 |   "newPin": "2344"  
6 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
   "error": false,
```

json

```
4 | "message": "Updating an user's pin successful"  
5 | }  
6
```



**PUT**

## Update User Settings

### Description

Allows a client to update a user's profile settings.

### Request Endpoint

PUT <https://<Example api server address>/user/{id}/settings>

### Parameters

Parameter	Type	Use	Description
id	String	Required	uuid of a user.

### cURL syntax

```

1 curl --include \
2     --request PUT \
3     --header "Content-Type: application/json" \
4     --data-binary "{
5     \"autoUpdateBetcadeApp\": true,
6     \"autoUpdateDownloadedApps\":true,
7     \"userEmailProvided\": false,
8     \"monthlyDepositMaxLimit\": 34,
9     \"monthlyDepositMaxLimitCurrency\": \"USD\",
10    \"wifiDownloadLimitInMB\": 78,
11    \"prefillUserInfoInCasino\": true,
12    \"versionOfDownloadedBetcadeApp\": \"v0.1\",
13    \"receiveEmailReceipt\": true,
14    \"receiveNotifications\": false,
15    \"shareRegistrationInfo\": false,
16    \"allowLargeFilesOverWifiOnly\": false,
17    \"appSetting\": {
18        \"autoUpdateApps\": 1,
19        \"addIconHomeScreen\": true,
20        \"saveNewCreditOrDebitCards\": true,
21        \"appUpdatesAvailable\": true,
22        \"appsWereAutoUpdated\": true,
23        \"recommendedContentAvailable\": false
24    }
25 }" \
26 'https://core.dev.Example.net/api/user/id/settings'
```

curl

### PUT body attributes (JSON)

scope="row" scope="row"

Attribute	Type	Use	Description
autoUpdateBetcadeApp	Boolean	Optional	Auto-updates the Example app.
autoUpdateDownloadedApps	Boolean	Optional	Auto-updates downloaded apps.
userEmailProvided	Boolean	Optional	The user's email.
monthlyDepositMaxLimit	Number	Optional	The maximum monthly deposit limit.
monthlyDepositMaxLimitCurrency	String	Optional	The currency's country.
wifiDownloadLimitInMB	Number	Optional	The download size limit.

Attribute	Type	Use	Description
prefillUserInfoInCasino	Boolean	Optional	Choose to prefill the user info in casino.
versionOfDownloadedBetcadeApp	String	Optional	Version of the downloaded app.
receiveEmailReceipt	Boolean	Optional	Choose to receive an email receipt.
receiveNotifications	Boolean	Optional	Choose to receive notifications.
shareRegistrationInfo	Boolean	Optional	Choose to share registration information.
allowLargeFilesOverWifiOnly	Boolean	Optional	An avoid warning to download a game .apk if size is more than xxxMB's.
appSetting	Object	Optional	An object contain the following attributes.
autoUpdateApps	Number	Optional	The number of auto-updated apps.
addIconHomeScreen	Boolean	Optional	Choose to add an icon home screen.
saveNewCreditOrDebitCards	Boolean	Optional	Choose to save new credit or debit cards.
appUpdatesAvailable	Boolean	Optional	Choose to see available app updates.
appsWereAutoUpdated	Boolean	Optional	Choose to see which apps were auto-updated.
recommendedContentAvailable	Boolean	Optional	Choose see available recommended content.

## PUT body

Headers: Content-Type: application/json

```

1  {
2    "autoUpdateBetcadeApp": true,
3    "autoUpdateDownloadedApps": true,
4    "userEmailProvided": false,
5    "monthlyDepositMaxLimit": 34,
6    "monthlyDepositMaxLimitCurrency": "USD",
7    "wifiDownloadLimitInMB": 78,
8    "prefillUserInfoInCasino": true,
9    "versionOfDownloadedBetcadeApp": "v0.1",
10   "receiveEmailReceipt": true,
11   "receiveNotifications": false,
12   "shareRegistrationInfo": false,
13   "allowLargeFilesOverWifiOnly": false,
14   "appSetting": {
15     "autoUpdateApps": 1,
16     "addIconHomeScreen": true,
17     "saveNewCreditOrDebitCards": true,
18     "appUpdatesAvailable": true,
19     "appsWereAutoUpdated": true,
20     "recommendedContentAvailable": false
21   }
22 }

```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2    "error": false,
3    "message": "Updated user settings successfully",
4    "detail": null,
5    "data": {

```

json

```
6      "id": "c3da6ce7-0576-4772-93c1-da7h436fbf",
7      "firstName": "John",
8      "lastName": "Nair",
9      "fullName": "John Nair",
10     "profileName": "John",
11     "registrationDate": 1448898079793,
12     "birthDateDay": 12,
13     "birthDateMonth": 1,
14     "birthDateYear": 1945,
15     "locationCountry": "India",
16     "locationZipCode": "1234234",
17     "timezone": null,
18     "userSetting": [
19     {
20         "autoUpdateBetcadeApp": true,
21         "autoUpdateDownloadedApps": true,
22         "userEmailProvided": false,
23         "monthlyDepositMaxLimit": 34,
24         "monthlyDepositMaxLimitCurrency": "USD",
25         "wifiDownloadLimitInMB": 78,
26         "prefillUserInfoInCasino": true,
27         "versionOfDownloadedBetcadeApp": "v0.1",
28         "receiveEmailReceipt": true,
29         "receiveNotifications": false,
30         "shareRegistrationInfo": false
31     }],
32     "validated": "true",
33     "addedOn": 658745874,
34     "lastUsedOn": 67857902,
35     "status": "EXISTING",
36     "verified": true
37 }
38 }
```

## POST Verify Email Address

### Description

A user can verify their email address using the following request object. The JSON properties "emailAddress" and "code" are mandatory.

### Request Endpoint

POST `https://<Example api server address>/user/auth/email/verify`

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"emailAddress\": \"san@gmail.com\",\  
6 |         \"code\": \"456321\"\  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/user/auth/email/verify'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
emailAddress	String	Required	Email address of the user.
code	String	Required	Code sent to the user.

### POST body

**Headers:** Content-Type: application/json

```
1 | {\  
2 |   \"emailAddress\": \"san@gmail.com\",\  
3 |   \"code\": \"456321\"\  
4 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |   \"data\": true,  
3 |   \"detail\": null,  
4 |   \"error\": false,  
5 |   \"message\": \"Email code verification successful\"\  
6 | }
```

json

**POST****Verify Mobile Number****Description**

You can verify a mobile number sent to a user using the following request object. The attributes "mobileNumber" and "smsCode" in the POST body are required.

**Request Endpoint**

POST `https://<Example api server address>/user/auth/mobile/verify`

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |     \"mobileNumber\": \"123456789\",\  
6 |     \"smsCode\": \"5678\"\  
7 | }" \  
8 | 'https://core.dev.Example.net/api/user/auth/mobile/verify'
```

curl

**POST body attributes (JSON)**

mobileNumber

Attribute	Type	Use	Description
String	Required	Mobile number of the user.	
smsCode	String	Required	SMS code sent to the user.

**POST body**

**Headers:** Content-Type: application/json

```
1 | {\  
2 |   "mobileNumber": "123456789",\  
3 |   "smsCode": "5678"\  
4 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |   "error": false,  
3 |   "message": "SMS Code verification successful",  
4 |   "detail": null,  
5 |   "data": true  
6 | }
```

json

## POST Verify PIN

### Description

A user can be authenticated using this API.

### Request Endpoint

POST <https://<Example api server address>/user/auth/pin/verify>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"loginType\": \"FACEBOOK\",\  
6 |         \"socialId\": \"123dgf\",\  
7 |         \"pin\": \"1234\",\  
8 |         \"deviceUdid\" : \"sgweg35235sdfs\"\  
9 |     }" \  
10 | 'https://core.dev.Example.net/api/user/auth/pin/verify'
```

### POST body attributes (JSON)

Attribute	Type	Use	Description
loginType	String	Required	Login Type (Can be "EMAIL", "MOBILE", "GOOGLE", "FACEBOOK", "TWITTER").
emailAddress	String	Conditional	Email address of the user in case of email login (mandatory for email login).
mobileNumber	String	Conditional	Mobile number of the user in case of mobile login (mandatory for mobile login).
socialId	String	Conditional	Social Id of the user in case of facebook, google or twitter login (mandatory for Google, Facebook or Twitter login).
pin	String	Optional	PIN for the user. Should be a valid 4 digit numeric string.
deviceUdid	String	Required	UDID of the device from which the use is logging in. Required for blocking a login from a blacklisted device.

### POST body

Headers: Content-Type: application/json

```
1 | {  
2 |     "loginType": "FACEBOOK",  
3 |     "socialId": "123dgf",  
4 |     "pin": "1234",  
5 |     "deviceUdid": "sgweg35235sdfs"  
6 | }
```

### Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     "error": false,
```

```
3 | "message": "Logged in successfully",
4 | "detail": null,
5 | "data": {
6 |   "id": "c3da6ce7-0576-4772-93c1-dac0b3816fbf",
7 |   "firstName": "John",
8 |   "lastName": "Nair",
9 |   "fullName": "John Nair",
10 |  "profileName": "John",
11 |  "registrationDate": 1448898079793,
12 |  "birthDateDay": 12,
13 |  "birthDateMonth": 1,
14 |  "birthDateYear": 1945,
15 |  "locationCountry": "India",
16 |  "locationZipCode": "1234234",
17 |  "timezone": null,
18 |  "userSetting": null,
19 |  "socialAuthenticationChannels": [
20 |    {
21 |      "loginType": "FACEBOOK",
22 |      "socialId": "123456789",
23 |      "addedOn": 1448898079793,
24 |      "lastUsedOn": 1448898079793
25 |    }
26 |  ],
27 |  "emailAuthenticationChannels": [],
28 |  "mobileAuthenticationChannels": [],
29 |  "addresses": null,
30 |  "status": "EXISTING",
31 |  "verified": true
32 | }
33 | }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### User Events APIs

#### POST Create Event

##### Description

This is a Service to create an analytics event linked with a pre registration user or User. One of either advertisingId or userId should be present.

##### Request Endpoint

POST `https://<Example api server address>/api/event`

##### Parameters

None.

##### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |     \"advertisingId\": \"fbee8eb3-9cb8-4a55-b30c-296b44111089\",  
6 |     \"userId\": \"fbee8eb3-9cb8-4a55-b30c-296b44111089\",  
7 |     \"deviceId\": \"fbee8eb3-9cb8-4a55-b30c-296b44111089\",  
8 |     \"events\": [  
9 |         {  
10 |             \"event\": \"App deposit\",  
11 |             \"timestamp\": 178900812,  
12 |             \"data\": {  
13 |                 \"x-event\": \"Something\"  
14 |             }  
15 |         }  
16 |     ]  
17 | }" \  
18 | 'https://core.dev.Example.net/api/event'
```

##### POST body attributes (JSON)

Attribute	Type	Use	Description
advertisingId	String	Optional	Id of the user who was pre-registered from the Web.
userId	String	Optional	Id of the user who is registered with Example.
deviceId	String	Required	Id of the device where the event was created.
events	Array	Required	An array of events to be posted.
event	String	Required	Name of the event.



Attribute	Type	Use	Description
timestamp	Number	Required	Timestamp at which the event occurred. This should be a UNIX timestamp value.
data	String	Required	A set of key value pairs to represent dynamic data.

## POST body

Headers: Content-Type: application/json

```
1  {
2    "advertisingId": "fbee8eb3-9cb8-4a55-b30c-296b44111089",
3    "userId": "fbee8eb3-9cb8-4a55-b30c-296b44111089",
4    "deviceId": "fbee8eb3-9cb8-4a55-b30c-296b44111089",
5    "events": [
6      {
7        "event": "App deposit",
8        "timestamp": 178900812,
9        "data": {
10         "x-event": "Something"
11       }
12     }
13   ]
14 }
```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1  {
2    "data": [
3      {
4        "id": "0031c7cf-38a8-4e1a-9eba-ffc5fe26b078",
5        "updatedBy": "",
6        "event": "App deposit",
7        "advertisingId": "fbee8eb3-9cb8-4a55-b30c-296b44111089",
8        "userId": "fbee8eb3-9cb8-4a55-b30c-296b44111089",
9        "deviceId": "fbee8eb3-9cb8-4a55-b30c-296b44111089",
10       "timestamp": 178900812,
11       "data": {
12         "x-event": "Something"
13       }
14     }
15   ],
16   "detail": null,
17   "error": false,
18   "message": "Analytics event added successfully"
19 }
```

json

## POST Fetch User Device Game App History

### Description

This service will fetch all the device application history based on following 4 scenarios:

1. only userId
2. userId and device Udid passed
3. userId and applicationId passed
4. userId, deviceUdids and applicationId

offset and limit parameters can be passed in the url query to control the results returned.

### Example URI

POST <https://<Example api server address>/user/device/application/history>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |     \"userId\": \"605d92e8-800c-46a7-81cc-a07340a69774\",\  
6 |     \"deviceUdid\": [  
7 |         \"1\"\  
8 |     ],\  
9 |     \"applicationId\" : \"cbab1a87-243a-4319-8ae4-e93ca5cc3f6f\"\  
10 | }" \  
11 | 'https://core.dev.Example.net/api/user/device/application/history'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
userId	String	Required	UUID of a user.
deviceUdid	String	Optional	UDID of the device.
applicationId	String	Optional	UUID of an application.

### POST body

**Headers:** Content-Type: application/json

```
1 | {\  
2 |   \"userId\": \"605d92e8-800c-46a7-81cc-a07340a69774\",\  
3 |   \"deviceUdid\": [  
4 |     \"1\"\  
5 |   ],\  
6 |   \"applicationId\": \"cbab1a87-243a-4319-8ae4-e93ca5cc3f6f\"\  
7 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1  {
2    "data": [
3      {
4        "id": "8de9be82-9031-412c-a7d7-72ead56bbad5",
5        "updatedBy": "",
6        "actionDetails": [
7          {
8            "actionDate": 1455625763174,
9            "actionType": "INSTALL",
10           "build": null,
11           "remarks": null,
12           "version": null,
13           "bundlePackageId": "bundle123"
14         },
15         {
16           "actionDate": 1455625772776,
17           "actionType": "UPDATED",
18           "build": null,
19           "remarks": null,
20           "version": null,
21           "bundlePackageId": null
22         },
23         {
24           "actionDate": 1455625775118,
25           "actionType": "UPDATED",
26           "build": null,
27           "remarks": null,
28           "version": null,
29           "bundlePackageId": null
30         },
31         {
32           "actionDate": 1455625775800,
33           "actionType": "UPDATED",
34           "build": null,
35           "remarks": null,
36           "version": null,
37           "bundlePackageId": null
38         },
39         {
40           "actionDate": 1455625776466,
41           "actionType": "UPDATED",
42           "build": null,
43           "remarks": null,
44           "version": null,
45           "bundlePackageId": null
46         }
47       ],
48       "application": {
49         "id": "cbab1a87-243a-4319-8ae4-e93ca5cc3f6f",
50         "updatedBy": "",
51         "appPackage": null,
52         "banner": null,
53         "bundleIdentifier": "bundle123",
54         "casino": {
55           "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",
56           "updatedBy": "",
57           "imageUrl": "UserAppCas",
58           "name": "UserAppCas",
59           "videoUrl": "UserAppCas"
60         }
61       }
62     }
63   }
```

```

61     "casinoId": null,
62     "category": {
63         "id": "5a1e1b8b-db12-4f64-a6ae-85cf1c6dbc90",
64         "updatedAt": "",
65         "imageUrl": "UserAppCat",
66         "name": "UserAppCat",
67         "videoUrl": "UserAppCat"
68     },
69     "categoryId": null,
70     "description": null,
71     "downloads": null,
72     "featured": null,
73     "gameAppVersions": null,
74     "image": null,
75     "keywords": null,
76     "latestBuild": null,
77     "latestVersion": null,
78     "name": "Useful",
79     "order": null,
80     "paragraph1": null,
81     "paragraph2": null,
82     "paragraph3": null,
83     "paragraph4": null,
84     "presetPriceList": null,
85     "price": null,
86     "publisher": null,
87     "ranking": null,
88     "rating": null,
89     "sliderImages": null,
90     "subtitle": null,
91     "updatedAt": null,
92     "video": null
93 },
94 "device": {
95     "id": "3cb2003f-8fdd-4daa-8731-9e50309b8b5b",
96     "updatedAt": "",
97     "description": "Old Device",
98     "deviceStatus": "NORMAL",
99     "manufacturer": "Apple",
100    "model": "iPhone 5",
101    "os": "iOS 9",
102    "udid": "1"
103 },
104 "lastActionDate": 1455625776466,
105 "lastActionType": "UPDATED",
106 "lastBuild": null,
107 "lastVersion": null,
108 "user": {
109     "id": "605d92e8-800c-46a7-81cc-a07340a69774",
110     "updatedAt": "",
111     "addresses": null,
112     "birthDateDay": 12,
113     "birthDateMonth": 1,
114     "birthDateYear": 1945,
115     "devices": [
116         {
117             "id": "3cb2003f-8fdd-4daa-8731-9e50309b8b5b",
118             "updatedAt": "",
119             "description": "Old Device",
120             "deviceStatus": "NORMAL",
121             "manufacturer": "Apple",

```

```
122         "model": "iPhone 5",
123         "os": "iOS 9",
124         "udid": "1"
125     }
126 ],
127 "emailAuthenticationChannels": [],
128 "firstName": "Shruti ",
129 "fullName": "Shruti Nagarkar",
130 "lastName": "Nagarkar",
131 "locationCountry": "United Kingdom",
132 "locationZipCode": "1234234",
133 "mobileAuthenticationChannels": [],
134 "pinCreated": false,
135 "profileImagePath": null,
136 "profileName": "SRN",
137 "registrationDate": 1455625364451,
138 "socialAuthenticationChannels": [
139     {
140         "addedOn": 1455625364451,
141         "blockStatus": "NORMAL",
142         "deletedOn": null,
143         "lastUsedOn": 1455625432248,
144         "loginType": "FACEBOOK",
145         "socialId": "social123"
146     }
147 ],
148 "status": "EXISTING",
149 "timezone": null,
150 "userSetting": null,
151 "verified": true
152 }
153 }
154 ],
155 "detail": null,
156 "error": false,
157 "message": "Fetched all user device application history successfully"
158 }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### User Game App Downloads APIs

**GET** **Fetch All**

#### Description

Gets all AppDownloads.

#### Example URI

GET https://<Example api server address>/user/app/downloads

#### Parameters

None.

#### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/app/downloads'
```

curl

#### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "error": false,  
3 |   "message": "Fetching app downloads successful",  
4 |   "detail": null,  
5 |   "data": [  
6 |     {  
7 |       "id": "6f1fc52b-debf-4934-a912-ae45e2744e16",  
8 |       "updatedBy": "",  
9 |       "user": {  
10 |         "id": "660f4a9d-35e7-4ad7-bca4-c49607a4769d",  
11 |         "updatedBy": "",  
12 |         "firstName": "ABC ",  
13 |         "lastName": "DEF",  
14 |         "fullName": "ABC DEF",  
15 |         "profileName": "ABC",  
16 |         "registrationDate": 1452764965420,  
17 |         "birthDateDay": 12,  
18 |         "birthDateMonth": 1,  
19 |         "birthDateYear": 1945,  
20 |         "locationCountry": "United Kingdom",  
21 |         "locationZipCode": "1234234",  
22 |         "timezone": null,  
23 |         "profileImagePath": null,  
24 |         "userSetting": null,
```

json

```

25     "socialAuthenticationChannels": [
26         {
27             "loginType": "FACEBOOK",
28             "socialId": "sgwet34",
29             "addedOn": 1452764965420,
30             "lastUsedOn": 1452764965420,
31             "deletedOn": null
32         }
33     ],
34     "emailAuthenticationChannels": [],
35     "mobileAuthenticationChannels": [],
36     "addresses": null,
37     "status": "NEW",
38     "verified": true,
39     "blockStatus": "NORMAL",
40     "pinCreated": false,
41     "reasonForDeleting": null,
42     "lastWrongPinAttemptTime": null,
43     "blockedMinutes": 0,
44     "userBlockedNumber": 0,
45     "userBlockedTime": null
46 },
47 "application": {
48     "id": "306385a6-3644-4b12-b3e7-e428f8743239",
49     "updatedBy": "",
50     "name": "GameApplication",
51     "publisher": "Roo",
52     "subtitle": "SUB",
53     "description": "aqwefudvbsndv",
54     "image": null,
55     "video": null,
56     "banner": null,
57     "appPackage": null,
58     "latestVersion": "v0.1",
59     "latestBuild": 23,
60     "rating": null,
61     "downloads": null,
62     "price": null,
63     "ranking": null,
64     "order": null,
65     "paragraph1": null,
66     "paragraph2": null,
67     "paragraph3": null,
68     "paragraph4": null,
69     "presetPriceList": null,
70     "casino": {
71         "id": "412aaf36-8e20-4bec-9ebb-b8b8cbaa132b",
72         "updatedBy": "",
73         "name": "UserAppCas",
74         "imageUrl": "UserAppCas",
75         "videoUrl": "UserAppCas"
76     },
77     "category": {
78         "id": "5f1f403f-9f6f-42f4-ba4b-64eb0af59ca7",
79         "updatedBy": "",
80         "name": "Doodlebug",
81         "imageUrl": "http://www.gmail.com",
82         "videoUrl": "http://www.facebook.com"
83     },
84     "featured": null,
85     "updated": null,

```

```

86     "sliderImages": null,
87     "keywords": null,
88     "categoryId": null,
89     "casinoId": null,
90     "gameAppVersions": [
91         {
92             "version": "v0.1",
93             "build": 23,
94             "versionDate": 1452764655062
95         }
96     ]
97 },
98 "actionType": "INSTALL",
99 "installedDate": 1452765026054
100 },
101 {
102 "id": "6401d3ae-bf69-4a84-a8df-5612f82db890",
103 "updatedBy": "",
104 "user": {
105     "id": "660f4a9d-35e7-4ad7-bca4-c49607a4769d",
106     "updatedBy": "",
107     "firstName": "ABC ",
108     "lastName": "DEF",
109     "fullName": "ABC DEF",
110     "profileName": "ABC",
111     "registrationDate": 1452764965420,
112     "birthDateDay": 12,
113     "birthDateMonth": 1,
114     "birthDateYear": 1945,
115     "locationCountry": "United Kingdom",
116     "locationZipCode": "1234234",
117     "timezone": null,
118     "profileImagePath": null,
119     "userSetting": null,
120     "socialAuthenticationChannels": [
121         {
122             "loginType": "FACEBOOK",
123             "socialId": "sgwet34",
124             "addedOn": 1452764965420,
125             "lastUsedOn": 1452764965420,
126             "deletedOn": null
127         }
128     ],
129     "emailAuthenticationChannels": [],
130     "mobileAuthenticationChannels": [],
131     "addresses": null,
132     "status": "NEW",
133     "verified": true,
134     "blockStatus": "NORMAL",
135     "pinCreated": false,
136     "reasonForDeleting": null,
137     "lastWrongPinAttemptTime": null,
138     "blockedMinutes": 0,
139     "userBlockedNumber": 0,
140     "userBlockedTime": null
141 },
142 "application": {
143     "id": "79c4e730-1f32-40c0-abd5-57d0437a24e0",
144     "updatedBy": "",
145     "name": "Gamplification",
146     "publisher": "Roo",

```



```

147     "subtitle": "SUB",
148     "description": "aqwefudvbsndv",
149     "image": null,
150     "video": null,
151     "banner": null,
152     "appPackage": null,
153     "latestVersion": "v0.1",
154     "latestBuild": 23,
155     "rating": null,
156     "downloads": null,
157     "price": null,
158     "ranking": null,
159     "order": null,
160     "paragraph1": null,
161     "paragraph2": null,
162     "paragraph3": null,
163     "paragraph4": null,
164     "presetPriceList": null,
165     "casino": {
166         "id": "412aaf36-8e20-4bec-9ebb-b8b8cbaa132b",
167         "updatedBy": "",
168         "name": "UserAppCas",
169         "imageUrl": "UserAppCas",
170         "videoUrl": "UserAppCas"
171     },
172     "category": {
173         "id": "5f1f403f-9f6f-42f4-ba4b-64eb0af59ca7",
174         "updatedBy": "",
175         "name": "Doodlebug",
176         "imageUrl": "http://www.gmail.com",
177         "videoUrl": "http://www.facebook.com"
178     },
179     "featured": null,
180     "updated": null,
181     "sliderImages": null,
182     "keywords": null,
183     "categoryId": null,
184     "casinoId": null,
185     "gameAppVersions": [
186         {
187             "version": "v0.1",
188             "build": 23,
189             "versionDate": 1452765500482
190         }
191     ]
192 },
193 "actionType": "INSTALL",
194 "installedDate": 1452765645761
195 }
196 ]
197 }

```

## Description

Gets all AppDownloads based on a passed appDownloads Id.

## Example URI

GET <https://<Example api server address>/user/app/downloads/{id}>

## Parameters

Parameter	Type	Use	Description
id	String	Required	uuid of an AppDownloads.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/app/downloads/id'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "error": false,  
3 |   "message": "Fetching app downloads detail successful",  
4 |   "detail": null,  
5 |   "data": [  
6 |     {  
7 |       "id": "6f1fc52b-debf-4934-a912-ae45e2744e16",  
8 |       "updatedBy": "",  
9 |       "user": {  
10 |         "id": "660f4a9d-35e7-4ad7-bca4-c49607a4769d",  
11 |         "updatedBy": "",  
12 |         "firstName": "ABC ",  
13 |         "lastName": "DEF",  
14 |         "fullName": "ABC DEF",  
15 |         "profileName": "ABC",  
16 |         "registrationDate": 1452764965420,  
17 |         "birthDateDay": 12,  
18 |         "birthDateMonth": 1,  
19 |         "birthDateYear": 1945,  
20 |         "locationCountry": "United Kingdom",  
21 |         "locationZipCode": "1234234",  
22 |         "timezone": null,  
23 |         "profileImagePath": null,  
24 |         "userSetting": null,  
25 |         "socialAuthenticationChannels": [  
26 |           {  
27 |             "loginType": "FACEBOOK",  
28 |             "socialId": "sgwet34",  
29 |             "addedOn": 1452764965420,  
30 |             "lastUsedOn": 1452764965420,  
31 |             "deletedOn": null  
32 |           }  
33 |         ],  
34 |         "emailAuthenticationChannels": [],
```

json

```

35     "mobileAuthenticationChannels": [],
36     "addresses": null,
37     "status": "NEW",
38     "verified": true,
39     "blockStatus": "NORMAL",
40     "pinCreated": false,
41     "reasonForDeleting": null,
42     "lastWrongPinAttemptTime": null,
43     "blockedMinutes": 0,
44     "userBlockedNumber": 0,
45     "userBlockedTime": null
46 },
47 "application": {
48     "id": "306385a6-3644-4b12-b3e7-e428f8743239",
49     "updatedBy": "",
50     "name": "GameApplication",
51     "publisher": "Rooo",
52     "subtitle": "SUB",
53     "description": "aqwefudvbsndv",
54     "image": null,
55     "video": null,
56     "banner": null,
57     "appPackage": null,
58     "latestVersion": "v0.1",
59     "latestBuild": 23,
60     "rating": null,
61     "downloads": null,
62     "price": null,
63     "ranking": null,
64     "order": null,
65     "paragraph1": null,
66     "paragraph2": null,
67     "paragraph3": null,
68     "paragraph4": null,
69     "presetPriceList": null,
70     "casino": {
71         "id": "412aaf36-8e20-4bec-9ebb-b8b8cbaa132b",
72         "updatedBy": "",
73         "name": "UserAppCas",
74         "imageUrl": "UserAppCas",
75         "videoUrl": "UserAppCas"
76     },
77     "category": {
78         "id": "5f1f403f-9f6f-42f4-ba4b-64eb0af59ca7",
79         "updatedBy": "",
80         "name": "Doodlebug",
81         "imageUrl": "http://www.gmail.com",
82         "videoUrl": "http://www.facebook.com"
83     },
84     "featured": null,
85     "updated": null,
86     "sliderImages": null,
87     "keywords": null,
88     "categoryId": null,
89     "casinoId": null,
90     "gameAppVersions": [
91         {
92             "version": "v0.1",
93             "build": 23,
94             "versionDate": 1452764655062
95         }

```

```
96     ]
97     },
98     "actionType": "INSTALL",
99     "installedDate": 1452765026054
100   }
101 ]
102 }
```

**GET**

## Filter by User

### Description

Gets all app downloads based on a passed userid.

### Example URI

GET <https://<Example api server address>/user/{id}/app/downloads>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of a user.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/id/app/downloads'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "error": false,  
3 |   "message": "Fetched user installed applications successfully",  
4 |   "detail": null,  
5 |   "data": [  
6 |     {  
7 |       "id": "6f1fc52b-debf-4934-a912-ae45e2744e16",  
8 |       "updatedBy": "",  
9 |       "user": {  
10 |         "id": "660f4a9d-35e7-4ad7-bca4-c49607a4769d",  
11 |         "updatedBy": "",  
12 |         "firstName": "ABC ",  
13 |         "lastName": "DEF",  
14 |         "fullName": "ABC DEF",  
15 |         "profileName": "ABC",  
16 |         "registrationDate": 1452764965420,  
17 |         "birthDateDay": 12,  
18 |         "birthDateMonth": 1,  
19 |         "birthDateYear": 1945,  
20 |         "locationCountry": "United Kingdom",  
21 |         "locationZipCode": "1234234",  
22 |         "timezone": null,  
23 |         "profileImagePath": null,  
24 |         "userSetting": null,  
25 |         "socialAuthenticationChannels": [  
26 |           {  
27 |             "loginType": "FACEBOOK",  
28 |             "socialId": "sgwet34",  
29 |             "addedOn": 1452764965420,  
30 |             "lastUsedOn": 1452764965420,  
31 |             "deletedOn": null  
32 |           }  
33 |         ],  
34 |         "emailAuthenticationChannels": [],
```

json

```

35     "mobileAuthenticationChannels": [],
36     "addresses": null,
37     "status": "NEW",
38     "verified": true,
39     "blockStatus": "NORMAL",
40     "pinCreated": false,
41     "reasonForDeleting": null,
42     "lastWrongPinAttemptTime": null,
43     "blockedMinutes": 0,
44     "userBlockedNumber": 0,
45     "userBlockedTime": null
46 },
47 "application": {
48     "id": "306385a6-3644-4b12-b3e7-e428f8743239",
49     "updatedBy": "",
50     "name": "GameApplication",
51     "publisher": "Rooo",
52     "subtitle": "SUB",
53     "description": "aqwefudvbsndv",
54     "image": null,
55     "video": null,
56     "banner": null,
57     "appPackage": null,
58     "latestVersion": "v0.1",
59     "latestBuild": 23,
60     "rating": null,
61     "downloads": null,
62     "price": null,
63     "ranking": null,
64     "order": null,
65     "paragraph1": null,
66     "paragraph2": null,
67     "paragraph3": null,
68     "paragraph4": null,
69     "presetPriceList": null,
70     "casino": {
71         "id": "412aaf36-8e20-4bec-9ebb-b8b8cbaa132b",
72         "updatedBy": "",
73         "name": "UserAppCas",
74         "imageUrl": "UserAppCas",
75         "videoUrl": "UserAppCas"
76     },
77     "category": {
78         "id": "5f1f403f-9f6f-42f4-ba4b-64eb0af59ca7",
79         "updatedBy": "",
80         "name": "Doodlebug",
81         "imageUrl": "http://www.gmail.com",
82         "videoUrl": "http://www.facebook.com"
83     },
84     "featured": null,
85     "updated": null,
86     "sliderImages": null,
87     "keywords": null,
88     "categoryId": null,
89     "casinoId": null,
90     "gameAppVersions": [
91         {
92             "version": "v0.1",
93             "build": 23,
94             "versionDate": 1452764655062
95         }

```

```

96     ]
97   },
98   "actionType": "INSTALL",
99   "installedDate": 1452765026054
100 },
101 {
102   "id": "6401d3ae-bf69-4a84-a8df-5612f82db890",
103   "updatedBy": "",
104   "user": {
105     "id": "660f4a9d-35e7-4ad7-bca4-c49607a4769d",
106     "updatedBy": "",
107     "firstName": "ABC ",
108     "lastName": "DEF",
109     "fullName": "ABC DEF",
110     "profileName": "ABC",
111     "registrationDate": 1452764965420,
112     "birthDateDay": 12,
113     "birthDateMonth": 1,
114     "birthDateYear": 1945,
115     "locationCountry": "United Kingdom",
116     "locationZipCode": "1234234",
117     "timezone": null,
118     "profileImagePath": null,
119     "userSetting": null,
120     "socialAuthenticationChannels": [
121       {
122         "loginType": "FACEBOOK",
123         "socialId": "sgwet34",
124         "addedOn": 1452764965420,
125         "lastUsedOn": 1452764965420,
126         "deletedOn": null
127       }
128     ],
129     "emailAuthenticationChannels": [],
130     "mobileAuthenticationChannels": [],
131     "addresses": null,
132     "status": "NEW",
133     "verified": true,
134     "blockStatus": "NORMAL",
135     "pinCreated": false,
136     "reasonForDeleting": null,
137     "lastWrongPinAttemptTime": null,
138     "blockedMinutes": 0,
139     "userBlockedNumber": 0,
140     "userBlockedTime": null
141   },
142   "application": {
143     "id": "79c4e730-1f32-40c0-abd5-57d0437a24e0",
144     "updatedBy": "",
145     "name": "Gamplification",
146     "publisher": "Rooo",
147     "subtitle": "SUB",
148     "description": "aqwefudvbsndv",
149     "image": null,
150     "video": null,
151     "banner": null,
152     "appPackage": null,
153     "latestVersion": "v0.1",
154     "latestBuild": 23,
155     "rating": null,
156     "downloads": null,

```

```
157     "price": null,
158     "ranking": null,
159     "order": null,
160     "paragraph1": null,
161     "paragraph2": null,
162     "paragraph3": null,
163     "paragraph4": null,
164     "presetPriceList": null,
165     "casino": {
166         "id": "412aaf36-8e20-4bec-9ebb-b8b8cbaa132b",
167         "updatedBy": "",
168         "name": "UserAppCas",
169         "imageUrl": "UserAppCas",
170         "videoUrl": "UserAppCas"
171     },
172     "category": {
173         "id": "5f1f403f-9f6f-42f4-ba4b-64eb0af59ca7",
174         "updatedBy": "",
175         "name": "Doodlebug",
176         "imageUrl": "http://www.gmail.com",
177         "videoUrl": "http://www.facebook.com"
178     },
179     "featured": null,
180     "updated": null,
181     "sliderImages": null,
182     "keywords": null,
183     "categoryId": null,
184     "casinoId": null,
185     "gameAppVersions": [
186         {
187             "version": "v0.1",
188             "build": 23,
189             "versionDate": 1452765500482
190         }
191     ]
192 },
193 "actionType": "INSTALL",
194 "installedDate": 1452765645761
195 }
196 ]
197 }
```



**POST****Find by Criteria****Description**

Posts user downloads by criteria.

**Request Endpoint**

POST <https://<Example api server address>/user/app/downloads/find>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |     \"criteriaList\": [  
6 |         {  
7 |             \"field\": \"muid\",  
8 |             \"value\": \"dd4a0da1-4b7f-4b3e-b624-d247aee51e54\"  
9 |         }  
10 |     ]  
11 | }" \  
12 | 'https://core.dev.Example.net/api/user/app/downloads/find'
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
<b>criteriaList</b>	Array	Required	An array of criteria to be applied.
<b>field</b>	Required	Optional	Field against which the criteria is to be applied.
<b>value</b>	String	Required	Value on which a criteria to be applied.

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   \"criteriaList\": [  
3 |     {  
4 |       \"field\": \"muid\",  
5 |       \"value\": \"dd4a0da1-4b7f-4b3e-b624-d247aee51e54\"  
6 |     }  
7 |   ]  
8 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   \"data\": [  
3 |     {  
4 |       \"id\": \"bde65c99-c0be-4788-8b03-694233ef4e57\",
```

json

```

5   "createdOn": 1479144945731,
6   "lastModifiedOn": 1479144945731,
7   "updatedBy": "",
8   "deleted": false,
9   "actionType": "INSTALL",
10  "application": {
11    "id": "f743e328-e894-4db1-b219-8a317868ac05",
12    "createdOn": 1479144941384,
13    "lastModifiedOn": 1479144945730,
14    "updatedBy": "",
15    "deleted": false,
16    "name": "ZYinEDgVHP",
17    "appPackage": "appPac",
18    "bundleIdentifier": "WhReukXyLH",
19    "casino": {
20      "id": "1dbfd6f9-8e39-4859-a658-90726b4e4529",
21      "createdOn": 1479144831564,
22      "lastModifiedOn": 1479144938538,
23      "updatedBy": "",
24      "deleted": false,
25      "name": "ttLEsFqwWU",
26      "videoUrl": null,
27      "imageUrl": null,
28      "description": null,
29      "website": null,
30      "icon": null,
31      "banner": null,
32      "deletedBy": null,
33      "deletedOn": null,
34      "operatorStatus": "VERIFIED",
35      "email": "5b5a43439e4247ae95054cdfa1546ce2@gmail.com",
36      "userRole": "OPERATOR",
37      "firstName": null,
38      "lastName": null,
39      "address": null,
40      "externalId": "1dbfd6f9-8e39-4859-a658-90726b4e4529",
41      "featuredAppId": "16ae23d4-e5d1-441c-86b6-b0844b8a7128",
42      "latestAppId": "4101b21d-61f2-4244-86e9-82a01d131889"
43    },
44    "casinoId": null,
45    "categories": [
46      {
47        "id": "5194eaa2-b803-4e2f-a8cc-5043ee0f280d",
48        "createdOn": 1479144940500,
49        "lastModifiedOn": 1479144940500,
50        "updatedBy": "",
51        "deleted": false,
52        "imageUrl": "http://www.google.com/betting.png",
53        "name": "4396c5a518c24e0a91c8e201ba802ab2",
54        "description": "Some poker category",
55        "videoUrl": "https://www.google.com/betting-video.mov",
56        "iconUrl": "https://www.google.com/betting-icon.png",
57        "colorCode": "#FFFFFF",
58        "heroImageReference": "https://www.google.com/hero.png",
59        "priority": 1,
60        "deletedBy": null,
61        "deletedOn": null,
62        "apps": null
63      }
64    ],
65    "categoryIds": null,

```

```

66     "downloads": 1,
67     "featured": false,
68     "applicationVersionIds": null,
69     "keywords": null,
70     "latestBuild": null,
71     "latestVersion": "v0.3",
72     "initialVersionPublishDate": null,
73     "latestVersionPublishDate": null,
74     "order": null,
75     "paragraph1": null,
76     "paragraph2": null,
77     "paragraph3": null,
78     "paragraph4": null,
79     "presetPriceList": null,
80     "price": null,
81     "publisherId": "6b0c6ac3-cd00-42b1-a657-b22ba9b5af5d",
82     "publisher": {
83         "id": "6b0c6ac3-cd00-42b1-a657-b22ba9b5af5d",
84         "createdOn": 1479144831675,
85         "lastModifiedOn": 1479144831675,
86         "updatedBy": "",
87         "deleted": false,
88         "name": "wzJUYwaqfi",
89         "description": null,
90         "email": "66c794df6fab4d7e8cf62e28491c626d@gmail.com",
91         "website": null,
92         "phone": null,
93         "publisherStatus": "VERIFIED",
94         "operatorId": "1dbfd6f9-8e39-4859-a658-90726b4e4529",
95         "userRole": "PUBLISHER"
96     },
97     "ranking": null,
98     "subtitle": null,
99     "updated": null,
100    "status": "DRAFTED",
101    "downloadLink": null,
102    "compatibility": "kitkat",
103    "sizeOnDisk": null,
104    "permissionDetails": null,
105    "additionalDetails": "This application is very popular",
106    "tags": null,
107    "rating": {
108        "count": 0,
109        "overall": 0,
110        "gamePlay": 0,
111        "design": 0,
112        "ease": 0
113    },
114    "silent": null,
115    "normal": {
116        "min": 1,
117        "max": 1
118    },
119    "mandatory": null,
120    "downgrade": null,
121    "deletedBy": null,
122    "deletedOn": null,
123    "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.png",
124    "sliderImages": [
125        {
126            "id": "b674f41b-ba87-4b48-90ea-badd365444aa",

```

```

127         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
128         "order": 1
129     },
130     {
131         "id": "2911da10-3725-436b-ab30-6f6342bfa881",
132         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
133         "order": 0
134     }
135 ],
136 "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner1.png",
137 "video": null,
138 "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon.png",
139 "featuredImage": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.jpeg",
140 "privacyPolicy": "www.privacypolicy.com/2345",
141 "locationSupported": [
142     "India",
143     "UK"
144 ],
145 "languageSupported": [
146     "English",
147     "French"
148 ],
149 "affiliateLaunchMode": null,
150 "affiliateLaunchData": null,
151 "editorsPick": false,
152 "live": false,
153 "reviewer": null
154 },
155 "casino": {
156     "id": "1dbfd6f9-8e39-4859-a658-90726b4e4529",
157     "createdOn": 1479144831564,
158     "lastModifiedOn": 1479144938538,
159     "updatedBy": "",
160     "deleted": false,
161     "name": "ttLEsFqWWU",
162     "videoUrl": null,
163     "imageUrl": null,
164     "description": null,
165     "website": null,
166     "icon": null,
167     "banner": null,
168     "deletedBy": null,
169     "deletedOn": null,
170     "operatorStatus": "VERIFIED",
171     "email": "5b5a43439e4247ae95054cdfa1546ce2@gmail.com",
172     "userRole": "OPERATOR",
173     "firstName": null,
174     "lastName": null,
175     "address": null,
176     "externalId": "1dbfd6f9-8e39-4859-a658-90726b4e4529",
177     "featuredAppId": "16ae23d4-e5d1-441c-86b6-b0844b8a7128",
178     "latestAppId": "4101b21d-61f2-4244-86e9-82a01d131889"
179 },
180 "bundlePackageId": "WhReukXyLH",
181 "installedDate": 1479144945731,
182 "user": {
183     "id": "57264253-a67c-4c91-8eb2-ee12421dea63",
184     "createdOn": 1479144944712,
185     "lastModifiedOn": 1479144945410,
186     "updatedBy": "",
187     "deleted": true,

```

```

188     "addresses": null,
189     "devices": [
190         {
191             "id": "adebe52a-d474-4ddb-b067-cf5a1c7311ba",
192             "createdOn": 1479140473358,
193             "lastModifiedOn": 1479140473358,
194             "updatedBy": "",
195             "deleted": false,
196             "description": "Old Device",
197             "deviceStatus": "NORMAL",
198             "manufacturer": "Apple",
199             "model": "iPhone 5",
200             "os": "iOS 9",
201             "udid": "10837321038243",
202             "simStateHashCode": null,
203             "simCardState": null,
204             "deletedUdid": null,
205             "deletedBy": null,
206             "deletedOn": null,
207             "name": "Moto",
208             "brand": null,
209             "androidID": "etr657y",
210             "advertiserID": null,
211             "operator": null,
212             "country": "India",
213             "language": "English",
214             "screenWidthInPixels": null,
215             "screenHeightInPixels": null,
216             "screenWidthInInches": null,
217             "screenHeightInInches": null
218         }
219     ],
220     "emailAuthenticationChannels": [],
221     "firstName": "",
222     "fullName": null,
223     "groupTag": [
224         "FACEBOOK",
225         "Apple",
226         "United Kingdom",
227         "iOS 9",
228         "1234234",
229         "iPhone 5"
230     ],
231     "lastName": "DEF",
232     "locationCountry": "United Kingdom",
233     "locationZipCode": "1234234",
234     "mobileAuthenticationChannels": [],
235     "pinCreated": true,
236     "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://jffjh.jdhhg.pn",
237     "profileName": "ABC",
238     "registrationDate": 1479144944475,
239     "socialAuthenticationChannels": [
240         {
241             "addedOn": 1479144944711,
242             "blockStatus": "NORMAL",
243             "deletedOn": 1479144945410,
244             "lastUsedOn": 1479144944711,
245             "loginType": "FACEBOOK",
246             "socialId": "665633c5-40c3-417d-a97e-b13171908ebc",
247             "deleted": true,
248             "recycleSocialId": "tyGqhbUBkG",

```

```

249         "emailAddress": "san.sh555@gmail.com",
250         "profileName": "facebook"
251     }
252 ],
253 "status": "DELETED",
254 "timezone": null,
255 "userSetting": {
256     "autoUpdateBetcadeApp": true,
257     "autoUpdateDownloadedApps": true,
258     "monthlyDepositMaxLimit": 0,
259     "monthlyDepositMaxLimitCurrency": "GBP",
260     "prefillUserInfoInCasino": true,
261     "receiveEmailReceipt": true,
262     "receiveNotifications": true,
263     "shareRegistrationInfo": true,
264     "userEmailProvided": true,
265     "versionOfDownloadedBetcadeApp": "v1",
266     "wifiDownloadLimitInMB": 0,
267     "preferredCategories": [],
268     "autoSaveCard": true,
269     "autoAddHomeIcon": true,
270     "receiveUpdateNotifications": true,
271     "receiveAutoUpdatedNotifications": true,
272     "receiveRecommendationNotifications": true,
273     "preferredCurrency": null,
274     "appSetting": {
275         "autoUpdateApps": 2,
276         "addIconHomeScreen": false,
277         "saveNewCreditOrDebitCards": true,
278         "appUpdatesAvailable": true,
279         "appsWereAutoUpdated": true,
280         "recommendedContentAvailable": true
281     }
282 },
283 "verified": true,
284 "pinResetDate": null,
285 "pinChangeDate": 1479144945025,
286 "singularId": null,
287 "acquisitionIds": null,
288 "userAuditInfo": {
289     "initialLoginDate": 1479144944475,
290     "initialLoginIp": "127.0.0.1",
291     "initialLoginLocation": " ",
292     "initialRegistrationDate": null,
293     "initialRegistrationIp": null,
294     "initialRegistrationLocation": null
295 },
296 "email": "7c51abbc753f47128d08c86ad601831c@gmail.com",
297 "phone": "+919874654244",
298 "dob": 663379440000,
299 "statusBeforeBlacklisting": null,
300 "muid": "dd4a0da1-4b7f-4b3e-b624-d247aee51e54",
301 "testUser": null
302 },
303 "extCasinoUserId": null,
304 "appVersion": null,
305 "affiliateLaunchMode": null,
306 "affiliateLaunchData": null
307 },
308 {
309     "id": "490b44ce-023d-4978-ba0e-6e2f638ea4cb",

```

```

310 "createdOn": 1479144945380,
311 "lastModifiedOn": 1479144945380,
312 "updatedBy": "",
313 "deleted": false,
314 "actionType": "INSTALL",
315 "application": {
316   "id": "f4251c08-4382-488c-9bec-16eca15ba04f",
317   "createdOn": 1479144941058,
318   "lastModifiedOn": 1479144945379,
319   "updatedBy": "",
320   "deleted": false,
321   "name": "BMmZiLCuTn",
322   "appPackage": "appPac",
323   "bundleIdentifier": "dsMangZmLf",
324   "casino": {
325     "id": "309153f1-1837-4993-bdd3-41552cf8c6fb",
326     "createdOn": 1479144940176,
327     "lastModifiedOn": 1479144940176,
328     "updatedBy": "",
329     "deleted": false,
330     "name": "SHvxeVlmYS",
331     "videoUrl": null,
332     "imageUrl": null,
333     "description": null,
334     "website": null,
335     "icon": null,
336     "banner": null,
337     "deletedBy": null,
338     "deletedOn": null,
339     "operatorStatus": "VERIFIED",
340     "email": "d5a63667b1f74fedab497d681778dccf@gmail.com",
341     "userRole": "OPERATOR",
342     "firstName": null,
343     "lastName": null,
344     "address": null,
345     "externalId": "309153f1-1837-4993-bdd3-41552cf8c6fb",
346     "featuredAppId": null,
347     "latestAppId": null
348   },
349   "casinoId": null,
350   "categories": [
351     {
352       "id": "8e2f1e83-35de-470e-90a0-27272f3b5a5a",
353       "createdOn": 1479144831546,
354       "lastModifiedOn": 1479144831546,
355       "updatedBy": "",
356       "deleted": false,
357       "imageUrl": "http://www.google.com/betting.png",
358       "name": "mqlzwikhnA",
359       "description": "Some poker category",
360       "videoUrl": "https://www.google.com/betting-video.mov",
361       "iconUrl": "https://www.google.com/betting-icon.png",
362       "colorCode": "#FFFFFF",
363       "heroImageReference": "https://www.google.com/hero.png",
364       "priority": 1,
365       "deletedBy": null,
366       "deletedOn": null,
367       "apps": null
368     }
369   ],
370   "categoryIds": null,

```

```

371     "downloads": 2,
372     "featured": false,
373     "applicationVersionIds": null,
374     "keywords": null,
375     "latestBuild": null,
376     "latestVersion": "v0.3",
377     "initialVersionPublishDate": null,
378     "latestVersionPublishDate": null,
379     "order": null,
380     "paragraph1": null,
381     "paragraph2": null,
382     "paragraph3": null,
383     "paragraph4": null,
384     "presetPriceList": null,
385     "price": null,
386     "publisherId": "6b0c6ac3-cd00-42b1-a657-b22ba9b5af5d",
387     "publisher": {
388         "id": "6b0c6ac3-cd00-42b1-a657-b22ba9b5af5d",
389         "createdOn": 1479144831675,
390         "lastModifiedOn": 1479144831675,
391         "updatedBy": "",
392         "deleted": false,
393         "name": "wzJUYwaqfi",
394         "description": null,
395         "email": "66c794df6fab4d7e8cf62e28491c626d@gmail.com",
396         "website": null,
397         "phone": null,
398         "publisherStatus": "VERIFIED",
399         "operatorId": "1dbfd6f9-8e39-4859-a658-90726b4e4529",
400         "userRole": "PUBLISHER"
401     },
402     "ranking": null,
403     "subtitle": null,
404     "updated": null,
405     "status": "DRAFTED",
406     "downloadLink": null,
407     "compatibility": "kitkat",
408     "sizeOnDisk": null,
409     "permissionDetails": null,
410     "additionalDetails": "This application is very popular",
411     "tags": null,
412     "rating": {
413         "count": 0,
414         "overall": 0,
415         "gamePlay": 0,
416         "design": 0,
417         "ease": 0
418     },
419     "silent": null,
420     "normal": {
421         "min": 1,
422         "max": 1
423     },
424     "mandatory": null,
425     "downgrade": null,
426     "deletedBy": null,
427     "deletedOn": null,
428     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.png",
429     "sliderImages": [
430         {
431             "id": "2acb1a9a-a4e8-4f3d-87d4-2260d364f37f",

```



```

432     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
433     "order": 1
434   },
435   {
436     "id": "3a5a3ee7-623b-4a23-abe1-d8d1c130de4d",
437     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
438     "order": 0
439   }
440 ],
441 "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner1.png",
442 "video": null,
443 "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon.png",
444 "featuredImage": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/abcd.jpeg",
445 "privacyPolicy": "www.privacypolicy.com/2345",
446 "locationSupported": [
447   "India",
448   "UK"
449 ],
450 "languageSupported": [
451   "English",
452   "French"
453 ],
454 "affiliateLaunchMode": null,
455 "affiliateLaunchData": null,
456 "editorsPick": false,
457 "live": false,
458 "reviewer": null
459 },
460 "casino": {
461   "id": "309153f1-1837-4993-bdd3-41552cf8c6fb",
462   "createdOn": 1479144940176,
463   "lastModifiedOn": 1479144940176,
464   "updatedBy": "",
465   "deleted": false,
466   "name": "SHvxeVlmYS",
467   "videoUrl": null,
468   "imageUrl": null,
469   "description": null,
470   "website": null,
471   "icon": null,
472   "banner": null,
473   "deletedBy": null,
474   "deletedOn": null,
475   "operatorStatus": "VERIFIED",
476   "email": "d5a63667b1f74fedab497d681778dccf@gmail.com",
477   "userRole": "OPERATOR",
478   "firstName": null,
479   "lastName": null,
480   "address": null,
481   "externalId": "309153f1-1837-4993-bdd3-41552cf8c6fb",
482   "featuredAppId": null,
483   "latestAppId": null
484 },
485 "bundlePackageId": "dsMangZmLf",
486 "installedDate": 1479144945380,
487 "user": {
488   "id": "57264253-a67c-4c91-8eb2-ee12421dea63",
489   "createdOn": 1479144944712,
490   "lastModifiedOn": 1479144945410,
491   "updatedBy": "",
492   "deleted": true,

```

```

493     "addresses": null,
494     "devices": [
495         {
496             "id": "adebe52a-d474-4ddb-b067-cf5a1c7311ba",
497             "createdOn": 1479140473358,
498             "lastModifiedOn": 1479140473358,
499             "updatedBy": "",
500             "deleted": false,
501             "description": "Old Device",
502             "deviceStatus": "NORMAL",
503             "manufacturer": "Apple",
504             "model": "iPhone 5",
505             "os": "iOS 9",
506             "udid": "10837321038243",
507             "simStateHashCode": null,
508             "simCardState": null,
509             "deletedUdid": null,
510             "deletedBy": null,
511             "deletedOn": null,
512             "name": "Moto",
513             "brand": null,
514             "androidID": "etr657y",
515             "advertiserID": null,
516             "operator": null,
517             "country": "India",
518             "language": "English",
519             "screenWidthInPixels": null,
520             "screenHeightInPixels": null,
521             "screenWidthInInches": null,
522             "screenHeightInInches": null
523         }
524     ],
525     "emailAuthenticationChannels": [],
526     "firstName": "",
527     "fullName": null,
528     "groupTag": [
529         "FACEBOOK",
530         "Apple",
531         "United Kingdom",
532         "iOS 9",
533         "1234234",
534         "iPhone 5"
535     ],
536     "lastName": "DEF",
537     "locationCountry": "United Kingdom",
538     "locationZipCode": "1234234",
539     "mobileAuthenticationChannels": [],
540     "pinCreated": true,
541     "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://jffjh.jdhhg.pn",
542     "profileName": "ABC",
543     "registrationDate": 1479144944475,
544     "socialAuthenticationChannels": [
545         {
546             "addedOn": 1479144944711,
547             "blockStatus": "NORMAL",
548             "deletedOn": 1479144945410,
549             "lastUsedOn": 1479144944711,
550             "loginType": "FACEBOOK",
551             "socialId": "665633c5-40c3-417d-a97e-b13171908ebc",
552             "deleted": true,
553             "recycleSocialId": "tyGqhbUBkG",

```

```

554         "emailAddress": "san.sh555@gmail.com",
555         "profileName": "facebook"
556     }
557 ],
558 "status": "DELETED",
559 "timezone": null,
560 "userSetting": {
561     "autoUpdateBetcadeApp": true,
562     "autoUpdateDownloadedApps": true,
563     "monthlyDepositMaxLimit": 0,
564     "monthlyDepositMaxLimitCurrency": "GBP",
565     "prefillUserInfoInCasino": true,
566     "receiveEmailReceipt": true,
567     "receiveNotifications": true,
568     "shareRegistrationInfo": true,
569     "userEmailProvided": true,
570     "versionOfDownloadedBetcadeApp": "v1",
571     "wifiDownloadLimitInMB": 0,
572     "preferredCategories": [],
573     "autoSaveCard": true,
574     "autoAddHomeIcon": true,
575     "receiveUpdateNotifications": true,
576     "receiveAutoUpdatedNotifications": true,
577     "receiveRecommendationNotifications": true,
578     "preferredCurrency": null,
579     "appSetting": {
580         "autoUpdateApps": 2,
581         "addIconHomeScreen": false,
582         "saveNewCreditOrDebitCards": true,
583         "appUpdatesAvailable": true,
584         "appsWereAutoUpdated": true,
585         "recommendedContentAvailable": true
586     }
587 },
588 "verified": true,
589 "pinResetDate": null,
590 "pinChangeDate": 1479144945025,
591 "singularId": null,
592 "acquisitionIds": null,
593 "userAuditInfo": {
594     "initialLoginDate": 1479144944475,
595     "initialLoginIp": "127.0.0.1",
596     "initialLoginLocation": " ",
597     "initialRegistrationDate": null,
598     "initialRegistrationIp": null,
599     "initialRegistrationLocation": null
600 },
601 "email": "7c51abbc753f47128d08c86ad601831c@gmail.com",
602 "phone": "+919874654244",
603 "dob": 663379440000,
604 "statusBeforeBlacklisting": null,
605 "muid": "dd4a0da1-4b7f-4b3e-b624-d247aee51e54",
606 "testUser": null
607 },
608 "extCasinoUserId": "33d3aefe-3357-4306-b797-286a8fe17277",
609 "appVersion": null,
610 "affiliateLaunchMode": "WEB",
611 "affiliateLaunchData": {
612     "data": "blah!"
613 }
614 }

```

```
615 | ],  
616 |   "detail": null,  
617 |   "error": false,  
618 |   "message": "Fetching transactions successful",  
619 |   "code": "1000"  
620 | }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### User KYC Check APIs

#### PUT Fetch User KYC History

##### Description

Fetches the history of a user kyc.

##### Request Endpoint

PUT `https://<Example api server address>/user/{userid}/kyc/history`

##### Parameters

Parameter	Type	Use	Description
userId	String	Required	UUID of a user.

##### cURL syntax

```
1 | curl --include \  
2 |   --request PUT \  
3 | 'https://core.dev.Example.net/api/user/userid/kyc/history'
```

curl

##### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "84923ec5-900e-4f4d-a91a-5d7398093203",  
5 |       "extKYCCheckResult": "PASS",  
6 |       "extKYCCheckDateTime": 1469108573334,  
7 |       "extKYCCheckData": {  
8 |         "xmlns": "http://www.orchestra.com",  
9 |         "finalResult": null,  
10 |        "fraudResult": "Success",  
11 |        "kycResult": null,  
12 |        "fraudScore": null,  
13 |        "rulesTriggered": null,  
14 |        "triggers": null,  
15 |        "geo": null,  
16 |        "velo": null,  
17 |        "xyVelo": null,  
18 |        "emailAge": null,  
19 |        "telesignLive": null,
```

json

```
20     "txnId": null
21   },
22   "requestId": "96f6a337-187a-4af2-85e2-4e4c58b8245c"
23 }
24 ],
25 "detail": null,
26 "error": false,
27 "message": "Fetching user kyc history successful"
28 }
```

## Description

- This is a KYC check during the creation of User's 1st PM by adding PM or by depositing with SAVE\_CARD / ONE\_TIME\_TRANSACTION.
- It helps when doing a KYC check of a User when the user tries to add their PM by using "add PM" or by depositing with "SAVE\_CARD / ONE\_TIME\_TRANSACTION".

## Request Endpoint

POST <https://<Example api server address>/user/kyc/check>

## Parameters

None.

## cURL syntax

```

1 curl --include \
2     --request POST \
3     --header "Content-Type: application/json" \
4     --data-binary "{
5     \"userId\" : \"82c8a4e4-f373-451c-8509-8e9687313a3c\",
6     \"deviceUdid\" : \"udid-12345\",
7     \"firstName\" : \"Shruti\",
8     \"lastName\" : \"Nagarkar\",
9     \"dob\" : \"1991-04-09\",
10    \"mobileNumber\" : \"+918050022027\",
11    \"emailAddress\" : \"rn.shruti@gmail.com\",
12    \"billingAddress\" : {
13        \"street\" : \"3rd cross\",
14        \"street2\" : \"wilson garden\",
15        \"city\" : \"Bangalore\",
16        \"state\" : \"karnataka\",
17        \"countryCode\" : \"India\",
18        \"postalCode\" : \"134413\"
19    }
20 }" \
21 'https://core.dev.Example.net/api/user/kyc/check'

```

## PUT body attributes (JSON)

Attribute	Type	Use	Description
<b>userId</b>	String	Required	UUID of a User.
<b>deviceUdid</b>	String	Required	UDID of a Device that belongs to an user.
<b>firstName</b>	String	Optional	First name of a user.
<b>lastName</b>	String	Optional	Last name of a user.
<b>dob</b>	String	Optional	Date of birth of a User in "yyyy-mm-dd" format.
<b>mobileNumber</b>	String	Optional	Mobile number of a user that can be used for a KYC check.
<b>emailAddress</b>	String	Optional	Email address of a user that can be used for a KYC check.
<b>billingAddress</b>	Object	Required	Billing Address (of a user) object with the following attributes that can be used for a KYC check.
<b>street</b>	String	Required	Street address of a user.

Attribute	Type	Use	Description
street2	String	Required	Continuation of a user address.
city	String	Required	City of a user.
state	String	Required	State of a user.
postalCode	String	Required	postal code of a user.
countryCode	String	Required	Country code of a user.

## POST body

Headers: Content-Type: application/json

```
1 | {
2 |   "userId": "82c8a4e4-f373-451c-8509-8e9687313a3c",
3 |   "deviceUdid": "udid-12345",
4 |   "firstName": "Shruti",
5 |   "lastName": "Nagarkar",
6 |   "dob": "1991-04-09",
7 |   "mobileNumber": "+918050022027",
8 |   "emailAddress": "rn.shruti@gmail.com",
9 |   "billingAddress": {
10 |     "street": "3rd cross",
11 |     "street2": "wilson garden",
12 |     "city": "Bangalore",
13 |     "state": "karnataka",
14 |     "countryCode": "India",
15 |     "postalCode": "134413"
16 |   }
17 | }
```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {
2 |   "data": {
3 |     "extKYCCheckResult": "PASS"
4 |   },
5 |   "detail": null,
6 |   "error": false,
7 |   "message": "User KYC check successful"
8 | }
```

json



**Description**

Helps in doing the KYC check when a user updates any of his information or all of them (mobile number, or email address, or dob, or billing address).

**Request Endpoint**

PUT <https://<Example api server address>/user/kyc/mobile/email>

**Parameters**

None.

**cURL syntax**

```

1 | curl --include \
2 |     --request PUT \
3 |     --header "Content-Type: application/json" \
4 |     --data-binary "{
5 |     \"userId\" : \"82c8a4e4-f373-451c-8509-8e9687313a3c\",
6 |     \"deviceUdid\" : \"udid-12345\",
7 |     \"dob\" : \"1991-07-10\",
8 |     \"mobileNumber\" : \"+918050022027\",
9 |     \"emailAddress\" : \"rn.shruti@gmail.com\",
10 |    \"firstName\" : \"Shruti\",
11 |    \"lastName\" : \"Nagarkar\",
12 |    \"billingAddress\" : {
13 |        \"street\" : \"street address\",
14 |        \"street2\" : \"street 2 address\",
15 |        \"city\" : \"Bangalore\",
16 |        \"state\" : \"karnataka\",
17 |        \"countryCode\" : \"India\",
18 |        \"postalCode\" : \"134418\"
19 |    }
20 | }" \
21 | 'https://core.dev.Example.net/api/user/kyc/mobile/email'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
<b>userId</b>	String	Required	UUID of a User.
<b>deviceUdid</b>	String	Required	UDID of a Device that belongs to an user.
<b>firstName</b>	String	Optional	First name of a user.
<b>lastName</b>	String	Optional	Last name of a user.
<b>dob</b>	String	Optional	Date of birth of a User in "yyyy-mm-dd" format.
<b>mobileNumber</b>	String	Optional	Mobile number of a user that can be used for a KYC check.
<b>emailAddress</b>	String	Optional	Email address of a user that can be used for a KYC check.
<b>billingAddress</b>	Object	Required	Billing Address (of a user) object with the following attributes that can be used for a KYC check.
<b>street</b>	String	Required	Street address of a user.
<b>street2</b>	String	Required	Continuation of a user address.
<b>city</b>	String	Required	City of a user.
<b>state</b>	String	Required	State of a user.

Attribute	Type	Use	Description
postalCode	String	Required	postal code of a user.
countryCode	String	Required	Country code of a user.

## PUT body

Headers: Content-Type: application/json

```
1 | {
2 |   "userId": "82c8a4e4-f373-451c-8509-8e9687313a3c",
3 |   "deviceUdid": "udid-12345",
4 |   "dob": "1991-07-10",
5 |   "mobileNumber": "+918050022027",
6 |   "emailAddress": "rn.shruti@gmail.com",
7 |   "billingAddress": {
8 |     "street": "street address",
9 |     "street2": "street 2 address",
10 |    "city": "Bangalore",
11 |    "state": "karnataka",
12 |    "countryCode": "India",
13 |    "postalCode": "134418"
14 |   }
15 | }
```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {
2 |   "data": {
3 |     "extKYCCheckResult": "PASS"
4 |   },
5 |   "detail": null,
6 |   "error": false,
7 |   "message": "Updating user kyc mobile number or email address successful."
8 | }
```

json

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### User Payment Methods APIs

#### POST Create

##### Description

A callback API which creates a userPaymentInfo record in Core Service.

##### Request Endpoint

POST <https://<Example api server address>/user/paymentinfo>

##### Parameters

None.

##### cURL syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \"userId\" : \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",  
6     \"deviceUdid\" : \"41eb-951c-e1a27fa4ba92\",  
7     \"paymentInfo\" : {  
8         \"fullName\" : \"Samarth J\",  
9         \"nickName\" : \"Sam\",  
10        \"fullAddress\" : \"#123, Jayanagar Bangalore\",  
11        \"paymentType\" : \"CREDITCARD\",  
12        \"cardScheme\" : \"Visa\",  
13        \"providerToken\" : \"todc26a81a-c3c3-41eb-951c-e1a27fa4ba92ken\",  
14        \"providerPaymentId\" : \"ppi12345\",  
15        \"isDefault\" : true,  
16        \"issuingAuthority\" : \"HDFC\"  
17    },  
18    \"events\" : [  
19        {  
20            \"eventName\" : \"Received data from MC\",  
21            \"timeStamp\" : 1462361924,  
22            \"data\" : {  
23                \"_class\" : \"com.Example.middleware.models.view.AddPMCallbackViewModel\",  
24                \"userId\" : \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",  
25                \"paymentInfo\" : {  
26                    \"fullName\" : \"Samruddhi\",  
27                    \"paymentType\" : \"CREDITCARD\",  
28                    \"providerToken\" : \"1000000000000043\",  
29                    \"providerPaymentId\" : \"sadzfxjndkd\",  
30                    \"isDefault\" : true  
31                }  
32            }  
33        }  
34    ],  
35    }  
36 }" } curl
```

```

32         \"eventSource\" : \"PAYLETTER\",
33         \"eventOrder\" : 1
34     },
35     {
36         \"eventName\" : \"Data sent to SAKA\",
37         \"timeStamp\" : 1462361924,
38         \"data\" : \"100000000000043\",
39         \"eventSource\" : \"PAYLETTER\",
40         \"eventOrder\" : 2
41     }
42 ],
43     \"extRisk3DSEnrolledCard\" : true,
44     \"extRisk3DSResult\" : \"success\"
45 }" \
46 'https://core.dev.Example.net/api/user/paymentinfo'
47

```

## POST body attributes (JSON)

Attribute	Type	Use	Description
<b>userId</b>	String	Required	UUID of a user.
<b>deviceUdid</b>	String	Required	UUID of a device that belongs to a User.
<b>paymentInfo</b>	Object	Required	Payment info object that contains the following child attributes.
<b>fullName</b>	String	Required	Full name of a user.
<b>nickName</b>	String	Optional	Nick name of a user.
<b>fullAddress</b>	String	Optional	Full address of a user.
<b>cardScheme</b>	String	Required	Can either be "Mastercard" or "Visa".
<b>paymentType</b>	String	Required	Can be one of "Commercial Credit Corporate", "Consumer Credit Card Non-Secure", "Consumer Credit Card Secure", "Consumer Debit E-Comm", "Consumer Debit Non-Secure", "Consumer Debit Secure".
<b>providerToken</b>	String	Required	Relates to the SAKA Token for Client to get "SummaryCCInfo" from the SAKA database.
<b>providerPaymentId</b>	String	Required	Relates to Payletter's "paymentInfoID".
<b>isDefault</b>	Boolean	Optional	Sets the default PM to yes or no.
<b>issuingAuthority</b>	String	Optional	Indicates who has issued the credit / debit card.
<b>events</b>	Array	Optional	An array of events with the following child attribute structure.
<b>eventName</b>	String	Optional	Name of the event.
<b>timeStamp</b>	Number	Optional	Unix timestamp.
<b>eventSource</b>	String	Optional	Can be "PAYLETTER" or "MOBILE_CLIENT" depending on the context.
<b>eventOrder</b>	Number	Optional	An integer indicating the precedence of the event.
<b>extRisk3DSEnrolledCard</b>	Boolean	Optional	A 3DS enrolled card.
<b>extRisk3DSResult</b>	String	Optional	The Secure card result.

## POST body

**Headers:** Content-Type: application/json

```

1  {
2  "userId": "dc26a81a-c3c3-41eb-951c-e1a27fa4ba92",
3  "deviceUdid": "41eb-951c-e1a27fa4ba92",

```

json

```

4   "paymentInfo": {
5     "fullName": "Samarth J",
6     "nickName": "Sam",
7     "fullAddress": "#123, Jayanagar Bangalore",
8     "paymentType": "CREDITCARD",
9     "cardScheme": "Visa",
10    "providerToken": "todc26a81a-c3c3-41eb-951c-e1a27fa4ba92ken",
11    "providerPaymentId": "ppi12345",
12    "isDefault": true,
13    "issuingAuthority": "HDFC"
14  },
15  "events": [
16    {
17      "eventName": "Received data from MC",
18      "timeStamp": 1462361924,
19      "data": {
20        "_class": "com.Example.middleware.models.view.AddPMCallbackViewModel",
21        "userId": "dc26a81a-c3c3-41eb-951c-e1a27fa4ba92",
22        "paymentInfo": {
23          "fullName": "Samruddhi",
24          "paymentType": "CREDITCARD",
25          "providerToken": "1000000000000043",
26          "providerPaymentId": "sadzfxjndkd",
27          "isDefault": true
28        }
29      },
30      "eventSource": "PAYLETTER",
31      "eventOrder": 1
32    },
33    {
34      "eventName": "Data sent to SAKA",
35      "timeStamp": 1462361924,
36      "data": "1000000000000043",
37      "eventSource": "PAYLETTER",
38      "eventOrder": 2
39    }
40  ],
41  "extRisk3DSEnrolledCard": true,
42  "extRisk3DSResult": "success"

```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```

1   {
2     "data": {
3       "paymentId": "77fc6409-9e7c-4d1d-8c6c-160e95004dc6"
4     },
5     "detail": null,
6     "error": false,
7     "message": "Adding user payment method successful"
8   }

```

json

## DELETE Delete

### Description

Allows a client system to delete an existing payment method of a user.

### Request Endpoint

DELETE <https://<Example api server address>/user/paymentinfo/{providerPaymentId}>

### Parameters

Parameter	Type	Use	Description
providerPaymentId	String	Required	Corresponds to the paymentInfoId of Payletter.

### cURL syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 | 'https://core.dev.Example.net/api/user/paymentinfo/providerPaymentId'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTP Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Deleting user payment method successful"  
6 | }
```

json

**GET**

## Fetch a Payment Method Details

### Description

This API will fetch all the details of a payment method.

### Request Endpoint

GET `https://<Example api server address>/user/{id}/paymentinfo/{paymentId}`

### Parameters

Parameter	Type	Use	Description
id	String (UUID)	Required	UUID of the User.
paymentId	String (UUID)	Required	Payment id of the payment method.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/id/paymentinfo/paymentId'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "error": false,  
3 |   "message": "Fetched payment method details successfully",  
4 |   "detail": null,  
5 |   "data": {  
6 |     "id": "c0d40f47-94df-46be-a4a4-55bf82ab8a07",  
7 |     "updatedBy": "",  
8 |     "paymentProvider": "PAYLETTER",  
9 |     "paymentType": "DEBITCARD",  
10 |    "providerTransactionId": "09pfghhdh0",  
11 |    "providerPaymentId": null,  
12 |    "providerPaymentNumber": "6756",  
13 |    "providerRegisteredDate": null,  
14 |    "routingNumber": null,  
15 |    "issuingAuthority": "ICICI",  
16 |    "nickName": "ShruJ",  
17 |    "fullName": "Hebbalkar",  
18 |    "paymentAddress": {  
19 |      "street1": "123 Test Ln",  
20 |      "street2": "",  
21 |      "street3": "",  
22 |      "houseNumber": "#54",  
23 |      "streetName": "xyz",  
24 |      "flatNumber": "3A",  
25 |      "floor": "3rd",  
26 |      "building": "Prestige",  
27 |      "city": "London",  
28 |      "state": "st",  
29 |      "county": "Clark",  
30 |      "countryCode": "GB",  
31 |      "postal": "EC1A 1A9",  
32 |      "country": "United Kingdon",
```

json

```
33     "addressType": "BILLING"
34   },
35   "paymentInfoStatus": "VERIFIED",
36   "defaultPaymentInfo": true,
37   "addedOn": 1453370603877,
38   "lastUsedOn": 1453370603877
39 }
40 }
```



**GET****Fetch All**

## Description

Fetches all the payment methods related to a user.

## Request Endpoint

GET <https://<Example api server address>/user/paymentinfo>

## Parameters

None.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/id/paymentinfo?offset=0&limit=1'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "error": false,  
3 |   "message": "Fetched payment methods succesfully",  
4 |   "detail": null,  
5 |   "data": [  
6 |     {  
7 |       "id": "ee3a2da6-6fdf-435f-8470-6cb652e15dfb",  
8 |       "updatedBy": "",  
9 |       "paymentProvider": null,  
10 |      "paymentType": "DEBITCARD",  
11 |      "providerTransactionId": "pay34sdas",  
12 |      "providerPaymentId": null,  
13 |      "providerPaymentNumber": "2353",  
14 |      "providerRegisteredDate": null,  
15 |      "routingNumber": null,  
16 |      "issuingAuthority": "ICIC",  
17 |      "nickName": "SRN",  
18 |      "fullName": "Nagarkar Soumya",  
19 |      "paymentAddress": {  
20 |        "street1": "123 Test Ln",  
21 |        "street2": "",  
22 |        "street3": "",  
23 |        "houseNumber": "#54",  
24 |        "streetName": "xyz",  
25 |        "flatNumber": "3A",  
26 |        "floor": "3rd",  
27 |        "building": "Prestige",  
28 |        "city": "London",  
29 |        "state": "st",  
30 |        "county": "Clark",  
31 |        "countryCode": "GB",  
32 |        "postal": "EC1A 1A9",  
33 |        "country": "United Kingdon",  
34 |        "addressType": "BILLING"  
35 |      },  
36 |      "paymentInfoStatus": "USER_IDENTIFICATION_PENDING",  
37 |      "defaultPaymentInfo": false,  
38 |      "addedOn": null,  
39 |    }  
40 |   ]  
41 | }
```

json

```
39     "lastUsedOn": 1453366840389
40   },
41   {
42     "id": "c0d40f47-94df-46be-a4a4-55bf82ab8a07",
43     "updatedBy": "",
44     "paymentProvider": "PAYLETTER",
45     "paymentType": "DEBITCARD",
46     "providerTransactionId": "09pfgghdh0",
47     "providerPaymentId": null,
48     "providerPaymentNumber": "6756",
49     "providerRegisteredDate": null,
50     "routingNumber": null,
51     "issuingAuthority": "ICICI",
52     "nickName": "ShruJ",
53     "fullName": "Hebbalkar",
54     "paymentAddress": {
55       "street1": "123 Test Ln",
56       "street2": "",
57       "street3": "",
58       "houseNumber": "#54",
59       "streetName": "xyz",
60       "flatNumber": "3A",
61       "floor": "3rd",
62       "building": "Prestige",
63       "city": "London",
64       "state": "st",
65       "county": "Clark",
66       "countryCode": "GB",
67       "postal": "EC1A 1A9",
68       "country": "United Kingdon",
69       "addressType": "BILLING"
70     },
71     "paymentInfoStatus": "VERIFICATION_PENDING",
72     "defaultPaymentInfo": false,
73     "addedOn": 1453370603877,
74     "lastUsedOn": 1453370603877
75   }
76 ]
77 }
```

**GET**

## Fetch All Deleted Payment Methods

### Description

Fetches all deleted payment methods.

### Request Endpoint

GET <https://<Example api server address>/user/deleted/payment/info>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/deleted/payment/info'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "39d31d99-b78f-4ba7-87ff-c490b2820949",  
5 |       "deleted": true,  
6 |       "addedOn": 1472622197248,  
7 |       "defaultPaymentInfo": false,  
8 |       "fullName": "Samarth J",  
9 |       "issuingAuthority": null,  
10 |      "lastUsedOn": 1472622195207,  
11 |      "nickName": "Vishwas S",  
12 |      "paymentInfoStatus": "VERIFIED",  
13 |      "paymentProvider": "PAYLETTER",  
14 |      "paymentType": "CREDITCARD",  
15 |      "providerPaymentId": "ppi123456",  
16 |      "providerPaymentNumber": "2006",  
17 |      "providerToken": "1000000000000043",  
18 |      "deletedBy": null,  
19 |      "deletedOn": null,  
20 |      "extRisk3DSEnrolledCard": true,  
21 |      "extRisk3DSResult": "Success",  
22 |      "deviceUdid": "2083718938012321038243",  
23 |      "cardBrand": "Visa",  
24 |      "cardBinCountry": null  
25 |     }  
26 |   ],  
27 |   "detail": null,  
28 |   "error": false,  
29 |   "message": "Fetching all deleted payment methods successful."  
30 | }
```

json

## Description

Allows a mobile client to fetch a user's payment methods expiry info.

## Request Endpoint

GET <https://<Example api server address>/user/{userId}/paymentinfo/expiry/check>

## Parameters

Parameter	Type	Use	Description
userId	String (UUID)	Required	UUID of the User.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/userId/paymentinfo/expiry/check'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "c03199ab-5b60-4089-971b-6574fc1bc6d0",  
5 |       "providerPaymentId": "8af3a381-34c5-4f28-a091-7c4c2d2832b6",  
6 |       "providerPaymentNumber": "1111",  
7 |       "providerToken": "100000000001711",  
8 |       "expiringSoon": false  
9 |     },  
10 |     {  
11 |       "id": "8023915d-e7f9-4258-83e9-8a7db486d560",  
12 |       "providerPaymentId": "b14d9376-5b3a-46db-9c42-253942d56077",  
13 |       "providerPaymentNumber": "1111",  
14 |       "providerToken": "100000000001773",  
15 |       "expiringSoon": false  
16 |     },  
17 |     {  
18 |       "id": "b2ab85f9-f17e-45cb-bcdf-51741e69f551",  
19 |       "providerPaymentId": "18574e99-81f3-46b2-9580-f1ce1f6eff65",  
20 |       "providerPaymentNumber": "1111",  
21 |       "providerToken": "100000000001826",  
22 |       "expiringSoon": false  
23 |     },  
24 |     {  
25 |       "id": "f84fc8ce-4aeb-497d-9dc4-66ae1b06cff6",  
26 |       "providerPaymentId": "70e8444a-da88-41a5-904e-7fd195fdb919",  
27 |       "providerPaymentNumber": "8431",  
28 |       "providerToken": "100000000001827",  
29 |       "expiringSoon": false  
30 |     },  
31 |     {  
32 |       "id": "469303c1-e060-4ca2-ad31-7fa751c148e7",  
33 |       "providerPaymentId": "24eb6efc-161a-451d-81d8-cf992f2c6c95",  
34 |       "providerPaymentNumber": "1111",
```

json

```
35     "providerToken": "100000000001844",
36     "expiringSoon": false
37   },
38   {
39     "id": "dab026bd-8732-464e-a45e-dc6dff652139",
40     "providerPaymentId": "6c35efab-c79d-4e0b-a25b-7244ccdbdb73",
41     "providerPaymentNumber": "1111",
42     "providerToken": "100000000001845",
43     "expiringSoon": false
44   }
45 ],
46 "detail": null,
47 "error": false,
48 "message": "Successfully retrieved user card expiry status"
49 }
```

**GET****Fetch User's Deleted Payment Methods****Description**

Fetches only a particular User's deleted payment methods.

**Request Endpoint**

GET <https://<Example api server address>/user/{id}/deleted/payment/info>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	UUID of an existing user.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/id/deleted/payment/info'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "39d31d99-b78f-4ba7-87ff-c490b2820949",  
5 |       "deleted": true,  
6 |       "addedOn": 1472622197248,  
7 |       "defaultPaymentInfo": false,  
8 |       "fullName": "Samarth J",  
9 |       "issuingAuthority": null,  
10 |      "lastUsedOn": 1472622195207,  
11 |      "nickName": "Vishwas S",  
12 |      "paymentInfoStatus": "VERIFIED",  
13 |      "paymentProvider": "PAYLETTER",  
14 |      "paymentType": "CREDITCARD",  
15 |      "providerPaymentId": "ppi123456",  
16 |      "providerPaymentNumber": "2006",  
17 |      "providerToken": "1000000000000043",  
18 |      "deletedBy": null,  
19 |      "deletedOn": null,  
20 |      "extRisk3DSEnrolledCard": true,  
21 |      "extRisk3DSResult": "Success",  
22 |      "deviceUdid": "2083718938012321038243",  
23 |      "cardBrand": "Visa",  
24 |      "cardBinCountry": null  
25 |     }  
26 |   ],  
27 |   "detail": null,  
28 |   "error": false,  
29 |   "message": "Fetching user's deleted payment methods successful."  
30 | }
```

json

## Description

This is a callback API which updates an userPaymentInfo record in Client Service based on the userId and providerPaymentId passed.

- The "providerPaymentId" attribute is only for fetching an existing record to update and cannot be updated.
- If an invalid "providerPaymentId" is passed, an exception is thrown by the system.

## Request Endpoint

PUT <https://<Example api server address>/user/paymentinfo>

## Parameters

None.

## cURL syntax

```
1 curl --include \  
2     --request PUT \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \"userId\" : \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",  
6     \"deviceUdid\" : \"segweg-sdrfhethr-xfsdr\",  
7     \"paymentInfo\" : {  
8         \"fullName\" : \"Samarth J\",  
9         \"nickName\" : \"Sam\",  
10        \"fullAddress\" : \"#123, Jayanagar Bangalore\",  
11        \"paymentType\" : \"CREDITCARD\",  
12        \"cardScheme\" : \"Visa\",  
13        \"providerToken\" : \"todc26a81a-c3c3-41eb-951c-e1a27fa4ba92ken\",  
14        \"providerPaymentId\" : \"ppi12345\",  
15        \"isDefault\" : true,  
16        \"issuingAuthority\" : \"HDFC\"  
17    },  
18    \"events\" : [  
19        {  
20            \"eventName\" : \"Received data from MC\",  
21            \"timeStamp\" : 1462361924,  
22            \"data\" : {  
23                \"_class\" : \"com.Example.middleware.models.view.AddPMCallbackViewModel\",  
24                \"userId\" : \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",  
25                \"paymentInfo\" : {  
26                    \"fullName\" : \"Samruddhi\",  
27                    \"paymentType\" : \"CREDITCARD\",  
28                    \"providerToken\" : \"100000000000043\",  
29                    \"providerPaymentId\" : \"sadzfxjndkd\",  
30                    \"isDefault\" : true  
31                }  
32            },  
33            \"eventSource\" : \"PAYLETTER\",  
34            \"eventOrder\" : 1  
35        },  
36        {  
37            \"eventName\" : \"Data sent to SAKA\",  
38            \"timeStamp\" : 1462361924,  
39            \"data\" : \"100000000000043\",  
40            \"eventSource\" : \"PAYLETTER\",
```

curl

```

41 |         \ "eventOrder\ " : 2
42 |     }
43 | ]
44 | }" \
45 | 'https://core.dev.Example.net/api/user/paymentinfo'

```

## PUT body attributes (JSON)

Attribute	Type	Use	Description
userId	String	Required	UUID of a user.
deviceUdid	String	Required	UUID of a device which belongs to the User.
paymentInfo	Object	Required	Payment info object that contains the following child attributes.
fullName	String	Optional	Full name of a user.
nickName	String	Optional	Nickname of a user.
fullAddress	String	Optional	Full address of a user.
cardScheme	String	Required	Can either be "Mastercard" or "Visa".
paymentType	String	Required	Can be one of "Commercial Credit Corporate", "Consumer Credit Card Non-Secure", "Consumer Credit Card Secure", "Consumer Debit E-Comm", "Consumer Debit Non-Secure", "Consumer Debit Secure".
providerToken	String	Required	Relates to a SAKA Token for Client to get "SummaryCCInfo" from the SAKA database.
providerPaymentId	String	Required	Relates to Payletter's "paymentInfoID" which is the same as "providerPaymentId" passed while creating a payment method.
isDefault	Boolean	Optional	Sets the default PM (Payment Method) to yes or no.
issuingAuthority	String	Optional	Indicates who has issued the credit / debit card.
events	Array	Optional	an array of events with the below structure.
eventName	String	Optional	Name of the event.
timeStamp	Number	Optional	The Unix timestamp.
eventSource	String	Optional	Can be "PAYLETTER" or "MOBILE_CLIENT" depending on the context.
eventOrder	Number	Optional	An integer indicating the precedence of the event.

## PUT body

**Headers:** Content-Type: application/json

```

1 | {
2 |   "userId": "dc26a81a-c3c3-41eb-951c-e1a27fa4ba92",
3 |   "deviceUdid": "segweg-sdrfhetrh-xfsdr",
4 |   "paymentInfo": {
5 |     "fullName": "Samarth J",
6 |     "nickName": "Sam",
7 |     "fullAddress": "#123, Jayanagar Bangalore",
8 |     "paymentType": "CREDITCARD",
9 |     "cardScheme": "Visa",
10 |    "providerToken": "todc26a81a-c3c3-41eb-951c-e1a27fa4ba92ken",
11 |    "providerPaymentId": "ppi12345",
12 |    "isDefault": true,
13 |    "issuingAuthority": "HDFC"
14 |   },
15 |   "events": [
16 |     {

```

json



```
17     "eventName": "Received data from MC",
18     "timeStamp": 1462361924,
19     "data": {
20         "_class": "com.Example.middleware.models.view.AddPMCallbackViewModel",
21         "userId": "dc26a81a-c3c3-41eb-951c-e1a27fa4ba92",
22         "paymentInfo": {
23             "fullName": "Samruddhi",
24             "paymentType": "CREDITCARD",
25             "providerToken": "100000000000043",
26             "providerPaymentId": "sadzfxjndkd",
27             "isDefault": true
28         }
29     },
30     "eventSource": "PAYLETTER",
31     "eventOrder": 1
32 },
33 {
34     "eventName": "Data sent to SAKA",
35     "timeStamp": 1462361924,
36     "data": "100000000000043",
37     "eventSource": "PAYLETTER",
38     "eventOrder": 2
39 }
40 ]
41 }
```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1  {
2    "data": {
3      "paymentId": "5b943e63-27e9-4e78-902d-25f32de837ac"
4    },
5    "detail": null,
6    "error": false,
7    "message": "Updating user payment information successful"
8  }
```

json

## POST Update Client with Status

### Description

CallBack service to keep track of incorrect cvv attempts.

### Request Endpoint

POST <https://<Example api server address>/user/cvvfraud>

### Parameters

None.

### cURL syntax

```
curl
1 | curl --include \
2 |     --request POST \
3 |     --header "Content-Type: application/json" \
4 |     --data-binary "{
5 |         \"providerPaymentId\": \"c020757b-adb0-4754-adab-fccd0610eb4f\",
6 |         \"userId\": \"842c9e8c-ed40-4d71-adb0-2180e1590c0f\"
7 |     }" \
8 |     'https://core.dev.Example.net/api/user/cvvfraud'
```

### POST body attributes (JSON)

Attribute	Type	Use	Description
userId	String	Required	The user UUID.
providerPaymentId	String	Required	Relates to Payletter's "paymentInfoID". Used for record keeping purposes, and also for MC to use this to display full card details.

### POST body

**Headers:** Content-Type: application/json

```
json
1 | {
2 |   "providerPaymentId": "c020757b-adb0-4754-adab-fccd0610eb4f",
3 |   "userId": "842c9e8c-ed40-4d71-adb0-2180e1590c0f"
4 | }
```

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
json
1 | {
2 |   "data": {
3 |     "id": "14120512-8f45-4bb7-b6f8-49c7a2d2f4ae",
4 |     "updatedBy": "",
5 |     "addedOn": null,
6 |     "defaultPaymentInfo": false,
7 |     "fullName": "Nagarkar Soumya",
8 |     "issuingAuthority": "ICIC",
9 |     "lastUsedOn": 1455690558521,
10 |    "nickName": "SRN",
11 |    "paymentInfoStatus": "VERIFIED",
12 |    "paymentProvider": null,
```

```
13     "paymentType": "DEBITCARD",
14     "providerPaymentId": "c020757b-adb0-4754-adab-fccd0610eb4f",
15     "providerPaymentNumber": "2353",
16     "paymentAddress": null,
17     "providerToken": null
18 },
19 "detail": null,
20 "error": false,
21 "message": "Monitoring the number of cvv attempts"
22 }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### User Personalization APIs

#### POST Add Application to Wish List

##### Description

A user can move applications to the wish list so they can download/purchase them later.

##### Request Endpoint

POST `https://<Example api server address>/user/wish/list`

##### Parameters

None.

##### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"userId\" : \"73e67140-4f44-49db-960c-bed5e6fbfc6b\",  
6 |         \"applicationId\" : \"21c378ab-3a57-4564-9033-f18d9efd7993\"  
7 |     }" \  
8 |     'https://core.dev.Example.net/api/user/wish/list'
```

curl

##### POST body attributes (JSON)

Attribute	Type	Use	Description
userId	String	Required	UUID of a user.
applicationId	String	Required	UUID of an application.

##### POST body

Headers: Content-Type: application/json

```
1 | {  
2 |     \"userId\": \"73e67140-4f44-49db-960c-bed5e6fbfc6b\",  
3 |     \"applicationId\": \"21c378ab-3a57-4564-9033-f18d9efd7993\"  
4 | }
```

json

##### Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 {
2   "data": {
3     "id": "1be752cd-51d1-45c7-99f4-8e8266113c84",
4     "updatedBy": "",
5     "user": {
6       "id": "73e67140-4f44-49db-960c-bed5e6fbfc6b",
7       "updatedBy": "",
8       "addresses": null,
9       "birthDateDay": 12,
10      "birthDateMonth": 1,
11      "birthDateYear": 1945,
12      "devices": [
13        {
14          "id": "d311efdb-7496-4373-ae8d-4e0fd59d9fcd",
15          "updatedBy": "",
16          "description": "Old Device",
17          "deviceStatus": "NORMAL",
18          "manufacturer": "Apple",
19          "model": "iPhone 5",
20          "os": "iOS 9",
21          "udid": "udid12345"
22        }
23      ],
24      "emailAuthenticationChannels": [],
25      "firstName": "Shruti ",
26      "fullName": "Shruti Nagarkar",
27      "groupTag": [
28        "FACEBOOK",
29        "Apple",
30        1945,
31        "United Kingdom",
32        "iOS 9",
33        "1234234",
34        "iPhone 5"
35      ],
36      "lastName": "Nagarkar",
37      "locationCountry": "United Kingdom",
38      "locationZipCode": "1234234",
39      "mobileAuthenticationChannels": [],
40      "pinCreated": false,
41      "profileImagePath": null,
42      "profileName": "SRN",
43      "registrationDate": 1457089902078,
44      "socialAuthenticationChannels": [
45        {
46          "addedOn": 1457089902079,
47          "blockStatus": "NORMAL",
48          "deletedOn": null,
49          "lastUsedOn": 1457089902079,
50          "loginType": "FACEBOOK",
51          "socialId": "social120"
52        }
53      ],
54      "status": "NEW",
55      "timezone": null,
56      "userSetting": {
57        "autoUpdateBetcadeApp": true,
58        "autoUpdateDownloadedApps": true,
59        "monthlyDepositMaxLimit": 0,
60        "monthlyDepositMaxLimitCurrency": "GBP",
```

```

61     "prefillUserInfoInCasino": true,
62     "receiveEmailReceipt": true,
63     "receiveNotifications": true,
64     "shareRegistrationInfo": true,
65     "userEmailProvided": true,
66     "versionOfDownloadedBetcadeApp": "v1",
67     "wifiDownloadLimitInMB": 0,
68     "preferredCategories": []
69 },
70     "verified": true
71 },
72 "applicationsAdded": [
73   {
74     "application": {
75       "id": "21c378ab-3a57-4564-9033-f18d9efd7993",
76       "updatedBy": "",
77       "appPackage": "appPac",
78       "banner": "banner",
79       "bundleIdentifier": "ergwedg43t34",
80       "casino": {
81         "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",
82         "updatedBy": "",
83         "imageUrl": "UserAppCas",
84         "name": "UserAppCas",
85         "videoUrl": "UserAppCas"
86       },
87       "casinoId": null,
88       "category": {
89         "id": "ebc1ed80-fae8-4201-8a2f-c79ada095d7f",
90         "updatedBy": "",
91         "imageUrl": "www.google.com",
92         "name": "categoryName",
93         "videoUrl": "www.youtube.com"
94       },
95       "categoryId": null,
96       "description": "description about application 1",
97       "downloads": 4646,
98       "featured": null,
99       "gameAppVersions": [
100        {
101          "build": 18,
102          "version": "v0.3",
103          "versionDate": 1459145636817
104        }
105      ],
106       "image": "www.google.com",
107       "keywords": [
108         "key1",
109         "key2",
110         "key3",
111         "key4",
112         "key5"
113      ],
114       "latestBuild": 18,
115       "latestVersion": "v0.3",
116       "name": "Application 1",
117       "order": 345,
118       "paragraph1": "1 paragraph",
119       "paragraph2": "2st paragraph",
120       "paragraph3": "3st paragraph",
121       "paragraph4": "4th para",

```

```
122     "presetPriceList": null,
123     "price": 3436,
124     "publisher": null,
125     "ranking": 23,
126     "rating": 23523,
127     "sliderImages": [
128         "url 1",
129         "url 2",
130         "url 3"
131     ],
132     "subtitle": "subtitle",
133     "updated": null,
134     "video": "www.youtube.com",
135     "status": "SUBMITTED",
136     "downloadLink": null,
137     "compatibility": "[ \"kitkat\" , \"lolipop\"]",
138     "sizeOnDisk": "12MB",
139     "permissionDetails": "You should have kitkat version to run this app",
140     "locationSupported": [
141         "India",
142         "UK"
143     ],
144     "languageSupported": null,
145     "additionalDetails": "This application is very popular",
146     "tags": null,
147     "starterPack": null
148 },
149     "addedOn": 1459313208532
150 }
151 ]
152 },
153 "detail": null,
154 "error": false,
155 "message": "Moving application to wish list successful"
156 }
```

## DELETE Delete Game App

### Description

Deletes an application from the wish list.

### Request Endpoint

DELETE <https://<Example api server address>/user/{userid}/wish/list/{applicationid}>

### Parameters

Parameter	Type	Use	Description
userid	String	Required	UUID of a user.
applicationid	String	Required	UUID of an application to be deleted.

### cURL syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 | 'https://core.dev.Example.net/api/user/userid/wish/list/applicationid'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Deleting an application from wish list successful"  
6 | }
```

json



## POST Fetch App Notification Updates

### Description

This service is used to implement the functionality of:

- [EP28 US02] Consumers automatically download updates of CASINO GAME APPS.
- [EP28 US06] Consumer sees an indicator for an available update.

This service gives notifications for apps installed on the device ( by checking device app history).

- Notifications are available for applications which are updated (newer version available) and are installed on device.
- If the last action performed on the app is UNINSTALL, the notification would not be created for the user + device.

To see the notification:

1. You will need to "Create Device Application history records" using the Rest service /device/app/history.
2. Update the GAME app version using the REST service "/application/updateGameAppVersion/{id}".
3. Fetch the notification for the device which was performed in # 1.

### Request Endpoint

POST `https://<Example api server address>/user/application/notification`

### Parameters

None.

### cURL syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \"userId\": \"2a883691-b2bb-4a32-8d5a-0a8558eec528\",  
6     \"deviceUdid\": \"udid-555\"  
7     }" \  
8     'https://core.dev.Example.net/api/user/application/notification'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
userId	String	Required	UUID of a user.
deviceUdid	String	Required	UDID of a device.

### POST body

**Headers:** Content-Type: application/json

```
1 {  
2     \"userId\": \"2a883691-b2bb-4a32-8d5a-0a8558eec528\",  
3     \"deviceUdid\": \"udid-555\"  
4 }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1  {
2    "error": false,
3    "message": "Creating notifications successful",
4    "detail": null,
5    "data": [
6      {
7        "notificationType": "UPDATE_AVAILABLE",
8        "application": {
9          "id": "e440ce0e-daeb-4c24-93f7-09536e81aeae",
10         "name": "some app",
11         "publisher": null,
12         "subtitle": "subtitle",
13         "description": "description about application 1",
14         "image": "www.google.com",
15         "video": "www.youtube.com",
16         "banner": "banner",
17         "appPackage": "appPac",
18         "version": "version 3",
19         "build": 22,
20         "rating": 23523,
21         "downloads": 4646,
22         "price": 3436,
23         "ranking": 23,
24         "order": 345,
25         "paragraph1": "1 paragraph",
26         "paragraph2": "2st paragraph",
27         "paragraph3": "3st paragraph",
28         "paragraph4": "4th para",
29         "casino": {
30           "id": "b8027923-53d6-4dee-965f-38dad53c07fe",
31           "name": "AppCasino",
32           "imageUrl": "www.app.com",
33           "videoUrl": "www.abc.com"
34         },
35         "category": {
36           "id": "200a6d29-030a-4a35-8b32-baee2b07a84f",
37           "name": "AppCategory",
38           "imageUrl": "www.google.com",
39           "videoUrl": "www.youtube.com"
40         },
41         "featured": true,
42         "updated": 1449223066385,
43         "sliderImageURLs": [
44           "url 1",
45           "url 2",
46           "url 3"
47         ],
48         "keywords": [
49           "key1",
50           "key2",
51           "key3",
52           "key4",
53           "key5"
54         ],
55         "categoryId": null,
56         "casinoId": null
57       },
58     "message": "Application some app has a new version. Please update.",
59     "creationDate": 1449225235981
60   ]
61 }
```

61		]
62		}

**GET****Fetch Applicable Incentives****Description**

You can get all promotional applications downloaded/installed by all users.

**Request Endpoint**

GET <https://<Example api server address>/user/promotion/app>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/promotion/app'
```

curl

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "1fed7eb1-17ea-4abe-856c-0991a8d3f873",  
5 |       "updatedBy": "",  
6 |       "user": {  
7 |         "id": "dc26a81a-c3c3-41eb-951c-e1a27fa4ba92",  
8 |         "updatedBy": "",  
9 |         "addresses": [  
10 |           {  
11 |             "id": "f694a645-de3e-4972-ac23-f86a597d2929",  
12 |             "updatedBy": "",  
13 |             "addressType": "HOME",  
14 |             "city": "Bangalore",  
15 |             "country": null,  
16 |             "countryCode": null,  
17 |             "county": null,  
18 |             "postal": "560073",  
19 |             "state": null,  
20 |             "street1": "Wilson garden",  
21 |             "street2": null,  
22 |             "street3": null  
23 |           },  
24 |           {  
25 |             "id": "29b5e7df-7f07-4bf2-9464-d1ef74d67445",  
26 |             "updatedBy": "",  
27 |             "addressType": "HOME",  
28 |             "city": "Bangalore",  
29 |             "country": null,  
30 |             "countryCode": null,  
31 |             "county": null,  
32 |             "postal": "560073",  
33 |             "state": null,  
34 |             "street1": "Wilson garden",  
35 |             "street2": null,  
36 |             "street3": null  
37 |           }  
38 |         ]  
39 |     }  
40 |   ]  
41 | }
```

json

```

39     "birthDateDay": 15,
40     "birthDateMonth": 9,
41     "birthDateYear": 1991,
42     "devices": [
43         {
44             "id": "b125de88-9964-4d66-b098-40bbf5507819",
45             "updatedBy": "",
46             "description": null,
47             "deviceStatus": "NORMAL",
48             "manufacturer": "manufacturer",
49             "model": "model",
50             "os": "some os",
51             "udid": "udid-12345"
52         }
53     ],
54     "emailAuthenticationChannels": [
55         {
56             "addedOn": 1455625239183,
57             "blockStatus": "NORMAL",
58             "deletedOn": null,
59             "emailAddress": "rn.shruti@gmail.com",
60             "emailPinResetStatus": "RESET_PROGRESS",
61             "emailVerificationStatus": "VERIFICATION_PENDING",
62             "lastUsedOn": 1455625239183,
63             "loginType": "EMAIL",
64             "primary": null
65         }
66     ],
67     "firstName": "Shruti",
68     "fullName": "Shruti Nagarkar",
69     "groupTag": [
70         "some os",
71         1991,
72         "model",
73         "560073",
74         "581320",
75         "India",
76         "MOBILE",
77         "Bangalore",
78         "manufacturer"
79     ],
80     "lastName": "Nagarkar",
81     "locationCountry": "India",
82     "locationZipCode": "581320",
83     "mobileAuthenticationChannels": [
84         {
85             "addedOn": 1455625239183,
86             "blockStatus": "NORMAL",
87             "deletedOn": null,
88             "lastUsedOn": 1455625239183,
89             "loginType": "MOBILE",
90             "mobileNumber": "+918050022027",
91             "mobilePinResetStatus": null,
92             "mobileVerificationStatus": "VERIFIED",
93             "primary": false
94         }
95     ],
96     "pinCreated": true,
97     "profileImagePath": "www.google.com",
98     "profileName": "ShrutiN",
99     "registrationDate": 1455625239181,

```

```

100     "socialAuthenticationChannels": [
101         {
102             "addedOn": 1455625239183,
103             "blockStatus": "NORMAL",
104             "deletedOn": null,
105             "lastUsedOn": 1455625239183,
106             "loginType": "FACEBOOK",
107             "socialId": "12937219837213"
108         }
109     ],
110     "status": "EXISTING",
111     "timezone": "IST",
112     "userSetting": {
113         "autoUpdateBetcadeApp": true,
114         "autoUpdateDownloadedApps": true,
115         "monthlyDepositMaxLimit": 2414,
116         "monthlyDepositMaxLimitCurrency": "USD",
117         "prefillUserInfoInCasino": false,
118         "receiveEmailReceipt": true,
119         "receiveNotifications": false,
120         "shareRegistrationInfo": true,
121         "userEmailProvided": false,
122         "versionOfDownloadedBetcadeApp": "sg34",
123         "wifiDownloadLimitInMB": 232,
124         "preferredCategories": [
125             "UserAppCat",
126             "lottery",
127             "mad",
128             "dog"
129         ]
130     },
131     "verified": true
132 },
133 "application": {
134     "id": "cbab1a87-243a-4319-8ae4-e93ca5cc3f6f",
135     "updatedBy": "",
136     "appPackage": null,
137     "banner": null,
138     "bundleIdentifier": "bundle123",
139     "casino": {
140         "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",
141         "updatedBy": "",
142         "imageUrl": "UserAppCas",
143         "name": "UserAppCas",
144         "videoUrl": "UserAppCas"
145     },
146     "casinoId": null,
147     "category": {
148         "id": "5a1e1b8b-db12-4f64-a6ae-85cf1c6dbc90",
149         "updatedBy": "",
150         "imageUrl": "UserAppCat",
151         "name": "UserAppCat",
152         "videoUrl": "UserAppCat"
153     },
154     "categoryId": null,
155     "description": null,
156     "downloads": null,
157     "featured": null,
158     "gameAppVersions": null,
159     "image": null,
160     "keywords": null,

```

```

161     "latestBuild": null,
162     "latestVersion": null,
163     "name": "Useful",
164     "order": null,
165     "paragraph1": null,
166     "paragraph2": null,
167     "paragraph3": null,
168     "paragraph4": null,
169     "presetPriceList": null,
170     "price": null,
171     "publisher": null,
172     "ranking": null,
173     "rating": null,
174     "sliderImages": null,
175     "subtitle": null,
176     "updated": null,
177     "video": null,
178     "status": null,
179     "downloadLink": null,
180     "compatibility": null,
181     "sizeOnDisk": null,
182     "permissionDetails": null,
183     "locationSupported": null,
184     "languageSupported": null,
185     "additionalDetails": null,
186     "tags": [
187         "live",
188         "dong",
189         "bing"
190     ],
191     "promotionalBonus": 25.5
192 },
193 "promotionBonus": 25.75,
194 "used": false
195 },
196 {
197     "id": "878d155c-f1a1-4c08-80ca-b7caf8de34f0",
198     "updatedBy": "",
199     "user": {
200         "id": "dc26a81a-c3c3-41eb-951c-e1a27fa4ba92",
201         "updatedBy": "",
202         "addresses": [
203             {
204                 "id": "f694a645-de3e-4972-ac23-f86a597d2929",
205                 "updatedBy": "",
206                 "addressType": "HOME",
207                 "city": "Bangalore",
208                 "country": null,
209                 "countryCode": null,
210                 "county": null,
211                 "postal": "560073",
212                 "state": null,
213                 "street1": "Wilson garden",
214                 "street2": null,
215                 "street3": null
216             },
217             {
218                 "id": "29b5e7df-7f07-4bf2-9464-d1ef74d67445",
219                 "updatedBy": "",
220                 "addressType": "HOME",
221                 "city": "Bangalore",

```

```

222     "country": null,
223     "countryCode": null,
224     "county": null,
225     "postal": "560073",
226     "state": null,
227     "street1": "Wilson garden",
228     "street2": null,
229     "street3": null
230   }
231 ],
232   "birthDateDay": 15,
233   "birthDateMonth": 9,
234   "birthDateYear": 1991,
235   "devices": [
236     {
237       "id": "b125de88-9964-4d66-b098-40bbf5507819",
238       "updatedBy": "",
239       "description": null,
240       "deviceStatus": "NORMAL",
241       "manufacturer": "manufacturer",
242       "model": "model",
243       "os": "some os",
244       "udid": "udid-12345"
245     }
246   ],
247   "emailAuthenticationChannels": [
248     {
249       "addedOn": 1455625239183,
250       "blockStatus": "NORMAL",
251       "deletedOn": null,
252       "emailAddress": "rn.shruti@gmail.com",
253       "emailPinResetStatus": "RESET_PROGRESS",
254       "emailVerificationStatus": "VERIFICATION_PENDING",
255       "lastUsedOn": 1455625239183,
256       "loginType": "EMAIL",
257       "primary": null
258     }
259   ],
260   "firstName": "Shruti",
261   "fullName": "Shruti Nagarkar",
262   "groupTag": [
263     "some os",
264     1991,
265     "model",
266     "560073",
267     "581320",
268     "India",
269     "MOBILE",
270     "Bangalore",
271     "manufacturer"
272   ],
273   "lastName": "Nagarkar",
274   "locationCountry": "India",
275   "locationZipCode": "581320",
276   "mobileAuthenticationChannels": [
277     {
278       "addedOn": 1455625239183,
279       "blockStatus": "NORMAL",
280       "deletedOn": null,
281       "lastUsedOn": 1455625239183,
282       "loginType": "MOBILE",

```



```

283     "mobileNumber": "+918050022027",
284     "mobilePinResetStatus": null,
285     "mobileVerificationStatus": "VERIFIED",
286     "primary": false
287   }
288 ],
289 "pinCreated": true,
290 "profileImagePath": "www.google.com",
291 "profileName": "ShrutiN",
292 "registrationDate": 1455625239181,
293 "socialAuthenticationChannels": [
294   {
295     "addedOn": 1455625239183,
296     "blockStatus": "NORMAL",
297     "deletedOn": null,
298     "lastUsedOn": 1455625239183,
299     "loginType": "FACEBOOK",
300     "socialId": "12937219837213"
301   }
302 ],
303 "status": "EXISTING",
304 "timezone": "IST",
305 "userSetting": {
306   "autoUpdateBetcadeApp": true,
307   "autoUpdateDownloadedApps": true,
308   "monthlyDepositMaxLimit": 2414,
309   "monthlyDepositMaxLimitCurrency": "USD",
310   "prefillUserInfoInCasino": false,
311   "receiveEmailReceipt": true,
312   "receiveNotifications": false,
313   "shareRegistrationInfo": true,
314   "userEmailProvided": false,
315   "versionOfDownloadedBetcadeApp": "sg34",
316   "wifiDownloadLimitInMB": 232,
317   "preferredCategories": [
318     "UserAppCat",
319     "lottery",
320     "mad",
321     "dog"
322   ]
323 },
324 "verified": true
325 },
326 "application": {
327   "id": "b4724f5c-a88f-485e-9629-094afec84bee",
328   "updatedBy": "",
329   "appPackage": null,
330   "banner": null,
331   "bundleIdentifier": "bundle56",
332   "casino": {
333     "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",
334     "updatedBy": "",
335     "imageUrl": "UserAppCas",
336     "name": "UserAppCas",
337     "videoUrl": "UserAppCas"
338   },
339   "casinoId": null,
340   "category": {
341     "id": "5a1e1b8b-db12-4f64-a6ae-85cf1c6dbc90",
342     "updatedBy": "",
343     "imageUrl": "UserAppCat",

```

```
344     "name": "UserAppCat",
345     "videoUrl": "UserAppCat"
346   },
347   "categoryId": null,
348   "description": null,
349   "downloads": null,
350   "featured": null,
351   "gameAppVersions": null,
352   "image": null,
353   "keywords": null,
354   "latestBuild": null,
355   "latestVersion": null,
356   "name": "Useless",
357   "order": null,
358   "paragraph1": null,
359   "paragraph2": null,
360   "paragraph3": null,
361   "paragraph4": null,
362   "presetPriceList": null,
363   "price": null,
364   "publisher": null,
365   "ranking": null,
366   "rating": null,
367   "sliderImages": null,
368   "subtitle": null,
369   "updated": null,
370   "video": null,
371   "status": null,
372   "downloadLink": null,
373   "compatibility": null,
374   "sizeOnDisk": null,
375   "permissionDetails": null,
376   "locationSupported": null,
377   "languageSupported": null,
378   "additionalDetails": null,
379   "tags": [
380     "live",
381     "dong",
382     "bing"
383   ],
384   "promotionalBonus": 20.75
385 },
386 "promotionBonus": 20.75,
387 "used": true
388 }
389 ],
390 "detail": null,
391 "error": false,
392 "message": "Fetching all promotional apps successful"
393 }
```

**GET**

## Fetch Last Used Amount

### Description

This API will fetch the last used amount for an application for a specific user.

- If it is not found, it will fetch the last used amount of any of the other apps within the same category if that exists.
- If not, it will return **null**.

### Request Endpoint

GET `https://<Example api server address>/user/{id}/application/{applicationId}/lastusedamount`

### Parameters

Parameter	Type	Use	Description
<code>id</code>	String	Required	UUID of the user.
<code>applicationId</code>	String	Required	Filter based on an application.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/id/application/applicationId/lastusedamount' curl
```

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | { json  
2 |   "error": false,  
3 |   "message": "creating application detail successfully",  
4 |   "detail": null,  
5 |   "data": 100  
6 | }
```

## GET

# Fetch Reported Applications

## Description

A user can get reports.

## Request Endpoint

GET <https://<Example api server address>/user/report>

## Parameters

None.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/report'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "42068b0b-62cc-4368-b472-4e0d1cb3f08a",  
5 |       "updatedBy": "",  
6 |       "user": {  
7 |         "id": "0679db90-faf8-4995-bc8a-376c89f81f1a",  
8 |         "updatedBy": "",  
9 |         "addresses": [  
10 |           {  
11 |             "id": "0446ac22-378b-4c4e-a1e0-05c6b1ae0799",  
12 |             "updatedBy": "",  
13 |             "addressType": null,  
14 |             "city": "Bangalore",  
15 |             "country": "US",  
16 |             "countryCode": "USCODE",  
17 |             "county": "County 99",  
18 |             "postal": "567920.0",  
19 |             "state": "Bangalore",  
20 |             "street1": null,  
21 |             "street2": null,  
22 |             "street3": null  
23 |           }  
24 |         ],  
25 |         "birthDateDay": 12,  
26 |         "birthDateMonth": 5,  
27 |         "birthDateYear": 1970,  
28 |         "devices": [  
29 |           null  
30 |         ],  
31 |         "emailAuthenticationChannels": [  
32 |           {  
33 |             "addedOn": null,  
34 |             "blockStatus": "NORMAL",  
35 |             "deletedOn": null,  
36 |             "emailAddress": "sudipta@gmail.in.co96",  
37 |             "emailPinResetStatus": null,  
38 |             "emailVerificationStatus": "VERIFIED",
```

json

```

39         "lastUsedOn": null,
40         "loginType": null,
41         "primary": null
42     }
43 ],
44     "firstName": "su99",
45     "fullName": null,
46     "groupTag": [
47         "1970",
48         "560100",
49         "Profile99",
50         "US",
51         "sudipta@gmail.in.co96"
52     ],
53     "lastName": "bh99",
54     "locationCountry": "US",
55     "locationZipCode": "560100",
56     "mobileAuthenticationChannels": [],
57     "pinCreated": true,
58     "profileImagePath": null,
59     "profileName": "Profile99",
60     "registrationDate": null,
61     "socialAuthenticationChannels": null,
62     "status": null,
63     "timezone": null,
64     "userSetting": null,
65     "verified": true,
66 },
67     "application": {
68         "id": "d5d2a034-dcac-4484-bcc1-9bd5f5d73ab5",
69         "updatedBy": "",
70         "appPackage": "appPac",
71         "banner": "banner",
72         "bundleIdentifier": "app.123",
73         "casino": {
74             "id": "002e9474-7086-42c0-bf7c-13264d082ea6",
75             "updatedBy": "",
76             "imageUrl": "www.app.com",
77             "name": "AppCasino",
78             "videoUrl": "www.abc.com"
79         },
80         "casinoId": null,
81         "category": null,
82         "categoryId": null,
83         "description": "description about application 1",
84         "downloads": 4646,
85         "featured": true,
86         "gameAppVersions": null,
87         "image": "www.google.com",
88         "keywords": [
89             "key1",
90             "key2",
91             "key3",
92             "key4",
93             "key5"
94         ],
95         "latestBuild": 20,
96         "latestVersion": "version 1",
97         "name": "some app",
98         "order": 345,
99         "paragraph1": "1 paragraph",

```

```
100     "paragraph2": "2st paragraph",
101     "paragraph3": "3st paragraph",
102     "paragraph4": "4th para",
103     "presetPriceList": null,
104     "price": 3436,
105     "publisher": null,
106     "ranking": 23,
107     "rating": 23523,
108     "sliderImages": [
109         "url 1",
110         "url 2",
111         "url 3"
112     ],
113     "subtitle": "subtitle",
114     "updated": 1455690559442,
115     "video": "www.youtube.com",
116     "status": null,
117     "downloadLink": null,
118     "compatibility": null,
119     "sizeOnDisk": null,
120     "permissionDetails": null,
121     "locationSupported": null,
122     "additionalDetails": null,
123     "tags": [
124         "featured",
125         "live",
126         "popular",
127         "shruthi"
128     ],
129     "languageSupported": null
130 },
131 "reportMessage": "This application is crashing",
132 "userId": null,
133 "applicationId": null
134 }
135 ],
136 "detail": null,
137 "error": false,
138 "message": "Fetching reports successful"
139 }
```

## Description

Allows you to fetch all applications moved to the wish list by a user.

## Request Endpoint

GET <https://<Example api server address>/user/{id}/wish/list>

## Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of a user.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/id/wish/list'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "21c378ab-3a57-4564-9033-f18d9efd7993",  
5 |       "updatedBy": "",  
6 |       "appPackage": "appPac",  
7 |       "banner": "banner",  
8 |       "bundleIdentifier": "ergwedg43t34",  
9 |       "casino": {  
10 |         "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",  
11 |         "updatedBy": "",  
12 |         "imageUrl": "UserAppCas",  
13 |         "name": "UserAppCas",  
14 |         "videoUrl": "UserAppCas"  
15 |       },  
16 |       "casinoId": null,  
17 |       "category": {  
18 |         "id": "ebc1ed80-fae8-4201-8a2f-c79ada095d7f",  
19 |         "updatedBy": "",  
20 |         "imageUrl": "www.google.com",  
21 |         "name": "categoryName",  
22 |         "videoUrl": "www.youtube.com"  
23 |       },  
24 |       "categoryId": null,  
25 |       "description": "description about application 1",  
26 |       "downloads": 4646,  
27 |       "featured": null,  
28 |       "gameAppVersions": [  
29 |         {  
30 |           "build": 18,  
31 |           "version": "v0.3",  
32 |           "versionDate": 1459145636817  
33 |         }  
34 |       ],
```

json

```
35     "image": "www.google.com",
36     "keywords": [
37         "key1",
38         "key2",
39         "key3",
40         "key4",
41         "key5"
42     ],
43     "latestBuild": 18,
44     "latestVersion": "v0.3",
45     "name": "Application 1",
46     "order": 345,
47     "paragraph1": "1 paragraph",
48     "paragraph2": "2st paragraph",
49     "paragraph3": "3st paragraph",
50     "paragraph4": "4th para",
51     "presetPriceList": null,
52     "price": 3436,
53     "publisher": null,
54     "ranking": 23,
55     "rating": 23523,
56     "sliderImages": [
57         "url 1",
58         "url 2",
59         "url 3"
60     ],
61     "subtitle": "subtitle",
62     "updated": null,
63     "video": "www.youtube.com",
64     "status": "SUBMITTED",
65     "downloadLink": null,
66     "compatibility": "[ \"kitkat\" , \"lolypop\"]",
67     "sizeOnDisk": "12MB",
68     "permissionDetails": "You should have kitkat version to run this app",
69     "locationSupported": [
70         "India",
71         "UK"
72     ],
73     "languageSupported": null,
74     "additionalDetails": "This application is very popular",
75     "tags": null,
76     "starterPack": null
77     }
78 ],
79 "detail": null,
80 "error": false,
81 "message": "Fetching applications from wish list successful"
82 }
```



## Description

A user can get a report by UserID.

## Request Endpoint

GET <https://<Example api server address>/user/report>

## Parameters

None.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/userid/report'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "42068b0b-62cc-4368-b472-4e0d1cb3f08a",  
5 |       "updatedBy": "",  
6 |       "user": {  
7 |         "id": "0679db90-faf8-4995-bc8a-376c89f81f1a",  
8 |         "updatedBy": "",  
9 |         "addresses": [  
10 |           {  
11 |             "id": "0446ac22-378b-4c4e-a1e0-05c6b1ae0799",  
12 |             "updatedBy": "",  
13 |             "addressType": null,  
14 |             "city": "Bangalore",  
15 |             "country": "US",  
16 |             "countryCode": "USCODE",  
17 |             "county": "County 99",  
18 |             "postal": "567920.0",  
19 |             "state": "Bangalore",  
20 |             "street1": null,  
21 |             "street2": null,  
22 |             "street3": null  
23 |           }  
24 |         ],  
25 |         "birthDateDay": 12,  
26 |         "birthDateMonth": 5,  
27 |         "birthDateYear": 1970,  
28 |         "devices": [  
29 |           null  
30 |         ],  
31 |         "emailAuthenticationChannels": [  
32 |           {  
33 |             "addedOn": null,  
34 |             "blockStatus": "NORMAL",  
35 |             "deletedOn": null,  
36 |             "emailAddress": "sudipta@gmail.in.co96",  
37 |             "emailPinResetStatus": null,  
38 |             "emailVerificationStatus": "VERIFIED",
```

json

```

39         "lastUsedOn": null,
40         "loginType": null,
41         "primary": null
42     }
43 ],
44     "firstName": "su99",
45     "fullName": null,
46     "groupTag": [
47         "1970",
48         "560100",
49         "Profile99",
50         "US",
51         "sudipta@gmail.in.co96"
52     ],
53     "lastName": "bh99",
54     "locationCountry": "US",
55     "locationZipCode": "560100",
56     "mobileAuthenticationChannels": [],
57     "pinCreated": true,
58     "profileImagePath": null,
59     "profileName": "Profile99",
60     "registrationDate": null,
61     "socialAuthenticationChannels": null,
62     "status": null,
63     "timezone": null,
64     "userSetting": null,
65     "verified": true
66 },
67     "application": {
68         "id": "d5d2a034-dcac-4484-bcc1-9bd5f5d73ab5",
69         "updatedBy": "",
70         "appPackage": "appPac",
71         "banner": "banner",
72         "bundleIdentifier": "app.123",
73         "casino": {
74             "id": "002e9474-7086-42c0-bf7c-13264d082ea6",
75             "updatedBy": "",
76             "imageUrl": "www.app.com",
77             "name": "AppCasino",
78             "videoUrl": "www.abc.com"
79         },
80         "casinoId": null,
81         "category": null,
82         "categoryId": null,
83         "description": "description about application 1",
84         "downloads": 4646,
85         "featured": true,
86         "gameAppVersions": null,
87         "image": "www.google.com",
88         "keywords": [
89             "key1",
90             "key2",
91             "key3",
92             "key4",
93             "key5"
94         ],
95         "latestBuild": 20,
96         "latestVersion": "version 1",
97         "name": "some app",
98         "order": 345,
99         "paragraph1": "1 paragraph",

```

```
100     "paragraph2": "2st paragraph",
101     "paragraph3": "3st paragraph",
102     "paragraph4": "4th para",
103     "presetPriceList": null,
104     "price": 3436,
105     "publisher": null,
106     "ranking": 23,
107     "rating": 23523,
108     "sliderImages": [
109         "url 1",
110         "url 2",
111         "url 3"
112     ],
113     "subtitle": "subtitle",
114     "updated": 1455690559442,
115     "video": "www.youtube.com",
116     "status": null,
117     "downloadLink": null,
118     "compatibility": null,
119     "sizeOnDisk": null,
120     "permissionDetails": null,
121     "locationSupported": null,
122     "additionalDetails": null,
123     "tags": [
124         "featured",
125         "live",
126         "popular",
127         "shruthi"
128     ],
129     "languageSupported": null
130 },
131 "reportMessage": "This application is crashing",
132 "userId": null,
133 "applicationId": null
134 }
135 ],
136 "detail": null,
137 "error": false,
138 "message": "Fetching reports successful"
139 }
```

**GET**

## Filter by Game App

### Description

A user can get a report by applicationId.

### Request Endpoint

GET <https://<Example api server address>/user/report/by/app/{applicationId}>

### Parameters

Parameter	Type	Use	Description
applicationId	String	Required	UUID of the game app.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/report/by/app/applicationId'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "42068b0b-62cc-4368-b472-4e0d1cb3f08a",  
5 |       "updatedBy": "",  
6 |       "user": {  
7 |         "id": "0679db90-faf8-4995-bc8a-376c89f81f1a",  
8 |         "updatedBy": "",  
9 |         "addresses": [  
10 |           {  
11 |             "id": "0446ac22-378b-4c4e-a1e0-05c6b1ae0799",  
12 |             "updatedBy": "",  
13 |             "addressType": null,  
14 |             "city": "Bangalore",  
15 |             "country": "US",  
16 |             "countryCode": "USCODE",  
17 |             "county": "County 99",  
18 |             "postal": "567920.0",  
19 |             "state": "Bangalore",  
20 |             "street1": null,  
21 |             "street2": null,  
22 |             "street3": null  
23 |           }  
24 |         ],  
25 |         "birthDateDay": 12,  
26 |         "birthDateMonth": 5,  
27 |         "birthDateYear": 1970,  
28 |         "devices": [  
29 |           null  
30 |         ],  
31 |         "emailAuthenticationChannels": [  
32 |           {  
33 |             "addedOn": null,  
34 |             "blockStatus": "NORMAL",
```

json

```

35     "deletedOn": null,
36     "emailAddress": "sudipta@gmail.in.co96",
37     "emailPinResetStatus": null,
38     "emailVerificationStatus": "VERIFIED",
39     "lastUsedOn": null,
40     "loginType": null,
41     "primary": null
42   }
43 ],
44   "firstName": "su99",
45   "fullName": null,
46   "groupTag": [
47     "1970",
48     "560100",
49     "Profile99",
50     "US",
51     "sudipta@gmail.in.co96"
52 ],
53   "lastName": "bh99",
54   "locationCountry": "US",
55   "locationZipCode": "560100",
56   "mobileAuthenticationChannels": [],
57   "pinCreated": true,
58   "profileImagePath": null,
59   "profileName": "Profile99",
60   "registrationDate": null,
61   "socialAuthenticationChannels": null,
62   "status": null,
63   "timezone": null,
64   "userSetting": null,
65   "verified": true
66 },
67 "application": {
68   "id": "d5d2a034-dcac-4484-bcc1-9bd5f5d73ab5",
69   "updatedBy": "",
70   "appPackage": "appPac",
71   "banner": "banner",
72   "bundleIdentifier": "app.123",
73   "casino": {
74     "id": "002e9474-7086-42c0-bf7c-13264d082ea6",
75     "updatedBy": "",
76     "imageUrl": "www.app.com",
77     "name": "AppCasino",
78     "videoUrl": "www.abc.com"
79   },
80   "casinoId": null,
81   "category": null,
82   "categoryId": null,
83   "description": "description about application 1",
84   "downloads": 4646,
85   "featured": true,
86   "gameAppVersions": null,
87   "image": "www.google.com",
88   "keywords": [
89     "key1",
90     "key2",
91     "key3",
92     "key4",
93     "key5"
94 ],
95   "latestBuild": 20,

```

```

96     "latestVersion": "version 1",
97     "name": "some app",
98     "order": 345,
99     "paragraph1": "1 paragraph",
100    "paragraph2": "2st paragraph",
101    "paragraph3": "3st paragraph",
102    "paragraph4": "4th para",
103    "presetPriceList": null,
104    "price": 3436,
105    "publisher": null,
106    "ranking": 23,
107    "rating": 23523,
108    "sliderImages": [
109        "url 1",
110        "url 2",
111        "url 3"
112    ],
113    "subtitle": "subtitle",
114    "updated": 1455690559442,
115    "video": "www.youtube.com",
116    "status": null,
117    "downloadLink": null,
118    "compatibility": null,
119    "sizeOnDisk": null,
120    "permissionDetails": null,
121    "locationSupported": null,
122    "additionalDetails": null,
123    "tags": [
124        "featured",
125        "live",
126        "popular",
127        "shruthi"
128    ],
129    "languageSupported": null
130 },
131 "reportMessage": "This application is crashing",
132 "userId": null,
133 "applicationId": null
134 }
135 ],
136 "detail": null,
137 "error": false,
138 "message": "Fetching reports successful"
139 }

```

**GET**

## Prefill Casino Registration Form

### Description

This service will only return the required attribute's value if the user has given permission to share their Example registration information.

### Request Endpoint

GET <https://<Example api server address>/user/{id}/casino/register>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of a user.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/id/casino/register'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "error": false,  
3 |   "message": "Prefilled casino registration form successfully",  
4 |   "detail": null,  
5 |   "data": {  
6 |     "id": "c7f233d8-9ed9-45fe-bbfa-53f771f74638",  
7 |     "firstName": "Shruti",  
8 |     "lastName": "Nagarkar",  
9 |     "fullName": "Shruti Nagarkar",  
10 |    "profileName": null,  
11 |    "registrationDate": null,  
12 |    "birthDateDay": null,  
13 |    "birthDateMonth": null,  
14 |    "birthDateYear": null,  
15 |    "locationCountry": null,  
16 |    "locationZipCode": "581320",  
17 |    "timezone": "IST",  
18 |    "profileImagePath": "www.google.com",  
19 |    "userSetting": null,  
20 |    "socialAuthenticationChannels": null,  
21 |    "emailAuthenticationChannels": null,  
22 |    "mobileAuthenticationChannels": null,  
23 |    "addresses": [  
24 |      {  
25 |        "id": "e95b391f-373b-4c84-a08e-1c9c41e38d00",  
26 |        "street1": "Wilson garden",  
27 |        "street2": null,  
28 |        "street3": null,  
29 |        "city": "Bangalore",  
30 |        "state": null,  
31 |        "county": null,  
32 |        "postal": "560073",  
33 |        "country": null,  
34 |      }  
35 |    ]  
36 |  }  
37 | }
```

json

```
34     "addressType": "HOME"
35   },
36   {
37     "id": "bae514b8-ef27-4470-b8c3-73255b7b9666",
38     "street1": "Wilson garden",
39     "street2": null,
40     "street3": null,
41     "city": "Bangalore",
42     "state": null,
43     "county": null,
44     "postal": "560073",
45     "country": null,
46     "addressType": "HOME"
47   }
48 ],
49 "status": null,
50 "verified": false,
51 "wrongPinAttempts": 0,
52 "pinCreated": false
53 }
54 }
```



**POST****Report as Spam****Description**

A user can report an application.

**Request Endpoint**

POST <https://<Example api server address>/user/report>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |     \"userId\": \"da9c6d91-9995-40d6-b6f1-5c58448491a6\",  
6 |     \"applicationId\": \"5924b32d-8ed0-449c-b4ce-85ae6bf87088\",  
7 |     \"message\": \"This application is crashing\",  
8 |     \"deviceUdid\" : \"4547889Ud\"  
9 | }" \  
10 | 'https://core.dev.Example.net/api/user/report'
```

**POST body attributes (JSON)**

Attribute	Type	Use	Description
userId	String	Required	UUID of the user.
applicationId	String	Required	Unique id of the application for which the deposit is being done.
message	String	Required	Message to report an application.
deviceUdid	String	Required	UDID of a device.

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   \"userId\": \"da9c6d91-9995-40d6-b6f1-5c58448491a6\",  
3 |   \"applicationId\": \"5924b32d-8ed0-449c-b4ce-85ae6bf87088\",  
4 |   \"message\": \"This application is crashing\",  
5 |   \"deviceUdid\": \"4547889Ud\"  
6 | }
```

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   \"data\": {  
3 |     \"id\": \"3c253012-2411-4c16-9840-c3353b03cacc\",  
4 |     \"updatedBy\": \"\",  
5 |     \"user\": {  
6 |       \"id\": \"da9c6d91-9995-40d6-b6f1-5c58448491a6\",  
7 |       \"updatedBy\": \"\",
```

```

8     "addresses": null,
9     "birthDateDay": 12,
10    "birthDateMonth": 1,
11    "birthDateYear": 1945,
12    "devices": [
13      {
14        "id": "b64b1e93-0820-4764-953c-1615893d7929",
15        "updatedAt": "",
16        "description": "Old Device",
17        "deviceStatus": "NORMAL",
18        "manufacturer": "Apple",
19        "model": "iPhone 5",
20        "os": "iOS 9",
21        "udid": "2083718938012321038243"
22      }
23    ],
24    "emailAuthenticationChannels": [],
25    "firstName": "Violet",
26    "fullName": "Violet White",
27    "groupTag": [
28      "FACEBOOK",
29      "Apple",
30      1945,
31      "United Kingdom",
32      "iOS 9",
33      "1234234",
34      "iPhone 5"
35    ],
36    "lastName": "White",
37    "locationCountry": "United Kingdom",
38    "locationZipCode": "1234234",
39    "mobileAuthenticationChannels": [],
40    "pinCreated": true,
41    "profileImagePath": null,
42    "profileName": "VioletWhite573",
43    "registrationDate": 1458021490304,
44    "socialAuthenticationChannels": [
45      {
46        "addedOn": 1458021490304,
47        "blockStatus": "NORMAL",
48        "deletedOn": null,
49        "lastUsedOn": 1459159980526,
50        "loginType": "FACEBOOK",
51        "socialId": "Violet White Land"
52      }
53    ],
54    "status": "EXISTING",
55    "timezone": null,
56    "userSetting": {
57      "autoUpdateBetcadeApp": true,
58      "autoUpdateDownloadedApps": true,
59      "monthlyDepositMaxLimit": 0,
60      "monthlyDepositMaxLimitCurrency": "GBP",
61      "prefillUserInfoInCasino": true,
62      "receiveEmailReceipt": true,
63      "receiveNotifications": true,
64      "shareRegistrationInfo": true,
65      "userEmailProvided": true,
66      "versionOfDownloadedBetcadeApp": "v1",
67      "wifiDownloadLimitInMB": 0,
68      "preferredCategories": []

```

```

69     },
70     "verified": true
71 },
72 "application": {
73     "id": "5924b32d-8ed0-449c-b4ce-85ae6bf87088",
74     "updatedAt": "",
75     "appPackage": "appPac",
76     "banner": "banner",
77     "bundleIdentifier": "bun234",
78     "casino": {
79         "id": "7a8d9f34-64d3-4641-9d66-63ad85768dd2",
80         "updatedAt": "",
81         "imageUrl": "http://www.google.com",
82         "name": "SRS",
83         "videoUrl": "http://www.facebook.com"
84     },
85     "casinoId": null,
86     "category": {
87         "id": "2d2dfdb0-307c-4925-88fc-a3e7141b12b3",
88         "updatedAt": "",
89         "imageUrl": "www.google.com",
90         "name": "Oaklander",
91         "videoUrl": "www.youtube.com"
92     },
93     "categoryId": null,
94     "description": "description about application 1",
95     "downloads": 4646,
96     "featured": null,
97     "gameAppVersions": [
98         {
99             "build": 18,
100            "version": "v0.3",
101            "versionDate": 1459751598087
102        }
103    ],
104    "image": "www.google.com",
105    "keywords": [
106        "key1",
107        "key2",
108        "key3",
109        "key4",
110        "key5"
111    ],
112    "latestBuild": 18,
113    "latestVersion": "v0.3",
114    "name": "Ramboo",
115    "order": 345,
116    "paragraph1": "1 paragraph",
117    "paragraph2": "2st paragraph",
118    "paragraph3": "3st paragraph",
119    "paragraph4": "4th para",
120    "presetPriceList": null,
121    "price": 3436,
122    "publisher": null,
123    "ranking": 23,
124    "rating": 23,
125    "sliderImages": [
126        "url 1",
127        "url 2",
128        "url 3"
129    ],

```

```
130     "subtitle": "subtitle",
131     "updated": null,
132     "video": "www.youtube.com",
133     "status": "SUBMITTED",
134     "downloadLink": null,
135     "compatibility": "kitkat",
136     "sizeOnDisk": "12MB",
137     "permissionDetails": "You should have kitkat version to run this app",
138     "locationSupported": [
139         "India",
140         "UK"
141     ],
142     "languageSupported": [
143         "English",
144         "French"
145     ],
146     "additionalDetails": "This application is very popular",
147     "tags": null
148 },
149 "message": "This application is crashing",
150 "userId": "da9c6d91-9995-40d6-b6f1-5c58448491a6",
151 "applicationId": "5924b32d-8ed0-449c-b4ce-85ae6bf87088",
152 "reportedOn": 1459762608779,
153 "device": {
154     "id": "4538ad4a-a5b2-45ad-9e61-7d92e6285031",
155     "updatedBy": "",
156     "description": "new manufacturer",
157     "deviceStatus": "NORMAL",
158     "manufacturer": "Motorola",
159     "model": "Samsung",
160     "os": "Android",
161     "udid": "4547889Ud"
162 },
163     "deviceUdid": "4547889Ud"
164 },
165 "detail": null,
166 "error": false,
167 "message": "Reporting an application successful"
168 }
```

**PUT****Set Preferred Categories****Description**

Allows a user to set preferred categories

**Request Endpoint**

PUT <https://<Example api server address>/user/category/preferred>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"userId\": \"c3da6ce7-0576-4772-93c1-da7h436fbf\",\  
6 |         \"preferredCategories\": [\"poker\", \"lottery\"]\  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/user/category/preferred'
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
userId	String	Required	UUID of a user.
preferredCategories	Array	Required	A string array which represents the user's preferred categories.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {\  
2 |   \"userId\": \"c3da6ce7-0576-4772-93c1-da7h436fbf\",\  
3 |   \"preferredCategories\": [\  
4 |     \"poker\",\  
5 |     \"lottery\"\  
6 |   ]\  
7 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |   \"error\": false,\  
3 |   \"message\": \"Setting Share Registration Information successfully\",\  
4 |   \"detail\": null,\  
5 |   \"data\":\  
6 |     {\  
7 |       \"id\": \"c3da6ce7-0576-4772-93c1-da7h436fbf\",\  
8 |       \"firstName\": \"John\",\  
9 |       \"lastName\": \"Nair\",\  
10 |      \"fullName\": \"John Nair\",\  
11 |      \"profileName\": \"John\",
```

json

```
12     "registrationDate": 1448898079793,  
13     "birthDateDay": 12,  
14     "birthDateMonth": 1,  
15     "birthDateYear": 1945,  
16     "locationCountry": "India",  
17     "locationZipCode": "1234234",  
18     "timezone": null,  
19     "userSetting": [  
20     {  
21         "autoUpdateBetcadeApp": true,  
22         "autoUpdateDownloadedApps": true,  
23         "userEmailProvided": false,  
24         "monthlyDepositMaxLimit": 34,  
25         "monthlyDepositMaxLimitCurrency": "USD",  
26         "wifiDownloadLimitInMB": 78,  
27         "prefillUserInfoInCasino": true,  
28         "versionOfDownloadedBetcadeApp": "v0.1",  
29         "receiveEmailReceipt": true,  
30         "receiveNotifications": false,  
31         "shareRegistrationInfo": true,  
32         "preferredCategories": ["poker", "lottery"]  
33     }],  
34     "validated": "true",  
35     "addedOn": 658745874,  
36     "lastUsedOn": 67857902  
37     "status": "EXISTING",  
38     "verified": true  
39 }  
40 }
```

**PUT****Set Preferred Currency****Description**

Allows a user to set a preferred currency.

**Request Endpoint**

PUT <https://<Example api server address>/user/{id}/currency/preferred>

**Parameters**

Parameter	Type	Use	Description
id	String	Required	UUID of a user.

**cURL syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"currency\": \"GBP\  
6 |     }" \  
7 | 'https://core.dev.Example.net/api/user/id/currency/preferred'  
8 | '
```

curl

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
currency	String	Required	A currency to set as the preferred value.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |     "currency": "GBP"  
3 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     "data": {  
3 |         "id": "43e3667a-b15b-4f21-be41-e515022d9de0",  
4 |         "deleted": false,  
5 |         "addresses": null,  
6 |         "devices": [  
7 |             {  
8 |                 "id": "2cde0dad-b0c6-4fdf-a2f0-9e4afd99a1d4",  
9 |                 "deleted": false,  
10 |                "description": "device description34",  
11 |                "deviceStatus": "NORMAL",  
12 |                "manufacturer": "sony",
```

json

```

13     "model": "34",
14     "os": "jelly bean",
15     "udid": "ghjhtredecf",
16     "simStateHashCode": null,
17     "simCardState": null,
18     "deletedUdid": null,
19     "deletedBy": null,
20     "deletedOn": null,
21     "name": null,
22     "brand": null,
23     "androidID": null,
24     "advertiserID": null,
25     "operator": null,
26     "country": null,
27     "language": null,
28     "screenWidthInPixels": null,
29     "screenHeightInPixels": null,
30     "screenWidthInInches": null,
31     "screenHeightInInches": null
32 }
33 ],
34 "emailAuthenticationChannels": [
35   {
36     "addedOn": 1477661987339,
37     "blockStatus": "NORMAL",
38     "deletedOn": null,
39     "emailAddress": "a565dd07bb0c44e493938eef88f7c509@gmail.com",
40     "emailPinResetStatus": "RESET_NA",
41     "emailVerificationStatus": "VERIFICATION_PENDING",
42     "lastUsedOn": 1477661987339,
43     "loginType": "EMAIL",
44     "primary": false,
45     "deleted": false,
46     "recycleEmailAddress": null
47   }
48 ],
49 "firstName": "mayank",
50 "fullName": "mayank meheta",
51 "groupTag": [
52   "FACEBOOK",
53   "jelly bean",
54   "34",
55   "sony",
56   "NY",
57   "4235655",
58   "tag1",
59   "tag2",
60   "EMAIL"
61 ],
62 "lastName": "meheta",
63 "locationCountry": "NY",
64 "locationZipCode": "4235655",
65 "mobileAuthenticationChannels": [],
66 "pinCreated": true,
67 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-image.png",
68 "profileName": "S.E",
69 "registrationDate": 1477661964680,
70 "socialAuthenticationChannels": [
71   {
72     "addedOn": 1477661964973,
73     "blockStatus": "NORMAL",

```



```

74     "deletedOn": null,
75     "lastUsedOn": 1477661964973,
76     "loginType": "FACEBOOK",
77     "socialId": "socialId1",
78     "deleted": false,
79     "recycleSocialId": null,
80     "emailAddress": null,
81     "profileName": null
82   },
83   {
84     "addedOn": 1477661987688,
85     "blockStatus": "NORMAL",
86     "deletedOn": null,
87     "lastUsedOn": 1477661987688,
88     "loginType": "FACEBOOK",
89     "socialId": "6de00e9f-03fa-4212-83ea-b46e7b47e999",
90     "deleted": false,
91     "recycleSocialId": null,
92     "emailAddress": null,
93     "profileName": null
94   }
95 ],
96 "status": "EXISTING",
97 "timezone": null,
98 "userSetting": {
99   "autoUpdateBetcadeApp": true,
100  "autoUpdateDownloadedApps": true,
101  "monthlyDepositMaxLimit": 0,
102  "monthlyDepositMaxLimitCurrency": "GBP",
103  "prefillUserInfoInCasino": true,
104  "receiveEmailReceipt": true,
105  "receiveNotifications": true,
106  "shareRegistrationInfo": true,
107  "userEmailProvided": true,
108  "versionOfDownloadedBetcadeApp": "v1",
109  "wifiDownloadLimitInMB": 0,
110  "preferredCategories": [],
111  "autoSaveCard": true,
112  "autoAddHomeIcon": true,
113  "receiveUpdateNotifications": true,
114  "receiveAutoUpdatedNotifications": true,
115  "receiveRecommendationNotifications": true,
116  "preferredCurrency": "GBP",
117  "appSetting": {
118    "autoUpdateApps": 2,
119    "addIconHomeScreen": false,
120    "saveNewCreditOrDebitCards": true,
121    "appUpdatesAvailable": true,
122    "appsWereAutoUpdated": true,
123    "recommendedContentAvailable": true
124  }
125 },
126 "verified": true,
127 "pinResetDate": null,
128 "pinChangeDate": 1477661985127,
129 "singularId": null,
130 "acquisitionIds": null,
131 "userAuditInfo": {
132   "initialLoginDate": 1477661964680,
133   "initialLoginIp": "127.0.0.1",
134   "initialLoginLocation": " ",

```

```
135     "initialRegistrationDate": null,  
136     "initialRegistrationIp": null,  
137     "initialRegistrationLocation": null  
138   },  
139   "email": "8f8457070e774a90b0def03533c1da9c@gmail.com",  
140   "phone": "+919874654244",  
141   "dob": 663359640000,  
142   "statusBeforeBlacklisting": null,  
143   "testUser": null  
144 },  
145 "detail": null,  
146 "error": false,  
147 "message": "Setting user's preferred currency successful"  
148 }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### User Promotion APIs

#### POST Create User Promotion

##### Description

Creates promotions for a user.

##### Request Endpoint

POST `https://<Example api server address>/user/promotion`

##### Parameters

None.

##### cURL Syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5         \"userId\" : \"491c6bc6-8a6f-4e44-aa08-d66e36a65eec\",  
6         \"promotionId\" : \"205c5b82-bdc2-47ac-9640-9288ebb2e73a\"  
7     }" \  
8     'https://core.dev.Example.net/api/user/promotion'
```

https

##### POST body attributes (JSON)

Attribute	Type	Use	Description
userId	String	Required	UUID of a user.
promotionId	String	Required	UUID of a promotion.

##### POST body

Headers: Content-Type: application/json

```
1 {  
2     \"userId\": \"491c6bc6-8a6f-4e44-aa08-d66e36a65eec\",  
3     \"promotionId\": \"205c5b82-bdc2-47ac-9640-9288ebb2e73a\"  
4 }
```

json

##### Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1  {
2    "data": {
3      "id": "3fdbea05-47cb-4856-a6af-43b965536fba",
4      "createdOn": 1482304278570,
5      "lastModifiedOn": 1482304278570,
6      "updatedBy": "",
7      "deleted": false,
8      "user": {
9        "id": "491c6bc6-8a6f-4e44-aa08-d66e36a65eec",
10       "createdOn": 1474966273775,
11       "lastModifiedOn": 1479887033703,
12       "updatedBy": "",
13       "deleted": false,
14       "addresses": [
15         {
16           "id": "9617a0ae-b8d1-4f6d-a108-9236e66e7586",
17           "createdOn": 1479887033409,
18           "lastModifiedOn": 1479887033409,
19           "updatedBy": "",
20           "deleted": false,
21           "addressType": "BILLING",
22           "city": "Somewhere",
23           "country": "United Kingdom",
24           "countryCode": null,
25           "county": "Clark",
26           "postal": "89101",
27           "state": "st",
28           "street": null,
29           "street1": "123 Test Ln",
30           "street2": "",
31           "street3": ""
32         }
33       ],
34       "devices": [
35         {
36           "id": "9146350a-8104-4fd3-aa2c-601afc43f2a9",
37           "createdOn": 1474966270642,
38           "lastModifiedOn": 1474966270642,
39           "updatedBy": "",
40           "deleted": false,
41           "description": "Old Device",
42           "deviceStatus": "NORMAL",
43           "manufacturer": "Apple",
44           "model": "iPhone 5",
45           "os": "iOS 9",
46           "udid": "2083718938012321038243",
47           "simStateHashCode": null,
48           "simCardState": null,
49           "deletedUdid": null,
50           "deletedBy": null,
51           "deletedOn": null,
52           "name": "Moto",
53           "brand": null,
54           "androidID": "etr657y",
55           "advertiserID": null,
56           "operator": null,
57           "country": "India",
58           "language": "English",
59           "screenWidthInPixels": null,
60           "screenHeightInPixels": null,
```

```

61         "screenWidthInInches": null,
62         "screenHeightInInches": null
63     }
64 ],
65 "emailAuthenticationChannels": [],
66 "firstName": "Shruti",
67 "fullName": "Sudipta Bhaumik",
68 "groupTag": [
69     "FACEBOOK",
70     "Apple",
71     "United Kingdom",
72     "iOS 9",
73     "1234234",
74     "iPhone 5",
75     "india",
76     "260057",
77     "Somewhere",
78     "st",
79     "United Kingdon",
80     "Clark",
81     "89101"
82 ],
83 "lastName": "Nagarkar",
84 "locationCountry": "india",
85 "locationZipCode": "260057",
86 "mobileAuthenticationChannels": [
87     {
88         "addedOn": 1474966273458,
89         "blockStatus": "NORMAL",
90         "deletedOn": null,
91         "lastUsedOn": 1474966273458,
92         "loginType": "MOBILE",
93         "mobileNumber": null,
94         "mobilePinResetStatus": null,
95         "mobileVerificationStatus": null,
96         "primary": null,
97         "deleted": false,
98         "recycleMobileNumber": null
99     }
100 ],
101 "pinCreated": true,
102 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-image.p
103 "profileName": "profile",
104 "registrationDate": 1474966271005,
105 "socialAuthenticationChannels": null,
106 "status": "NEW",
107 "timezone": "IST",
108 "userSetting": {
109     "autoUpdateBetcadeApp": true,
110     "autoUpdateDownloadedApps": true,
111     "monthlyDepositMaxLimit": 0,
112     "monthlyDepositMaxLimitCurrency": "GBP",
113     "prefillUserInfoInCasino": true,
114     "receiveEmailReceipt": true,
115     "receiveNotifications": true,
116     "shareRegistrationInfo": true,
117     "userEmailProvided": true,
118     "versionOfDownloadedBetcadeApp": "v1",
119     "wifiDownloadLimitInMB": 0,
120     "preferredCategories": [],
121     "autoSaveCard": true,

```

```

122     "autoAddHomeIcon": true,
123     "receiveUpdateNotifications": true,
124     "receiveAutoUpdatedNotifications": true,
125     "receiveRecommendationNotifications": true,
126     "preferredCurrency": null,
127     "appSetting": {
128         "autoUpdateApps": 2,
129         "addIconHomeScreen": false,
130         "saveNewCreditOrDebitCards": true,
131         "appUpdatesAvailable": true,
132         "appsWereAutoUpdated": true,
133         "recommendedContentAvailable": true
134     },
135     "allowLargeFilesOverWifiOnly": null
136 },
137 "verified": true,
138 "pinResetDate": null,
139 "pinChangeDate": null,
140 "singularId": null,
141 "acquisitionIds": null,
142 "userAuditInfo": {
143     "initialLoginDate": 1474966271005,
144     "initialLoginIp": "127.0.0.1",
145     "initialLoginLocation": " ",
146     "initialRegistrationDate": 1474997035043,
147     "initialRegistrationIp": "127.0.0.1",
148     "initialRegistrationLocation": " "
149 },
150 "email": "rn.shruti@gmail.com",
151 "phone": "+918050022027",
152 "dob": 663878340000,
153 "statusBeforeBlacklisting": null,
154 "muid": null,
155 "testUser": null
156 },
157 "promotions": [
158     {
159         "id": "205c5b82-bdc2-47ac-9640-9288ebb2e73a",
160         "createdOn": 1481973069064,
161         "lastModifiedOn": 1481973069064,
162         "updatedBy": "",
163         "deleted": false,
164         "name": "FREEsMdONdEsYsdnz",
165         "promotionType": "PROMOTION",
166         "qualifyingItemType": "PM",
167         "promotionCode": "segwdedsddgn",
168         "description": "desc",
169         "finePrint": "fine print1",
170         "paidBy": "CASINO",
171         "paidByCasino": {
172             "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
173             "createdOn": 1472021963085,
174             "lastModifiedOn": 1472021963085,
175             "updatedBy": "",
176             "deleted": false,
177             "name": "Poker 26",
178             "videoUrl": "https://www.google.com/betting-video.mov",
179             "imageUrl": "http://www.google.com/betting.png",
180             "description": "This casino has lot of game apps1",
181             "website": "http://www.casino1.com",
182             "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",

```

```
183     "banner": "banner2345",
184     "deletedBy": null,
185     "deletedOn": null,
186     "operatorStatus": "NEW",
187     "email": null,
188     "userRole": "OPERATOR",
189     "firstName": null,
190     "lastName": null,
191     "address": null,
192     "externalId": null,
193     "featuredAppId": null,
194     "latestAppId": null
195   },
196   "paidByItem": null,
197   "currencies": [
198     "USD"
199   ],
200   "qualifyingItem": "VISA-CARD",
201   "casino": null,
202   "application": null,
203   "minDeposit": 200.5,
204   "promoAmountType": "AMOUNT",
205   "promoAmount": 40,
206   "usageLimit": 100,
207   "userLimit": 1,
208   "validityStartDate": null,
209   "validityEndDate": null,
210   "promotionStatus": null,
211   "usageLimitUsed": 0,
212   "maxDeposit": null,
213   "deletedOn": null,
214   "deletedBy": null
215 }
216 ]
217 },
218 "detail": null,
219 "error": false,
220 "message": "Saving promotion to User Promotion successful.",
221 "code": "1000"
222 }
```

**PUT****Remove Promotion From User Promotion List****Description**

Removes a promotion from the user promotion list.

**Request Endpoint**

PUT `https://<Example api server address>/user/remove/promotion`

**Parameters**

None.

**cURL Syntax**

```
1 | curl --include \  
2 |     --request PUT \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"userId\" : \"491c6bc6-8a6f-4e44-aa08-d66e36a65eec\",\  
6 |         \"promotionId\" : \"27676ea7-a983-4c44-882e-72cba048532c\"\  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/user/remove/promotion'
```

https

**PUT body attributes (JSON)**

Attribute	Type	Use	Description
userId	String	Required	UUID of a user.
promotionId	String	Required	UUID of a promotion.

**PUT body**

**Headers:** Content-Type: application/json

```
1 | {\  
2 |     "userId": "491c6bc6-8a6f-4e44-aa08-d66e36a65eec",\  
3 |     "promotionId": "27676ea7-a983-4c44-882e-72cba048532c"\  
4 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |     "data": true,  
3 |     "detail": null,  
4 |     "error": false,  
5 |     "message": "Removing promotion from list successful.",  
6 |     "code": "1000"\  
7 | }
```

json



**GET****Fetch All User Promotions****Description**

Fetches all user promotions.

**Request Endpoint**

GET `https://<Example api server address>/user/promotions`

**Parameters**

None.

**cURL Syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/promotions'
```

https

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "3fdbea05-47cb-4856-a6af-43b965536fba",  
6 |         "createdOn": 1482304278570,  
7 |         "lastModifiedOn": 1482304361874,  
8 |         "updatedBy": "",  
9 |         "deleted": false,  
10 |        "user": {  
11 |          "id": "491c6bc6-8a6f-4e44-aa08-d66e36a65eec",  
12 |          "createdOn": 1474966273775,  
13 |          "lastModifiedOn": 1479887033703,  
14 |          "updatedBy": "",  
15 |          "deleted": false,  
16 |          "addresses": [  
17 |            {  
18 |              "id": "9617a0ae-b8d1-4f6d-a108-9236e66e7586",  
19 |              "createdOn": 1479887033409,  
20 |              "lastModifiedOn": 1479887033409,  
21 |              "updatedBy": "",  
22 |              "deleted": false,  
23 |              "addressType": "BILLING",  
24 |              "city": "Somewhere",  
25 |              "country": "United Kingdon",  
26 |              "countryCode": null,  
27 |              "county": "Clark",  
28 |              "postal": "89101",  
29 |              "state": "st",  
30 |              "street": null,  
31 |              "street1": "123 Test Ln",  
32 |              "street2": "",  
33 |              "street3": ""  
34 |            }  
35 |          ],  
36 |          "devices": [  
37 |            {  
38 |              "id": "9146350a-8104-4fd3-aa2c-601afc43f2a9",
```

json

```

39         "createdOn": 1474966270642,
40         "lastModifiedOn": 1474966270642,
41         "updatedBy": "",
42         "deleted": false,
43         "description": "Old Device",
44         "deviceStatus": "NORMAL",
45         "manufacturer": "Apple",
46         "model": "iPhone 5",
47         "os": "iOS 9",
48         "udid": "2083718938012321038243",
49         "simStateHashCode": null,
50         "simCardState": null,
51         "deletedUdid": null,
52         "deletedBy": null,
53         "deletedOn": null,
54         "name": "Moto",
55         "brand": null,
56         "androidID": "etr657y",
57         "advertiserID": null,
58         "operator": null,
59         "country": "India",
60         "language": "English",
61         "screenWidthInPixels": null,
62         "screenHeightInPixels": null,
63         "screenWidthInInches": null,
64         "screenHeightInInches": null
65     }
66 ],
67     "emailAuthenticationChannels": [],
68     "firstName": "Shruti",
69     "fullName": "Sudipta Bhaumik",
70     "groupTag": [
71         "FACEBOOK",
72         "Apple",
73         "United Kingdom",
74         "iOS 9",
75         "1234234",
76         "iPhone 5",
77         "india",
78         "260057",
79         "Somewhere",
80         "st",
81         "United Kingdon",
82         "Clark",
83         "89101"
84     ],
85     "lastName": "Nagarkar",
86     "locationCountry": "india",
87     "locationZipCode": "260057",
88     "mobileAuthenticationChannels": [
89         {
90             "addedOn": 1474966273458,
91             "blockStatus": "NORMAL",
92             "deletedOn": null,
93             "lastUsedOn": 1474966273458,
94             "loginType": "MOBILE",
95             "mobileNumber": null,
96             "mobilePinResetStatus": null,
97             "mobileVerificationStatus": null,
98             "primary": null,
99             "deleted": false,

```

```

100         "recycleMobileNumber": null
101     }
102 ],
103 "pinCreated": true,
104 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-ima
105 "profileName": "profile",
106 "registrationDate": 1474966271005,
107 "socialAuthenticationChannels": null,
108 "status": "NEW",
109 "timezone": "IST",
110 "userSetting": {
111     "autoUpdateBetcadeApp": true,
112     "autoUpdateDownloadedApps": true,
113     "monthlyDepositMaxLimit": 0,
114     "monthlyDepositMaxLimitCurrency": "GBP",
115     "prefillUserInfoInCasino": true,
116     "receiveEmailReceipt": true,
117     "receiveNotifications": true,
118     "shareRegistrationInfo": true,
119     "userEmailProvided": true,
120     "versionOfDownloadedBetcadeApp": "v1",
121     "wifiDownloadLimitInMB": 0,
122     "preferredCategories": [],
123     "autoSaveCard": true,
124     "autoAddHomeIcon": true,
125     "receiveUpdateNotifications": true,
126     "receiveAutoUpdatedNotifications": true,
127     "receiveRecommendationNotifications": true,
128     "preferredCurrency": null,
129     "appSetting": {
130         "autoUpdateApps": 2,
131         "addIconHomeScreen": false,
132         "saveNewCreditOrDebitCards": true,
133         "appUpdatesAvailable": true,
134         "appsWereAutoUpdated": true,
135         "recommendedContentAvailable": true
136     },
137     "allowLargeFilesOverWifiOnly": null
138 },
139 "verified": true,
140 "pinResetDate": null,
141 "pinChangeDate": null,
142 "singularId": null,
143 "acquisitionIds": null,
144 "userAuditInfo": {
145     "initialLoginDate": 1474966271005,
146     "initialLoginIp": "127.0.0.1",
147     "initialLoginLocation": " ",
148     "initialRegistrationDate": 1474997035043,
149     "initialRegistrationIp": "127.0.0.1",
150     "initialRegistrationLocation": " "
151 },
152 "email": "rn.shruti@gmail.com",
153 "phone": "+918050022027",
154 "dob": 663878340000,
155 "statusBeforeBlacklisting": null,
156 "muid": null,
157 "testUser": null
158 },
159 "promotions": [
160     {

```

```

161     "id": "205c5b82-bdc2-47ac-9640-9288ebb2e73a",
162     "createdOn": 1481973069064,
163     "lastModifiedOn": 1481973069064,
164     "updatedBy": "",
165     "deleted": false,
166     "name": "FREEsMdONdEsYsdnz",
167     "promotionType": "PROMOTION",
168     "qualifyingItemType": "PM",
169     "promotionCode": "segwdedssddgn",
170     "description": "desc",
171     "finePrint": "fine print1",
172     "paidBy": "CASINO",
173     "paidByCasino": {
174         "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
175         "createdOn": 1472021963085,
176         "lastModifiedOn": 1472021963085,
177         "updatedBy": "",
178         "deleted": false,
179         "name": "Poker 26",
180         "videoUrl": "https://www.google.com/betting-video.mov",
181         "imageUrl": "http://www.google.com/betting.png",
182         "description": "This casino has lot of game apps1",
183         "website": "http://www.casino1.com",
184         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
185         "banner": "banner2345",
186         "deletedBy": null,
187         "deletedOn": null,
188         "operatorStatus": "NEW",
189         "email": null,
190         "userRole": "OPERATOR",
191         "firstName": null,
192         "lastName": null,
193         "address": null,
194         "externalId": null,
195         "featuredAppId": null,
196         "latestAppId": null
197     },
198     "paidByItem": null,
199     "currencies": [
200         "USD"
201     ],
202     "qualifyingItem": "VISA-CARD",
203     "casino": null,
204     "application": null,
205     "minDeposit": 200.5,
206     "promoAmountType": "AMOUNT",
207     "promoAmount": 40,
208     "usageLimit": 100,
209     "userLimit": 1,
210     "validityStartDate": null,
211     "validityEndDate": null,
212     "promotionStatus": null,
213     "usageLimitUsed": 0,
214     "maxDeposit": null,
215     "deletedOn": null,
216     "deletedBy": null
217     }
218 ]
219 },
220 {
221     "id": "b5a79976-12cf-45cd-9ff2-5a2ad0ce3971",

```

```

222     "createdOn": 1482304433342,
223     "lastModifiedOn": 1482304433342,
224     "updatedBy": "",
225     "deleted": false,
226     "user": {
227         "id": "784095a0-1771-4e7a-a3fd-f9335125c0c2",
228         "createdOn": 1475233006176,
229         "lastModifiedOn": 1475483894215,
230         "updatedBy": "",
231         "deleted": false,
232         "addresses": null,
233         "devices": [
234             {
235                 "id": "9146350a-8104-4fd3-aa2c-601afc43f2a9",
236                 "createdOn": 1474966270642,
237                 "lastModifiedOn": 1474966270642,
238                 "updatedBy": "",
239                 "deleted": false,
240                 "description": "Old Device",
241                 "deviceStatus": "NORMAL",
242                 "manufacturer": "Apple",
243                 "model": "iPhone 5",
244                 "os": "iOS 9",
245                 "udid": "2083718938012321038243",
246                 "simStateHashCode": null,
247                 "simCardState": null,
248                 "deletedUdid": null,
249                 "deletedBy": null,
250                 "deletedOn": null,
251                 "name": "Moto",
252                 "brand": null,
253                 "androidID": "etr657y",
254                 "advertiserID": null,
255                 "operator": null,
256                 "country": "India",
257                 "language": "English",
258                 "screenWidthInPixels": null,
259                 "screenHeightInPixels": null,
260                 "screenWidthInInches": null,
261                 "screenHeightInInches": null
262             }
263         ],
264         "emailAuthenticationChannels": [],
265         "firstName": "Shruti",
266         "fullName": "Shruti Nagarkar",
267         "groupTag": [
268             "FACEBOOK",
269             "Apple",
270             "United Kingdom",
271             "iOS 9",
272             "1234234",
273             "iPhone 5"
274         ],
275         "lastName": "Nagarkar",
276         "locationCountry": "United Kingdom",
277         "locationZipCode": "1234234",
278         "mobileAuthenticationChannels": [],
279         "pinCreated": true,
280         "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-ima
281         "profileName": "RN Shruti",
282         "registrationDate": 1475233003451,

```

```

283     "socialAuthenticationChannels": [
284         {
285             "addedOn": 1475233006112,
286             "blockStatus": "NORMAL",
287             "deletedOn": null,
288             "lastUsedOn": 1475233006112,
289             "loginType": "FACEBOOK",
290             "socialId": "sfwef34535xe",
291             "deleted": false,
292             "recycleSocialId": null,
293             "emailAddress": null,
294             "profileName": null
295         }
296     ],
297     "status": "BLACKLISTED_FRAUD",
298     "timezone": null,
299     "userSetting": {
300         "autoUpdateBetcadeApp": true,
301         "autoUpdateDownloadedApps": true,
302         "monthlyDepositMaxLimit": 0,
303         "monthlyDepositMaxLimitCurrency": "GBP",
304         "prefillUserInfoInCasino": true,
305         "receiveEmailReceipt": true,
306         "receiveNotifications": true,
307         "shareRegistrationInfo": true,
308         "userEmailProvided": true,
309         "versionOfDownloadedBetcadeApp": "v1",
310         "wifiDownloadLimitInMB": 0,
311         "preferredCategories": [],
312         "autoSaveCard": true,
313         "autoAddHomeIcon": true,
314         "receiveUpdateNotifications": true,
315         "receiveAutoUpdatedNotifications": true,
316         "receiveRecommendationNotifications": true,
317         "preferredCurrency": null,
318         "appSetting": {
319             "autoUpdateApps": 2,
320             "addIconHomeScreen": false,
321             "saveNewCreditOrDebitCards": true,
322             "appUpdatesAvailable": true,
323             "appsWereAutoUpdated": true,
324             "recommendedContentAvailable": true
325         },
326         "allowLargeFilesOverWifiOnly": null
327     },
328     "verified": true,
329     "pinResetDate": null,
330     "pinChangeDate": null,
331     "singularId": null,
332     "acquisitionIds": null,
333     "userAuditInfo": {
334         "initialLoginDate": 1475233003451,
335         "initialLoginIp": "127.0.0.1",
336         "initialLoginLocation": " ",
337         "initialRegistrationDate": 1475240921772,
338         "initialRegistrationIp": "127.0.0.1",
339         "initialRegistrationLocation": " "
340     },
341     "email": "rn.shruti@gmail.com",
342     "phone": "+918050022027",
343     "dob": 663791940000,

```

```

344     "statusBeforeBlacklisting": "ACTIVE",
345     "muid": null,
346     "testUser": null
347 },
348 "promotions": [
349     {
350         "id": "27676ea7-a983-4c44-882e-72cba048532c",
351         "createdOn": 1482131375356,
352         "lastModifiedOn": 1482131375356,
353         "updatedBy": "",
354         "deleted": false,
355         "name": "FREEMONEY17",
356         "promotionType": "INCENTIVE",
357         "qualifyingItemType": "PM",
358         "promotionCode": null,
359         "description": "desc",
360         "finePrint": "fine print1",
361         "paidBy": "OTHER",
362         "paidByCasino": null,
363         "paidByItem": "0f4e69ac",
364         "currencies": [
365             "USD"
366         ],
367         "qualifyingItem": "VISA",
368         "casino": null,
369         "application": null,
370         "minDeposit": 100,
371         "promoAmountType": "PERCENTAGE",
372         "promoAmount": 40,
373         "usageLimit": 100,
374         "userLimit": 2,
375         "validityStartDate": 1482105600000,
376         "validityEndDate": 1482105600000,
377         "promotionStatus": "SCHEDULED",
378         "usageLimitUsed": 0,
379         "maxDeposit": 0,
380         "deletedOn": null,
381         "deletedBy": null
382     }
383 ]
384 },
385 ],
386 "last": true,
387 "totalPages": 1,
388 "totalElements": 2,
389 "numberOfElements": 2,
390 "sort": null,
391 "first": true,
392 "size": 70,
393 "number": 0
394 },
395 "detail": null,
396 "error": false,
397 "message": "Fetching all User promotions successful.",
398 "code": "1000"
399 }

```

**GET**

## Fetch One User Promotion

### Description

Fetches user promotions for a given user promotion Id.

### Request Endpoint

GET `https://<Example api server address>/user/promotion/{id}`

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of a user promotion id.

### cURL Syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/promotion/{id}'
```

https

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "3fdbea05-47cb-4856-a6af-43b965536fba",  
4 |     "createdOn": 1482304278570,  
5 |     "lastModifiedOn": 1482304361874,  
6 |     "updatedBy": "",  
7 |     "deleted": false,  
8 |     "user": {  
9 |       "id": "491c6bc6-8a6f-4e44-aa08-d66e36a65eec",  
10 |      "createdOn": 1474966273775,  
11 |      "lastModifiedOn": 1479887033703,  
12 |      "updatedBy": "",  
13 |      "deleted": false,  
14 |      "addresses": [  
15 |        {  
16 |          "id": "9617a0ae-b8d1-4f6d-a108-9236e66e7586",  
17 |          "createdOn": 1479887033409,  
18 |          "lastModifiedOn": 1479887033409,  
19 |          "updatedBy": "",  
20 |          "deleted": false,  
21 |          "addressType": "BILLING",  
22 |          "city": "Somewhere",  
23 |          "country": "United Kingdon",  
24 |          "countryCode": null,  
25 |          "county": "Clark",  
26 |          "postal": "89101",  
27 |          "state": "st",  
28 |          "street": null,  
29 |          "street1": "123 Test Ln",  
30 |          "street2": "",  
31 |          "street3": ""  
32 |        }  
33 |      ],  
34 |      "devices": [  
35 |
```

json



```

35     {
36         "id": "9146350a-8104-4fd3-aa2c-601afc43f2a9",
37         "createdOn": 1474966270642,
38         "lastModifiedOn": 1474966270642,
39         "updatedBy": "",
40         "deleted": false,
41         "description": "Old Device",
42         "deviceStatus": "NORMAL",
43         "manufacturer": "Apple",
44         "model": "iPhone 5",
45         "os": "iOS 9",
46         "udid": "2083718938012321038243",
47         "simStateHashCode": null,
48         "simCardState": null,
49         "deletedUdid": null,
50         "deletedBy": null,
51         "deletedOn": null,
52         "name": "Moto",
53         "brand": null,
54         "androidID": "etr657y",
55         "advertiserID": null,
56         "operator": null,
57         "country": "India",
58         "language": "English",
59         "screenWidthInPixels": null,
60         "screenHeightInPixels": null,
61         "screenWidthInInches": null,
62         "screenHeightInInches": null
63     }
64 ],
65 "emailAuthenticationChannels": [],
66 "firstName": "Shruti",
67 "fullName": "Sudipta Bhaumik",
68 "groupTag": [
69     "FACEBOOK",
70     "Apple",
71     "United Kingdom",
72     "iOS 9",
73     "1234234",
74     "iPhone 5",
75     "india",
76     "260057",
77     "Somewhere",
78     "st",
79     "United Kingdon",
80     "Clark",
81     "89101"
82 ],
83 "lastName": "Nagarkar",
84 "locationCountry": "india",
85 "locationZipCode": "260057",
86 "mobileAuthenticationChannels": [
87     {
88         "addedOn": 1474966273458,
89         "blockStatus": "NORMAL",
90         "deletedOn": null,
91         "lastUsedOn": 1474966273458,
92         "loginType": "MOBILE",
93         "mobileNumber": null,
94         "mobilePinResetStatus": null,
95         "mobileVerificationStatus": null,

```

```

96     "primary": null,
97     "deleted": false,
98     "recycleMobileNumber": null
99   }
100 ],
101 "pinCreated": true,
102 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-image.p
103 "profileName": "profile",
104 "registrationDate": 1474966271005,
105 "socialAuthenticationChannels": null,
106 "status": "NEW",
107 "timezone": "IST",
108 "userSetting": {
109   "autoUpdateBetcadeApp": true,
110   "autoUpdateDownloadedApps": true,
111   "monthlyDepositMaxLimit": 0,
112   "monthlyDepositMaxLimitCurrency": "GBP",
113   "prefillUserInfoInCasino": true,
114   "receiveEmailReceipt": true,
115   "receiveNotifications": true,
116   "shareRegistrationInfo": true,
117   "userEmailProvided": true,
118   "versionOfDownloadedBetcadeApp": "v1",
119   "wifiDownloadLimitInMB": 0,
120   "preferredCategories": [],
121   "autoSaveCard": true,
122   "autoAddHomeIcon": true,
123   "receiveUpdateNotifications": true,
124   "receiveAutoUpdatedNotifications": true,
125   "receiveRecommendationNotifications": true,
126   "preferredCurrency": null,
127   "appSetting": {
128     "autoUpdateApps": 2,
129     "addIconHomeScreen": false,
130     "saveNewCreditOrDebitCards": true,
131     "appUpdatesAvailable": true,
132     "appsWereAutoUpdated": true,
133     "recommendedContentAvailable": true
134   },
135   "allowLargeFilesOverWifiOnly": null
136 },
137 "verified": true,
138 "pinResetDate": null,
139 "pinChangeDate": null,
140 "singularId": null,
141 "acquisitionIds": null,
142 "userAuditInfo": {
143   "initialLoginDate": 1474966271005,
144   "initialLoginIp": "127.0.0.1",
145   "initialLoginLocation": " ",
146   "initialRegistrationDate": 1474997035043,
147   "initialRegistrationIp": "127.0.0.1",
148   "initialRegistrationLocation": " "
149 },
150 "email": "rn.shruti@gmail.com",
151 "phone": "+918050022027",
152 "dob": 663878340000,
153 "statusBeforeBlacklisting": null,
154 "muid": null,
155 "testUser": null
156 },

```

```

157 "promotions": [
158   {
159     "id": "205c5b82-bdc2-47ac-9640-9288ebb2e73a",
160     "createdOn": 1481973069064,
161     "lastModifiedOn": 1481973069064,
162     "updatedBy": "",
163     "deleted": false,
164     "name": "FREEsMdONdEsYsdnz",
165     "promotionType": "PROMOTION",
166     "qualifyingItemType": "PM",
167     "promotionCode": "segwdedsddgn",
168     "description": "desc",
169     "finePrint": "fine print1",
170     "paidBy": "CASINO",
171     "paidByCasino": {
172       "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
173       "createdOn": 1472021963085,
174       "lastModifiedOn": 1472021963085,
175       "updatedBy": "",
176       "deleted": false,
177       "name": "Poker 26",
178       "videoUrl": "https://www.google.com/betting-video.mov",
179       "imageUrl": "http://www.google.com/betting.png",
180       "description": "This casino has lot of game apps1",
181       "website": "http://www.casino1.com",
182       "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
183       "banner": "banner2345",
184       "deletedBy": null,
185       "deletedOn": null,
186       "operatorStatus": "NEW",
187       "email": null,
188       "userRole": "OPERATOR",
189       "firstName": null,
190       "lastName": null,
191       "address": null,
192       "externalId": null,
193       "featuredAppId": null,
194       "latestAppId": null
195     },
196     "paidByItem": null,
197     "currencies": [
198       "USD"
199     ],
200     "qualifyingItem": "VISA-CARD",
201     "casino": null,
202     "application": null,
203     "minDeposit": 200.5,
204     "promoAmountType": "AMOUNT",
205     "promoAmount": 40,
206     "usageLimit": 100,
207     "userLimit": 1,
208     "validityStartDate": null,
209     "validityEndDate": null,
210     "promotionStatus": null,
211     "usageLimitUsed": 0,
212     "maxDeposit": null,
213     "deletedOn": null,
214     "deletedBy": null
215   }
216 ]
217 },

```

```
218 | "detail": null,  
219 | "error": false,  
220 | "message": "Fetching User promotion details successful.",  
221 | "code": "1000"  
222 | }
```

**GET**

## Delete User Promotion

### Description

Deletes user promotions for a given user promotion Id.

### Request Endpoint

GET `https://<Example api server address>/user/promotion/{id}`

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of a user promotion id.

### cURL Syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/promotion/{id}'
```

https

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Deleting user promotion successful.",  
6 |   "code": "1000"  
7 | }
```

json

## DELETE Delete All Promotions From User Promotion

### Description

Deletes all promotions from user promotions for a given user Id.

### Request Endpoint

DELETE <https://<Example api server address>/user/{id}/promotions>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of a user Id.

### cURL Syntax

```
1 | curl --include \  
2 |     --request DELETE \  
3 | 'https://core.dev.Example.net/api/user/{id}/promotions'
```

https

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": true,  
3 |   "detail": null,  
4 |   "error": false,  
5 |   "message": "Deleting all promotions from User promotion successful.",  
6 |   "code": "1000"  
7 | }
```

json

**GET**

## Find All Saved Promotions Of User

### Description

Saves all promotions from user promotions for a given user Id.

### Request Endpoint

GET <https://<Example api server address>/user/{id}/promotions>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of a user id.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/{id}/promotions'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "27676ea7-a983-4c44-882e-72cba048532c",  
5 |       "createdOn": 1482131375356,  
6 |       "lastModifiedOn": 1482131375356,  
7 |       "updatedBy": "",  
8 |       "deleted": false,  
9 |       "name": "FREEMONEY17",  
10 |      "promotionType": "INCENTIVE",  
11 |      "qualifyingItemType": "PM",  
12 |      "promotionCode": null,  
13 |      "description": "desc",  
14 |      "finePrint": "fine print1",  
15 |      "paidBy": "OTHER",  
16 |      "paidByCasino": null,  
17 |      "paidByItem": "0f4e69ac",  
18 |      "currencies": [  
19 |        "USD"  
20 |      ],  
21 |      "qualifyingItem": "VISA",  
22 |      "casino": null,  
23 |      "application": null,  
24 |      "minDeposit": 100,  
25 |      "promoAmountType": "PERCENTAGE",  
26 |      "promoAmount": 40,  
27 |      "usageLimit": 100,  
28 |      "userLimit": 2,  
29 |      "validityStartDate": 1482105600000,  
30 |      "validityEndDate": 1482105600000,  
31 |      "promotionStatus": "SCHEDULED",  
32 |      "usageLimitUsed": 0,  
33 |      "maxDeposit": 0,  
34 |      "deletedOn": null,
```

json

```

35     "deletedBy": null
36   },
37   {
38     "id": "c1410863-7e8f-4f6e-8b25-a29e60c60df6",
39     "createdOn": 1481974565956,
40     "lastModifiedOn": 1482227005340,
41     "updatedBy": "",
42     "deleted": false,
43     "name": "FREESMdOdNdEssYsdnz",
44     "promotionType": "INCENTIVE",
45     "qualifyingItemType": "PM",
46     "promotionCode": null,
47     "description": "desc",
48     "finePrint": "fine print1",
49     "paidBy": "CASINO",
50     "paidByCasino": {
51       "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
52       "createdOn": 1472021963085,
53       "lastModifiedOn": 1472021963085,
54       "updatedBy": "",
55       "deleted": false,
56       "name": "Poker 26",
57       "videoUrl": "https://www.google.com/betting-video.mov",
58       "imageUrl": "http://www.google.com/betting.png",
59       "description": "This casino has lot of game apps1",
60       "website": "http://www.casino1.com",
61       "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
62       "banner": "banner2345",
63       "deletedBy": null,
64       "deletedOn": null,
65       "operatorStatus": "NEW",
66       "email": null,
67       "userRole": "OPERATOR",
68       "firstName": null,
69       "lastName": null,
70       "address": null,
71       "externalId": null,
72       "featuredAppId": null,
73       "latestAppId": null
74     },
75     "paidByItem": null,
76     "currencies": [
77       "USD"
78     ],
79     "qualifyingItem": "VISA-CARD",
80     "casino": null,
81     "application": null,
82     "minDeposit": 200.5,
83     "promoAmountType": "AMOUNT",
84     "promoAmount": 40,
85     "usageLimit": 100,
86     "userLimit": 1,
87     "validityStartDate": null,
88     "validityEndDate": null,
89     "promotionStatus": "ACTIVE",
90     "usageLimitUsed": 2,
91     "maxDeposit": null,
92     "deletedOn": null,
93     "deletedBy": null
94   }
95 ],

```



```
96 | "detail": null,  
97 | "error": false,  
98 | "message": "Fetching all promotions saved by the user successful.",  
99 | "code": "1000"  
100 | }
```

**GET**

## Fetch User Promotions by Promotion Id

### Description

Fetches all user promotions by promotion id.

### Request Endpoint

GET <https://<Example api server address>/user/promotions/{id}>

### Parameters

Parameter	Type	Use	Description
id	String	Required	The promotion id.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/promotions/id'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "b5a79976-12cf-45cd-9ff2-5a2ad0ce3971",  
6 |         "createdOn": 1482304433342,  
7 |         "lastModifiedOn": 1482305050460,  
8 |         "updatedBy": "",  
9 |         "deleted": false,  
10 |        "user": {  
11 |          "id": "784095a0-1771-4e7a-a3fd-f9335125c0c2",  
12 |          "createdOn": 1475233006176,  
13 |          "lastModifiedOn": 1475483894215,  
14 |          "updatedBy": "",  
15 |          "deleted": false,  
16 |          "addresses": null,  
17 |          "devices": [  
18 |            {  
19 |              "id": "9146350a-8104-4fd3-aa2c-601afc43f2a9",  
20 |              "createdOn": 1474966270642,  
21 |              "lastModifiedOn": 1474966270642,  
22 |              "updatedBy": "",  
23 |              "deleted": false,  
24 |              "description": "Old Device",  
25 |              "deviceStatus": "NORMAL",  
26 |              "manufacturer": "Apple",  
27 |              "model": "iPhone 5",  
28 |              "os": "iOS 9",  
29 |              "udid": "2083718938012321038243",  
30 |              "simStateHashCode": null,  
31 |              "simCardState": null,  
32 |              "deletedUdid": null,  
33 |              "deletedBy": null,  
34 |              "deletedOn": null,
```

json

```

35     "name": "Moto",
36     "brand": null,
37     "androidID": "etr657y",
38     "advertiserID": null,
39     "operator": null,
40     "country": "India",
41     "language": "English",
42     "screenWidthInPixels": null,
43     "screenHeightInPixels": null,
44     "screenWidthInInches": null,
45     "screenHeightInInches": null
46   }
47 ],
48 "emailAuthenticationChannels": [],
49 "firstName": "Shruti",
50 "fullName": "Shruti Nagarkar",
51 "groupTag": [
52   "FACEBOOK",
53   "Apple",
54   "United Kingdom",
55   "iOS 9",
56   "1234234",
57   "iPhone 5"
58 ],
59 "lastName": "Nagarkar",
60 "locationCountry": "United Kingdom",
61 "locationZipCode": "1234234",
62 "mobileAuthenticationChannels": [],
63 "pinCreated": true,
64 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-ima
65 "profileName": "RN Shruti",
66 "registrationDate": 1475233003451,
67 "socialAuthenticationChannels": [
68   {
69     "addedOn": 1475233006112,
70     "blockStatus": "NORMAL",
71     "deletedOn": null,
72     "lastUsedOn": 1475233006112,
73     "loginType": "FACEBOOK",
74     "socialId": "sfwef34535xe",
75     "deleted": false,
76     "recycleSocialId": null,
77     "emailAddress": null,
78     "profileName": null
79   }
80 ],
81 "status": "BLACKLISTED_FRAUD",
82 "timezone": null,
83 "userSetting": {
84   "autoUpdateBetcadeApp": true,
85   "autoUpdateDownloadedApps": true,
86   "monthlyDepositMaxLimit": 0,
87   "monthlyDepositMaxLimitCurrency": "GBP",
88   "prefillUserInfoInCasino": true,
89   "receiveEmailReceipt": true,
90   "receiveNotifications": true,
91   "shareRegistrationInfo": true,
92   "userEmailProvided": true,
93   "versionOfDownloadedBetcadeApp": "v1",
94   "wifiDownloadLimitInMB": 0,
95   "preferredCategories": [],

```

```

96     "autoSaveCard": true,
97     "autoAddHomeIcon": true,
98     "receiveUpdateNotifications": true,
99     "receiveAutoUpdatedNotifications": true,
100    "receiveRecommendationNotifications": true,
101    "preferredCurrency": null,
102    "appSetting": {
103      "autoUpdateApps": 2,
104      "addIconHomeScreen": false,
105      "saveNewCreditOrDebitCards": true,
106      "appUpdatesAvailable": true,
107      "appsWereAutoUpdated": true,
108      "recommendedContentAvailable": true
109    },
110    "allowLargeFilesOverWifiOnly": null
111  },
112  "verified": true,
113  "pinResetDate": null,
114  "pinChangeDate": null,
115  "singularId": null,
116  "acquisitionIds": null,
117  "userAuditInfo": {
118    "initialLoginDate": 1475233003451,
119    "initialLoginIp": "127.0.0.1",
120    "initialLoginLocation": " ",
121    "initialRegistrationDate": 1475240921772,
122    "initialRegistrationIp": "127.0.0.1",
123    "initialRegistrationLocation": " "
124  },
125  "email": "rn.shruti@gmail.com",
126  "phone": "+918050022027",
127  "dob": 663791940000,
128  "statusBeforeBlacklisting": "ACTIVE",
129  "muid": null,
130  "testUser": null
131 },
132 "promotions": [
133   {
134     "id": "27676ea7-a983-4c44-882e-72cba048532c",
135     "createdOn": 1482131375356,
136     "lastModifiedOn": 1482131375356,
137     "updatedBy": "",
138     "deleted": false,
139     "name": "FREEMONEY17",
140     "promotionType": "INCENTIVE",
141     "qualifyingItemType": "PM",
142     "promotionCode": null,
143     "description": "desc",
144     "finePrint": "fine print1",
145     "paidBy": "OTHER",
146     "paidByCasino": null,
147     "paidByItem": "0f4e69ac",
148     "currencies": [
149       "USD"
150     ],
151     "qualifyingItem": "VISA",
152     "casino": null,
153     "application": null,
154     "minDeposit": 100,
155     "promoAmountType": "PERCENTAGE",
156     "promoAmount": 40,

```

```

157     "usageLimit": 100,
158     "userLimit": 2,
159     "validityStartDate": 1482105600000,
160     "validityEndDate": 1482105600000,
161     "promotionStatus": "SCHEDULED",
162     "usageLimitUsed": 0,
163     "maxDeposit": 0,
164     "deletedOn": null,
165     "deletedBy": null
166 },
167 {
168     "id": "c1410863-7e8f-4f6e-8b25-a29e60c60df6",
169     "createdOn": 1481974565956,
170     "lastModifiedOn": 1482227005340,
171     "updatedBy": "",
172     "deleted": false,
173     "name": "FREEsMdOdNdEssYsdnz",
174     "promotionType": "INCENTIVE",
175     "qualifyingItemType": "PM",
176     "promotionCode": null,
177     "description": "desc",
178     "finePrint": "fine print1",
179     "paidBy": "CASINO",
180     "paidByCasino": {
181         "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
182         "createdOn": 1472021963085,
183         "lastModifiedOn": 1472021963085,
184         "updatedBy": "",
185         "deleted": false,
186         "name": "Poker 26",
187         "videoUrl": "https://www.google.com/betting-video.mov",
188         "imageUrl": "http://www.google.com/betting.png",
189         "description": "This casino has lot of game apps1",
190         "website": "http://www.casino1.com",
191         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
192         "banner": "banner2345",
193         "deletedBy": null,
194         "deletedOn": null,
195         "operatorStatus": "NEW",
196         "email": null,
197         "userRole": "OPERATOR",
198         "firstName": null,
199         "lastName": null,
200         "address": null,
201         "externalId": null,
202         "featuredAppId": null,
203         "latestAppId": null
204     },
205     "paidByItem": null,
206     "currencies": [
207         "USD"
208     ],
209     "qualifyingItem": "VISA-CARD",
210     "casino": null,
211     "application": null,
212     "minDeposit": 200.5,
213     "promoAmountType": "AMOUNT",
214     "promoAmount": 40,
215     "usageLimit": 100,
216     "userLimit": 1,
217     "validityStartDate": null,

```

```
218         "validityEndDate": null,  
219         "promotionStatus": "ACTIVE",  
220         "usageLimitUsed": 2,  
221         "maxDeposit": null,  
222         "deletedOn": null,  
223         "deletedBy": null  
224     }  
225 ]  
226 }  
227 ],  
228 "last": true,  
229 "totalPages": 1,  
230 "totalElements": 1,  
231 "sort": null,  
232 "numberOfElements": 1,  
233 "first": true,  
234 "size": 70,  
235 "number": 0  
236 },  
237 "detail": null,  
238 "error": false,  
239 "message": "Fetching user promotions successful.",  
240 "code": "1000"  
241 }
```

**GET**

## Fetch User Promotions By Promotion Code

### Description

Fetches all user promotions by code.

### Request Endpoint

GET <https://<Example api server address>/user/promotions/by/code/{code}>

### Parameters

Parameter	Type	Use	Description
code	String	Required	The promotion code.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/promotions/by/code/code'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "512126db-b197-4469-981f-4779ac2164e3",  
6 |         "createdOn": 1482305518852,  
7 |         "lastModifiedOn": 1482305518852,  
8 |         "updatedBy": "",  
9 |         "deleted": false,  
10 |        "user": {  
11 |          "id": "192827fa-b160-4591-a594-bff6f1dc442a",  
12 |          "createdOn": 1480075698506,  
13 |          "lastModifiedOn": 1480489785005,  
14 |          "updatedBy": "",  
15 |          "deleted": false,  
16 |          "addresses": null,  
17 |          "devices": [  
18 |            {  
19 |              "id": "1ef9182c-5f3a-46e7-9841-845944ec9c16",  
20 |              "createdOn": 1480075370331,  
21 |              "lastModifiedOn": 1480075370331,  
22 |              "updatedBy": "",  
23 |              "deleted": false,  
24 |              "description": "desc",  
25 |              "deviceStatus": "NORMAL",  
26 |              "manufacturer": "unknown",  
27 |              "model": "Android SDK built for x86",  
28 |              "os": "Android:6.0",  
29 |              "udid": "ghjhrdecf",  
30 |              "simStateHashCode": "45f582df57d4aa6d53455b181c338859",  
31 |              "simCardState": "SIM_PRESENT",  
32 |              "deletedUdid": null,  
33 |              "deletedBy": null,  
34 |              "deletedOn": null,  
35 |            }  
36 |          ]  
37 |        }  
38 |      ]  
39 |    }  
40 |  }  
41 | }
```

json

```

35     "name": null,
36     "brand": null,
37     "androidID": null,
38     "advertiserID": null,
39     "operator": null,
40     "country": null,
41     "language": null,
42     "screenWidthInPixels": null,
43     "screenHeightInPixels": null,
44     "screenWidthInInches": null,
45     "screenHeightInInches": null
46   }
47 ],
48 "emailAuthenticationChannels": [],
49 "firstName": "John",
50 "fullName": "John Doe",
51 "groupTag": [
52   "Android:6.0",
53   "Android SDK built for x86",
54   "GOOGLE",
55   "unknown"
56 ],
57 "lastName": "Doe",
58 "locationCountry": null,
59 "locationZipCode": null,
60 "mobileAuthenticationChannels": [],
61 "pinCreated": true,
62 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/2019d21f-5ea8-4e51-
63 "profileName": "Nikita Sharma",
64 "registrationDate": 1480075698297,
65 "socialAuthenticationChannels": [
66   {
67     "addedOn": 1480075698504,
68     "blockStatus": "NORMAL",
69     "deletedOn": null,
70     "lastUsedOn": 1480075801736,
71     "loginType": "GOOGLE",
72     "socialId": "111925861553614469719",
73     "deleted": false,
74     "recycleSocialId": null,
75     "emailAddress": "iroid.test1@gmail.com",
76     "profileName": "Nikita Sharma"
77   }
78 ],
79 "status": "ACTIVE",
80 "timezone": null,
81 "userSetting": {
82   "autoUpdateBetcadeApp": true,
83   "autoUpdateDownloadedApps": true,
84   "monthlyDepositMaxLimit": 0,
85   "monthlyDepositMaxLimitCurrency": "GBP",
86   "prefillUserInfoInCasino": true,
87   "receiveEmailReceipt": true,
88   "receiveNotifications": true,
89   "shareRegistrationInfo": true,
90   "userEmailProvided": true,
91   "versionOfDownloadedBetcadeApp": "v1",
92   "wifiDownloadLimitInMB": 0,
93   "preferredCategories": [],
94   "autoSaveCard": true,
95   "autoAddHomeIcon": true,

```



```

96     "receiveUpdateNotifications": true,
97     "receiveAutoUpdatedNotifications": true,
98     "receiveRecommendationNotifications": true,
99     "preferredCurrency": null,
100    "appSetting": {
101        "autoUpdateApps": 2,
102        "addIconHomeScreen": false,
103        "saveNewCreditOrDebitCards": true,
104        "appUpdatesAvailable": true,
105        "appsWereAutoUpdated": true,
106        "recommendedContentAvailable": true
107    },
108    "allowLargeFilesOverWifiOnly": null
109 },
110 "verified": true,
111 "pinResetDate": 1480075824809,
112 "pinChangeDate": 1480075706328,
113 "singularId": null,
114 "acquisitionIds": null,
115 "userAuditInfo": {
116     "initialLoginDate": 1480075698297,
117     "initialLoginIp": "43.248.36.105",
118     "initialLoginLocation": "Jalalpur India",
119     "initialRegistrationDate": null,
120     "initialRegistrationIp": null,
121     "initialRegistrationLocation": null
122 },
123 "email": null,
124 "phone": null,
125 "dob": null,
126 "statusBeforeBlacklisting": null,
127 "muid": "7d976883-26c2-4387-92d9-26d2e96ef6bd",
128 "testUser": null
129 },
130 "promotions": [
131     {
132         "id": "205c5b82-bdc2-47ac-9640-9288ebb2e73a",
133         "createdOn": 1481973069064,
134         "lastModifiedOn": 1481973069064,
135         "updatedBy": "",
136         "deleted": false,
137         "name": "FREEsMdONdEsYsdnz",
138         "promotionType": "PROMOTION",
139         "qualifyingItemType": "PM",
140         "promotionCode": "segwdedsddgn",
141         "description": "desc",
142         "finePrint": "fine print1",
143         "paidBy": "CASINO",
144         "paidByCasino": {
145             "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
146             "createdOn": 1472021963085,
147             "lastModifiedOn": 1472021963085,
148             "updatedBy": "",
149             "deleted": false,
150             "name": "Poker 26",
151             "videoUrl": "https://www.google.com/betting-video.mov",
152             "imageUrl": "http://www.google.com/betting.png",
153             "description": "This casino has lot of game apps1",
154             "website": "http://www.casino1.com",
155             "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
156             "banner": "banner2345",

```

```

157         "deletedBy": null,
158         "deletedOn": null,
159         "operatorStatus": "NEW",
160         "email": null,
161         "userRole": "OPERATOR",
162         "firstName": null,
163         "lastName": null,
164         "address": null,
165         "externalId": null,
166         "featuredAppId": null,
167         "latestAppId": null
168     },
169     "paidByItem": null,
170     "currencies": [
171         "USD"
172     ],
173     "qualifyingItem": "VISA-CARD",
174     "casino": null,
175     "application": null,
176     "minDeposit": 200.5,
177     "promoAmountType": "AMOUNT",
178     "promoAmount": 40,
179     "usageLimit": 100,
180     "userLimit": 1,
181     "validityStartDate": null,
182     "validityEndDate": null,
183     "promotionStatus": null,
184     "usageLimitUsed": 0,
185     "maxDeposit": null,
186     "deletedOn": null,
187     "deletedBy": null
188     }
189 ]
190 }
191 ],
192 "last": true,
193 "totalPages": 1,
194 "totalElements": 1,
195 "numberOfElements": 1,
196 "sort": null,
197 "first": true,
198 "size": 70,
199 "number": 0
200 },
201 "detail": null,
202 "error": false,
203 "message": "Fetching user promotions successful.",
204 "code": "1000"
205 }

```

**GET**

## Fetch User Promotions By Promotion Name

### Description

Fetches all user promotions by name.

### Request Endpoint

GET <https://<Example api server address>/user/promotions/by/name/{name}>

### Parameters

Parameter	Type	Use	Description
name	String	Required	The promotion name.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/promotions/by/name/name'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "b5a79976-12cf-45cd-9ff2-5a2ad0ce3971",  
6 |         "createdOn": 1482304433342,  
7 |         "lastModifiedOn": 1482305050460,  
8 |         "updatedBy": "",  
9 |         "deleted": false,  
10 |        "user": {  
11 |          "id": "784095a0-1771-4e7a-a3fd-f9335125c0c2",  
12 |          "createdOn": 1475233006176,  
13 |          "lastModifiedOn": 1475483894215,  
14 |          "updatedBy": "",  
15 |          "deleted": false,  
16 |          "addresses": null,  
17 |          "devices": [  
18 |            {  
19 |              "id": "9146350a-8104-4fd3-aa2c-601afc43f2a9",  
20 |              "createdOn": 1474966270642,  
21 |              "lastModifiedOn": 1474966270642,  
22 |              "updatedBy": "",  
23 |              "deleted": false,  
24 |              "description": "Old Device",  
25 |              "deviceStatus": "NORMAL",  
26 |              "manufacturer": "Apple",  
27 |              "model": "iPhone 5",  
28 |              "os": "iOS 9",  
29 |              "udid": "2083718938012321038243",  
30 |              "simStateHashCode": null,  
31 |              "simCardState": null,  
32 |              "deletedUdid": null,  
33 |              "deletedBy": null,  
34 |              "deletedOn": null,
```

json

```

35     "name": "Moto",
36     "brand": null,
37     "androidID": "etr657y",
38     "advertiserID": null,
39     "operator": null,
40     "country": "India",
41     "language": "English",
42     "screenWidthInPixels": null,
43     "screenHeightInPixels": null,
44     "screenWidthInInches": null,
45     "screenHeightInInches": null
46   }
47 ],
48 "emailAuthenticationChannels": [],
49 "firstName": "Shruti",
50 "fullName": "Shruti Nagarkar",
51 "groupTag": [
52   "FACEBOOK",
53   "Apple",
54   "United Kingdom",
55   "iOS 9",
56   "1234234",
57   "iPhone 5"
58 ],
59 "lastName": "Nagarkar",
60 "locationCountry": "United Kingdom",
61 "locationZipCode": "1234234",
62 "mobileAuthenticationChannels": [],
63 "pinCreated": true,
64 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-ima
65 "profileName": "RN Shruti",
66 "registrationDate": 1475233003451,
67 "socialAuthenticationChannels": [
68   {
69     "addedOn": 1475233006112,
70     "blockStatus": "NORMAL",
71     "deletedOn": null,
72     "lastUsedOn": 1475233006112,
73     "loginType": "FACEBOOK",
74     "socialId": "sfwef34535xe",
75     "deleted": false,
76     "recycleSocialId": null,
77     "emailAddress": null,
78     "profileName": null
79   }
80 ],
81 "status": "BLACKLISTED_FRAUD",
82 "timezone": null,
83 "userSetting": {
84   "autoUpdateBetcadeApp": true,
85   "autoUpdateDownloadedApps": true,
86   "monthlyDepositMaxLimit": 0,
87   "monthlyDepositMaxLimitCurrency": "GBP",
88   "prefillUserInfoInCasino": true,
89   "receiveEmailReceipt": true,
90   "receiveNotifications": true,
91   "shareRegistrationInfo": true,
92   "userEmailProvided": true,
93   "versionOfDownloadedBetcadeApp": "v1",
94   "wifiDownloadLimitInMB": 0,
95   "preferredCategories": [],

```

```

96     "autoSaveCard": true,
97     "autoAddHomeIcon": true,
98     "receiveUpdateNotifications": true,
99     "receiveAutoUpdatedNotifications": true,
100    "receiveRecommendationNotifications": true,
101    "preferredCurrency": null,
102    "appSetting": {
103        "autoUpdateApps": 2,
104        "addIconHomeScreen": false,
105        "saveNewCreditOrDebitCards": true,
106        "appUpdatesAvailable": true,
107        "appsWereAutoUpdated": true,
108        "recommendedContentAvailable": true
109    },
110    "allowLargeFilesOverWifiOnly": null
111 },
112 "verified": true,
113 "pinResetDate": null,
114 "pinChangeDate": null,
115 "singularId": null,
116 "acquisitionIds": null,
117 "userAuditInfo": {
118     "initialLoginDate": 1475233003451,
119     "initialLoginIp": "127.0.0.1",
120     "initialLoginLocation": " ",
121     "initialRegistrationDate": 1475240921772,
122     "initialRegistrationIp": "127.0.0.1",
123     "initialRegistrationLocation": " "
124 },
125 "email": "rn.shruti@gmail.com",
126 "phone": "+918050022027",
127 "dob": 663791940000,
128 "statusBeforeBlacklisting": "ACTIVE",
129 "muid": null,
130 "testUser": null
131 },
132 "promotions": [
133     {
134         "id": "27676ea7-a983-4c44-882e-72cba048532c",
135         "createdOn": 1482131375356,
136         "lastModifiedOn": 1482131375356,
137         "updatedBy": "",
138         "deleted": false,
139         "name": "FREEMONEY17",
140         "promotionType": "INCENTIVE",
141         "qualifyingItemType": "PM",
142         "promotionCode": null,
143         "description": "desc",
144         "finePrint": "fine print1",
145         "paidBy": "OTHER",
146         "paidByCasino": null,
147         "paidByItem": "0f4e69ac",
148         "currencies": [
149             "USD"
150         ],
151         "qualifyingItem": "VISA",
152         "casino": null,
153         "application": null,
154         "minDeposit": 100,
155         "promoAmountType": "PERCENTAGE",
156         "promoAmount": 40,

```

```

157     "usageLimit": 100,
158     "userLimit": 2,
159     "validityStartDate": 1482105600000,
160     "validityEndDate": 1482105600000,
161     "promotionStatus": "SCHEDULED",
162     "usageLimitUsed": 0,
163     "maxDeposit": 0,
164     "deletedOn": null,
165     "deletedBy": null
166 },
167 {
168     "id": "c1410863-7e8f-4f6e-8b25-a29e60c60df6",
169     "createdOn": 1481974565956,
170     "lastModifiedOn": 1482227005340,
171     "updatedBy": "",
172     "deleted": false,
173     "name": "FREEsMdOdNdEssYsdnz",
174     "promotionType": "INCENTIVE",
175     "qualifyingItemType": "PM",
176     "promotionCode": null,
177     "description": "desc",
178     "finePrint": "fine print1",
179     "paidBy": "CASINO",
180     "paidByCasino": {
181         "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
182         "createdOn": 1472021963085,
183         "lastModifiedOn": 1472021963085,
184         "updatedBy": "",
185         "deleted": false,
186         "name": "Poker 26",
187         "videoUrl": "https://www.google.com/betting-video.mov",
188         "imageUrl": "http://www.google.com/betting.png",
189         "description": "This casino has lot of game apps1",
190         "website": "http://www.casino1.com",
191         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
192         "banner": "banner2345",
193         "deletedBy": null,
194         "deletedOn": null,
195         "operatorStatus": "NEW",
196         "email": null,
197         "userRole": "OPERATOR",
198         "firstName": null,
199         "lastName": null,
200         "address": null,
201         "externalId": null,
202         "featuredAppId": null,
203         "latestAppId": null
204     },
205     "paidByItem": null,
206     "currencies": [
207         "USD"
208     ],
209     "qualifyingItem": "VISA-CARD",
210     "casino": null,
211     "application": null,
212     "minDeposit": 200.5,
213     "promoAmountType": "AMOUNT",
214     "promoAmount": 40,
215     "usageLimit": 100,
216     "userLimit": 1,
217     "validityStartDate": null,

```

```

218     "validityEndDate": null,
219     "promotionStatus": "ACTIVE",
220     "usageLimitUsed": 2,
221     "maxDeposit": null,
222     "deletedOn": null,
223     "deletedBy": null
224   }
225 ]
226 },
227 {
228   "id": "77cbfb40-86cd-44ca-b8ed-510b3239025a",
229   "createdOn": 1482305456199,
230   "lastModifiedOn": 1482305456199,
231   "updatedBy": "",
232   "deleted": false,
233   "user": {
234     "id": "491c6bc6-8a6f-4e44-aa08-d66e36a65eec",
235     "createdOn": 1474966273775,
236     "lastModifiedOn": 1479887033703,
237     "updatedBy": "",
238     "deleted": false,
239     "addresses": [
240       {
241         "id": "9617a0ae-b8d1-4f6d-a108-9236e66e7586",
242         "createdOn": 1479887033409,
243         "lastModifiedOn": 1479887033409,
244         "updatedBy": "",
245         "deleted": false,
246         "addressType": "BILLING",
247         "city": "Somewhere",
248         "country": "United Kingdon",
249         "countryCode": null,
250         "county": "Clark",
251         "postal": "89101",
252         "state": "st",
253         "street": null,
254         "street1": "123 Test Ln",
255         "street2": "",
256         "street3": ""
257       }
258     ],
259     "devices": [
260       {
261         "id": "9146350a-8104-4fd3-aa2c-601afc43f2a9",
262         "createdOn": 1474966270642,
263         "lastModifiedOn": 1474966270642,
264         "updatedBy": "",
265         "deleted": false,
266         "description": "Old Device",
267         "deviceStatus": "NORMAL",
268         "manufacturer": "Apple",
269         "model": "iPhone 5",
270         "os": "iOS 9",
271         "udid": "2083718938012321038243",
272         "simStateHashCode": null,
273         "simCardState": null,
274         "deletedUdid": null,
275         "deletedBy": null,
276         "deletedOn": null,
277         "name": "Moto",
278         "brand": null,

```

```

279         "androidID": "etr657y",
280         "advertiserID": null,
281         "operator": null,
282         "country": "India",
283         "language": "English",
284         "screenWidthInPixels": null,
285         "screenHeightInPixels": null,
286         "screenWidthInInches": null,
287         "screenHeightInInches": null
288     }
289 ],
290 "emailAuthenticationChannels": [],
291 "firstName": "Shruti",
292 "fullName": "Sudipta Bhaumik",
293 "groupTag": [
294     "FACEBOOK",
295     "Apple",
296     "United Kingdom",
297     "iOS 9",
298     "1234234",
299     "iPhone 5",
300     "india",
301     "260057",
302     "Somewhere",
303     "st",
304     "United Kingdon",
305     "Clark",
306     "89101"
307 ],
308 "lastName": "Nagarkar",
309 "locationCountry": "india",
310 "locationZipCode": "260057",
311 "mobileAuthenticationChannels": [
312     {
313         "addedOn": 1474966273458,
314         "blockStatus": "NORMAL",
315         "deletedOn": null,
316         "lastUsedOn": 1474966273458,
317         "loginType": "MOBILE",
318         "mobileNumber": null,
319         "mobilePinResetStatus": null,
320         "mobileVerificationStatus": null,
321         "primary": null,
322         "deleted": false,
323         "recycleMobileNumber": null
324     }
325 ],
326 "pinCreated": true,
327 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-ima
328 "profileName": "profile",
329 "registrationDate": 1474966271005,
330 "socialAuthenticationChannels": null,
331 "status": "NEW",
332 "timezone": "IST",
333 "userSetting": {
334     "autoUpdateBetcadeApp": true,
335     "autoUpdateDownloadedApps": true,
336     "monthlyDepositMaxLimit": 0,
337     "monthlyDepositMaxLimitCurrency": "GBP",
338     "prefillUserInfoInCasino": true,
339     "receiveEmailReceipt": true,

```



```

340     "receiveNotifications": true,
341     "shareRegistrationInfo": true,
342     "userEmailProvided": true,
343     "versionOfDownloadedBetcadeApp": "v1",
344     "wifiDownloadLimitInMB": 0,
345     "preferredCategories": [],
346     "autoSaveCard": true,
347     "autoAddHomeIcon": true,
348     "receiveUpdateNotifications": true,
349     "receiveAutoUpdatedNotifications": true,
350     "receiveRecommendationNotifications": true,
351     "preferredCurrency": null,
352     "appSetting": {
353         "autoUpdateApps": 2,
354         "addIconHomeScreen": false,
355         "saveNewCreditOrDebitCards": true,
356         "appUpdatesAvailable": true,
357         "appsWereAutoUpdated": true,
358         "recommendedContentAvailable": true
359     },
360     "allowLargeFilesOverWifiOnly": null
361 },
362 "verified": true,
363 "pinResetDate": null,
364 "pinChangeDate": null,
365 "singularId": null,
366 "acquisitionIds": null,
367 "userAuditInfo": {
368     "initialLoginDate": 1474966271005,
369     "initialLoginIp": "127.0.0.1",
370     "initialLoginLocation": " ",
371     "initialRegistrationDate": 1474997035043,
372     "initialRegistrationIp": "127.0.0.1",
373     "initialRegistrationLocation": " "
374 },
375 "email": "rn.shruti@gmail.com",
376 "phone": "+918050022027",
377 "dob": 663878340000,
378 "statusBeforeBlacklisting": null,
379 "muid": null,
380 "testUser": null
381 },
382 "promotions": [
383     {
384         "id": "27676ea7-a983-4c44-882e-72cba048532c",
385         "createdOn": 1482131375356,
386         "lastModifiedOn": 1482131375356,
387         "updatedBy": "",
388         "deleted": false,
389         "name": "FREEMONEY17",
390         "promotionType": "INCENTIVE",
391         "qualifyingItemType": "PM",
392         "promotionCode": null,
393         "description": "desc",
394         "finePrint": "fine print1",
395         "paidBy": "OTHER",
396         "paidByCasino": null,
397         "paidByItem": "0f4e69ac",
398         "currencies": [
399             "USD"
400         ],

```

```
401         "qualifyingItem": "VISA",
402         "casino": null,
403         "application": null,
404         "minDeposit": 100,
405         "promoAmountType": "PERCENTAGE",
406         "promoAmount": 40,
407         "usageLimit": 100,
408         "userLimit": 2,
409         "validityStartDate": 1482105600000,
410         "validityEndDate": 1482105600000,
411         "promotionStatus": "SCHEDULED",
412         "usageLimitUsed": 0,
413         "maxDeposit": 0,
414         "deletedOn": null,
415         "deletedBy": null
416     }
417 ]
418 }
419 ],
420 "last": true,
421 "totalPages": 1,
422 "totalElements": 2,
423 "numberOfElements": 2,
424 "sort": null,
425 "first": true,
426 "size": 70,
427 "number": 0
428 },
429 "detail": null,
430 "error": false,
431 "message": "Fetching user promotions successful.",
432 "code": "1000"
433 }
```

**POST****Fetch User Promotions By User And Promotion ID****Description**

Fetches user promotions by user and promotion id.

**Request Endpoint**

POST <https://<Example api server address>/user/promotion/by/user>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"userId\" : \"491c6bc6-8a6f-4e44-aa08-d66e36a65eec\",  
6 |         \"promotionId\" : \"27676ea7-a983-4c44-882e-72cba048532c\"  
7 |     }" \  
8 |     'https://core.dev.Example.net/api/user/promotion/by/user'  
9 | '
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
userId	String	Required	UUID of a user.
promotionId	String	Required	UUID of a promotion.

**POST body**

**Headers:** Content-Type: application/json

```
1 | {  
2 |   \"userId\": \"491c6bc6-8a6f-4e44-aa08-d66e36a65eec\",  
3 |   \"promotionId\": \"27676ea7-a983-4c44-882e-72cba048532c\"  
4 | }
```

json

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   \"data\": {  
3 |     \"id\": \"b5a79976-12cf-45cd-9ff2-5a2ad0ce3971\",  
4 |     \"createdOn\": 1482304433342,  
5 |     \"lastModifiedOn\": 1482305050460,  
6 |     \"updatedBy\": \"\",  
7 |     \"deleted\": false,  
8 |     \"user\": {  
9 |       \"id\": \"784095a0-1771-4e7a-a3fd-f9335125c0c2\",  
10 |      \"createdOn\": 1475233006176,  
11 |      \"lastModifiedOn\": 1475483894215,  
12 |      \"updatedBy\": \"\",  
13 |      \"deleted\": false,
```

json

```

14 "addresses": null,
15 "devices": [
16   {
17     "id": "9146350a-8104-4fd3-aa2c-601afc43f2a9",
18     "createdOn": 1474966270642,
19     "lastModifiedOn": 1474966270642,
20     "updatedBy": "",
21     "deleted": false,
22     "description": "Old Device",
23     "deviceStatus": "NORMAL",
24     "manufacturer": "Apple",
25     "model": "iPhone 5",
26     "os": "iOS 9",
27     "udid": "2083718938012321038243",
28     "simStateHashCode": null,
29     "simCardState": null,
30     "deletedUdid": null,
31     "deletedBy": null,
32     "deletedOn": null,
33     "name": "Moto",
34     "brand": null,
35     "androidID": "etr657y",
36     "advertiserID": null,
37     "operator": null,
38     "country": "India",
39     "language": "English",
40     "screenWidthInPixels": null,
41     "screenHeightInPixels": null,
42     "screenWidthInInches": null,
43     "screenHeightInInches": null
44   }
45 ],
46 "emailAuthenticationChannels": [],
47 "firstName": "Shruti",
48 "fullName": "Shruti Nagarkar",
49 "groupTag": [
50   "FACEBOOK",
51   "Apple",
52   "United Kingdom",
53   "iOS 9",
54   "1234234",
55   "iPhone 5"
56 ],
57 "lastName": "Nagarkar",
58 "locationCountry": "United Kingdom",
59 "locationZipCode": "1234234",
60 "mobileAuthenticationChannels": [],
61 "pinCreated": true,
62 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-image.p
63 "profileName": "RN Shruti",
64 "registrationDate": 1475233003451,
65 "socialAuthenticationChannels": [
66   {
67     "addedOn": 1475233006112,
68     "blockStatus": "NORMAL",
69     "deletedOn": null,
70     "lastUsedOn": 1475233006112,
71     "loginType": "FACEBOOK",
72     "socialId": "sfwef34535xe",
73     "deleted": false,
74     "recycleSocialId": null,

```

```

75     "emailAddress": null,
76     "profileName": null
77   }
78 ],
79 "status": "BLACKLISTED_FRAUD",
80 "timezone": null,
81 "userSetting": {
82   "autoUpdateBetcadeApp": true,
83   "autoUpdateDownloadedApps": true,
84   "monthlyDepositMaxLimit": 0,
85   "monthlyDepositMaxLimitCurrency": "GBP",
86   "prefillUserInfoInCasino": true,
87   "receiveEmailReceipt": true,
88   "receiveNotifications": true,
89   "shareRegistrationInfo": true,
90   "userEmailProvided": true,
91   "versionOfDownloadedBetcadeApp": "v1",
92   "wifiDownloadLimitInMB": 0,
93   "preferredCategories": [],
94   "autoSaveCard": true,
95   "autoAddHomeIcon": true,
96   "receiveUpdateNotifications": true,
97   "receiveAutoUpdatedNotifications": true,
98   "receiveRecommendationNotifications": true,
99   "preferredCurrency": null,
100  "appSetting": {
101    "autoUpdateApps": 2,
102    "addIconHomeScreen": false,
103    "saveNewCreditOrDebitCards": true,
104    "appUpdatesAvailable": true,
105    "appsWereAutoUpdated": true,
106    "recommendedContentAvailable": true
107  },
108  "allowLargeFilesOverWifiOnly": null
109 },
110 "verified": true,
111 "pinResetDate": null,
112 "pinChangeDate": null,
113 "singularId": null,
114 "acquisitionIds": null,
115 "userAuditInfo": {
116   "initialLoginDate": 1475233003451,
117   "initialLoginIp": "127.0.0.1",
118   "initialLoginLocation": " ",
119   "initialRegistrationDate": 1475240921772,
120   "initialRegistrationIp": "127.0.0.1",
121   "initialRegistrationLocation": " "
122 },
123 "email": "rn.shruti@gmail.com",
124 "phone": "+918050022027",
125 "dob": 663791940000,
126 "statusBeforeBlacklisting": "ACTIVE",
127 "muid": null,
128 "testUser": null
129 },
130 "promotions": [
131   {
132     "id": "27676ea7-a983-4c44-882e-72cba048532c",
133     "createdOn": 1482131375356,
134     "lastModifiedOn": 1482131375356,
135     "updatedBy": "",

```

```

136     "deleted": false,
137     "name": "FREEMONEY17",
138     "promotionType": "INCENTIVE",
139     "qualifyingItemType": "PM",
140     "promotionCode": null,
141     "description": "desc",
142     "finePrint": "fine print1",
143     "paidBy": "OTHER",
144     "paidByCasino": null,
145     "paidByItem": "0f4e69ac",
146     "currencies": [
147         "USD"
148     ],
149     "qualifyingItem": "VISA",
150     "casino": null,
151     "application": null,
152     "minDeposit": 100,
153     "promoAmountType": "PERCENTAGE",
154     "promoAmount": 40,
155     "usageLimit": 100,
156     "userLimit": 2,
157     "validityStartDate": 1482105600000,
158     "validityEndDate": 1482105600000,
159     "promotionStatus": "SCHEDULED",
160     "usageLimitUsed": 0,
161     "maxDeposit": 0,
162     "deletedOn": null,
163     "deletedBy": null
164 },
165 {
166     "id": "c1410863-7e8f-4f6e-8b25-a29e60c60df6",
167     "createdOn": 1481974565956,
168     "lastModifiedOn": 1482227005340,
169     "updatedBy": "",
170     "deleted": false,
171     "name": "FREEsMdOdNdEssYsdnz",
172     "promotionType": "INCENTIVE",
173     "qualifyingItemType": "PM",
174     "promotionCode": null,
175     "description": "desc",
176     "finePrint": "fine print1",
177     "paidBy": "CASINO",
178     "paidByCasino": {
179         "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
180         "createdOn": 1472021963085,
181         "lastModifiedOn": 1472021963085,
182         "updatedBy": "",
183         "deleted": false,
184         "name": "Poker 26",
185         "videoUrl": "https://www.google.com/betting-video.mov",
186         "imageUrl": "http://www.google.com/betting.png",
187         "description": "This casino has lot of game apps1",
188         "website": "http://www.casino1.com",
189         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
190         "banner": "banner2345",
191         "deletedBy": null,
192         "deletedOn": null,
193         "operatorStatus": "NEW",
194         "email": null,
195         "userRole": "OPERATOR",
196         "firstName": null,

```

```
197     "lastName": null,
198     "address": null,
199     "externalId": null,
200     "featuredAppId": null,
201     "latestAppId": null
202   },
203   "paidByItem": null,
204   "currencies": [
205     "USD"
206   ],
207   "qualifyingItem": "VISA-CARD",
208   "casino": null,
209   "application": null,
210   "minDeposit": 200.5,
211   "promoAmountType": "AMOUNT",
212   "promoAmount": 40,
213   "usageLimit": 100,
214   "userLimit": 1,
215   "validityStartDate": null,
216   "validityEndDate": null,
217   "promotionStatus": "ACTIVE",
218   "usageLimitUsed": 2,
219   "maxDeposit": null,
220   "deletedOn": null,
221   "deletedBy": null
222   }
223 ]
224 },
225 "detail": null,
226 "error": false,
227 "message": "Fetching User promotion details successful.",
228 "code": "1000"
229 }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### User Transactions APIs

#### POST Add Deposit

##### Description

Callback APIs to make a deposit with an existing card, new card - don't save, new card - save.

##### Request Endpoint

POST <https://<Example api server address>/user/casino/deposit>

##### Parameters

None.

##### cURL syntax - EXISTING

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \"userId\": \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",  
6     \"transactionType\": \"EXISTING\",  
7     \"providerOrderId\": \"oi1d2345\",  
8     \"providerPaymentId\": \"ppi128\",  
9     \"deviceUdid\" : \"udid-12345\",  
10    \"transaction\": {  
11        \"providerTransactionId\": \"Samarthd J\",  
12        \"currencyCode\": \"GBP\",  
13        \"amount\": 60,  
14        \"region\" : \"International\",  
15        \"extCasinoUserID\": \"token\",  
16        \"extCasinoTransID\": \"ppi12345\",  
17        \"extCasinoPaymentGatewayID\": \"w123\",  
18        \"pspCode\": \"code123\",  
19        \"pspTID\": \"tid123\",  
20        \"transactionStatus\": \"AUTHORIZED\",  
21        \"threeDSData\": {  
22            \"extRisk3DSTransaction\": true,  
23            \"extRisk3DSSecureTransId\": \"tr123\",  
24            \"extRisk3DSEnrolledCard\": true,  
25            \"extRisk3DSResult\": \"Success\",  
26            \"extRisk3DSData\": {  
27                \"data\" : \"sample\",  
28                \"result\" : false  
29            }  
30        },  
31        \"amlData\": {  
            \"extRiskCheckResult\": \"PASS\",
```



```

32     \ "extRiskCheckScore\": 1,
33     \ "extRiskCheckDateTime\": 1462361924,
34     \ "extRiskCheckData\": {
35         \ "data\": \ "sample\ ",
36         \ "result\": false
37     }
38 }
39 },
40 \ "appInfo\": {
41     \ "additionalIdentifier\": \ "CUSTOM\ ",
42     \ "casinoId\": \ "wegweg-wrfwef-sef344-sdgsg\ ",
43     \ "applicationId\": \ "8c68054f-4963-47bc-b40d-ff7b69d9d280\ ",
44     \ "applicationVersion\": \ "v12\ ",
45     \ "latitude\": 2354635,
46     \ "longitude\": 132424,
47     \ "promoCodes\": [
48         {
49             \ "promoCode\": \ "PROMO1\ ",
50             \ "bonusAmount\": 10.5
51         },
52         {
53             \ "promoCode\": \ "PROMO2\ ",
54             \ "bonusAmount\": 15.5
55         }
56     ],
57     \ "appliedIncentives\": [
58         {
59             \ "incentiveId\": \ "cb1c-4c9c-acef-44b9a784efb5\ ",
60             \ "amount\": 25.75
61         },
62         {
63             \ "incentiveId\": \ "76c24-cb1c-4c9c-acef-44b9a784efb5\ ",
64             \ "amount\": 20.56
65         }
66     ]
67 },
68 \ "events\": [
69     {
70         \ "eventName\": \ "Received data from MC\ ",
71         \ "timeStamp\": 1462361924,
72         \ "data\": {
73             \ "_class\": \ "com.Example.middleware.models.view.AddPmCallbackViewModel\ ",
74             \ "userId\": \ "dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\ ",
75             \ "paymentInfo\": {
76                 \ "fullName\": \ "Samruddhi\ ",
77                 \ "paymentType\": \ "CREDITCARD\ ",
78                 \ "providerToken\": \ "100000000000043\ ",
79                 \ "providerPaymentId\": \ "sadzfxjndkd\ ",
80                 \ "isDefault\": true
81             }
82         },
83         \ "eventSource\": \ "PAYLETTER\ ",
84         \ "eventOrder\": 1
85     },
86     {
87         \ "eventName\": \ "Data sent to SAKA\ ",
88         \ "timeStamp\": 1462361924,
89         \ "data\": \ "100000000000043\ ",
90         \ "eventSource\": \ "PAYLETTER\ ",
91         \ "eventOrder\": 2
92     }

```

```

93     ]
94   }" \
95   'https://core.dev.Example.net/api/user/casino/deposit'
96

```

## POST body attributes (JSON) - EXISTING

Attribute	Type	Use	Description
<b>userId</b>	String	Required	UUID of a user.
<b>transactionType</b>	String	Required	Can be either "EXISTING", "SAVE_CARD", or "ONE_TIME_TRANSACTION".
<b>providerOrderId</b>	String	Required	Relates to "orderId" generated in MC.
<b>providerPaymentId</b>	String	Conditional	Corresponds to Payletter's "paymentInfoID". Mandatory when transactionType is "EXISTING".
<b>deviceUdid</b>	String	Required	UDID of the device that belongs to the user.
<b>paymentInfo</b>	Object	Conditional	The "paymentInfo" object that contains the following attributes. Mandatory when "transactionType" is "SAVE_CARD".
<b>fullName</b>	String	Required	Full name of a user.
<b>nickName</b>	String	Optional	Nick-name of a user.
<b>fullAddress</b>	String		Full address of a user.
<b>cardScheme</b>	String	Required	Can either be "Mastercard" or "Visa".
<b>paymentType</b>	String	Required	Can be one of "Commercial Credit Corporate", "Consumer Credit Card Non-Secure", "Consumer Credit Card Secure", "Consumer Debit E-Comm", "Consumer Debit Non-Secure", or "Consumer Debit Secure".
<b>providerToken</b>	String	Required	Relates to the SAKA Token for Core to get "SummaryCCInfo" from the SAKA database.
<b>providerPaymentId</b>	String	Required	Relates to Payletter's "paymentInfoID".
<b>isDefault</b>	Boolean	Optional	Sets the default PM (Payment Method).
<b>issuingAuthority</b>	String	Optional	Indicates who has issued the credit / debit card.
<b>transaction</b>	Object	Required	Contains the following child attributes.
<b>providerTransactionId</b>	String	Required	Relates to the "transactionId" generated on PayLetter.
<b>currencyCode</b>	String	Required	Currency code of an amount.
<b>amount</b>	Number	Required	Double value as an amount requested to deposit.
<b>region</b>	String	Required	Can be one of "International", "Intra Europe", "Intra Europe (Non-EEA)", "Intra Europe EEA", or "UK Domestic".
<b>extCasinoUserID</b>	String	Optional	Corresponds to a casino's user id.
<b>extCasinoTransID</b>	String	Optional	Corresponds to a casino's transaction id.
<b>extCasinoPaymentGatewayID</b>	String	Optional	Relates to the "eWalletId" of a user.
<b>pspCode</b>	String	Optional	Identifier for PSP.
<b>pspTID</b>	String	Optional	Transaction id from PSP.
<b>transactionStatus</b>	String	Required	Status can be "Authorized", "Captured", "Settled", "Remitted", "Failed", "Incomplete", or "Rejected".
<b>thressDSData</b>	Object	Optional	3DS data with following attributes.
<b>extRisk3DSTransaction</b>	Boolean	Optional	A 3DS transaction.
<b>extRisk3DSSecureTransId</b>	String	Optional	A Secure transaction id.

Attribute	Type	Use	Description
extRisk3DSEnrolledCard	Boolean	Optional	The 3DS enrolled card.
extRisk3DSResult	String	Optional	The Secure card result.
extRisk3DSData	String	Optional	Map Data related to KYC/3DS.
amlData	Object	Optional	AML Data object with the following child attributes.
extRiskCheckResult	String	Optional	The AML result. Can be either PASS, FAIL, or ThreeDS.
extRiskCheckScore	Number	Optional	The AML data score.
extRiskCheckDateTime	String	Optional	The AML timestamp.
extRiskCheckData	String	Optional	Map Data related to AML.
appInfo	Object	Required	Contains the following attributes passed on by a mobile app.
additionalIdentifier	String	Required	Can be "CUSTOM" or "PRESET".
applicationId	String	Required	UUID of an application.
applicationVersion	String	Required	Version of an application.
latitude	Number	Optional	Latitude of the location.
longitude	Number	Optional	Longitude of the location.
promoCodes	Array	Optional	Is set by MC as part of pre-check. If this array is passed, then the following attributes are mandatory.
promoCode	String	Conditional	The promo code.
bonusAmount	Number	Conditional	Double value as an amount associated with the promo code.
appliedIncentives	Array	Optional	Is set by MC as part of pre-check. If this array is passed, then the following attributes are mandatory.
incentiveId	String	Conditional	UUID of an incentive.
bonusAmount	Number	Conditional	Double value as an amount associated with the incentive.
casinoId	String	Required	UUID of an existing casino.
events	Array	Optional	An array of events with the following child attribute structure.
eventName	String	Optional	Name of the event.
timeStamp	Number	Optional	A Unix timestamp.
data	String	Optional	Data used in the event (should be an object, not a string).
eventSource	String	Optional	Can be "PAYLETTER" or "MOBILE_CLIENT" depending on the context.
eventOrder	Number	Optional	An integer indicating precedence of the event.

## POST body - EXISTING

Headers: Content-Type: application/json

1	{	json
2	"userId": "dc26a81a-c3c3-41eb-951c-e1a27fa4ba92",	
3	"transactionType": "EXISTING",	
4	"providerOrderId": "oi1d2345",	
5	"providerPaymentId": "ppi128",	
6	"deviceUdid": "udid-12345",	
7	"transaction": {	
8	"providerTransactionId": "Samarthd J",	
9	"currencyCode": "GBP",	

```

10     "amount": 60,
11     "region": "International",
12     "extCasinoUserID": "token",
13     "extCasinoTransID": "ppi12345",
14     "extCasinoPaymentGatewayID": "w123",
15     "pspCode": "code123",
16     "pspTID": "tid123",
17     "transactionStatus": "AUTHORIZED",
18     "threeDSData": {
19         "extRisk3DSTransaction": true,
20         "extRisk3DSSecureTransId": "tr123",
21         "extRisk3DSEnrolledCard": true,
22         "extRisk3DSResult": "Success",
23         "extRisk3DSData": {
24             "data": "sample",
25             "result": false
26         }
27     },
28     "amlData": {
29         "extRiskCheckResult": "PASS",
30         "extRiskCheckScore": 1,
31         "extRiskCheckDateTime": 1462361924,
32         "extRiskCheckData": {
33             "data": "sample",
34             "result": false
35         }
36     }
37 },
38 "appInfo": {
39     "additionalIdentifier": "CUSTOM",
40     "casinoId": "wegweg-wrfwef-sef344-sdgsg",
41     "applicationId": "8c68054f-4963-47bc-b40d-fff7b69d9d280",
42     "applicationVersion": "v12",
43     "latitude": 2354635,
44     "longitude": 132424,
45     "promoCodes": [
46         {
47             "promoCode": "PROMO1",
48             "bonusAmount": 10.5
49         },
50         {
51             "promoCode": "PROMO2",
52             "bonusAmount": 15.5
53         }
54     ],
55     "appliedIncentives": [
56         {
57             "incentiveId": "cb1c-4c9c-acef-44b9a784efb5",
58             "amount": 25.75
59         },
60         {
61             "incentiveId": "76c24-cb1c-4c9c-acef-44b9a784efb5",
62             "amount": 20.56
63         }
64     ]
65 },
66 "events": [
67     {
68         "eventName": "Received data from MC",
69         "timeStamp": 1462361924,
70         "data": {

```

```

71     "_class": "com.Example.middleware.models.view.AddPMCallbackViewModel",
72     "userId": "dc26a81a-c3c3-41eb-951c-e1a27fa4ba92",
73     "paymentInfo": {
74         "fullName": "Samruddhi",
75         "paymentType": "CREDITCARD",
76         "providerToken": "100000000000043",
77         "providerPaymentId": "sadzfxjndkd",
78         "isDefault": true
79     }
80 },
81 "eventSource": "PAYLETTER",
82 "eventOrder": 1
83 },
84 {
85     "eventName": "Data sent to SAKA",
86     "timeStamp": 1462361924,
87     "data": "100000000000043",
88     "eventSource": "PAYLETTER",
89     "eventOrder": 2
90 }
91 ]
92 }

```

## Response body - EXISTING

Headers: Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2      "data": {
3          "orderNumber": "8213200d-2d4e-4fa4-bbc6-bdc5c763bb6e",
4          "paymentId": null
5      },
6      "detail": null,
7      "error": false,
8      "message": "Adding Deposit Successful"
9  }

```

json

## cURL syntax - SAVE\_CARD

```

1  curl --include \
2      --request POST \
3      --header "Content-Type: application/json" \
4      --data-binary "{
5          \"userId\" : \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",
6          \"transactionType\" : \"SAVE_CARD\",
7          \"providerOrderId\" : \"oi12345\",
8          \"deviceUdid\" : \"udid-12345\",
9          \"userInfo\" : {
10             \"firstName\" : \"Shruti\",
11             \"lastName\" : \"Nagarkar\",
12             \"birthDateDay\" : 15,
13             \"birthDateMonth\" : 9,
14             \"birthDateYear\" : 1991,
15             \"kycMobileNumber\" : \"+918050022027\",
16             \"kycEmailAddress\" : \"rn.shruti@gmail.com\",
17             \"address\" : {
18                 \"addressType\" : \"KYC\",
19                 \"street\" : \"bangalore street\",

```

curl

```

20         \"street1\" : \"3rd cross\",
21         \"street2\" : \"wilson garden\",
22         \"street3\" : \"opposite to rani park\",
23         \"city\" : \"Bangalore\",
24         \"state\" : \"karnataka\",
25         \"county\" : \"unknown\",
26         \"country\" : \"India\",
27         \"postal\" : \"134413\",
28         \"countryCode\" : \"IND01\"
29     }
30 },
31     \"paymentInfo\" : {
32         \"fullName\" : \"Samarth J\",
33         \"nickName\" : \"Sam\",
34         \"fullAddress\" : \"#123, Jayanagar Bangalore\",
35         \"paymentType\" : \"CREDITCARD\",
36         \"providerToken\" : \"todc26a81a-c3c3-41eb-951c-e1a27fa4ba92ken\",
37         \"providerPaymentId\" : \"ppi12345\",
38         \"isDefault\" : true,
39         \"issuingAuthority\" : \"HDFC\"
40     },
41     \"transaction\" : {
42         \"providerTransactionId\" : \"Samarth J\",
43         \"currencyCode\" : \"GBP\",
44         \"amount\" : 60,
45         \"region\" : \"International\",
46         \"extCasinoUserID\" : \"token\",
47         \"extCasinoTransID\" : \"ppi12345\",
48         \"extCasinoPaymentGatewayID\" : \"w123\",
49         \"pspCode\" : \"code123\",
50         \"pspTID\" : \"tid123\",
51         \"transactionStatus\" : \"AUTHORIZED\",
52         \"threeDSData\" : {
53             \"extRisk3DSTransaction\" : true,
54             \"extRisk3DSSecureTransId\" : \"tr123\",
55             \"extRisk3DSEnrolledCard\" : true,
56             \"extRisk3DSResult\" : \"Success\",
57             \"extRisk3DSData\" : {
58                 \"data\" : \"sample\",
59                 \"result\" : false
60             }
61         },
62         \"amlData\" : {
63             \"extRiskCheckResult\" : \"PASS\",
64             \"extRiskCheckScore\" : 1,
65             \"extRiskCheckDateTime\" : 1462361924,
66             \"extRiskCheckData\" : {
67                 \"data\" : \"sample\",
68                 \"result\" : false
69             }
70         }
71     },
72     \"appInfo\" : {
73         \"additionalIdentifier\" : \"CUSTOM\",
74         \"casinoId\" : \"wegweg-wrfwef-sef344-sdgsg\",
75         \"applicationId\" : \"cbab1a87-243a-4319-8ae4-e93ca5cc3f6f\",
76         \"applicationVersion\" : \"v12\",
77         \"latitude\" : 2354635,
78         \"longitude\" : 132424,
79         \"promoCodes\" : [
80             {

```

```

81         \"promoCode\": \"PROM01\",
82         \"bonusAmount\": 10.5
83     },
84     {
85         \"promoCode\": \"PROM02\",
86         \"bonusAmount\": 15.5
87     }
88 ],
89     \"appliedIncentives\": [
90     {
91         \"incentiveId\": \"cb1c-4c9c-acef-44b9a784efb5\",
92         \"amount\": 25.75
93     },
94     {
95         \"incentiveId\": \"76c24-cb1c-4c9c-acef-44b9a784efb5\",
96         \"amount\": 20.56
97     }
98 ]
99 },
100     \"events\" : [
101     {
102         \"eventName\" : \"Received data from MC\",
103         \"timeStamp\" : 1462361924,
104         \"data\" : {
105             \"_class\" : \"com.Example.middleware.models.view.AddPMCallbackViewModel\",
106             \"userId\" : \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",
107             \"paymentInfo\" : {
108                 \"fullName\" : \"Samruddhi\",
109                 \"paymentType\" : \"CREDITCARD\",
110                 \"providerToken\" : \"100000000000043\",
111                 \"providerPaymentId\" : \"sadzfxjndkd\",
112                 \"isDefault\" : true
113             }
114         },
115         \"eventSource\" : \"PAYLETTER\",
116         \"eventOrder\" : 1
117     },
118     {
119         \"eventName\" : \"Data sent to SAKA\",
120         \"timeStamp\" : 1462361924,
121         \"data\" : \"100000000000043\",
122         \"eventSource\" : \"PAYLETTER\",
123         \"eventOrder\" : 2
124     }
125 ]
126 }" \
127 'https://core.dev.Example.net/api/user/casino/deposit'

```

## POST body - SAVE\_CARD

Headers: Content-Type: application/cURL

```

1  {
2      "userId": "dc26a81a-c3c3-41eb-951c-e1a27fa4ba92",
3      "transactionType": "SAVE_CARD",
4      "providerOrderId": "oi12345",
5      "deviceUdid": "udid-12345",
6      "userInfo": {
7          "firstName": "Shruti",
8          "lastName": "Nagarkar",

```

json

```

9     "birthDateDay": 15,
10    "birthDateMonth": 9,
11    "birthDateYear": 1991,
12    "kycMobileNumber": "+918050022027",
13    "kycEmailAddress": "rn.shruti@gmail.com",
14    "address": {
15        "addressType": "KYC",
16        "street": "bangalore street",
17        "street1": "3rd cross",
18        "street2": "wilson garden",
19        "street3": "opposite to rani park",
20        "city": "Bangalore",
21        "state": "karnataka",
22        "county": "unknown",
23        "country": "India",
24        "postal": "134413",
25        "countryCode": "IND01"
26    }
27 },
28 "paymentInfo": {
29     "fullName": "Samarth J",
30     "nickName": "Sam",
31     "fullAddress": "#123, Jayanagar Bangalore",
32     "paymentType": "CREDITCARD",
33     "providerToken": "todc26a81a-c3c3-41eb-951c-e1a27fa4ba92ken",
34     "providerPaymentId": "ppi12345",
35     "isDefault": true,
36     "issuingAuthority": "HDFC"
37 },
38 "transaction": {
39     "providerTransactionId": "Samarth J",
40     "currencyCode": "GBP",
41     "amount": 60,
42     "region": "International",
43     "extCasinoUserID": "token",
44     "extCasinoTransID": "ppi12345",
45     "extCasinoPaymentGatewayID": "w123",
46     "pspCode": "code123",
47     "pspTID": "tid123",
48     "transactionStatus": "AUTHORIZED",
49     "threeDSData": {
50         "extRisk3DSTransaction": true,
51         "extRisk3DSecureTransId": "tr123",
52         "extRisk3DSEnrolledCard": true,
53         "extRisk3DSResult": "Success",
54         "extRisk3DSData": {
55             "data": "sample",
56             "result": false
57         }
58     },
59     "amlData": {
60         "extRiskCheckResult": "PASS",
61         "extRiskCheckScore": 1,
62         "extRiskCheckDateTime": 1462361924,
63         "extRiskCheckData": {
64             "data": "sample",
65             "result": false
66         }
67     }
68 },
69 "appInfo": {

```



```

70     "additionalIdentifier": "CUSTOM",
71     "casinoId": "wegweg-wrfwef-sef344-sdgs",
72     "applicationId": "cbab1a87-243a-4319-8ae4-e93ca5cc3f6f",
73     "applicationVersion": "v12",
74     "latitude": 2354635,
75     "longitude": 132424,
76     "promoCodes": [
77       {
78         "promoCode": "PROMO1",
79         "bonusAmount": 10.5
80       },
81       {
82         "promoCode": "PROMO2",
83         "bonusAmount": 15.5
84       }
85     ],
86     "appliedIncentives": [
87       {
88         "incentiveId": "cb1c-4c9c-acef-44b9a784efb5",
89         "amount": 25.75
90       },
91       {
92         "incentiveId": "76c24-cb1c-4c9c-acef-44b9a784efb5",
93         "amount": 20.56
94       }
95     ]
96   },
97   "events": [
98     {
99     "eventName": "Received data from MC",
100    "timeStamp": 1462361924,
101    "data": {
102      "_class": "com.Example.middleware.models.view.AddPMCallbackViewModel",
103      "userId": "dc26a81a-c3c3-41eb-951c-e1a27fa4ba92",
104      "paymentInfo": {
105        "fullName": "Samruddhi",
106        "paymentType": "CREDITCARD",
107        "providerToken": "100000000000043",
108        "providerPaymentId": "sadzfxjndkd",
109        "isDefault": true
110      }
111    },
112    "eventSource": "PAYLETTER",
113    "eventOrder": 1
114  },
115  {
116    "eventName": "Data sent to SAKA",
117    "timeStamp": 1462361924,
118    "data": "100000000000043",
119    "eventSource": "PAYLETTER",
120    "eventOrder": 2
121  }
122 ]
123 }

```

## Response body - SAVE\_CARD

Headers: Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2    "data": {
3      "orderNumber": "286311ed-3f93-4995-b907-b7633dc5cfe7",
4      "paymentId": "e7bab69a-d542-46ac-b1f0-42589f384173"
5    },
6    "detail": null,
7    "error": false,
8    "message": "Adding Deposit Successful"
9  }

```

## cURL syntax - ONE\_TIME\_TRANSACTION

```

1  curl --include \
2    --request POST \
3    --header "Content-Type: application/json" \
4    --data-binary "{
5    \"userId\" : \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",
6    \"transactionType\" : \"ONE_TIME_TRANSACTION\",
7    \"providerOrderId\" : \"oi12345\",
8    \"deviceUdid\" : \"udid-12345\",
9    \"transaction\" : {
10     \"providerTransactionId\" : \"Samarth J\",
11     \"currencyCode\" : \"GBP\",
12     \"amount\" : 60,
13     \"region\" : \"International\",
14     \"extCasinoUserID\" : \"token\",
15     \"extCasinoTransID\" : \"ppi12345\",
16     \"extCasinoPaymentGatewayID\" : \"w123\",
17     \"pspCode\" : \"code123\",
18     \"pspTID\" : \"tid123\",
19     \"transactionStatus\" : \"AUTHORIZED\",
20     \"threeDSData\" : {
21       \"extRisk3DSTransaction\" : true,
22       \"extRisk3DSSecureTransId\" : \"tr123\",
23       \"extRisk3DSEnrolledCard\" : true,
24       \"extRisk3DSResult\" : \"Success\",
25       \"extRisk3DSData\" : {
26         \"data\" : \"sample\",
27         \"result\" : false
28       }
29     },
30     \"amlData\" : {
31       \"extRiskCheckResult\" : \"PASS\",
32       \"extRiskCheckScore\" : 1,
33       \"extRiskCheckDateTime\" : 1462361924,
34       \"extRiskCheckData\" : {
35         \"data\" : \"sample\",
36         \"result\" : false
37       }
38     }
39   },
40   \"appInfo\" : {
41     \"additionalIdentifier\" : \"CUSTOM\",
42     \"casinoId\" : \"wegweg-wrfwef-sef344-sdgs\",
43     \"applicationId\" : \"cbab1a87-243a-4319-8ae4-e93ca5cc3f6f\",
44     \"applicationVersion\" : \"v12\",
45     \"promoCodes\" : [
46       {

```

```

47         \"promoCode\": \"PROM01\",
48         \"bonusAmount\": 10.5
49     },
50     {
51         \"promoCode\": \"PROM02\",
52         \"bonusAmount\": 15.5
53     }
54 ],
55     \"appliedIncentives\": [
56     {
57         \"incentiveId\": \"cb1c-4c9c-acef-44b9a784efb5\",
58         \"amount\": 25.75
59     },
60     {
61         \"incentiveId\": \"76c24-cb1c-4c9c-acef-44b9a784efb5\",
62         \"amount\": 20.56
63     }
64 ]
65 },
66     \"events\" : [
67     {
68         \"eventName\" : \"Received data from MC\",
69         \"timeStamp\" : 1462361924,
70         \"data\" : {
71             \"_class\" : \"com.Example.middleware.models.view.AddPMCallbackViewModel\",
72             \"userId\" : \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",
73             \"paymentInfo\" : {
74                 \"fullName\" : \"Samruddhi\",
75                 \"paymentType\" : \"CREDITCARD\",
76                 \"providerToken\" : \"100000000000043\",
77                 \"providerPaymentId\" : \"sadzfxjndkd\",
78                 \"isDefault\" : true
79             }
80         },
81         \"eventSource\" : \"PAYLETTER\",
82         \"eventOrder\" : 1
83     },
84     {
85         \"eventName\" : \"Data sent to SAKA\",
86         \"timeStamp\" : 1462361924,
87         \"data\" : \"100000000000043\",
88         \"eventSource\" : \"PAYLETTER\",
89         \"eventOrder\" : 2
90     }
91 ]
92 }" \
93 'https://core.dev.Example.net/api/user/casino/deposit'

```

## POST body - ONE\_TIME\_TRANSACTION

Headers: Content-Type: application/json

```

1  {
2  "userId": "dc26a81a-c3c3-41eb-951c-e1a27fa4ba92",
3  "transactionType": "ONE_TIME_TRANSACTION",
4  "providerOrderId": "oi12345",
5  "deviceUdid": "udid-12345",
6  "transaction": {
7  "providerTransactionId": "Samarth J",
8  "currencyCode": "GBP",

```

json

```

9     "amount": 60,
10    "region": "International",
11    "extCasinoUserID": "token",
12    "extCasinoTransID": "ppi12345",
13    "extCasinoPaymentGatewayID": "w123",
14    "pspCode": "code123",
15    "pspTID": "tid123",
16    "transactionStatus": "AUTHORIZED",
17    "threeDSData": {
18      "extRisk3DSTransaction": true,
19      "extRisk3DSSecureTransId": "tr123",
20      "extRisk3DSEnrolledCard": true,
21      "extRisk3DSResult": "Success",
22      "extRisk3DSData": {
23        "data": "sample",
24        "result": false
25      }
26    },
27    "amlData": {
28      "extRiskCheckResult": "PASS",
29      "extRiskCheckScore": 1,
30      "extRiskCheckDateTime": 1462361924,
31      "extRiskCheckData": {
32        "data": "sample",
33        "result": false
34      }
35    }
36  },
37  "appInfo": {
38    "additionalIdentifier": "CUSTOM",
39    "casinoId": "wegweg-wrfwef-sef344-sdgsg",
40    "applicationId": "cbab1a87-243a-4319-8ae4-e93ca5cc3f6f",
41    "applicationVersion": "v12",
42    "promoCodes": [
43      {
44        "promoCode": "PROMO1",
45        "bonusAmount": 10.5
46      },
47      {
48        "promoCode": "PROMO2",
49        "bonusAmount": 15.5
50      }
51    ],
52    "appliedIncentives": [
53      {
54        "incentiveId": "cb1c-4c9c-acef-44b9a784efb5",
55        "amount": 25.75
56      },
57      {
58        "incentiveId": "76c24-cb1c-4c9c-acef-44b9a784efb5",
59        "amount": 20.56
60      }
61    ]
62  },
63  "events": [
64    {
65      "eventName": "Received data from MC",
66      "timeStamp": 1462361924,
67      "data": {
68        "_class": "com.Example.middleware.models.view.AddPMCallbackViewModel",
69        "userId": "dc26a81a-c3c3-41eb-951c-e1a27fa4ba92",

```

```
70     "paymentInfo": {
71       "fullName": "Samruddhi",
72       "paymentType": "CREDITCARD",
73       "providerToken": "100000000000043",
74       "providerPaymentId": "sadzfxjndkd",
75       "isDefault": true
76     }
77   },
78   "eventSource": "PAYLETTER",
79   "eventOrder": 1
80 },
81 {
82   "eventName": "Data sent to SAKA",
83   "timeStamp": 1462361924,
84   "data": "100000000000043",
85   "eventSource": "PAYLETTER",
86   "eventOrder": 2
87 }
88 ]
89 }
```

## Response body - ONE\_TIME\_TRANSACTION

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 {
2   "data": {
3     "orderNumber": "9c41862d-3ffd-4cc8-840e-0ecd234b3223",
4     "paymentId": null
5   },
6   "detail": null,
7   "error": false,
8   "message": "Adding Deposit Successful"
9 }
```

json

## POST Apply Promotion

### Description

Applies a promotion while depositing.

### Request Endpoint

POST <https://<Example api server address>/user/apply/promotion>

### Parameters

None.

### cURL syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5         \"userId\" : \"2880b416-177d-445f-838f-c414aea3b94a\",  
6         \"applicationId\" : \"8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7\",  
7         \"promotionType\" : \"INCENTIVE\",  
8         \"promotion\" : \"c1410863-7e8f-4f6e-8b25-a29e60c60df6\",  
9         \"amount\" : \"205\",  
10        \"currency\" : \"USD\",  
11        \"cardType\" : \"VISA-CARD\"  
12    }" \  
13 'https://core.dev.Example.net/api/user/apply/promotion'
```

### PUT body attributes (JSON)

Attribute	Type	Use	Description
userId	String	Required	UUID of a user.
applicationId	String	Required	.UUID of an application
promotionType	String	Required	The promotion type. Can be PROMOTION or INCENTIVE.
promotion	String	Required	promotionCode or UUID of a promotion based on promotionType.
amount	Number	Required	The deposit amount.
currency	String	Required	Currency of a user.
cardType	String	Required	Type of card a user is using for a deposit.

### POST body

**Headers:** Content-Type: application/json

```
1 {  
2     \"userId\": \"2880b416-177d-445f-838f-c414aea3b94a\",  
3     \"applicationId\": \"8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7\",  
4     \"promotionType\": \"INCENTIVE\",  
5     \"promotion\": \"c1410863-7e8f-4f6e-8b25-a29e60c60df6\",  
6     \"amount\": \"205\",  
7     \"currency\": \"USD\",  
8     \"cardType\": \"VISA-CARD\"  
9 }
```

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

json

```
1  {
2  |  "data": {
3  |    "amount": 245,
4  |    "promotionApplied": {
5  |      "promotion": "c1410863-7e8f-4f6e-8b25-a29e60c60df6",
6  |      "promoAmount": 40
7  |    }
8  |  },
9  |  "detail": null,
10 |  "error": false,
11 |  "message": "Applying promotion is successful.",
12 |  "code": "1000"
13 | }
```

## POST Create User Transaction Note

### Description

Allows a client to create a note for a user transaction.

### Request Endpoint

POST <https://<Example api server address>/user/transaction/note>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"userTransactionId\": \"d53d9d0a-88a8-49a3-965b-416da7e4d889\",\  
6 |         \"content\": \"User happy\  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/user/transaction/note'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
userTransactionId	String	Required	UUID of a user transaction.
content	String	Required	Content of the note.

### POST body

**Headers:** Content-Type: application/json

```
1 | {\  
2 |     \"userTransactionId\": \"d53d9d0a-88a8-49a3-965b-416da7e4d889\",\  
3 |     \"content\": \"User happy\"\  
4 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |     \"data\": {\  
3 |         \"id\": \"f31c8d83-3f7a-49c7-a29d-9fa9567443cd\",\  
4 |         \"deleted\": false,\  
5 |         \"userTransaction\": {\  
6 |             \"id\": \"701790fb-991a-438f-b60d-5bb2bb52f30c\",\  
7 |             \"deleted\": false,\  
8 |             \"additionalIdentifier\": \"CUSTOM\",\  
9 |             \"amount\": 10,\  
10 |            \"application\": {\  
11 |                \"id\": \"d6f1a957-218e-410e-9cf3-7e62c45eee13\",\  
12 |                \"deleted\": false,\  
13 |                \"name\": \"Application11\",\  
14 |                \"appPackage\": \"appPac\",
```

json



```

15     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
16     "bundleIdentifier": "asap",
17     "casino": {
18         "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",
19         "deleted": false,
20         "name": "UserApps",
21         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
22         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
23         "description": "This casino has lot of game apps",
24         "website": "www.casino.com",
25         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",
26         "banner": "banner234",
27         "deletedBy": null,
28         "deletedOn": null,
29         "operatorStatus": null,
30         "email": null,
31         "userRole": null,
32         "firstName": null,
33         "lastName": null,
34         "address": null
35     },
36     "casinoId": null,
37     "categories": [
38         {
39             "id": "6df1a667-9b07-4f0c-821d-697732d6ee0d",
40             "deleted": false,
41             "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://s3-us-west-2.amaz
42             "name": "category1",
43             "description": null,
44             "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://s3-us-west-2.amaz
45             "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://s3-us-west-2.amazo
46             "colorCode": "#222fff",
47             "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://s3-us-w
48             "priority": 20,
49             "deletedBy": null,
50             "deletedOn": null
51         }
52     ],
53     "categoryIds": null,
54     "description": "description about application 1",
55     "downloads": 4646,
56     "featured": null,
57     "versionHistories": [
58         {
59             "build": 18,
60             "version": "v0.3",
61             "versionDate": 1469439294718,
62             "releaseDate": null,
63             "downloadLink": null,
64             "rating": {
65                 "count": 0,
66                 "overall": 0,
67                 "gamePlay": 0,
68                 "design": 0,
69                 "ease": 0
70             },
71             "image": null,
72             "sliderImages": null,
73             "banner": null,
74             "video": null,
75             "versionStatus": null

```

```

76     }
77   ],
78   "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
79   "keywords": [
80     "key1",
81     "key2",
82     "key3"
83   ],
84   "latestBuild": 18,
85   "latestVersion": "v0.3",
86   "order": 345,
87   "paragraph1": "1 paragraph",
88   "paragraph2": "2st paragraph",
89   "paragraph3": "3st paragraph",
90   "paragraph4": "4th para",
91   "presetPriceList": null,
92   "price": 3436,
93   "publisher": null,
94   "ranking": 23,
95   "sliderImages": [
96     {
97       "id": "59e1799f-c671-462e-a67b-780d4ca1f0d1",
98       "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_1.jpg",
99       "order": 1
100    },
101    {
102      "id": "44308337-3899-45cc-9c3f-48dc19abdadf",
103      "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_2.jpg",
104      "order": 0
105    },
106    {
107      "id": "928734fe-0684-4872-a5db-ca3182f9f1bc",
108      "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_3.jpg",
109      "order": 3
110    }
111  ],
112  "subtitle": "subtitle",
113  "updated": null,
114  "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
115  "status": "SUBMITTED",
116  "downloadLink": null,
117  "compatibility": "kitkat",
118  "sizeOnDisk": "12MB",
119  "permissionDetails": "You should have kitkat version to run this app",
120  "locationSupported": [
121    "India",
122    "UK"
123  ],
124  "languageSupported": [
125    "English",
126    "French"
127  ],
128  "additionalDetails": "This application is very popular",
129  "tags": null,
130  "rating": {
131    "count": 0,
132    "overall": 0,
133    "gamePlay": 0,
134    "design": 0,
135    "ease": 0
136  },

```

```

137     "silent": {
138         "min": 1,
139         "max": 1
140     },
141     "normal": {
142         "min": 1,
143         "max": 1
144     },
145     "mandatory": {
146         "min": 1,
147         "max": 1
148     },
149     "downgrade": {
150         "min": null,
151         "max": null
152     },
153     "incentives": null,
154     "deletedBy": null,
155     "deletedOn": null
156 },
157 "currencyCode": "GBP",
158 "orderDate": 1470304891870,
159 "orderNumber": "10860296-b9e5-43b6-ac54-c175348ef416",
160 "paymentType": "CREDITCARD",
161 "providerPaymentId": "p123451",
162 "providerTransactionId": "201607210063899",
163 "remarks": null,
164 "transactionType": "EXISTING",
165 "past": false,
166 "user": {
167     "id": "e02fd3eb-11c8-4a53-91f5-70fed0de34c1",
168     "deleted": false,
169     "addresses": null,
170     "devices": [
171         {
172             "id": "fe9fd46e-496e-49e3-88ad-6aadf80ea5a4",
173             "deleted": false,
174             "description": "desc",
175             "deviceStatus": "NORMAL",
176             "manufacturer": "micromax",
177             "model": "A250",
178             "os": "Android:4.2.1",
179             "udid": "setwetwe46346sfd",
180             "simStateHashCode": null,
181             "simCardState": null,
182             "deletedUdid": null,
183             "deletedBy": null,
184             "deletedOn": null
185         }
186     ],
187     "emailAuthenticationChannels": [],
188     "firstName": "Shruti",
189     "fullName": "Shruti N",
190     "groupTag": [
191         "FACEBOOK",
192         "A250",
193         "Android:4.2.1",
194         "micromax"
195     ],
196     "lastName": "N",
197     "locationCountry": null,

```

```

198     "locationZipCode": null,
199     "mobileAuthenticationChannels": [],
200     "pinCreated": true,
201     "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-image",
202     "profileName": "RN Shruti",
203     "registrationDate": 1470306305998,
204     "socialAuthenticationChannels": [
205         {
206             "addedOn": 1470306305998,
207             "blockStatus": "NORMAL",
208             "deletedOn": null,
209             "lastUsedOn": 1470306305998,
210             "loginType": "FACEBOOK",
211             "socialId": "shruti123",
212             "deleted": false,
213             "recycleSocialId": null
214         }
215     ],
216     "status": "EXISTING",
217     "timezone": null,
218     "userSetting": {
219         "autoUpdateBetcadeApp": true,
220         "autoUpdateDownloadedApps": true,
221         "monthlyDepositMaxLimit": 0,
222         "monthlyDepositMaxLimitCurrency": "GBP",
223         "prefillUserInfoInCasino": true,
224         "receiveEmailReceipt": true,
225         "receiveNotifications": true,
226         "shareRegistrationInfo": true,
227         "userEmailProvided": true,
228         "versionOfDownloadedBetcadeApp": "v1",
229         "wifiDownloadLimitInMB": 0,
230         "preferredCategories": [],
231         "autoSaveCard": true,
232         "autoAddHomeIcon": true,
233         "receiveUpdateNotifications": true,
234         "receiveAutoUpdatedNotifications": true,
235         "receiveRecommendationNotifications": true,
236         "appSetting": {
237             "autoUpdateApps": true,
238             "addIconHomeScreen": false,
239             "saveNewCreditOrDebitCards": true,
240             "appUpdatesAvailable": true,
241             "appsWereAutoUpdated": true,
242             "recommendedContentAvailable": true
243         }
244     },
245     "verified": true,
246     "pinResetDate": null,
247     "kycStatus": null,
248     "singularId": null,
249     "acquisitionIds": null,
250     "userAuditInfo": null,
251     "email": null,
252     "phone": null,
253     "dob": null,
254     "testUser": null
255 },
256 "extCasinoPaymentGatewayID": "w123",
257 "deviceUdid": "2083718938012321038243",
258 "promoCodes": [

```

```

259     {
260         "promoCode": "PROM01",
261         "bonusAmount": 10.5
262     },
263     {
264         "promoCode": "PROM02",
265         "bonusAmount": 15.5
266     }
267 ],
268 "extCasinoUserID": "token",
269 "extCasinoTransID": "ppi12345",
270 "providerOrderId": "oi1d2311",
271 "pspCode": "code123",
272 "pspTID": "tid123",
273 "appliedIncentives": [
274     {
275         "incentiveId": "cb1c-4c9c-acef-44b9a784efb5",
276         "amount": 25.75
277     },
278     {
279         "incentiveId": "76c24-cb1c-4c9c-acef-44b9a784efb5",
280         "amount": 20.56
281     }
282 ],
283 "applicationVersion": "v0.3",
284 "transactionResult": "REFUNDED",
285 "amlData": {
286     "extRiskCheckResult": "PASS",
287     "extRiskCheckScore": 1,
288     "extRiskCheckDateTime": 1462361924,
289     "extRiskCheckData": {
290         "data": "sample",
291         "result": false
292     }
293 },
294 "threeDSData": {
295     "extRisk3DSTransaction": true,
296     "extRisk3DSSecureTransId": "tr123",
297     "extRisk3DSEnrolledCard": true,
298     "extRisk3DSResult": "Success",
299     "extRisk3DSData": {
300         "data": "sample",
301         "result": false
302     }
303 },
304 "casino": {
305     "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",
306     "deleted": false,
307     "name": "UserApps",
308     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
309     "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
310     "description": "This casino has lot of game apps",
311     "website": "www.casino.com",
312     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",
313     "banner": "banner234",
314     "deletedBy": null,
315     "deletedOn": null,
316     "operatorStatus": null,
317     "email": null,
318     "userRole": null,
319     "firstName": null,

```

```
320     "lastName": null,
321     "address": null
322   },
323   "transactionCategory": "DEPOSIT",
324   "parentTransactionId": null,
325   "reasonForRefund": null,
326   "refundedAmount": 1,
327   "reasonForChargeBack": null,
328   "paymentComment": null,
329   "payoutAmount": null,
330   "reasonForPayout": null,
331   "transactionOrderId": null,
332   "manualRefund": false
333 },
334 "userTransactionId": "701790fb-991a-438f-b60d-5bb2bb52f30c",
335 "content": "Test Note",
336 "recordedDate": 1472051447622
337 },
338 "detail": null,
339 "error": false,
340 "message": "Creating user transaction note successful"
341 }
```

**GET**

## Fetch Disbursement Transactions

### Description

### Request Endpoint

GET <https://<Example api server address>/user/transaction/{id}/disbursements>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of an existing parent transaction.

### cURL Syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/transaction/{id}/disbursements'
```

https

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       "id": "901a369d-78b1-4211-87cf-149c0f38a9e7",  
5 |       "additionalIdentifier": null,  
6 |       "amount": 10,  
7 |       "application": {  
8 |         "id": "d6f1a957-218e-410e-9cf3-7e62c45eee13",  
9 |         "name": "Application11",  
10 |        "appPackage": "appPac",  
11 |        "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",  
12 |        "bundleIdentifier": "asap",  
13 |        "casino": {  
14 |          "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",  
15 |          "name": "UserApps",  
16 |          "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",  
17 |          "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",  
18 |          "description": "This casino has lot of game apps",  
19 |          "website": "www.casino.com",  
20 |          "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",  
21 |          "banner": "banner234",  
22 |          "deletedBy": null,  
23 |          "deletedOn": null,  
24 |          "operatorStatus": null,  
25 |          "email": null,  
26 |          "userRole": null,  
27 |          "firstName": null,  
28 |          "lastName": null,  
29 |          "address": null  
30 |        },  
31 |        "casinoId": null,  
32 |        "categories": [  
33 |          {  
34 |            "id": "6df1a667-9b07-4f0c-821d-697732d6ee0d",  
            "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.category1.com"
```

json

```

35     "name": "category1",
36     "description": null,
37     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.categoryVideo.",
38     "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.icon.com",
39     "colorCode": "#222fff",
40     "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.imag
41     "priority": 18,
42     "deletedBy": null,
43     "deletedOn": null
44   }
45 ],
46 "categoryIds": null,
47 "description": "description about application 1",
48 "downloads": 4646,
49 "featured": null,
50 "versionHistories": [
51   {
52     "build": 18,
53     "version": "v0.3",
54     "versionDate": 1469439294718,
55     "releaseDate": null,
56     "downloadLink": null,
57     "rating": {
58       "count": 0,
59       "overall": 0,
60       "gamePlay": 0,
61       "design": 0,
62       "ease": 0
63     },
64     "image": null,
65     "sliderImages": null,
66     "banner": null,
67     "video": null,
68     "versionStatus": null
69   }
70 ],
71 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
72 "keywords": [
73   "key1",
74   "key2",
75   "key3"
76 ],
77 "latestBuild": 18,
78 "latestVersion": "v0.3",
79 "order": 345,
80 "paragraph1": "1 paragraph",
81 "paragraph2": "2st paragraph",
82 "paragraph3": "3st paragraph",
83 "paragraph4": "4th para",
84 "presetPriceList": null,
85 "price": 3436,
86 "publisherId": null,
87 "publisher": null,
88 "ranking": 23,
89 "sliderImages": [
90   {
91     "id": "59e1799f-c671-462e-a67b-780d4ca1f0d1",
92     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_1.jpg",
93     "order": 1
94   },
95   {

```



```

96     "id": "44308337-3899-45cc-9c3f-48dc19abdadf",
97     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_2.jpg",
98     "order": 0
99   },
100  {
101     "id": "928734fe-0684-4872-a5db-ca3182f9f1bc",
102     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_3.jpg",
103     "order": 3
104   }
105 ],
106 "subtitle": "subtitle",
107 "updated": null,
108 "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
109 "status": "SUBMITTED",
110 "downloadLink": null,
111 "compatibility": "kitkat",
112 "sizeOnDisk": "12MB",
113 "permissionDetails": "You should have kitkat version to run this app",
114 "locationSupported": [
115   "India",
116   "UK"
117 ],
118 "languageSupported": [
119   "English",
120   "French"
121 ],
122 "additionalDetails": "This application is very popular",
123 "tags": null,
124 "rating": {
125   "count": 0,
126   "overall": 0,
127   "gamePlay": 0,
128   "design": 0,
129   "ease": 0
130 },
131 "silent": {
132   "min": 1,
133   "max": 1
134 },
135 "normal": {
136   "min": 1,
137   "max": 1
138 },
139 "mandatory": {
140   "min": 1,
141   "max": 1
142 },
143 "downgrade": {
144   "min": null,
145   "max": null
146 },
147 "incentives": null,
148 "deletedBy": null,
149 "deletedOn": null
150 },
151 "currencyCode": "GBP",
152 "orderDate": 1470379294329,
153 "orderNumber": "a7da2be6-294c-438b-9b4c-14f361b26f50",
154 "paymentType": null,
155 "providerPaymentId": null,
156 "providerTransactionId": null,

```

```

157     "remarks": null,
158     "transactionType": null,
159     "past": false,
160     "extCasinoPaymentGatewayID": null,
161     "deviceUdid": null,
162     "promoCodes": null,
163     "extCasinoUserID": null,
164     "extCasinoTransID": null,
165     "providerOrderId": "c51aae4f-35a9-4ce1-93d5-113d6183ea3f",
166     "pspCode": null,
167     "pspTID": null,
168     "appliedIncentives": null,
169     "applicationVersion": "v0.3",
170     "transactionResult": "CHARGEBACK",
171     "amlData": null,
172     "threeDSData": null,
173     "casino": {
174         "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",
175         "name": "UserApps",
176         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
177         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
178         "description": "This casino has lot of game apps",
179         "website": "www.casino.com",
180         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",
181         "banner": "banner234",
182         "deletedBy": null,
183         "deletedOn": null,
184         "operatorStatus": null,
185         "email": null,
186         "userRole": null,
187         "firstName": null,
188         "lastName": null,
189         "address": null
190     },
191     "transactionCategory": "CHARGEBACK",
192     "parentTransactionId": "3e6048b0-297a-4754-a7fb-d3a179fd82fd",
193     "reasonForRefund": null,
194     "refundedAmount": null,
195     "reasonForChargeBack": "Request from bank to charge back the user transaction",
196     "paymentComment": "check number",
197     "payoutAmount": null,
198     "reasonForPayout": null,
199     "transactionOrderId": null,
200     "manualRefund": false
201 }
202 ],
203 "last": true,
204 "totalPages": 0,
205 "totalElements": 0,
206 "sort": [
207     {
208         "direction": "DESC",
209         "property": "lastModifiedOn",
210         "ignoreCase": false,
211         "nullHandling": "NATIVE",
212         "ascending": false
213     }
214 ],
215 "numberOfElements": 0,
216 "first": true,
217 "size": 70,

```

```
218     "number": 0
219   },
220   "detail": null,
221   "error": false,
222   "message": "Fetching disbursement transactions successful",
223   "code": "1000"
224 }
225
```

**Description**

Allows a client to fetch purchase history of a user.

- Offset and limit parameters can be passed in the url query to control the returned results.
- In the HTTPS POST Request: If the JSON property "transactionHistoryViewModels" is an empty array or null, no criteria is applied, and the API responds with all the purchases for the specific user.

**Request Endpoint**

POST `https://<Example api server address>/user/{id}/purchase?{offset}&{limit}`

**Parameters**

Parameter	Type	Use	Description
id	String	Required	UUID of the user.

**cURL syntax**

```

1 curl --include \
2     --request POST \
3     --header "Content-Type: application/json" \
4     --data-binary "{
5     \"transactionHistoryViewModels\" : [
6         {
7             \"field\" : \"orderDate\",
8             \"operation\" : \"EQUAL\",
9             \"startValue\" : \"2016-05-26\"
10        },
11        {
12            \"field\" : \"providerPaymentId\",
13            \"operation\" : \"EQUAL\",
14            \"startValue\" : \"skdssdsfwdn\"
15        },
16        {
17            \"field\" : \"promoCodes.promoCode\",
18            \"operation\" : \"EQUAL\",
19            \"promoCodes\" : [\"sfghfwe\"]
20        },
21        {
22            \"field\" : \"application.id\",
23            \"operation\" : \"EQUAL\",
24            \"applicationIds\" : [\"8c68054f-4963-47bc-b40d-ff7b69d9d28\"]
25        }
26    ]
27 }" \
28 'https://core.dev.Example.net/api/user/id/purchase?offset=0&limit=1'

```

**POST body attributes (JSON)**

Attribute	Type	Use	Description
transactionHistoryViewModels	Array	Optional	An array of following attributes.

Attribute	Type	Use	Description
field	String	Optional	Name of the field on which transaction history should be searched. It can be "application.id", "promoCodes.promoCode", "providerPaymentId", or "orderDate".
operation	String	Optional	Operation applied on "field" (see above) through which a transaction history should be searched. It can be "EQUAL" or "RANGE".
applicationIds	String (Array)	Conditional	An array of application ids through which transaction history should be searched. Passed only when field is "application.id".
promoCodes	String (Array)	Conditional	An array of promo codes through which transaction should be searched. Passed only when field is "promoCodes.promoCode".
startValue	String	Conditional	It can be a value of "providerPaymentId" or "orderDate". Passed when "field" is either "providerPaymentId" or "orderDate".
endValue	String	Conditional	End date of "orderDate" which a transaction history should be searched. Passed only when field is "orderDate".

## POST body

Headers: Content-Type: application/json

```

1 | {
2 |   "transactionHistoryViewModels": [
3 |     {
4 |       "field": "orderDate",
5 |       "operation": "EQUAL",
6 |       "startValue": "2016-05-26"
7 |     },
8 |     {
9 |       "field": "providerPaymentId",
10 |      "operation": "EQUAL",
11 |      "startValue": "skdssdsfwdn"
12 |     },
13 |     {
14 |       "field": "promoCodes.promoCode",
15 |       "operation": "EQUAL",
16 |       "promoCodes": [
17 |         "sfghfwe"
18 |       ]
19 |     },
20 |     {
21 |       "field": "application.id",
22 |       "operation": "EQUAL",
23 |       "applicationIds": [
24 |         "8c68054f-4963-47bc-b40d-ff7b69d9d28"
25 |       ]
26 |     }
27 |   ]
28 | }

```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```

1 | {
2 |   "data": [
3 |     {
4 |       "id": "70838932-fc8f-493e-8e17-c33de29071c3",
5 |       "updatedBy": "",

```

json

```

6   "additionalIdentifier": "CUSTOM",
7   "amount": 60,
8   "application": {
9     "id": "8c68054f-4963-47bc-b40d-ff7b69d9d280",
10    "updatedBy": "",
11    "name": "Mongo",
12    "appPackage": "appPac",
13    "banner": "banner",
14    "bundleIdentifier": "bundle1d234",
15    "casino": {
16      "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",
17      "updatedBy": "",
18      "name": "UserAppCas",
19      "videoUrl": "UserAppCas",
20      "imageUrl": "UserAppCas",
21      "description": null,
22      "website": null,
23      "icon": null,
24      "banner": null
25    },
26    "casinoId": null,
27    "categories": [
28      {
29        "id": "5a1e1b8b-db12-4f64-a6ae-85cf1c6dbc90",
30        "updatedBy": "",
31        "imageUrl": "UserAppCat",
32        "name": "UserAppCat",
33        "description": null,
34        "videoUrl": "UserAppCat",
35        "iconUrl": null,
36        "colorCode": null,
37        "heroImageReference": null,
38        "priority": 99
39      }
40    ],
41    "categoryIds": null,
42    "description": "description about application 1",
43    "downloads": 4646,
44    "featured": null,
45    "versionHistories": [
46      {
47        "build": 10,
48        "version": "v0.1",
49        "versionDate": 1463982831384,
50        "downloadLink": null,
51        "rating": {
52          "count": 3,
53          "overall": 9.233334,
54          "gamePlay": 3.0666666,
55          "design": 3.0666666,
56          "ease": 3.1000001
57        }
58      },
59      {
60        "build": 20,
61        "version": "v0.2",
62        "versionDate": 1463994689019,
63        "downloadLink": null,
64        "rating": {
65          "count": 1,
66          "overall": 3.2333333,

```

```
67         "gamePlay": 3.2,
68         "design": 3.6,
69         "ease": 2.9
70     }
71 },
72 {
73     "build": 30,
74     "version": "v0.3",
75     "versionDate": 1464003011053,
76     "downloadLink": null,
77     "rating": {
78         "count": 1,
79         "overall": 3.7,
80         "gamePlay": 3.6,
81         "design": 3.5,
82         "ease": 3.9
83     }
84 },
85 {
86     "build": 40,
87     "version": "v0.4",
88     "versionDate": 1464005700194,
89     "downloadLink": null,
90     "rating": {
91         "count": 2,
92         "overall": 8,
93         "gamePlay": 4.4,
94         "design": 3.7,
95         "ease": 4
96     }
97 },
98 {
99     "build": 50,
100    "version": "v0.5",
101    "versionDate": 1464008130800,
102    "downloadLink": null,
103    "rating": {
104        "count": 2,
105        "overall": 4,
106        "gamePlay": 4.4,
107        "design": 3.7,
108        "ease": 4
109    }
110 },
111 {
112     "build": 60,
113     "version": "v0.6",
114     "versionDate": 1464071872717,
115     "downloadLink": null,
116     "rating": {
117         "count": 2,
118         "overall": 4,
119         "gamePlay": 4.4,
120         "design": 3.7,
121         "ease": 4
122     }
123 },
124 {
125     "build": 70,
126     "version": "",
127     "versionDate": 1464947932239,
```

```

128     "downloadLink": null,
129     "rating": {
130         "count": 0,
131         "overall": 0,
132         "gamePlay": 0,
133         "design": 0,
134         "ease": 0
135     }
136 },
137 {
138     "build": null,
139     "version": "cs",
140     "versionDate": 1464948221224,
141     "downloadLink": null,
142     "rating": {
143         "count": 0,
144         "overall": 0,
145         "gamePlay": 0,
146         "design": 0,
147         "ease": 0
148     }
149 }
150 ],
151 "image": "www.google.com",
152 "keywords": [
153     "key1",
154     "key2",
155     "key3",
156     "key4",
157     "key5"
158 ],
159 "latestBuild": null,
160 "latestVersion": "cs",
161 "order": 345,
162 "paragraph1": "1 paragraph",
163 "paragraph2": "2st paragraph",
164 "paragraph3": "3st paragraph",
165 "paragraph4": "4th para",
166 "presetPriceList": null,
167 "price": 3436,
168 "publisher": null,
169 "ranking": 23,
170 "sliderImages": [
171     "url 1",
172     "url 2",
173     "url 3"
174 ],
175 "subtitle": "subtitle",
176 "updated": null,
177 "video": "www.youtube.com",
178 "status": "SUBMITTED",
179 "downloadLink": null,
180 "compatibility": "kitkat",
181 "sizeOnDisk": "12MB",
182 "permissionDetails": "You should have kitkat version to run this app",
183 "locationSupported": [
184     "India",
185     "UK"
186 ],
187 "languageSupported": [
188     "English",

```



```

189     "French"
190   ],
191   "additionalDetails": "This application is very popular",
192   "tags": null,
193   "promotionalBonus": null,
194   "rating": {
195     "count": 0,
196     "overall": 0,
197     "gamePlay": 0,
198     "design": 0,
199     "ease": 0
200   },
201   "silent": null,
202   "normal": null,
203   "mandatory": null,
204   "downgrade": null
205 },
206 "currencyCode": "GBP",
207 "orderDate": 1464240071860,
208 "orderNumber": "0f1739f0-a0bf-4187-8a5d-6add6bf80573",
209 "paymentType": "CREDITCARD",
210 "providerPaymentId": "skdssdsfwdn",
211 "providerTransactionId": "SamcsdddsddthbjnJ",
212 "remarks": null,
213 "transactionType": "EXISTING",
214 "past": false,
215 "extCasinoPaymentGatewayID": null,
216 "deviceUdid": null,
217 "promoCodes": [
218   {
219     "promoCode": "sfghfwe",
220     "bonusAmount": 10.5
221   },
222   {
223     "promoCode": "PROM02",
224     "bonusAmount": 15.5
225   }
226 ],
227 "promotionalBonuses": [
228   {
229     "promotionalAppId": "cb1c-4c9c-acef-44b9a784efb5",
230     "bonusAmount": 25.75
231   },
232   {
233     "promotionalAppId": "76c24-cb1c-4c9c-acef-44b9a784efb5",
234     "bonusAmount": 20
235   }
236 ],
237 "extUserId": "token",
238 "extTransId": "ppi12345",
239 "providerOrderId": "ordser1sdddddedef43",
240 "pspCode": "code123",
241 "pspTID": "tid123"
242 }
243 ],
244 "detail": null,
245 "error": false,
246 "message": "Fetched purchase/transaction history successfully"
247 }

```



## Description

Allows an admin portal to fetch UserTransaction attributes to build a criteria.

## Request Endpoint

GET <https://<Example api server address>/admin/user/transaction/attributes>

## Parameters

None.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/admin/user/transaction/attributes'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "user.socialId": "String",  
4 |     "amount": "Double",  
5 |     "orderNumber": "String",  
6 |     "providerTransactionId": "String",  
7 |     "providerOrderId": "String",  
8 |     "past": "boolean",  
9 |     "promotionalBonuses": "List",  
10 |    "user.emailAddress": "String",  
11 |    "extUserId": "String",  
12 |    "promoCodes.bonusAmount": "Double",  
13 |    "additionalIdentifier": "AdditionalIdentifier",  
14 |    "paymentType": "String",  
15 |    "providerPaymentId": "String",  
16 |    "transactionType": "String",  
17 |    "deviceUdid": "String",  
18 |    "application": "String",  
19 |    "eWalletId": "String",  
20 |    "extTransId": "String",  
21 |    "promoCodes.promoCode": "String",  
22 |    "user.mobileNumber": "String",  
23 |    "currencyCode": "String",  
24 |    "orderDate": "Date",  
25 |    "remarks": "String",  
26 |    "application.name": "String"  
27 |   },  
28 |   "detail": null,  
29 |   "error": false,  
30 |   "message": "Fetching user transaction attributes successful"  
31 | }
```

json

**GET**

## Fetch Transactions of All Deleted Payment Methods

### Description

Fetches transactions of all deleted payment methods.

### Request Endpoint

GET <https://<Example api server address>/user/deleted/payment/info/transactions>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/deleted/payment/info/transactions'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "b4acf632-e0f0-42d5-b6d4-f86f8d16b6a5",  
5 |       "deleted": false,  
6 |       "additionalIdentifier": "CUSTOM",  
7 |       "amount": 60,  
8 |       "application": {  
9 |         "id": "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",  
10 |        "deleted": false,  
11 |        "name": "Application Recent",  
12 |        "appPackage": "appPac",  
13 |        "bundleIdentifier": "app",  
14 |        "casino": {  
15 |          "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",  
16 |          "deleted": false,  
17 |          "name": "Poker 26",  
18 |          "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/betti",  
19 |          "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.com/betti",  
20 |          "description": "This casino has lot of game apps1",  
21 |          "website": "http://www.casino1.com",  
22 |          "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",  
23 |          "banner": "banner2345",  
24 |          "deletedBy": null,  
25 |          "deletedOn": null,  
26 |          "operatorStatus": "NEW",  
27 |          "email": null,  
28 |          "userRole": "OPERATOR",  
29 |          "firstName": null,  
30 |          "lastName": null,  
31 |          "address": null  
32 |        },  
33 |        "casinoId": null,  
34 |        "categories": [  
35 |          {  
36 |            "id": "e068a967-4da6-40b3-ae83-f7c3d4af533e",  
37 |            "deleted": false,  
38 |            "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.com/betti"
```

json

```

39     "name": "Poker 1",
40     "description": "Some poker category",
41     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/be
42     "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/bet
43     "colorCode": "#FFFFFF",
44     "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.goc
45     "priority": 1,
46     "deletedBy": null,
47     "deletedOn": null
48   }
49 ],
50 "categoryIds": null,
51 "downloads": 4646,
52 "featured": null,
53 "versionHistories": [
54   {
55     "build": 18,
56     "version": "v0.3",
57     "versionDate": 1472021965242,
58     "releaseDate": 1472021965242,
59     "downloadLink": null,
60     "rating": {
61       "count": 0,
62       "overall": 0,
63       "gamePlay": 0,
64       "design": 0,
65       "ease": 0
66     },
67     "description": null,
68     "image": null,
69     "sliderImages": null,
70     "banner": null,
71     "video": null,
72     "icon": null,
73     "featuredImage": null,
74     "versionStatus": null,
75     "privacyPolicy": null,
76     "locationSupported": null,
77     "languageSupported": null
78   }
79 ],
80 "keywords": [
81   "key1",
82   "key2",
83   "key3"
84 ],
85 "latestBuild": 18,
86 "latestVersion": "v0.3",
87 "order": 345,
88 "paragraph1": "1 paragraph",
89 "paragraph2": "2st paragraph",
90 "paragraph3": "3st paragraph",
91 "paragraph4": "4th para",
92 "presetPriceList": null,
93 "price": 3436,
94 "publisherId": null,
95 "publisher": null,
96 "ranking": 23,
97 "subtitle": "subtitle",
98 "updated": null,
99 "status": "PUBLISHED",

```

```

100     "downloadLink": null,
101     "compatibility": "kitkat",
102     "sizeOnDisk": "12MB",
103     "permissionDetails": "You should have kitkat version to run this app",
104     "additionalDetails": "This application is very popular",
105     "tags": null,
106     "rating": {
107         "count": 0,
108         "overall": 0,
109         "gamePlay": 0,
110         "design": 0,
111         "ease": 0
112     },
113     "silent": {
114         "min": 1,
115         "max": 1
116     },
117     "normal": {
118         "min": 1,
119         "max": 1
120     },
121     "mandatory": {
122         "min": 1,
123         "max": 1
124     },
125     "downgrade": {
126         "min": null,
127         "max": null
128     },
129     "incentives": null,
130     "deletedBy": null,
131     "deletedOn": null,
132     "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
133     "sliderImages": [
134         {
135             "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
136             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
137             "order": 1
138         },
139         {
140             "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
141             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
142             "order": 0
143         }
144     ],
145     "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
146     "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
147     "icon": null,
148     "featuredImage": null
149 },
150 "currencyCode": "GBP",
151 "orderDate": 1472622412963,
152 "orderNumber": "8d5b63ce-e4fa-42d3-a9b0-8c16b91a30fd",
153 "paymentType": "CREDITCARD",
154 "providerPaymentId": "ppi123456",
155 "providerTransactionId": "201608310000067",
156 "remarks": null,
157 "transactionType": "SAVE_CARD",
158 "past": false,
159 "user": {
160     "id": "139f0344-0641-4d9f-a47f-e695d05842a9",

```

```

161     "deleted": false,
162     "addresses": null,
163     "devices": [
164         {
165             "id": "431dd159-158e-4c72-b509-7c1e450bbe26",
166             "deleted": false,
167             "description": "Old Device",
168             "deviceStatus": "NORMAL",
169             "manufacturer": "Apple",
170             "model": "iPhone 5",
171             "os": "iOS 9",
172             "udid": "2083718938012321038243",
173             "simStateHashCode": null,
174             "simCardState": null,
175             "deletedUdid": null,
176             "deletedBy": null,
177             "deletedOn": null
178         }
179     ],
180     "emailAuthenticationChannels": [],
181     "firstName": "ABC ",
182     "fullName": "ABC DEF",
183     "groupTag": [
184         "FACEBOOK",
185         "Apple",
186         "United Kingdom",
187         "iOS 9",
188         "1234234",
189         "iPhone 5"
190     ],
191     "lastName": "DEF",
192     "locationCountry": "United Kingdom",
193     "locationZipCode": "1234234",
194     "mobileAuthenticationChannels": [],
195     "pinCreated": true,
196     "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-image",
197     "profileName": "ABC",
198     "registrationDate": 1472622061861,
199     "socialAuthenticationChannels": [
200         {
201             "addedOn": 1472622065207,
202             "blockStatus": "NORMAL",
203             "deletedOn": null,
204             "lastUsedOn": 1472622065207,
205             "loginType": "FACEBOOK",
206             "socialId": "social123",
207             "deleted": false,
208             "recycleSocialId": null
209         }
210     ],
211     "status": "EXISTING",
212     "timezone": null,
213     "userSetting": {
214         "autoUpdateBetcadeApp": true,
215         "autoUpdateDownloadedApps": true,
216         "monthlyDepositMaxLimit": 0,
217         "monthlyDepositMaxLimitCurrency": "GBP",
218         "prefillUserInfoInCasino": true,
219         "receiveEmailReceipt": true,
220         "receiveNotifications": true,
221         "shareRegistrationInfo": true,

```

```

222     "userEmailProvided": true,
223     "versionOfDownloadedBetcadeApp": "v1",
224     "wifiDownloadLimitInMB": 0,
225     "preferredCategories": [],
226     "autoSaveCard": true,
227     "autoAddHomeIcon": true,
228     "receiveUpdateNotifications": true,
229     "receiveAutoUpdatedNotifications": true,
230     "receiveRecommendationNotifications": true,
231     "appSetting": {
232         "autoUpdateApps": true,
233         "addIconHomeScreen": false,
234         "saveNewCreditOrDebitCards": true,
235         "appUpdatesAvailable": true,
236         "appsWereAutoUpdated": true,
237         "recommendedContentAvailable": true
238     }
239 },
240 "verified": true,
241 "pinResetDate": null,
242 "kycStatus": null,
243 "singularId": null,
244 "acquisitionIds": null,
245 "userAuditInfo": {
246     "initialLoginDate": 1472622061861,
247     "initialLoginIp": "127.0.0.1",
248     "initialLoginLocation": " ",
249     "initialRegistrationDate": null,
250     "initialRegistrationIp": null,
251     "initialRegistrationLocation": null
252 },
253 "email": "san.sh555@gmail.com",
254 "phone": "+919874654244",
255 "dob": 663359640000,
256 "testUser": null
257 },
258 "extCasinoPaymentGatewayID": "w123",
259 "deviceUdid": "2083718938012321038243",
260 "promoCodes": [
261     {
262         "promoCode": "PROM01",
263         "bonusAmount": 10.5
264     },
265     {
266         "promoCode": "PROM02",
267         "bonusAmount": 15.5
268     }
269 ],
270 "extCasinoUserID": "token",
271 "extCasinoTransID": "ppi12345",
272 "providerOrderId": "oi12345sdfs",
273 "pspCode": "code123",
274 "pspTID": "tid123",
275 "appliedIncentives": [
276     {
277         "incentiveId": "cb1c-4c9c-acef-44b9a784efb5",
278         "amount": 25.75
279     },
280     {
281         "incentiveId": "76c24-cb1c-4c9c-acef-44b9a784efb5",
282         "amount": 20.56

```



```

283     }
284 ],
285 "applicationVersion": "v0.3",
286 "transactionResult": "SUCCESS",
287 "amlData": {
288     "extRiskCheckResult": "PASS",
289     "extRiskCheckScore": 1,
290     "extRiskCheckDateTime": 1462361924,
291     "extRiskCheckData": {
292         "data": "sample",
293         "result": false
294     }
295 },
296 "threeDSData": {
297     "extRisk3DSTransaction": true,
298     "extRisk3DSSecureTransId": "tr123",
299     "extRisk3DSEnrolledCard": true,
300     "extRisk3DSResult": "Success",
301     "extRisk3DSData": {
302         "data": "sample",
303         "result": false
304     }
305 },
306 "casino": {
307     "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
308     "deleted": false,
309     "name": "Poker 26",
310     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/bettin",
311     "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.com/betting",
312     "description": "This casino has lot of game apps1",
313     "website": "http://www.casino1.com",
314     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
315     "banner": "banner2345",
316     "deletedBy": null,
317     "deletedOn": null,
318     "operatorStatus": "NEW",
319     "email": null,
320     "userRole": "OPERATOR",
321     "firstName": null,
322     "lastName": null,
323     "address": null
324 },
325 "transactionCategory": "DEPOSIT",
326 "parentTransactionId": null,
327 "reasonForRefund": null,
328 "refundedAmount": null,
329 "reasonForChargeBack": null,
330 "paymentComment": null,
331 "payoutAmount": null,
332 "reasonForPayout": null,
333 "transactionOrderId": null,
334 "manualRefund": false,
335 "geoLocation": {
336     "x": 132424,
337     "y": 2354635
338 }
339 }
340 ],
341 "detail": null,
342 "error": false,
343

```

```
344 | "message": "Fetching all transactions of deleted payment methods successful."  
    | }
```

**GET**

## Fetch Transactions of User's Deleted Payment Methods

### Description

### Request Endpoint

GET <https://<Example api server address>/user/{id}/deleted/payment/info/transactions>

### Parameters

Parameter	Type	Use	Description
id	String	Required	UUID of an existing user.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/id/deleted/payment/info/transactions'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": [  
3 |     {  
4 |       "id": "b4acf632-e0f0-42d5-b6d4-f86f8d16b6a5",  
5 |       "deleted": false,  
6 |       "additionalIdentifier": "CUSTOM",  
7 |       "amount": 60,  
8 |       "application": {  
9 |         "id": "8bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",  
10 |        "deleted": false,  
11 |        "name": "Application Recent",  
12 |        "appPackage": "appPac",  
13 |        "bundleIdentifier": "app",  
14 |        "casino": {  
15 |          "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",  
16 |          "deleted": false,  
17 |          "name": "Poker 26",  
18 |          "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google",  
19 |          "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google",  
20 |          "description": "This casino has lot of game apps1",  
21 |          "website": "http://www.casino1.com",  
22 |          "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",  
23 |          "banner": "banner2345",  
24 |          "deletedBy": null,  
25 |          "deletedOn": null,  
26 |          "operatorStatus": "NEW",  
27 |          "email": null,  
28 |          "userRole": "OPERATOR",  
29 |          "firstName": null,  
30 |          "lastName": null,  
31 |          "address": null  
32 |        },  
33 |        "casinoId": null,  
34 |        "categories": [  
35 |          {
```

json

```

35         "id": "e068a967-4da6-40b3-ae83-f7c3d4af533e",
36         "deleted": false,
37         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.g
38         "name": "Poker 1",
39         "description": "Some poker category",
40         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.g
41         "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.g
42         "colorCode": "#FFFFFF",
43         "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/htt
44         "priority": 1,
45         "deletedBy": null,
46         "deletedOn": null
47     }
48 ],
49     "categoryIds": null,
50     "downloads": 4646,
51     "featured": null,
52     "versionHistories": [
53         {
54             "build": 18,
55             "version": "v0.3",
56             "versionDate": 1472021965242,
57             "releaseDate": 1472021965242,
58             "downloadLink": null,
59             "rating": {
60                 "count": 0,
61                 "overall": 0,
62                 "gamePlay": 0,
63                 "design": 0,
64                 "ease": 0
65             },
66             "description": null,
67             "image": null,
68             "sliderImages": null,
69             "banner": null,
70             "video": null,
71             "icon": null,
72             "featuredImage": null,
73             "versionStatus": null,
74             "privacyPolicy": null,
75             "locationSupported": null,
76             "languageSupported": null
77         }
78     ],
79     "keywords": [
80         "key1",
81         "key2",
82         "key3"
83     ],
84     "latestBuild": 18,
85     "latestVersion": "v0.3",
86     "order": 345,
87     "paragraph1": "1 paragraph",
88     "paragraph2": "2st paragraph",
89     "paragraph3": "3st paragraph",
90     "paragraph4": "4th para",
91     "presetPriceList": null,
92     "price": 3436,
93     "publisherId": null,
94     "publisher": null,
95     "ranking": 23,

```

```

96     "subtitle": "subtitle",
97     "updated": null,
98     "status": "PUBLISHED",
99     "downloadLink": null,
100    "compatibility": "kitkat",
101    "sizeOnDisk": "12MB",
102    "permissionDetails": "You should have kitkat version to run this app",
103    "additionalDetails": "This application is very popular",
104    "tags": null,
105    "rating": {
106        "count": 0,
107        "overall": 0,
108        "gamePlay": 0,
109        "design": 0,
110        "ease": 0
111    },
112    "silent": {
113        "min": 1,
114        "max": 1
115    },
116    "normal": {
117        "min": 1,
118        "max": 1
119    },
120    "mandatory": {
121        "min": 1,
122        "max": 1
123    },
124    "downgrade": {
125        "min": null,
126        "max": null
127    },
128    "incentives": null,
129    "deletedBy": null,
130    "deletedOn": null,
131    "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
132    "sliderImages": [
133        {
134            "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
135            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
136            "order": 1
137        },
138        {
139            "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
140            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
141            "order": 0
142        }
143    ],
144    "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
145    "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
146    "icon": null,
147    "featuredImage": null
148 },
149 "currencyCode": "GBP",
150 "orderDate": 1472622412963,
151 "orderNumber": "8d5b63ce-e4fa-42d3-a9b0-8c16b91a30fd",
152 "paymentType": "CREDITCARD",
153 "providerPaymentId": "ppi123456",
154 "providerTransactionId": "201608310000067",
155 "remarks": null,
156 "transactionType": "SAVE_CARD",

```

```

157     "past": false,
158     "user": {
159         "id": "74f9dcc1-7cd6-4a6d-8609-1191064d4f3e",
160         "deleted": false,
161         "addresses": null,
162         "devices": [
163             {
164                 "id": "431dd159-158e-4c72-b509-7c1e450bbe26",
165                 "deleted": false,
166                 "description": "Old Device",
167                 "deviceStatus": "NORMAL",
168                 "manufacturer": "Apple",
169                 "model": "iPhone 5",
170                 "os": "iOS 9",
171                 "udid": "2083718938012321038243",
172                 "simStateHashCode": null,
173                 "simCardState": null,
174                 "deletedUdid": null,
175                 "deletedBy": null,
176                 "deletedOn": null
177             }
178         ],
179         "emailAuthenticationChannels": [],
180         "firstName": "ABC ",
181         "fullName": "ABC DEF",
182         "groupTag": [
183             "FACEBOOK",
184             "Apple",
185             "United Kingdom",
186             "iOS 9",
187             "1234234",
188             "iPhone 5"
189         ],
190         "lastName": "DEF",
191         "locationCountry": "United Kingdom",
192         "locationZipCode": "1234234",
193         "mobileAuthenticationChannels": [],
194         "pinCreated": true,
195         "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profi
196         "profileName": "ABC",
197         "registrationDate": 1472622061861,
198         "socialAuthenticationChannels": [
199             {
200                 "addedOn": 1472622065207,
201                 "blockStatus": "NORMAL",
202                 "deletedOn": null,
203                 "lastUsedOn": 1472622065207,
204                 "loginType": "FACEBOOK",
205                 "socialId": "social123",
206                 "deleted": false,
207                 "recycleSocialId": null
208             }
209         ],
210         "status": "EXISTING",
211         "timezone": null,
212         "userSetting": {
213             "autoUpdateBetcadeApp": true,
214             "autoUpdateDownloadedApps": true,
215             "monthlyDepositMaxLimit": 0,
216             "monthlyDepositMaxLimitCurrency": "GBP",
217             "prefillUserInfoInCasino": true,

```

```

218         "receiveEmailReceipt": true,
219         "receiveNotifications": true,
220         "shareRegistrationInfo": true,
221         "userEmailProvided": true,
222         "versionOfDownloadedBetcadeApp": "v1",
223         "wifiDownloadLimitInMB": 0,
224         "preferredCategories": [],
225         "autoSaveCard": true,
226         "autoAddHomeIcon": true,
227         "receiveUpdateNotifications": true,
228         "receiveAutoUpdatedNotifications": true,
229         "receiveRecommendationNotifications": true,
230         "appSetting": {
231             "autoUpdateApps": true,
232             "addIconHomeScreen": false,
233             "saveNewCreditOrDebitCards": true,
234             "appUpdatesAvailable": true,
235             "appsWereAutoUpdated": true,
236             "recommendedContentAvailable": true
237         }
238     },
239     "verified": true,
240     "pinResetDate": null,
241     "kycStatus": null,
242     "singularId": null,
243     "acquisitionIds": null,
244     "userAuditInfo": {
245         "initialLoginDate": 1472622061861,
246         "initialLoginIp": "127.0.0.1",
247         "initialLoginLocation": " ",
248         "initialRegistrationDate": null,
249         "initialRegistrationIp": null,
250         "initialRegistrationLocation": null
251     },
252     "email": "san.sh555@gmail.com",
253     "phone": "+919874654244",
254     "dob": 663359640000,
255     "testUser": null
256 },
257 "extCasinoPaymentGatewayID": "w123",
258 "deviceUdid": "2083718938012321038243",
259 "promoCodes": [
260     {
261         "promoCode": "PROMO1",
262         "bonusAmount": 10.5
263     },
264     {
265         "promoCode": "PROMO2",
266         "bonusAmount": 15.5
267     }
268 ],
269 "extCasinoUserID": "token",
270 "extCasinoTransID": "ppi12345",
271 "providerOrderId": "oi12345sdfs",
272 "pspCode": "code123",
273 "pspTID": "tid123",
274 "appliedIncentives": [
275     {
276         "incentiveId": "cb1c-4c9c-acef-44b9a784efb5",
277         "amount": 25.75
278     },

```

```

279         {
280             "incentiveId": "76c24-cb1c-4c9c-acef-44b9a784efb5",
281             "amount": 20.56
282         }
283     ],
284     "applicationVersion": "v0.3",
285     "transactionResult": "SUCCESS",
286     "amlData": {
287         "extRiskCheckResult": "PASS",
288         "extRiskCheckScore": 1,
289         "extRiskCheckDateTime": 1462361924,
290         "extRiskCheckData": {
291             "data": "sample",
292             "result": false
293         }
294     },
295     "threeDSData": {
296         "extRisk3DSTransaction": true,
297         "extRisk3DSecureTransId": "tr123",
298         "extRisk3DSEnrolledCard": true,
299         "extRisk3DSResult": "Success",
300         "extRisk3DSData": {
301             "data": "sample",
302             "result": false
303         }
304     },
305     "casino": {
306         "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
307         "deleted": false,
308         "name": "Poker 26",
309         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.co
310         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.com
311         "description": "This casino has lot of game apps1",
312         "website": "http://www.casino1.com",
313         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
314         "banner": "banner2345",
315         "deletedBy": null,
316         "deletedOn": null,
317         "operatorStatus": "NEW",
318         "email": null,
319         "userRole": "OPERATOR",
320         "firstName": null,
321         "lastName": null,
322         "address": null
323     },
324     "transactionCategory": "DEPOSIT",
325     "parentTransactionId": null,
326     "reasonForRefund": null,
327     "refundedAmount": null,
328     "reasonForChargeBack": null,
329     "paymentComment": null,
330     "payoutAmount": null,
331     "reasonForPayout": null,
332     "transactionOrderId": null,
333     "manualRefund": false
334     "geoLocation" : {
335         "x" : 132424.0,
336         "y" : 2354635.0
337     }
338 }
339 ],

```



```
340 |     "detail": null,  
341 |     "error": false,  
342 |     "message": "Fetching transactions of an User's deleted payment methods successful."  
343 | }  
344
```

**GET**

## Fetch User Transaction Detail

### Description

Gives the details about the transaction.

### Request Endpoint

GET <https://<Example api server address>/user/{id}/transaction>

### Parameters

Parameter	Type	Use	Description
id	String (UUID)	Required	UUID of the user.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/id/transaction'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "id": "6c8780dd-9dd0-4a31-8278-9af6980ece76",  
4 |     "deleted": false,  
5 |     "additionalIdentifier": "CUSTOM",  
6 |     "amount": 60,  
7 |     "application": {  
8 |       "id": "cbb27035-39a4-4199-9383-00be449af237",  
9 |       "deleted": false,  
10 |      "name": "Application Recent",  
11 |      "appPackage": "appPac",  
12 |      "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",  
13 |      "bundleIdentifier": "app",  
14 |      "casino": {  
15 |        "id": "08fc4384-3fee-4613-bb1e-b13ee741f6ff",  
16 |        "deleted": false,  
17 |        "name": "UserApps",  
18 |        "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",  
19 |        "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",  
20 |        "description": "This casino has lot of game apps",  
21 |        "website": "www.casino.com",  
22 |        "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",  
23 |        "banner": "banner234",  
24 |        "deletedBy": null,  
25 |        "deletedOn": null,  
26 |        "operatorStatus": "NEW",  
27 |        "email": null,  
28 |        "userRole": "OPERATOR",  
29 |        "firstName": null,  
30 |        "lastName": null,  
31 |        "address": null  
32 |      },  
33 |      "casinoId": null,  
34 |      "categories": [  
35 |
```

json

```

35     {
36         "id": "b7b80ae4-9c8a-41eb-8bc4-f753c0e8d7cf",
37         "deleted": false,
38         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.category1.com",
39         "name": "category1",
40         "description": null,
41         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.categoryVideo.com",
42         "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.icon.com",
43         "colorCode": "#222fff",
44         "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.image.com",
45         "priority": 18,
46         "deletedBy": null,
47         "deletedOn": null
48     }
49 ],
50 "categoryIds": null,
51 "description": "description about application 1",
52 "downloads": 4646,
53 "featured": null,
54 "versionHistories": [
55     {
56         "build": 18,
57         "version": "v0.3",
58         "versionDate": 1471939373702,
59         "releaseDate": 1471939373702,
60         "downloadLink": null,
61         "rating": {
62             "count": 0,
63             "overall": 0,
64             "gamePlay": 0,
65             "design": 0,
66             "ease": 0
67         },
68         "image": null,
69         "sliderImages": null,
70         "banner": null,
71         "video": null,
72         "versionStatus": null
73     }
74 ],
75 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
76 "keywords": [
77     "key1",
78     "key2",
79     "key3"
80 ],
81 "latestBuild": 18,
82 "latestVersion": "v0.3",
83 "order": 345,
84 "paragraph1": "1 paragraph",
85 "paragraph2": "2st paragraph",
86 "paragraph3": "3st paragraph",
87 "paragraph4": "4th para",
88 "presetPricelist": null,
89 "price": 3436,
90 "publisher": null,
91 "ranking": 23,
92 "sliderImages": [
93     {
94         "id": "5da9b0f2-6cb3-4df3-8078-db663f46bf25",
95         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_1.jpg",

```

```

96     "order": 1
97   },
98   {
99     "id": "3a67e1db-8faa-48fd-b369-ebb283daffd9",
100    "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_2.jpg",
101    "order": 0
102  },
103  {
104    "id": "7635fac4-3d62-401e-a66c-76442d957f0e",
105    "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_3.jpg",
106    "order": 3
107  }
108 ],
109 "subtitle": "subtitle",
110 "updated": null,
111 "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
112 "status": "SUBMITTED",
113 "downloadLink": null,
114 "compatibility": "kitkat",
115 "sizeOnDisk": "12MB",
116 "permissionDetails": "You should have kitkat version to run this app",
117 "locationSupported": [
118   "India",
119   "UK"
120 ],
121 "languageSupported": [
122   "English",
123   "French"
124 ],
125 "additionalDetails": "This application is very popular",
126 "tags": null,
127 "rating": {
128   "count": 0,
129   "overall": 0,
130   "gamePlay": 0,
131   "design": 0,
132   "ease": 0
133 },
134 "silent": {
135   "min": 1,
136   "max": 1
137 },
138 "normal": {
139   "min": 1,
140   "max": 1
141 },
142 "mandatory": {
143   "min": 1,
144   "max": 1
145 },
146 "downgrade": {
147   "min": null,
148   "max": null
149 },
150 "incentives": null,
151 "deletedBy": null,
152 "deletedOn": null
153 },
154 "currencyCode": "GBP",
155 "orderDate": 1471942228020,
156 "orderNumber": "9a529cf1-2bd1-453b-8eab-bba648ac13f7",

```

```
157 "paymentType": "CREDITCARD",
158 "providerPaymentId": "6e24269b-03111",
159 "providerTransactionId": "Samarthaqd J",
160 "remarks": null,
161 "transactionType": "EXISTING",
162 "past": true,
163 "user": {
164   "id": "d53d9d0a-88a8-49a3-965b-416da7e4d889",
165   "deleted": false,
166   "addresses": null,
167   "devices": [
168     {
169       "id": "7ac20225-3e36-4fb3-8daa-bace45034df4",
170       "deleted": false,
171       "description": "Old Device",
172       "deviceStatus": "NORMAL",
173       "manufacturer": "Apple",
174       "model": "iPhone 5",
175       "os": "iOS 9",
176       "udid": "2083718938012321038243",
177       "simStateHashCode": null,
178       "simCardState": null,
179       "deletedUdid": null,
180       "deletedBy": null,
181       "deletedOn": null
182     }
183   ],
184   "emailAuthenticationChannels": [
185     {
186       "addedOn": 1471939700422,
187       "blockStatus": "NORMAL",
188       "deletedOn": null,
189       "emailAddress": "navya.gopalakrishna@innoflexion.com",
190       "emailPinResetStatus": "RESET_COMPLETE",
191       "emailVerificationStatus": "VERIFIED",
192       "lastUsedOn": 1471939700422,
193       "loginType": "EMAIL",
194       "primary": true,
195       "deleted": false,
196       "recycleEmailAddress": null
197     }
198   ],
199   "firstName": "Navya",
200   "fullName": "ABC DEF",
201   "groupTag": [
202     "Apple",
203     "United Kingdom",
204     "iOS 9",
205     "1234234",
206     "EMAIL",
207     "iPhone 5"
208   ],
209   "lastName": "G",
210   "locationCountry": "United Kingdom",
211   "locationZipCode": "1234234",
212   "mobileAuthenticationChannels": [],
213   "pinCreated": true,
214   "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://sgffhg.png",
215   "profileName": "ABCd",
216   "registrationDate": 1471939699492,
217   "socialAuthenticationChannels": [],
```

```

218 "status": "EXISTING",
219 "timezone": null,
220 "userSetting": {
221   "autoUpdateBetcadeApp": true,
222   "autoUpdateDownloadedApps": true,
223   "monthlyDepositMaxLimit": 0,
224   "monthlyDepositMaxLimitCurrency": "GBP",
225   "prefillUserInfoInCasino": true,
226   "receiveEmailReceipt": true,
227   "receiveNotifications": true,
228   "shareRegistrationInfo": true,
229   "userEmailProvided": true,
230   "versionOfDownloadedBetcadeApp": "v1",
231   "wifiDownloadLimitInMB": 0,
232   "preferredCategories": [],
233   "autoSaveCard": true,
234   "autoAddHomeIcon": true,
235   "receiveUpdateNotifications": true,
236   "receiveAutoUpdatedNotifications": true,
237   "receiveRecommendationNotifications": true,
238   "appSetting": {
239     "autoUpdateApps": true,
240     "addIconHomeScreen": false,
241     "saveNewCreditOrDebitCards": true,
242     "appUpdatesAvailable": true,
243     "appsWereAutoUpdated": true,
244     "recommendedContentAvailable": true
245   }
246 },
247 "verified": true,
248 "pinResetDate": null,
249 "kycStatus": "ACTIVE",
250 "singularId": null,
251 "acquisitionIds": null,
252 "userAuditInfo": {
253   "initialLoginDate": 1471939699492,
254   "initialLoginIp": "103.5.132.83",
255   "initialLoginLocation": "Bengaluru India",
256   "initialRegistrationDate": 1471942113544,
257   "initialRegistrationIp": "106.51.235.6",
258   "initialRegistrationLocation": "Bengaluru India"
259 },
260 "email": "san.sh555@gmail.com",
261 "phone": "+919874654244",
262 "dob": "1991-04-09",
263 "testUser": null
264 },
265 "extCasinoPaymentGatewayID": "w123",
266 "deviceUdid": "2083718938012321038243",
267 "promoCodes": [
268   {
269     "promoCode": "PROMO1",
270     "bonusAmount": 10.5
271   },
272   {
273     "promoCode": "PROMO2",
274     "bonusAmount": 15.5
275   }
276 ],
277 "extCasinoUserID": "token",
278 "extCasinoTransID": "ppi12345",

```

```

279 "providerOrderId": "oi1d2341115",
280 "pspCode": "code123",
281 "pspTID": "tid123",
282 "appliedIncentives": [
283   {
284     "incentiveId": "cb1c-4c9c-acef-44b9a784efb5",
285     "amount": 25.75
286   },
287   {
288     "incentiveId": "76c24-cb1c-4c9c-acef-44b9a784efb5",
289     "amount": 20.56
290   }
291 ],
292 "applicationVersion": "v0.3",
293 "transactionResult": "REFUNDED",
294 "amlData": {
295   "extRiskCheckResult": "PASS",
296   "extRiskCheckScore": 1,
297   "extRiskCheckDateTime": 1462361924,
298   "extRiskCheckData": {
299     "data": "sample",
300     "result": false
301   }
302 },
303 "threeDSData": {
304   "extRisk3DSTransaction": true,
305   "extRisk3DSSecureTransId": "tr123",
306   "extRisk3DSEnrolledCard": true,
307   "extRisk3DSResult": "Success",
308   "extRisk3DSData": {
309     "data": "sample",
310     "result": false
311   }
312 },
313 "casino": {
314   "id": "08fc4384-3fee-4613-bb1e-b13ee741f6ff",
315   "deleted": false,
316   "name": "UserApps",
317   "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
318   "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
319   "description": "This casino has lot of game apps",
320   "website": "www.casino.com",
321   "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",
322   "banner": "banner234",
323   "deletedBy": null,
324   "deletedOn": null,
325   "operatorStatus": "NEW",
326   "email": null,
327   "userRole": "OPERATOR",
328   "firstName": null,
329   "lastName": null,
330   "address": null
331 },
332 "transactionCategory": "DEPOSIT",
333 "parentTransactionId": null,
334 "reasonForRefund": null,
335 "refundedAmount": 60,
336 "reasonForChargeBack": null,
337 "paymentComment": null,
338 "payoutAmount": null,
339 "reasonForPayout": null,

```

```
340     "transactionOrderId": null,  
341     "manualRefund": false,  
342     "geoLocation": {  
343         "x": 132424,  
344         "y": 2354635  
345     }  
346 },  
347 "detail": null,  
348 "error": false,  
349 "message": "Fetching user transaction details successful."  
350 }
```



## Description

Allows a client to fetch notes of a user transaction.

## Request Endpoint

GET <https://<Example api server address>/user/transaction/note/{userTransactionId}>

## Parameters

Parameter	Type	Use	Description
userTransactionId	String	Required	UUID of a User transaction.

## cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/transaction/note/userTransactionId'
```

curl

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "764c57c0-ce9d-4205-8b8e-f9238d282e16",  
6 |         "deleted": false,  
7 |         "userTransaction": {  
8 |           "id": "701790fb-991a-438f-b60d-5bb2bb52f30c",  
9 |           "deleted": false,  
10 |          "additionalIdentifier": "CUSTOM",  
11 |          "amount": 10,  
12 |          "application": {  
13 |            "id": "d6f1a957-218e-410e-9cf3-7e62c45eee13",  
14 |            "deleted": false,  
15 |            "name": "Application11",  
16 |            "appPackage": "appPac",  
17 |            "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",  
18 |            "bundleIdentifier": "asap",  
19 |            "casino": {  
20 |              "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",  
21 |              "deleted": false,  
22 |              "name": "UserApps",  
23 |              "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",  
24 |              "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",  
25 |              "description": "This casino has lot of game apps",  
26 |              "website": "www.casino.com",  
27 |              "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",  
28 |              "banner": "banner234",  
29 |              "deletedBy": null,  
30 |              "deletedOn": null,  
31 |              "operatorStatus": null,  
32 |              "email": null,  
33 |              "userRole": null,  
34 |              "firstName": null,
```

json

```

35     "lastName": null,
36     "address": null
37 },
38 "casinoId": null,
39 "categories": [
40   {
41     "id": "6df1a667-9b07-4f0c-821d-697732d6ee0d",
42     "deleted": false,
43     "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://s3-us-west-2.
44     "name": "category1",
45     "description": null,
46     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://s3-us-west-2.
47     "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://s3-us-west-2.a
48     "colorCode": "#222fff",
49     "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://s3-
50     "priority": 20,
51     "deletedBy": null,
52     "deletedOn": null
53   }
54 ],
55 "categoryIds": null,
56 "description": "description about application 1",
57 "downloads": 4646,
58 "featured": null,
59 "versionHistories": [
60   {
61     "build": 18,
62     "version": "v0.3",
63     "versionDate": 1469439294718,
64     "releaseDate": null,
65     "downloadLink": null,
66     "rating": {
67       "count": 0,
68       "overall": 0,
69       "gamePlay": 0,
70       "design": 0,
71       "ease": 0
72     },
73     "image": null,
74     "sliderImages": null,
75     "banner": null,
76     "video": null,
77     "versionStatus": null
78   }
79 ],
80 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
81 "keywords": [
82   "key1",
83   "key2",
84   "key3"
85 ],
86 "latestBuild": 18,
87 "latestVersion": "v0.3",
88 "order": 345,
89 "paragraph1": "1 paragraph",
90 "paragraph2": "2st paragraph",
91 "paragraph3": "3st paragraph",
92 "paragraph4": "4th para",
93 "presetPriceList": null,
94 "price": 3436,
95 "publisher": null,

```

```

96     "ranking": 23,
97     "sliderImages": [
98         {
99             "id": "59e1799f-c671-462e-a67b-780d4ca1f0d1",
100            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_1.jpg",
101            "order": 1
102        },
103        {
104            "id": "44308337-3899-45cc-9c3f-48dc19abdadf",
105            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_2.jpg",
106            "order": 0
107        },
108        {
109            "id": "928734fe-0684-4872-a5db-ca3182f9f1bc",
110            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider_3.jpg",
111            "order": 3
112        }
113    ],
114    "subtitle": "subtitle",
115    "updated": null,
116    "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
117    "status": "SUBMITTED",
118    "downloadLink": null,
119    "compatibility": "kitkat",
120    "sizeOnDisk": "12MB",
121    "permissionDetails": "You should have kitkat version to run this app",
122    "locationSupported": [
123        "India",
124        "UK"
125    ],
126    "languageSupported": [
127        "English",
128        "French"
129    ],
130    "additionalDetails": "This application is very popular",
131    "tags": null,
132    "rating": {
133        "count": 0,
134        "overall": 0,
135        "gamePlay": 0,
136        "design": 0,
137        "ease": 0
138    },
139    "silent": {
140        "min": 1,
141        "max": 1
142    },
143    "normal": {
144        "min": 1,
145        "max": 1
146    },
147    "mandatory": {
148        "min": 1,
149        "max": 1
150    },
151    "downgrade": {
152        "min": null,
153        "max": null
154    },
155    "incentives": null,
156    "deletedBy": null,

```

```

157     "deletedOn": null
158   },
159   "currencyCode": "GBP",
160   "orderDate": 1470304891870,
161   "orderNumber": "10860296-b9e5-43b6-ac54-c175348ef416",
162   "paymentType": "CREDITCARD",
163   "providerPaymentId": "p123451",
164   "providerTransactionId": "201607210063899",
165   "remarks": null,
166   "transactionType": "EXISTING",
167   "past": false,
168   "user": {
169     "id": "e02fd3eb-11c8-4a53-91f5-70fed0de34c1",
170     "deleted": false,
171     "addresses": null,
172     "devices": [
173       {
174         "id": "fe9fd46e-496e-49e3-88ad-6aadf80ea5a4",
175         "deleted": false,
176         "description": "desc",
177         "deviceStatus": "NORMAL",
178         "manufacturer": "micromax",
179         "model": "A250",
180         "os": "Android:4.2.1",
181         "udid": "setwetwe46346sfd",
182         "simStateHashCode": null,
183         "simCardState": null,
184         "deletedUdid": null,
185         "deletedBy": null,
186         "deletedOn": null
187       }
188     ],
189     "emailAuthenticationChannels": [],
190     "firstName": "Shruti",
191     "fullName": "Shruti N",
192     "groupTag": [
193       "FACEBOOK",
194       "A250",
195       "Android:4.2.1",
196       "micromax"
197     ],
198     "lastName": "N",
199     "locationCountry": null,
200     "locationZipCode": null,
201     "mobileAuthenticationChannels": [],
202     "pinCreated": true,
203     "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-i",
204     "profileName": "RN Shruti",
205     "registrationDate": 1470306305998,
206     "socialAuthenticationChannels": [
207       {
208         "addedOn": 1470306305998,
209         "blockStatus": "NORMAL",
210         "deletedOn": null,
211         "lastUsedOn": 1470306305998,
212         "loginType": "FACEBOOK",
213         "socialId": "shruti123",
214         "deleted": false,
215         "recycleSocialId": null
216       }
217     ],

```

```

218     "status": "EXISTING",
219     "timezone": null,
220     "userSetting": {
221         "autoUpdateBetcadeApp": true,
222         "autoUpdateDownloadedApps": true,
223         "monthlyDepositMaxLimit": 0,
224         "monthlyDepositMaxLimitCurrency": "GBP",
225         "prefillUserInfoInCasino": true,
226         "receiveEmailReceipt": true,
227         "receiveNotifications": true,
228         "shareRegistrationInfo": true,
229         "userEmailProvided": true,
230         "versionOfDownloadedBetcadeApp": "v1",
231         "wifiDownloadLimitInMB": 0,
232         "preferredCategories": [],
233         "autoSaveCard": true,
234         "autoAddHomeIcon": true,
235         "receiveUpdateNotifications": true,
236         "receiveAutoUpdatedNotifications": true,
237         "receiveRecommendationNotifications": true,
238         "appSetting": {
239             "autoUpdateApps": true,
240             "addIconHomeScreen": false,
241             "saveNewCreditOrDebitCards": true,
242             "appUpdatesAvailable": true,
243             "appsWereAutoUpdated": true,
244             "recommendedContentAvailable": true
245         }
246     },
247     "verified": true,
248     "pinResetDate": null,
249     "kycStatus": null,
250     "singularId": null,
251     "acquisitionIds": null,
252     "userAuditInfo": null,
253     "email": null,
254     "phone": null,
255     "dob": null,
256     "testUser": null
257 },
258 "extCasinoPaymentGatewayID": "w123",
259 "deviceUdid": "2083718938012321038243",
260 "promoCodes": [
261     {
262         "promoCode": "PROMO1",
263         "bonusAmount": 10.5
264     },
265     {
266         "promoCode": "PROMO2",
267         "bonusAmount": 15.5
268     }
269 ],
270 "extCasinoUserID": "token",
271 "extCasinoTransID": "ppi12345",
272 "providerOrderID": "oi1d2311",
273 "pspCode": "code123",
274 "pspTID": "tid123",
275 "appliedIncentives": [
276     {
277         "incentiveId": "cb1c-4c9c-acef-44b9a784efb5",
278         "amount": 25.75

```

```

279     },
280     {
281       "incentiveId": "76c24-cb1c-4c9c-acef-44b9a784efb5",
282       "amount": 20.56
283     }
284   ],
285   "applicationVersion": "v0.3",
286   "transactionResult": "REFUNDED",
287   "amlData": {
288     "extRiskCheckResult": "PASS",
289     "extRiskCheckScore": 1,
290     "extRiskCheckDateTime": 1462361924,
291     "extRiskCheckData": {
292       "data": "sample",
293       "result": false
294     }
295   },
296   "threeDSData": {
297     "extRisk3DSTransaction": true,
298     "extRisk3DSecureTransId": "tr123",
299     "extRisk3DSEnrolledCard": true,
300     "extRisk3DSResult": "Success",
301     "extRisk3DSData": {
302       "data": "sample",
303       "result": false
304     }
305   },
306   "casino": {
307     "id": "c58b99a7-2300-4df2-963e-bc4514f6ca4d",
308     "deleted": false,
309     "name": "UserApps",
310     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
311     "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
312     "description": "This casino has lot of game apps",
313     "website": "www.casino.com",
314     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon123",
315     "banner": "banner234",
316     "deletedBy": null,
317     "deletedOn": null,
318     "operatorStatus": null,
319     "email": null,
320     "userRole": null,
321     "firstName": null,
322     "lastName": null,
323     "address": null
324   },
325   "transactionCategory": "DEPOSIT",
326   "parentTransactionId": null,
327   "reasonForRefund": null,
328   "refundedAmount": 1,
329   "reasonForChargeBack": null,
330   "paymentComment": null,
331   "payoutAmount": null,
332   "reasonForPayout": null,
333   "transactionOrderId": null,
334   "manualRefund": false
335 },
336 "userTransactionId": null,
337 "content": "test note",
338 "recordedDate": 1472037587207
339 }

```

```
340 ],
341   "last": true,
342   "totalPages": 1,
343   "totalElements": 1,
344   "size": 70,
345   "number": 0,
346   "sort": null,
347   "first": true,
348   "numberOfElements": 1
349 },
350 "detail": null,
351 "error": false,
352 "message": "Fetching user transaction notes successful"
353 }
```

## POST Fetch User Transaction / Payment Events

### Description

This end point will fetch all events that occurred during user transaction or payment method.

### Request Endpoint

POST <https://<Example api server address>/user/transaction/payment/event>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"userId\" : \"82c8a4e4-f373-451c-8509-8e9687313a3c\",\  
6 |         \"userTransactionId\" : \"06f38fe7-faa2-4945-8146-b18034e5773e\",\  
7 |         \"userPaymentInfoId\" : \"sedgwegergwegwegweg\"\  
8 |     }" \  
9 | 'https://core.dev.Example.net/api/user/transaction/payment/event'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
userId	String	Required	UUID of a user.
userTransactionId	String	Optional	Passed when transaction events want to be fetched.
userPaymentInfoId	String	Optional	Passed when payment events want to be fetched.

### POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |   \"userId\": \"82c8a4e4-f373-451c-8509-8e9687313a3c\",  
3 |   \"userTransactionId\": \"06f38fe7-faa2-4945-8146-b18034e5773e\",  
4 |   \"userPaymentInfoId\": \"sedgwegergwegwegweg\"  
5 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   \"data\": {  
3 |     \"eventType\": \"SAVE_CARD\",  
4 |     \"events\": [  
5 |       {  
6 |         \"eventName\": \"Received data from PL\",  
7 |         \"timeStamp\": 1467136759919,  
8 |         \"data\": {  
9 |           \"userId\": \"82c8a4e4-f373-451c-8509-8e9687313a3c\",  
10 |          \"transactionType\": \"SAVE_CARD\",
```

json



```

11 "providerOrderId": "oi12xxs34dr5x",
12 "providerPaymentId": null,
13 "paymentInfo": {
14   "fullName": "Samarth J",
15   "nickName": "Sam",
16   "paymentType": "CREDITCARD",
17   "providerToken": "100000000000043",
18   "providerPaymentId": "ppdidssxt2df3",
19   "isDefault": null,
20   "issuingAuthority": null
21 },
22 "transaction": {
23   "providerTransactionId": "eerdxaddrsssdgfdJ",
24   "currencyCode": "GBP",
25   "amount": 60,
26   "extCasinoUserID": null,
27   "extCasinoTransID": null,
28   "extCasinoPaymentGatewayID": null,
29   "pspCode": null,
30   "pspTID": null,
31   "transactionResult": null,
32   "aMLData": null,
33   "threeDSData": null
34 },
35 "appInfo": {
36   "additionalIdentifier": "CUSTOM",
37   "applicationId": "8c68054f-4963-47bc-b40d-ff7b69d9d280",
38   "applicationVersion": "cs",
39   "promoCodes": [
40     {
41       "promoCode": "PROMO1",
42       "bonusAmount": 10.5
43     },
44     {
45       "promoCode": "PROMO2",
46       "bonusAmount": 15.5
47     }
48   ],
49   "appliedIncentives": [
50     {
51       "incentiveId": "af0b9c14-1579-4936-ad58-d8120cfe58f5",
52       "amount": 10
53     }
54   ]
55 },
56 "events": [
57   {
58     "eventName": "Received data from MC",
59     "timeStamp": 1462361924,
60     "data": {
61       "userId": "dc26a81a-c3c3-41eb-951c-e1a27fa4ba92",
62       "paymentInfo": {
63         "fullName": "Samruddhi",
64         "paymentType": "CREDITCARD",
65         "providerToken": "100000000000043",
66         "providerPaymentId": "sadzfxjndkd",
67         "isDefault": true
68       }
69     },
70     "eventSource": "PAYLETTER",
71     "eventOrder": 1

```

```

72     },
73     {
74         "eventName": "Data sent to SAKA",
75         "timeStamp": 1462361924,
76         "data": "100000000000043",
77         "eventSource": "PAYLETTER",
78         "eventOrder": 2
79     }
80 ],
81     "deviceUdid": "udid-12345"
82 },
83 "eventSource": "Client",
84 "eventOrder": 1
85 },
86 {
87     "eventName": "Data sent to SAKA",
88     "timeStamp": 1467136762310,
89     "data": "100000000000043",
90     "eventSource": "Client",
91     "eventOrder": 2
92 },
93 {
94     "eventName": "Received data from SAKA",
95     "timeStamp": 1467136763520,
96     "data": {
97         "paymentInfo": {
98             "paymentType": "CreditCard",
99             "card": {
100                "cardLastNum": "2006",
101                "cardNickName": "Vishwas S",
102                "cardBrand": "Visa"
103            }
104        }
105     },
106     "eventSource": "Client",
107     "eventOrder": 3
108 },
109 {
110     "eventName": "Data sent to Sphonic",
111     "timeStamp": 1467136763571,
112     "data": {
113         "xmlns": null,
114         "clientDetails": {
115             "organisationId": "df0858fd-f9b9-4d48-919b-0f7bafc5a43e",
116             "username": "Example",
117             "password": "0rchestra"
118         },
119         "requestDetails": {
120             "requestId": "5fedeabb-3d81-444f-a6a9-0648ab012f3e",
121             "clientEventIdentifier": "TestConnection",
122             "requestDateTime": 1467136716800
123         },
124         "requestData": {
125             "dataGroup": {
126                 "groupName": "default",
127                 "dataItem": [
128                     {
129                         "elementName": "uuid",
130                         "elementValue": "82c8a4e4-f373-451c-8509-8e9687313a3c",
131                         "elementPattern": "String"
132                     }
133                 ]
134             }
135         }
136     }
137 }

```

```
133     {
134         "elementName": "udid",
135         "elementValue": null,
136         "elementPattern": "String"
137     },
138     {
139         "elementName": "regIPAddress",
140         "elementValue": "127.0.0",
141         "elementPattern": "String"
142     },
143     {
144         "elementName": "country",
145         "elementValue": "India",
146         "elementPattern": "String"
147     },
148     {
149         "elementName": "lastName",
150         "elementValue": "Nagarkar",
151         "elementPattern": "String"
152     },
153     {
154         "elementName": "birthDateYear",
155         "elementValue": "1991",
156         "elementPattern": "Integer"
157     },
158     {
159         "elementName": "street3",
160         "elementValue": "opposite to rani park",
161         "elementPattern": "String"
162     },
163     {
164         "elementName": "city",
165         "elementValue": "Bangalore",
166         "elementPattern": "String"
167     },
168     {
169         "elementName": "email",
170         "elementValue": "rn.shruti@gmail.com",
171         "elementPattern": "String"
172     },
173     {
174         "elementName": "birthDateMonth",
175         "elementValue": "9",
176         "elementPattern": "Integer"
177     },
178     {
179         "elementName": "county",
180         "elementValue": "unknown",
181         "elementPattern": "String"
182     },
183     {
184         "elementName": "phone",
185         "elementValue": "+918050022027",
186         "elementPattern": "String"
187     },
188     {
189         "elementName": "birthDateDay",
190         "elementValue": "15",
191         "elementPattern": "Integer"
192     },
193     {
```

```

194         "elementName": "firstName",
195         "elementValue": "Shruti",
196         "elementPattern": "String"
197     },
198     {
199         "elementName": "street1",
200         "elementValue": "3rd cross",
201         "elementPattern": "String"
202     },
203     {
204         "elementName": "postal",
205         "elementValue": "134413",
206         "elementPattern": "String"
207     },
208     {
209         "elementName": "state",
210         "elementValue": "karnataka",
211         "elementPattern": "String"
212     },
213     {
214         "elementName": "street2",
215         "elementValue": "wilson garden",
216         "elementPattern": "String"
217     }
218 ]
219 }
220 }
221 },
222 "eventSource": "Client",
223 "eventOrder": 4
224 },
225 {
226     "eventName": "PM info recorded in Client",
227     "timeStamp": 1467136763577,
228     "data": {
229         "id": "5473ec9f-2c0a-476f-a821-32ad110986d9",
230         "addedOn": 1467136763520,
231         "defaultPaymentInfo": false,
232         "fullName": "Samarth J",
233         "issuingAuthority": "Visa",
234         "lastUsedOn": 1467136760019,
235         "nickName": "Vishwas S",
236         "paymentInfoStatus": "VERIFIED",
237         "paymentProvider": "PAYLETTER",
238         "paymentType": "CREDITCARD",
239         "providerPaymentId": "ppdidssxt2df3",
240         "providerPaymentNumber": "2006",
241         "providerToken": "100000000000043",
242         "deletedBy": null,
243         "deletedOn": null,
244         "extRisk3DSEnrolledCard": null,
245         "extRisk3DSResult": null,
246         "deviceUdid": null
247     },
248     "eventSource": "Client",
249     "eventOrder": 5
250 },
251 {
252     "eventName": "Transaction info recorded in Client",
253     "timeStamp": 1467136769375,
254     "data": {

```

```

255 "id": "06f38fe7-faa2-4945-8146-b18034e5773e",
256 "additionalIdentifier": "CUSTOM",
257 "amount": 60,
258 "application": {
259   "id": "8c68054f-4963-47bc-b40d-ff7b69d9d280",
260   "name": "Mongo",
261   "appPackage": "appPac",
262   "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
263   "bundleIdentifier": "bundle1d234",
264   "casino": {
265     "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",
266     "name": "UserAppCas",
267     "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/UserAppCas",
268     "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/UserAppCas",
269     "description": null,
270     "website": null,
271     "icon": null,
272     "banner": null,
273     "deletedBy": null,
274     "deletedOn": null
275   },
276   "casinoId": null,
277   "categories": [
278     {
279       "id": "5a1e1b8b-db12-4f64-a6ae-85cf1c6dbc90",
280       "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/UserAppCat",
281       "name": "UserAppCat",
282       "description": null,
283       "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/UserAppCat",
284       "iconUrl": null,
285       "colorCode": null,
286       "heroImageReference": null,
287       "priority": 1000,
288       "deletedBy": null,
289       "deletedOn": null
290     }
291   ],
292   "categoryIds": null,
293   "description": "description about application 1",
294   "downloads": 4646,
295   "featured": null,
296   "versionHistories": [
297     {
298       "build": 10,
299       "version": "v0.1",
300       "versionDate": 1463982831384,
301       "downloadLink": null,
302       "rating": {
303         "count": 3,
304         "overall": 9.233334,
305         "gamePlay": 3.0666666,
306         "design": 3.0666666,
307         "ease": 3.1000001
308       }
309     },
310     {
311       "build": 20,
312       "version": "v0.2",
313       "versionDate": 1463994689019,
314       "downloadLink": null,
315       "rating": {

```

```
316         "count": 1,
317         "overall": 3.2333333,
318         "gamePlay": 3.2,
319         "design": 3.6,
320         "ease": 2.9
321     }
322 },
323 {
324     "build": 30,
325     "version": "v0.3",
326     "versionDate": 1464003011053,
327     "downloadLink": null,
328     "rating": {
329         "count": 1,
330         "overall": 3.7,
331         "gamePlay": 3.6,
332         "design": 3.5,
333         "ease": 3.9
334     }
335 },
336 {
337     "build": 40,
338     "version": "v0.4",
339     "versionDate": 1464005700194,
340     "downloadLink": null,
341     "rating": {
342         "count": 2,
343         "overall": 8,
344         "gamePlay": 4.4,
345         "design": 3.7,
346         "ease": 4
347     }
348 },
349 {
350     "build": 50,
351     "version": "v0.5",
352     "versionDate": 1464008130800,
353     "downloadLink": null,
354     "rating": {
355         "count": 2,
356         "overall": 4,
357         "gamePlay": 4.4,
358         "design": 3.7,
359         "ease": 4
360     }
361 },
362 {
363     "build": 60,
364     "version": "v0.6",
365     "versionDate": 1464071872717,
366     "downloadLink": null,
367     "rating": {
368         "count": 2,
369         "overall": 4,
370         "gamePlay": 4.4,
371         "design": 3.7,
372         "ease": 4
373     }
374 },
375 {
376     "build": 70,
```

```

377         "version": "",
378         "versionDate": 1464947932239,
379         "downloadLink": null,
380         "rating": {
381             "count": 0,
382             "overall": 0,
383             "gamePlay": 0,
384             "design": 0,
385             "ease": 0
386         }
387     },
388     {
389         "build": null,
390         "version": "cs",
391         "versionDate": 1464948221224,
392         "downloadLink": null,
393         "rating": {
394             "count": 0,
395             "overall": 0,
396             "gamePlay": 0,
397             "design": 0,
398             "ease": 0
399         }
400     }
401 ],
402 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
403 "keywords": [
404     "key1",
405     "key2",
406     "key3",
407     "key4",
408     "key5"
409 ],
410 "latestBuild": null,
411 "latestVersion": "cs",
412 "order": 345,
413 "paragraph1": "1 paragraph",
414 "paragraph2": "2st paragraph",
415 "paragraph3": "3st paragraph",
416 "paragraph4": "4th para",
417 "presetPriceList": null,
418 "price": 3436,
419 "publisher": null,
420 "ranking": 23,
421 "sliderImages": null,
422 "subtitle": "subtitle",
423 "updated": null,
424 "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
425 "status": "SUBMITTED",
426 "downloadLink": null,
427 "compatibility": "kitkat",
428 "sizeOnDisk": "12MB",
429 "permissionDetails": "You should have kitkat version to run this app",
430 "locationSupported": [
431     "India",
432     "UK"
433 ],
434 "languageSupported": [
435     "English",
436     "French"
437 ],

```

```

438     "additionalDetails": "This application is very popular",
439     "tags": null,
440     "rating": {
441         "count": 0,
442         "overall": 0,
443         "gamePlay": 0,
444         "design": 0,
445         "ease": 0
446     },
447     "silent": null,
448     "normal": null,
449     "mandatory": null,
450     "downgrade": null,
451     "incentives": [
452         {
453             "id": "55cbc9f5-8c68-4359-995b-84669fa6497b",
454             "title": "20$ for a deposit",
455             "type": "FIXED",
456             "amount": 20,
457             "limit": 100,
458             "expired": false,
459             "validTill": 1465391392,
460             "deletedBy": null,
461             "deletedOn": null
462         }
463     ],
464     "deletedBy": null,
465     "deletedOn": null
466 },
467 "currencyCode": "GBP",
468 "orderDate": 1467136769212,
469 "orderNumber": "8c3f55d9-91b6-47e0-9765-203cc4c756de",
470 "paymentType": "CREDITCARD",
471 "providerPaymentId": null,
472 "providerTransactionId": "eerdxaddrssdgdJ",
473 "remarks": null,
474 "transactionType": "SAVE_CARD",
475 "past": false,
476 "extCasinoPaymentGatewayID": null,
477 "deviceUdid": "udid-12345",
478 "promoCodes": [
479     {
480         "promoCode": "PROMO1",
481         "bonusAmount": 10.5
482     },
483     {
484         "promoCode": "PROMO2",
485         "bonusAmount": 15.5
486     }
487 ],
488 "extCasinoUserID": null,
489 "extCasinoTransID": null,
490 "providerOrderId": "oi12xxs34dr5x",
491 "pspCode": null,
492 "pspTID": null,
493 "appliedIncentives": [
494     {
495         "incentiveId": "af0b9c14-1579-4936-ad58-d8120cfe58f5",
496         "amount": 10
497     }
498 ],

```



```

499     "applicationVersion": "cs",
500     "transactionResult": null,
501     "aMLData": null,
502     "threeDSData": {
503         "extRisk3DSTransaction": null,
504         "extRisk3DSSecureTransId": null,
505         "extRisk3DSEnrolledCard": null,
506         "extRisk3DSResult": null,
507         "extRisk3DSData": null
508     }
509 },
510     "eventSource": "Client",
511     "eventOrder": 6
512 },
513 {
514     "eventName": "Sent data back to PL",
515     "timeStamp": 1467136773229,
516     "data": {
517         "orderNumber": "8c3f55d9-91b6-47e0-9765-203cc4c756de",
518         "paymentId": "5473ec9f-2c0a-476f-a821-32ad110986d9"
519     },
520     "eventSource": "Client",
521     "eventOrder": 7
522 },
523 {
524     "eventName": "Received data from MC",
525     "timeStamp": 1462361924,
526     "data": {
527         "userId": "dc26a81a-c3c3-41eb-951c-e1a27fa4ba92",
528         "paymentInfo": {
529             "fullName": "Samruddhi",
530             "paymentType": "CREDITCARD",
531             "providerToken": "100000000000043",
532             "providerPaymentId": "sadzfxjndkd",
533             "isDefault": true
534         }
535     },
536     "eventSource": "PAYLETTER",
537     "eventOrder": 1
538 },
539 {
540     "eventName": "Data sent to SAKA",
541     "timeStamp": 1462361924,
542     "data": "100000000000043",
543     "eventSource": "PAYLETTER",
544     "eventOrder": 2
545 }
546 ]
547 },
548 "detail": null,
549 "error": false,
550 "message": "Fetching user transaction/payment events successful."
551 }

```

**POST****Fetch User Transactions By Criteria (transaction)****Description**

Allows a client to fetch transactions of a user by using dynamic queries. Offset and limit parameters can be passed in the url query to control the results returned.

**Request Endpoint**

POST <https://<Example api server address>/user/transaction>

**Parameters**

None.

**cURL syntax**

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |     \"criteriaModelList\" : [  
6 |         {\  
7 |             \"field\" : \"amount\",\  
8 |             \"operation\" : \"EQUAL\",\  
9 |             \"startValue\" : \"99.99\",\  
10 |            \"endValue\" : null\  
11 |         },\  
12 |         {\  
13 |             \"field\" : \"lastTransactionDate\",\  
14 |             \"operation\" : \"RANGE\",\  
15 |             \"startValue\" : \"2016-03-10\",\  
16 |             \"endValue\" : \"2016-03-15\"\  
17 |         }\  
18 |     ]\  
19 | }" \  
20 | 'https://core.dev.Example.net/api/user/transaction\  
21 | '
```

curl

**POST body attributes (JSON)**

Attribute	Type	Use	Description
criteriaModelList	Array	Required	Contains the following criteria attributes.
field	String	Optional	Field on which a criteria needs to be added.
operation	String	Optional	An operation to be performed on the field.
startValue	String	Optional	Start value of the operation.
endValue	String	Optional	End value of the operation if applicable (in case of range).

**POST body**

**Headers:** Content-Type: application/json

```
1 | {\  
2 |     \"criteriaModelList\": [  
3 |         {\  
4 |             \"field\": \"amount\",\  
5 |             \"operation\": \"EQUAL\",
```

json

```

6     "startValue": "99.99",
7     "endValue": null
8   },
9   {
10    "field": "lastTransactionDate",
11    "operation": "RANGE",
12    "startValue": "2016-03-10",
13    "endValue": "2016-03-15"
14  }
15 ]
16 }

```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2    "data": [
3      {
4        "id": "ec1f3b61-33d7-495b-aeab-bdf95d52fcf2",
5        "updatedBy": "",
6        "additionalIdentifier": "CUSTOM",
7        "amount": 99.99,
8        "application": {
9          "id": "a85c645a-0382-4e95-a49c-55d1371a9dd2",
10         "updatedBy": "",
11         "appPackage": null,
12         "banner": null,
13         "bundleIdentifier": "bundle123",
14         "casino": {
15           "id": "9c0bcbf4-c5e9-4174-87d0-7580d57792a9",
16           "updatedBy": "",
17           "imageUrl": "UserAppCas",
18           "name": "UserAppCas",
19           "videoUrl": "UserAppCas"
20         },
21         "casinoId": null,
22         "category": {
23           "id": "74578e05-7cf5-4720-a385-fb0b567cd0de",
24           "updatedBy": "",
25           "imageUrl": "UserAppCat",
26           "name": "UserAppCat",
27           "videoUrl": "UserAppCat"
28         },
29         "categoryId": null,
30         "description": null,
31         "downloads": null,
32         "featured": null,
33         "gameAppVersions": null,
34         "image": null,
35         "keywords": null,
36         "latestBuild": null,
37         "latestVersion": null,
38         "name": "Useful",
39         "order": null,
40         "paragraph1": null,
41         "paragraph2": null,
42         "paragraph3": null,
43         "paragraph4": null,
44         "presetPriceList": null,

```

json

```
45     "price": null,
46     "publisher": null,
47     "ranking": null,
48     "rating": null,
49     "sliderImages": null,
50     "subtitle": null,
51     "updated": null,
52     "video": null,
53     "status": null,
54     "downloadLink": null
55 },
56 "currencyCode": null,
57 "orderDate": 1458044573542,
58 "orderNumber": "34",
59 "paymentType": null,
60 "providerPaymentId": "345",
61 "providerTransactionDate": null,
62 "providerTransactionId": null,
63 "remarks": "Wrong",
64 "transactionType": "DEPOSIT",
65 "cardVerified": false,
66 "eWalletId": null,
67 "deviceUdid": null,
68 "promoCodes": null
69 }
70 ],
71 "detail": null,
72 "error": false,
73 "message": "Fetching transactions successful"
74 }
```

## POST Fetch User Transactions By Criteria (criteria)

### Description

Allows a client to fetch transactions of a user by using dynamic queries. Offset and limit parameters can be passed in the url query to control the results returned.

### Request Endpoint

POST <https://<Example api server address>/user/transactions/by/criteria>

### Parameters

None.

### cURL syntax

```
1 curl --include \  
2   --request POST \  
3   --header "Content-Type: application/json" \  
4   --data-binary "{  
5     \"userId\" : \"24cda86d-885d-41a4-a12e-b2e5343512d8\",  
6     \"providerOrderId\" : \"1EpxsJtxA\",  
7     \"extCasinoUserID\" : \"UUID.randomUUID().toString()\",  
8     \"extCasinoTransID\" : \"UUID.randomUUID().toString()\",  
9     \"firstName\" : \"Sudipta\",  
10    \"lastName\" : \"Bhaumik\",  
11    \"transactionCategory\" : \"DEPOSIT\",  
12    \"providerPaymentId\" : \"113903b9-2c03-4384-9474-8e202d1794f4\",  
13    \"startOrderDate\" : \"fghh\",  
14    \"endOrderDate\" : \"64\"  
15  }" \  
16  'https://core.dev.Example.net/api/user/transactions/by/criteria  
17  '
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
userId	String	Optional	UUID of a user.
providerOrderId	String	Optional	Provider order id of a transaction.
extCasinoUserID	String	Optional	Casino user id of a transaction.
extCasinoTransID	String	Optional	Casino transaction id of a transaction.
firstName	String	Optional	First name of a user.
lastName	String	Optional	Last name of a user.
transactionCategory	String	Optional	You can pass WITHDRAW, REFUND, PAYOUT, DEPOSIT, or CHARGEBACK.
providerPaymentId	String	Optional	Provider payment id of a transaction.
startOrderDate	String	Optional	The start order date.
endOrderDate	String	Optional	The end order date.

### POST body

**Headers:** Content-Type: application/json

```

1  {
2    "userId": "24cda86d-885d-41a4-a12e-b2e5343512d8",
3    "providerOrderId": "lEpvxsJtxA",
4    "extCasinoUserID": "UUID.randomUUID().toString()",
5    "extCasinoTransID": "UUID.randomUUID().toString()",
6    "firstName": "Sudipta",
7    "lastName": "Bhaumik",
8    "transactionCategory": "DEPOSIT",
9    "providerPaymentId": "113903b9-2c03-4384-9474-8e202d1794f4",
10   "startOrderDate": "fghh",
11   "endOrderDate": "64"
12 }

```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2    "data": {
3      "content": [
4        {
5          "id": "5768eed6-a921-4973-9e7f-b5f458026fbd",
6          "deleted": false,
7          "additionalIdentifier": "CUSTOM",
8          "amount": 60.45,
9          "application": null,
10         "currencyCode": "GBP",
11         "orderDate": 1471428756751,
12         "orderNumber": "4aece9d0-8d3d-4b23-9a30-e36e89169b42",
13         "paymentType": null,
14         "providerPaymentId": "113903b9-2c03-4384-9474-8e202d1794f4",
15         "providerTransactionId": null,
16         "remarks": null,
17         "transactionType": "ONE_TIME_TRANSACTION",
18         "past": true,
19         "extCasinoPaymentGatewayID": "w123",
20         "deviceUdid": "ghjhtrdecf",
21         "promoCodes": null,
22         "extCasinoUserID": "UUID.randomUUID().toString()",
23         "extCasinoTransID": "UUID.randomUUID().toString()",
24         "providerOrderId": "lEpvxsJtxA",
25         "pspCode": "code123",
26         "pspTID": "tid123",
27         "appliedIncentives": [
28           {
29             "incentiveId": "cb1c-4c9c-acef-44b9a784efb5",
30             "amount": 25.75
31           },
32           {
33             "incentiveId": "76c24-cb1c-4c9c-acef-44b9a784efb5",
34             "amount": 20.56
35           }
36         ],
37         "applicationVersion": "v0.3",
38         "transactionResult": "SUCCESS",
39         "amlData": null,
40         "threeDSData": {
41           "extRisk3DSTransaction": true,
42           "extRisk3DSSecureTransId": "tr123",

```

```
43     "extRisk3DSEnrolledCard": true,  
44     "extRisk3DSResult": "Success",  
45     "extRisk3DSData": {  
46         "data": null,  
47         "result": false  
48     }  
49 },  
50 "casino": null,  
51 "transactionCategory": "DEPOSIT",  
52 "parentTransactionId": null,  
53 "reasonForRefund": null,  
54 "refundedAmount": null,  
55 "reasonForChargeBack": null,  
56 "paymentComment": null,  
57 "payoutAmount": null,  
58 "reasonForPayout": null,  
59 "transactionOrderId": null,  
60 "manualRefund": false  
61 }  
62 ],  
63 "last": true,  
64 "totalPages": 1,  
65 "totalElements": 1,  
66 "sort": null,  
67 "numberOfElements": 1,  
68 "first": true,  
69 "size": 70,  
70 "number": 0  
71 },  
72 "detail": null,  
73 "error": false,  
74 "message": "Fetching user's transactions successful"  
75 }
```

## Description

Allows a consumer/user to fetch transactions by using dynamic queries. Offset and limit parameters can be passed in the url query to control the results returned.

## Request Endpoint

POST <https://<Example api server address>/user/transaction/history>

## Parameters

None.

## cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |     \"criteriaModelList\" : [  
6 |         {  
7 |             \"field\" : \"application.name\",  
8 |             \"operation\" : \"EQUAL\",  
9 |             \"startValue\" : \"Useful\",  
10 |            \"endValue\" : null  
11 |         }  
12 |     ]  
13 | }" \  
14 | 'https://core.dev.Example.net/api/user/transaction/history'
```

curl

## POST body attributes (JSON)

Attribute	Type	Use	Description
criteriaModelList	Array	Required	An array of the following criteria attributes.
field	String	Optional	field on which a criteria needs to be added.
operation	String	Optional	An operation performed on the "field".
startValue	String	Optional	The start value of the operation.
endValue	String	Optional	The end value of the operation if applicable (in case of range).

## POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |   \"criteriaModelList\": [  
3 |     {  
4 |       \"field\": \"application.name\",  
5 |       \"operation\": \"EQUAL\",  
6 |       \"startValue\": \"Useful\",  
7 |       \"endValue\": null  
8 |     }  
9 |   ]  
10 | }
```

json



## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

json

```
1  {
2    "data": [
3      {
4        "id": "376daaff-257d-4537-804c-12e0210baab3",
5        "updatedBy": "",
6        "additionalIdentifier": "CUSTOM",
7        "amount": 34.56,
8        "application": {
9          "id": "cbab1a87-243a-4319-8ae4-e93ca5cc3f6f",
10         "updatedBy": "",
11         "appPackage": null,
12         "banner": null,
13         "bundleIdentifier": "bundle123",
14         "casino": {
15           "id": "38d09d6e-12e1-44cb-ba2f-c69afc2806f3",
16           "updatedBy": "",
17           "imageUrl": "UserAppCas",
18           "name": "UserAppCas",
19           "videoUrl": "UserAppCas"
20         },
21         "casinoId": null,
22         "categories": null,
23         "categoryIds": null,
24         "description": null,
25         "downloads": null,
26         "featured": null,
27         "versionHistories": null,
28         "image": null,
29         "keywords": null,
30         "latestBuild": null,
31         "latestVersion": null,
32         "name": "Useful",
33         "order": null,
34         "paragraph1": null,
35         "paragraph2": null,
36         "paragraph3": null,
37         "paragraph4": null,
38         "presetPriceList": null,
39         "price": null,
40         "publisher": null,
41         "ranking": null,
42         "rating": null,
43         "sliderImages": null,
44         "subtitle": null,
45         "updated": null,
46         "video": null,
47         "status": null,
48         "downloadLink": null,
49         "compatibility": null,
50         "sizeOnDisk": null,
51         "permissionDetails": null,
52         "locationSupported": null,
53         "languageSupported": null,
54         "additionalDetails": null,
55         "tags": [
56           "live",
57           "dong",
```

```
58     "bing"
59     ],
60     "promotionalBonus": 20.45
61   },
62   "currencyCode": null,
63   "orderDate": 1455625239202,
64   "orderNumber": "34",
65   "paymentType": null,
66   "providerPaymentId": "345",
67   "providerTransactionId": null,
68   "remarks": "good",
69   "transactionType": "SAVE_CARD",
70   "past": false,
71   "eWalletId": null,
72   "deviceUdid": null,
73   "promoCodes": null,
74   "promotionalBonuses": null,
75   "extUserId": null,
76   "extTransId": null,
77   "providerOrderId": null
78   }
79 ],
80 "detail": null,
81 "error": false,
82 "message": "Fetching transactions successful"
83 }
```

## Description

Helps in fetching a user's transaction based on a search type.

- DEPOSIT and PROMOCODE act as filters.
- CASINO and GAME act as group filters.

## Request Endpoint

POST <https://<Example api server address>/user/transactions>

## Parameters

None.

## cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"userId\" : \"24cda86d-885d-41a4-a12e-b2e5343512d8\",\  
6 |         \"searchType\" : \"CASINO\"\  
7 |     }" \  
8 | 'https://core.dev.Example.net/api/user/transactions'
```

curl

## POST body attributes (JSON)

Attribute	Type	Use	Description
userId	String	Required	UUID of a user.
searchType	String	Required	Can be either ALL, DEPOSIT, PROMOCODE, CASINO, or GAME.

## POST body

**Headers:** Content-Type: application/json

```
1 | {\  
2 |     \"userId\": \"24cda86d-885d-41a4-a12e-b2e5343512d8\",\  
3 |     \"searchType\": \"CASINO\"\  
4 | }
```

json

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |     \"data\": {\  
3 |         \"userTransactions\": null,  
4 |         \"casinoTransactions\": [  
5 |             {  
6 |                 \"name\": \"KwooONnJxc\",  
7 |                 \"transactions\": [  
8 |                     {  
9 |                         \"id\": \"6bf5e453-f00a-4390-b788-e4e169412c49\",  
10 |                        \"additionalIdentifier\": \"CUSTOM\",
```

json

```

11     "amount": 60.45,
12     "application": {
13         "id": "2952746c-b936-43de-9f7b-027ec25c7951",
14         "name": "hqMnIqTKZB",
15         "appPackage": "appPac",
16         "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
17         "bundleIdentifier": "tcsPJrUvMg",
18         "casino": {
19             "id": "1f7703b3-d851-4a77-89a3-d51bb447bcd9",
20             "name": "KwooONnJxc",
21             "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.co
22             "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.com
23             "description": "This casino has lot of game apps1",
24             "website": "http://www.casino1.com",
25             "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
26             "banner": "banner2345",
27             "deletedBy": null,
28             "deletedOn": null,
29             "operatorStatus": "NEW",
30             "email": null,
31             "userRole": "OPERATOR",
32             "firstName": null,
33             "lastName": null,
34             "address": null
35         },
36         "casinoId": null,
37         "categories": [
38             {
39                 "id": "84c71849-0a50-46da-b80c-68c65169ff38",
40                 "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.c
41                 "name": "aLKsdgxl0",
42                 "description": "Some poker category",
43                 "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.
44                 "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.c
45                 "colorCode": "#FFFFFF",
46                 "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://w
47                 "priority": 1,
48                 "deletedBy": null,
49                 "deletedOn": null
50             }
51         ],
52         "categoryIds": null,
53         "description": "description about application 1",
54         "downloads": 4646,
55         "featured": null,
56         "versionHistories": [
57             {
58                 "build": 18,
59                 "version": "v0.3",
60                 "versionDate": 1471428721448,
61                 "releaseDate": 1471428721448,
62                 "downloadLink": null,
63                 "rating": {
64                     "count": 0,
65                     "overall": 0,
66                     "gamePlay": 0,
67                     "design": 0,
68                     "ease": 0
69                 },
70                 "image": null,
71                 "sliderImages": null,

```

```

72         "banner": null,
73         "video": null,
74         "versionStatus": null
75     }
76 ],
77 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
78 "keywords": [
79     "key1",
80     "key2",
81     "key3"
82 ],
83 "latestBuild": 18,
84 "latestVersion": "v0.3",
85 "order": 345,
86 "paragraph1": "1 paragraph",
87 "paragraph2": "2st paragraph",
88 "paragraph3": "3st paragraph",
89 "paragraph4": "4th para",
90 "presetPricelist": null,
91 "price": 3436,
92 "publisher": null,
93 "ranking": 23,
94 "sliderImages": [
95     {
96         "id": "8be54460-7bb1-4702-8056-40aec988ed87",
97         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
98         "order": 1
99     },
100    {
101        "id": "959d3193-caf4-4c40-be63-d54fcfb45a45",
102        "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
103        "order": 0
104    }
105 ],
106 "subtitle": "subtitle",
107 "updated": null,
108 "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
109 "status": "PUBLISHED",
110 "downloadLink": null,
111 "compatibility": "kitkat",
112 "sizeOnDisk": "12MB",
113 "permissionDetails": "You should have kitkat version to run this app",
114 "locationSupported": [
115     "India",
116     "UK"
117 ],
118 "languageSupported": [
119     "English",
120     "French"
121 ],
122 "additionalDetails": "This application is very popular",
123 "tags": null,
124 "rating": {
125     "count": 0,
126     "overall": 0,
127     "gamePlay": 0,
128     "design": 0,
129     "ease": 0
130 },
131 "silent": {
132     "min": 1,

```

```

133         "max": 1
134     },
135     "normal": {
136         "min": 1,
137         "max": 1
138     },
139     "mandatory": {
140         "min": 1,
141         "max": 1
142     },
143     "downgrade": {
144         "min": null,
145         "max": null
146     },
147     "incentives": null,
148     "deletedBy": null,
149     "deletedOn": null
150 },
151 "currencyCode": "GBP",
152 "orderDate": 1471428755972,
153 "orderNumber": "6474b92f-e027-410d-af5c-3c1965710fc6",
154 "paymentType": "CREDITCARD",
155 "providerPaymentId": "e423070e-73e8-42b3-bf41-2c36a332b2b9",
156 "providerTransactionId": "8fbfd72e-9175-49e8-8f8a-df679140591b",
157 "remarks": null,
158 "transactionType": "EXISTING",
159 "past": true,
160 "extCasinoPaymentGatewayID": "w123",
161 "deviceUdid": "ghjhtredecf",
162 "promoCodes": [
163     {
164         "promoCode": "PROMO1",
165         "bonusAmount": 10.5
166     },
167     {
168         "promoCode": "PROMO2",
169         "bonusAmount": 15.5
170     }
171 ],
172 "extCasinoUserID": "UUID.randomUUID().toString()",
173 "extCasinoTransID": "UUID.randomUUID().toString()",
174 "providerOrderId": "QBUxDDeIq1",
175 "pspCode": "code123",
176 "pspTID": "tid123",
177 "appliedIncentives": [
178     {
179         "incentiveId": "cb1c-4c9c-acef-44b9a784efb5",
180         "amount": 25.75
181     },
182     {
183         "incentiveId": "76c24-cb1c-4c9c-acef-44b9a784efb5",
184         "amount": 20.56
185     }
186 ],
187 "applicationVersion": "v0.3",
188 "transactionResult": "SUCCESS",
189 "amlData": null,
190 "threeDSData": {
191     "extRisk3DSTransaction": true,
192     "extRisk3DSSecureTransId": "tr123",
193     "extRisk3DSEnrolledCard": true,

```

```

194         "extRisk3DSResult": "Success",
195         "extRisk3DSData": {
196             "data": null,
197             "result": false
198         }
199     },
200     "casino": {
201         "id": "1f7703b3-d851-4a77-89a3-d51bb447bcd9",
202         "name": "KwooONnJxc",
203         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/
204         imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.com/b
205         description": "This casino has lot of game apps1",
206         "website": "http://www.casino1.com",
207         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
208         "banner": "banner2345",
209         "deletedBy": null,
210         "deletedOn": null,
211         "operatorStatus": "NEW",
212         "email": null,
213         "userRole": "OPERATOR",
214         "firstName": null,
215         "lastName": null,
216         "address": null
217     },
218     "transactionCategory": "DEPOSIT",
219     "parentTransactionId": null,
220     "reasonForRefund": null,
221     "refundedAmount": null,
222     "reasonForChargeBack": null,
223     "paymentComment": null,
224     "payoutAmount": null,
225     "reasonForPayout": null,
226     "transactionOrderId": null,
227     "manualRefund": false
228 }
229 ]
230 },
231 {
232     "name": "RYGYPZzwDV",
233     "transactions": [
234     {
235         "id": "5768eed6-a921-4973-9e7f-b5f458026fbd",
236         "additionalIdentifier": "CUSTOM",
237         "amount": 60.45,
238         "application": {
239             "id": "2952746c-b936-43de-9f7b-027ec25c7951",
240             "name": "hqMnIqTKZB",
241             "appPackage": "appPac",
242             "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
243             "bundleIdentifier": "tcsPJrUvMg",
244             "casino": {
245                 "id": "1f7703b3-d851-4a77-89a3-d51bb447bcd9",
246                 "name": "KwooONnJxc",
247                 "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.co
248                 imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.com
249                 description": "This casino has lot of game apps1",
250                 "website": "http://www.casino1.com",
251                 "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
252                 "banner": "banner2345",
253                 "deletedBy": null,
254                 "deletedOn": null,

```

```

255     "operatorStatus": "NEW",
256     "email": null,
257     "userRole": "OPERATOR",
258     "firstName": null,
259     "lastName": null,
260     "address": null
261 },
262 "casinoId": null,
263 "categories": [
264     {
265         "id": "84c71849-0a50-46da-b80c-68c65169ff38",
266         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.c
267         "name": "aLKsdgxl0",
268         "description": "Some poker category",
269         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.
270         "iconUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.c
271         "colorCode": "#FFFFFF",
272         "heroImageReference": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://w
273         "priority": 1,
274         "deletedBy": null,
275         "deletedOn": null
276     }
277 ],
278 "categoryIds": null,
279 "description": "description about application 1",
280 "downloads": 4646,
281 "featured": null,
282 "versionHistories": [
283     {
284         "build": 18,
285         "version": "v0.3",
286         "versionDate": 1471428721448,
287         "releaseDate": 1471428721448,
288         "downloadLink": null,
289         "rating": {
290             "count": 0,
291             "overall": 0,
292             "gamePlay": 0,
293             "design": 0,
294             "ease": 0
295         },
296         "image": null,
297         "sliderImages": null,
298         "banner": null,
299         "video": null,
300         "versionStatus": null
301     }
302 ],
303 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
304 "keywords": [
305     "key1",
306     "key2",
307     "key3"
308 ],
309 "latestBuild": 18,
310 "latestVersion": "v0.3",
311 "order": 345,
312 "paragraph1": "1 paragraph",
313 "paragraph2": "2st paragraph",
314 "paragraph3": "3st paragraph",
315 "paragraph4": "4th para",

```



```

316     "presetPriceList": null,
317     "price": 3436,
318     "publisher": null,
319     "ranking": 23,
320     "sliderImages": [
321         {
322             "id": "8be54460-7bb1-4702-8056-40aec988ed87",
323             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
324             "order": 1
325         },
326         {
327             "id": "959d3193-caf4-4c40-be63-d54fcfb45a45",
328             "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
329             "order": 0
330         }
331     ],
332     "subtitle": "subtitle",
333     "updated": null,
334     "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
335     "status": "PUBLISHED",
336     "downloadLink": null,
337     "compatibility": "kitkat",
338     "sizeOnDisk": "12MB",
339     "permissionDetails": "You should have kitkat version to run this app",
340     "locationSupported": [
341         "India",
342         "UK"
343     ],
344     "languageSupported": [
345         "English",
346         "French"
347     ],
348     "additionalDetails": "This application is very popular",
349     "tags": null,
350     "rating": {
351         "count": 0,
352         "overall": 0,
353         "gamePlay": 0,
354         "design": 0,
355         "ease": 0
356     },
357     "silent": {
358         "min": 1,
359         "max": 1
360     },
361     "normal": {
362         "min": 1,
363         "max": 1
364     },
365     "mandatory": {
366         "min": 1,
367         "max": 1
368     },
369     "downgrade": {
370         "min": null,
371         "max": null
372     },
373     "incentives": null,
374     "deletedBy": null,
375     "deletedOn": null
376 },

```

```

377     "currencyCode": "GBP",
378     "orderDate": 1471428756751,
379     "orderNumber": "4aece9d0-8d3d-4b23-9a30-e36e89169b42",
380     "paymentType": null,
381     "providerPaymentId": null,
382     "providerTransactionId": "113903b9-2c03-4384-9474-8e202d1794f4",
383     "remarks": null,
384     "transactionType": "ONE_TIME_TRANSACTION",
385     "past": true,
386     "extCasinoPaymentGatewayID": "w123",
387     "deviceUdid": "ghjhtrdecf",
388     "promoCodes": null,
389     "extCasinoUserID": "UUID.randomUUID().toString()",
390     "extCasinoTransID": "UUID.randomUUID().toString()",
391     "providerOrderId": "lEpxsJtxA",
392     "pspCode": "code123",
393     "pspTID": "tid123",
394     "appliedIncentives": [
395         {
396             "incentiveId": "cb1c-4c9c-acef-44b9a784efb5",
397             "amount": 25.75
398         },
399         {
400             "incentiveId": "76c24-cb1c-4c9c-acef-44b9a784efb5",
401             "amount": 20.56
402         }
403     ],
404     "applicationVersion": "v0.3",
405     "transactionResult": "SUCCESS",
406     "amlData": null,
407     "threeDSData": {
408         "extRisk3DSTransaction": true,
409         "extRisk3DSSecureTransId": "tr123",
410         "extRisk3DSEnrolledCard": true,
411         "extRisk3DSResult": "Success",
412         "extRisk3DSData": {
413             "data": null,
414             "result": false
415         }
416     },
417     "casino": {
418         "id": "c0b63c81-8cf1-4f8b-8ded-977e85567504",
419         "name": "RYGYPZzwDV",
420         "videoUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://www.google.com/
421         "imageUrl": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/http://www.google.com/b
422         "description": "This casino has lot of game apps1",
423         "website": "http://www.casino1.com",
424         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
425         "banner": "banner2345",
426         "deletedBy": null,
427         "deletedOn": null,
428         "operatorStatus": "NEW",
429         "email": null,
430         "userRole": "OPERATOR",
431         "firstName": null,
432         "lastName": null,
433         "address": null
434     },
435     "transactionCategory": "DEPOSIT",
436     "parentTransactionId": null,
437     "reasonForRefund": null,

```

```
438         "refundedAmount": null,
439         "reasonForChargeBack": null,
440         "paymentComment": null,
441         "payoutAmount": null,
442         "reasonForPayout": null,
443         "transactionOrderId": null,
444         "manualRefund": false
445     }
446 ]
447 }
448 ],
449     "applicationTransactions": null
450 },
451     "detail": null,
452     "error": false,
453     "message": "Fetching user transactions successful."
454 }
```

## POST Fetch User Transactions By Multiple Criteria

### Description

Fetches user transactions with multiple criteria.

### Request Endpoint

POST <https://<Example api server address>/user/transactions/bycriteria>

### Parameters

None.

### cURL Syntax

```
1 curl --include \  
2     --request POST \  
3     --header "Content-Type: application/json" \  
4     --data-binary "{  
5     \"searchCriteriaList\" : [  
6         {  
7             \"field\" : \"user.firstName\",  
8             \"startValue\" : \"shru\"  
9         },  
10        {  
11            \"field\" : \"user.firstName\",  
12            \"startValue\" : \"Shruti\"  
13        }  
14    ]  
15 }" \  
16 'https://core.dev.Example.net/api/user/transactions/bycriteria'
```

https

### POST body attributes (JSON)

Attribute	Type	Use	Description
<code>searchCriteriaList</code>	Array	Required	an array of following attributes.
<code>field</code>	String	Optional	Field name through which transactions should be searched.
<code>startValue</code>	String	Optional	Start value for the field.
<code>endValue</code>	String	Optional	End value for the field.

### POST body

Headers: Content-Type: application/json

```
1 {  
2     "searchCriteriaList": [  
3         {  
4             "field": "user.firstName",  
5             "startValue": "shru"  
6         },  
7         {  
8             "field": "user.firstName",  
9             "startValue": "Shruti"  
10        }  
11    ]  
12 }
```

json

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

json

```
1  {
2    "data": {
3      "content": [
4        {
5          "id": "59267f01-c59c-4591-bd15-b6058893109d",
6          "createdOn": 1479472506964,
7          "lastModifiedOn": 1479472506964,
8          "updatedBy": "",
9          "deleted": false,
10         "additionalIdentifier": "CUSTOM",
11         "amount": 10,
12         "application": {
13           "id": "9bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",
14           "createdOn": 1472021965228,
15           "lastModifiedOn": 1477810765228,
16           "updatedBy": "",
17           "deleted": false,
18           "name": "Application1",
19           "appPackage": "appPac",
20           "bundleIdentifier": "app1",
21           "casino": {
22             "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
23             "createdOn": 1472021963085,
24             "lastModifiedOn": 1472021963085,
25             "updatedBy": "",
26             "deleted": false,
27             "name": "Poker 26",
28             "videoUrl": "https://www.google.com/betting-video.mov",
29             "imageUrl": "http://www.google.com/betting.png",
30             "description": "This casino has lot of game apps1",
31             "website": "http://www.casino1.com",
32             "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
33             "banner": "banner2345",
34             "deletedBy": null,
35             "deletedOn": null,
36             "operatorStatus": "NEW",
37             "email": null,
38             "userRole": "OPERATOR",
39             "firstName": null,
40             "lastName": null,
41             "address": null,
42             "externalId": null,
43             "featuredAppId": null,
44             "latestAppId": null
45           },
46           "casinoId": null,
47           "categories": [
48             null
49           ],
50           "categoryIds": null,
51           "downloads": 46,
52           "featured": false,
53           "applicationVersionIds": null,
54           "keywords": [
55             "key1",
56             "key2",
```

```

57     "key3"
58 ],
59 "latestBuild": 18,
60 "latestVersion": "v0.3",
61 "initialVersionPublishDate": null,
62 "latestVersionPublishDate": null,
63 "order": 345,
64 "paragraph1": "1 paragraph",
65 "paragraph2": "2st paragraph",
66 "paragraph3": "3st paragraph",
67 "paragraph4": "4th para",
68 "presetPriceList": null,
69 "price": 3436,
70 "publisherId": null,
71 "publisher": null,
72 "ranking": 23,
73 "subtitle": "subtitle",
74 "updated": null,
75 "status": "PUBLISHED",
76 "downloadLink": null,
77 "compatibility": "kitkat",
78 "sizeOnDisk": "12MB",
79 "permissionDetails": "You should have kitkat version to run this app",
80 "additionalDetails": "This application is very popular",
81 "tags": null,
82 "rating": {
83     "count": 0,
84     "overall": 0,
85     "gamePlay": 0,
86     "design": 0,
87     "ease": 0
88 },
89 "silent": {
90     "min": 1,
91     "max": 1
92 },
93 "normal": {
94     "min": 1,
95     "max": 1
96 },
97 "mandatory": {
98     "min": 1,
99     "max": 1
100 },
101 "downgrade": {
102     "min": null,
103     "max": null
104 },
105 "deletedBy": null,
106 "deletedOn": null,
107 "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
108 "sliderImages": [
109     {
110         "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
111         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
112         "order": 1
113     },
114     {
115         "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
116         "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
117         "order": 0

```

```

118     }
119   ],
120   "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
121   "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
122   "icon": null,
123   "featuredImage": null,
124   "privacyPolicy": null,
125   "locationSupported": [
126     "India",
127     "UK"
128   ],
129   "languageSupported": [
130     "English",
131     "French"
132   ],
133   "affiliateLaunchMode": null,
134   "affiliateLaunchData": null,
135   "editorsPick": false,
136   "live": false,
137   "reviewer": null
138 },
139 "currencyCode": "GBP",
140 "orderDate": 1479472506963,
141 "orderNumber": "93166ca1-1e25-4c6b-b2c4-e82e3b1ccd90",
142 "paymentType": "Consumer Debit E-Comm",
143 "providerPaymentId": "75760916-7154-43cd-b9e0-f04778c91bfc",
144 "providerTransactionId": "zasfshcssazg76qwtf",
145 "remarks": null,
146 "transactionType": "EXISTING",
147 "past": false,
148 "user": {
149   "id": "491c6bc6-8a6f-4e44-aa08-d66e36a65eec",
150   "createdOn": 1474966273775,
151   "lastModifiedOn": 1475152313913,
152   "updatedBy": "",
153   "deleted": false,
154   "addresses": null,
155   "devices": [
156     {
157       "id": "9146350a-8104-4fd3-aa2c-601afc43f2a9",
158       "createdOn": 1474966270642,
159       "lastModifiedOn": 1474966270642,
160       "updatedBy": "",
161       "deleted": false,
162       "description": "Old Device",
163       "deviceStatus": "NORMAL",
164       "manufacturer": "Apple",
165       "model": "iPhone 5",
166       "os": "iOS 9",
167       "udid": "2083718938012321038243",
168       "simStateHashCode": null,
169       "simCardState": null,
170       "deletedUdid": null,
171       "deletedBy": null,
172       "deletedOn": null,
173       "name": "Moto",
174       "brand": null,
175       "androidID": "etr657y",
176       "advertiserID": null,
177       "operator": null,
178       "country": "India",

```

```
179         "language": "English",
180         "screenWidthInPixels": null,
181         "screenHeightInPixels": null,
182         "screenWidthInInches": null,
183         "screenHeightInInches": null
184     }
185 ],
186 "emailAuthenticationChannels": [],
187 "firstName": "Shruti",
188 "fullName": "Shruti Nagarkar",
189 "groupTag": [
190     "FACEBOOK",
191     "Apple",
192     "United Kingdom",
193     "iOS 9",
194     "1234234",
195     "iPhone 5"
196 ],
197 "lastName": "Nagarkar",
198 "locationCountry": "United Kingdom",
199 "locationZipCode": "1234234",
200 "mobileAuthenticationChannels": [
201     {
202         "addedOn": 1474966273458,
203         "blockStatus": "NORMAL",
204         "deletedOn": null,
205         "lastUsedOn": 1474966273458,
206         "loginType": "MOBILE",
207         "mobileNumber": null,
208         "mobilePinResetStatus": null,
209         "mobileVerificationStatus": null,
210         "primary": null,
211         "deleted": false,
212         "recycleMobileNumber": null
213     }
214 ],
215 "pinCreated": true,
216 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/default-profile-ima
217 "profileName": "RN Shruti",
218 "registrationDate": 1474966271005,
219 "socialAuthenticationChannels": null,
220 "status": "ACTIVE",
221 "timezone": null,
222 "userSetting": {
223     "autoUpdateBetcadeApp": true,
224     "autoUpdateDownloadedApps": true,
225     "monthlyDepositMaxLimit": 0,
226     "monthlyDepositMaxLimitCurrency": "GBP",
227     "prefillUserInfoInCasino": true,
228     "receiveEmailReceipt": true,
229     "receiveNotifications": true,
230     "shareRegistrationInfo": true,
231     "userEmailProvided": true,
232     "versionOfDownloadedBetcadeApp": "v1",
233     "wifiDownloadLimitInMB": 0,
234     "preferredCategories": [],
235     "autoSaveCard": true,
236     "autoAddHomeIcon": true,
237     "receiveUpdateNotifications": true,
238     "receiveAutoUpdatedNotifications": true,
239     "receiveRecommendationNotifications": true,
```



```

240     "preferredCurrency": null,
241     "appSetting": {
242         "autoUpdateApps": 2,
243         "addIconHomeScreen": false,
244         "saveNewCreditOrDebitCards": true,
245         "appUpdatesAvailable": true,
246         "appsWereAutoUpdated": true,
247         "recommendedContentAvailable": true
248     }
249 },
250 "verified": true,
251 "pinResetDate": null,
252 "pinChangeDate": null,
253 "singularId": null,
254 "acquisitionIds": null,
255 "userAuditInfo": {
256     "initialLoginDate": 1474966271005,
257     "initialLoginIp": "127.0.0.1",
258     "initialLoginLocation": " ",
259     "initialRegistrationDate": 1474997035043,
260     "initialRegistrationIp": "127.0.0.1",
261     "initialRegistrationLocation": " "
262 },
263 "email": "rn.shruti@gmail.com",
264 "phone": "+918050022027",
265 "dob": 663878340000,
266 "statusBeforeBlacklisting": null,
267 "muid": null,
268 "testUser": null
269 },
270 "extCasinoPaymentGatewayID": "w123",
271 "deviceUdid": "2083718938012321038243",
272 "promoCodes": [
273     {
274         "promoCode": "PROMO1",
275         "bonusAmount": 10.5
276     },
277     {
278         "promoCode": "PROMO2",
279         "bonusAmount": 15.5
280     }
281 ],
282 "extCasinoUserID": "token",
283 "extCasinoTransID": "ppi12345",
284 "providerOrderId": "675sswfsdabd",
285 "pspCode": "PPG002",
286 "pspTID": "tid123",
287 "appliedIncentives": [
288     {
289         "incentiveId": "cb1c-4c9c-acef-44b9a784efb5",
290         "amount": 25.75
291     },
292     {
293         "incentiveId": "76c24-cb1c-4c9c-acef-44b9a784efb5",
294         "amount": 20.56
295     }
296 ],
297 "applicationVersion": "v12",
298 "transactionResult": "SUCCESS",
299 "amlData": {
300     "extRiskCheckResult": "PASS",

```

```

301     "extRiskCheckScore": 1,
302     "extRiskCheckDateTime": 1462361924,
303     "extRiskCheckData": {
304         "data": "sample",
305         "result": false
306     }
307 },
308     "threeDSData": {
309         "extRisk3DSTransaction": true,
310         "extRisk3DSSecureTransId": "tr123",
311         "extRisk3DSEnrolledCard": true,
312         "extRisk3DSResult": "Success",
313         "extRisk3DSData": {
314             "data": "sample",
315             "result": false
316         }
317     },
318     "casino": {
319         "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
320         "createdOn": 1472021963085,
321         "lastModifiedOn": 1472021963085,
322         "updatedBy": "",
323         "deleted": false,
324         "name": "Poker 26",
325         "videoUrl": "https://www.google.com/betting-video.mov",
326         "imageUrl": "http://www.google.com/betting.png",
327         "description": "This casino has lot of game apps1",
328         "website": "http://www.casino1.com",
329         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
330         "banner": "banner2345",
331         "deletedBy": null,
332         "deletedOn": null,
333         "operatorStatus": "NEW",
334         "email": null,
335         "userRole": "OPERATOR",
336         "firstName": null,
337         "lastName": null,
338         "address": null,
339         "externalId": null,
340         "featuredAppId": null,
341         "latestAppId": null
342     },
343     "transactionCategory": "DEPOSIT",
344     "parentTransactionId": null,
345     "refundedAmount": null,
346     "manual": false,
347     "notes": null,
348     "reason": null,
349     "erpId": null,
350     "region": "International",
351     "cardScheme": "MASTERCARD",
352     "transactionStatus": "Authorized",
353     "geoLocation": {
354         "x": 132424,
355         "y": 2354635
356     }
357 },
358 ],
359 "last": true,
360 "totalElements": 2,
361 "totalPages": 1,

```

```
362     "numberOfElements": 2,  
363     "sort": [  
364         {  
365             "direction": "DESC",  
366             "property": "lastModifiedOn",  
367             "ignoreCase": false,  
368             "nullHandling": "NATIVE",  
369             "ascending": false  
370         }  
371     ],  
372     "first": true,  
373     "size": 70,  
374     "number": 0  
375 },  
376 "detail": null,  
377 "error": false,  
378 "message": "Fetching user transactions successful",  
379 "code": "1000"  
380 }
```

**GET**

## Fetch User Transactions By Promotion Name

### Description

### Request Endpoint

GET <https://<Example api server address>/user/transactions/by/promotion/name/{name}>

### Parameters

Parameter	Type	Use	Description
name	String	Required	Promotion name through which transactions should be searched.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/transactions/by/promotion/name/{name}'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "content": [  
4 |       {  
5 |         "id": "6b73f11e-e6dc-4766-a27b-c6e900b9e8d3",  
6 |         "createdOn": 1481974480388,  
7 |         "lastModifiedOn": 1481974480388,  
8 |         "updatedBy": "",  
9 |         "deleted": false,  
10 |        "additionalIdentifier": "CUSTOM",  
11 |        "amount": 10,  
12 |        "application": {  
13 |          "id": "9bbba7f9-a8dd-4b84-abc8-19899b2cf0a7",  
14 |          "createdOn": 1472021965228,  
15 |          "lastModifiedOn": 1477810765228,  
16 |          "updatedBy": "",  
17 |          "deleted": false,  
18 |          "name": "Application1",  
19 |          "description": "description about application 1",  
20 |          "appPackage": "appPac",  
21 |          "bundleIdentifier": "app1",  
22 |          "casino": {  
23 |            "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",  
24 |            "createdOn": 1472021963085,  
25 |            "lastModifiedOn": 1472021963085,  
26 |            "updatedBy": "",  
27 |            "deleted": false,  
28 |            "name": "Poker 26",  
29 |            "videoUrl": "https://www.google.com/betting-video.mov",  
30 |            "imageUrl": "http://www.google.com/betting.png",  
31 |            "description": "This casino has lot of game apps1",  
32 |            "website": "http://www.casino1.com",  
33 |            "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",  
34 |            "banner": "banner2345",  
          "deletedBy": null,  
        }  
      }  
    ]  
  }  
}
```

json

```

35     "deletedOn": null,
36     "operatorStatus": "NEW",
37     "email": null,
38     "userRole": "OPERATOR",
39     "firstName": null,
40     "lastName": null,
41     "address": null,
42     "externalId": null,
43     "featuredAppId": null,
44     "latestAppId": null
45 },
46 "casinoId": null,
47 "categories": [
48     null
49 ],
50 "categoryIds": null,
51 "downloads": 46,
52 "featured": false,
53 "applicationVersionIds": null,
54 "keywords": [
55     "key1",
56     "key2",
57     "key3"
58 ],
59 "latestBuild": 18,
60 "latestVersion": "v0.3",
61 "initialVersionPublishDate": null,
62 "latestVersionPublishDate": null,
63 "order": 345,
64 "paragraph1": "1 paragraph",
65 "paragraph2": "2st paragraph",
66 "paragraph3": "3st paragraph",
67 "paragraph4": "4th para",
68 "presetPriceList": null,
69 "price": 3436,
70 "publisherId": null,
71 "publisher": null,
72 "ranking": 23,
73 "subtitle": "subtitle",
74 "updated": null,
75 "status": "PUBLISHED",
76 "downloadLink": null,
77 "compatibility": "kitkat",
78 "sizeOnDisk": "12MB",
79 "permissionDetails": "You should have kitkat version to run this app",
80 "additionalDetails": "This application is very popular",
81 "tags": null,
82 "rating": {
83     "count": 0,
84     "overall": 0,
85     "gamePlay": 0,
86     "design": 0,
87     "ease": 0
88 },
89 "silent": {
90     "min": 1,
91     "max": 1
92 },
93 "normal": {
94     "min": 1,
95     "max": 1

```

```

96     },
97     "mandatory": {
98         "min": 1,
99         "max": 1
100    },
101    "downgrade": {
102        "min": null,
103        "max": null
104    },
105    "deletedBy": null,
106    "deletedOn": null,
107    "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
108    "sliderImages": [
109        {
110            "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
111            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
112            "order": 1
113        },
114        {
115            "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
116            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
117            "order": 0
118        }
119    ],
120    "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
121    "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
122    "icon": null,
123    "featuredImage": null,
124    "privacyPolicy": null,
125    "locationSupported": [
126        "India",
127        "UK"
128    ],
129    "languageSupported": [
130        "English",
131        "French"
132    ],
133    "affiliateLaunchMode": null,
134    "affiliateLaunchData": null,
135    "editorsPick": false,
136    "live": false,
137    "reviewer": null,
138    "certificates": null
139 },
140 "currencyCode": "GBP",
141 "orderDate": 1481974480387,
142 "orderNumber": "4241a4d0-d21c-49aa-9551-c06905e64537",
143 "paymentType": "Consumer Debit E-Comm",
144 "providerPaymentId": "75760916-7154-43cd-b9e0-f04778c91bfc",
145 "providerTransactionId": "zasfazdg76qwtf",
146 "remarks": null,
147 "transactionType": "EXISTING",
148 "past": false,
149 "user": {
150     "id": "2880b416-177d-445f-838f-c414aea3b94a",
151     "createdOn": 1481536739007,
152     "lastModifiedOn": 1481539408963,
153     "updatedBy": "",
154     "deleted": false,
155     "addresses": null,
156     "devices": [

```

```

157     {
158         "id": "cd6c04e3-ea77-41b4-8ab4-aac729306ec5",
159         "createdOn": 1481536734856,
160         "lastModifiedOn": 1481536734856,
161         "updatedBy": "",
162         "deleted": false,
163         "description": "Old Device",
164         "deviceStatus": "NORMAL",
165         "manufacturer": "Apple",
166         "model": "iPhone 5",
167         "os": "iOS 9",
168         "udid": "2083718938038243",
169         "simStateHashCode": null,
170         "simCardState": null,
171         "deletedUdid": null,
172         "deletedBy": null,
173         "deletedOn": null,
174         "name": "Moto",
175         "brand": null,
176         "androidID": "etr657y",
177         "advertiserID": null,
178         "operator": null,
179         "country": "India",
180         "language": "English",
181         "screenWidthInPixels": null,
182         "screenHeightInPixels": null,
183         "screenWidthInInches": null,
184         "screenHeightInInches": null
185     }
186 ],
187 "emailAuthenticationChannels": [],
188 "firstName": "Reeth",
189 "fullName": "Reeth H",
190 "groupTag": [
191     "FACEBOOK",
192     "Apple",
193     "United Kingdom",
194     "iOS 9",
195     "1234234",
196     "iPhone 5"
197 ],
198 "lastName": "H",
199 "locationCountry": "United Kingdom",
200 "locationZipCode": "1234234",
201 "mobileAuthenticationChannels": [],
202 "pinCreated": true,
203 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://jfjh.jdhhg.",
204 "profileName": "ABC",
205 "registrationDate": 1481536734888,
206 "socialAuthenticationChannels": [
207     {
208         "addedOn": 1481536739002,
209         "blockStatus": "NORMAL",
210         "deletedOn": null,
211         "lastUsedOn": 1481536739002,
212         "loginType": "FACEBOOK",
213         "socialId": "zdg4ds5yf",
214         "deleted": false,
215         "recycleSocialId": null,
216         "emailAddress": "san.sh555@gmail.com",
217         "profileName": "facebook"

```

```

218     }
219 ],
220 "status": "ACTIVE",
221 "timezone": null,
222 "userSetting": {
223     "autoUpdateBetcadeApp": true,
224     "autoUpdateDownloadedApps": true,
225     "monthlyDepositMaxLimit": 0,
226     "monthlyDepositMaxLimitCurrency": "GBP",
227     "prefillUserInfoInCasino": true,
228     "receiveEmailReceipt": true,
229     "receiveNotifications": true,
230     "shareRegistrationInfo": true,
231     "userEmailProvided": true,
232     "versionOfDownloadedBetcadeApp": "v1",
233     "wifiDownloadLimitInMB": 0,
234     "preferredCategories": [],
235     "autoSaveCard": true,
236     "autoAddHomeIcon": true,
237     "receiveUpdateNotifications": true,
238     "receiveAutoUpdatedNotifications": true,
239     "receiveRecommendationNotifications": true,
240     "preferredCurrency": null,
241     "appSetting": {
242         "autoUpdateApps": 2,
243         "addIconHomeScreen": false,
244         "saveNewCreditOrDebitCards": true,
245         "appUpdatesAvailable": true,
246         "appsWereAutoUpdated": true,
247         "recommendedContentAvailable": true
248     },
249     "allowLargeFilesOverWifiOnly": true
250 },
251 "verified": true,
252 "pinResetDate": null,
253 "pinChangeDate": 1481536775580,
254 "singularId": null,
255 "acquisitionIds": null,
256 "userAuditInfo": {
257     "initialLoginDate": 1481536734888,
258     "initialLoginIp": "127.0.0.1",
259     "initialLoginLocation": " ",
260     "initialRegistrationDate": null,
261     "initialRegistrationIp": null,
262     "initialRegistrationLocation": null
263 },
264 "email": "san.sh555@gmail.com",
265 "phone": "+919874654244",
266 "dob": 663359640000,
267 "statusBeforeBlacklisting": null,
268 "muid": "07a5d35f-ebfb-4912-9302-88b82baa9d8e",
269 "testUser": null
270 },
271 "extCasinoPaymentGatewayID": "w123",
272 "deviceUdid": "2083718938038243",
273 "promoCodes": null,
274 "extCasinoUserID": "token",
275 "extCasinoTransID": "ppi12345",
276 "providerOrderId": "67d5ssdabd",
277 "pspCode": "PPG002",
278 "pspTID": "tid123",

```



```

279     "incentiveAppliedList": null,
280     "applicationVersion": "v12",
281     "transactionResult": "SUCCESS",
282     "amlData": {
283         "extRiskCheckResult": "PASS",
284         "extRiskCheckScore": 1,
285         "extRiskCheckDateTime": 1462361924,
286         "extRiskCheckData": {
287             "data": "sample",
288             "result": false
289         }
290     },
291     "threeDSData": {
292         "extRisk3DSTransaction": true,
293         "extRisk3DSSecureTransId": "tr123",
294         "extRisk3DSEnrolledCard": true,
295         "extRisk3DSResult": "Success",
296         "extRisk3DSData": {
297             "data": "sample",
298             "result": false
299         }
300     },
301     "casino": {
302         "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
303         "createdOn": 1472021963085,
304         "lastModifiedOn": 1472021963085,
305         "updatedBy": "",
306         "deleted": false,
307         "name": "Poker 26",
308         "videoUrl": "https://www.google.com/betting-video.mov",
309         "imageUrl": "http://www.google.com/betting.png",
310         "description": "This casino has lot of game apps1",
311         "website": "http://www.casino1.com",
312         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
313         "banner": "banner2345",
314         "deletedBy": null,
315         "deletedOn": null,
316         "operatorStatus": "NEW",
317         "email": null,
318         "userRole": "OPERATOR",
319         "firstName": null,
320         "lastName": null,
321         "address": null,
322         "externalId": null,
323         "featuredAppId": null,
324         "latestAppId": null
325     },
326     "transactionCategory": "DEPOSIT",
327     "parentTransactionId": null,
328     "refundedAmount": null,
329     "manual": false,
330     "notes": null,
331     "reason": null,
332     "erpId": null,
333     "region": "International",
334     "cardScheme": "MASTERCARD",
335     "transactionStatus": "Authorized",
336     "geoLocation": {
337         "x": 132424,
338         "y": 2354635
339     },

```

```
340     "appliedPromoCodes": [  
341     {  
342         "promotionCode": "segwdxedsddgn",  
343         "promoAmount": null  
344     }  
345     ],  
346     "appliedIncentives": null  
347 }  
348 ],  
349 "last": true,  
350 "totalElements": 1,  
351 "totalPages": 1,  
352 "sort": null,  
353 "first": true,  
354 "numberOfElements": 1,  
355 "size": 70,  
356 "number": 0  
357 },  
358 "detail": null,  
359 "error": false,  
360 "message": "Fetching user transactions based on promotion successful.",  
361 "code": "1000"  
362 }  
363
```

## POST Fetch User Transactions By Promotion Type

### Description

Fetches user transactions by promotion type.

### Request Endpoint

POST <https://<Example api server address>/user/transactions/by/promotion/type>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"userId\" : \"2880b416-177d-445f-838f-c414aea3b94a\",\  
6 |         \"promotionType\" : \"PROMOTION\  
7 |     }" \  
8 |     'https://core.dev.Example.net/api/user/transactions/by/promotion/type'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
userId	String	Optional	UUID of a user.
promotionType	String	Required	The promotion type. Can be PROMOTION/INCENTIVE.

### POST body

**Headers:** Content-Type: application/json

```
1 | {\  
2 |     \"userId\": \"2880b416-177d-445f-838f-c414aea3b94a\",\  
3 |     \"promotionType\": \"PROMOTION\"\  
4 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {\  
2 |     \"data\": {\  
3 |         \"content\": [\  
4 |             {\  
5 |                 \"id\": \"6b73f11e-e6dc-4766-a27b-c6e900b9e8d3\",\  
6 |                 \"createdOn\": 1481974480388,\  
7 |                 \"lastModifiedOn\": 1481974480388,\  
8 |                 \"updatedBy\": \"\",\  
9 |                 \"deleted\": false,\  
10 |                \"additionalIdentifier\": \"CUSTOM\",\  
11 |                \"amount\": 10,\  
12 |                \"application\": {\  
13 |                    \"id\": \"9bbba7f9-a8dd-4b84-abc8-19899b2cf0a7\",\  
14 |                    \"createdOn\": 1472021965228,
```

json

```
15     "lastModifiedOn": 1477810765228,
16     "updatedBy": "",
17     "deleted": false,
18     "name": "Application1",
19     "description": "description about application 1",
20     "appPackage": "appPac",
21     "bundleIdentifier": "app1",
22     "casino": {
23         "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
24         "createdOn": 1472021963085,
25         "lastModifiedOn": 1472021963085,
26         "updatedBy": "",
27         "deleted": false,
28         "name": "Poker 26",
29         "videoUrl": "https://www.google.com/betting-video.mov",
30         "imageUrl": "http://www.google.com/betting.png",
31         "description": "This casino has lot of game apps1",
32         "website": "http://www.casino1.com",
33         "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
34         "banner": "banner2345",
35         "deletedBy": null,
36         "deletedOn": null,
37         "operatorStatus": "NEW",
38         "email": null,
39         "userRole": "OPERATOR",
40         "firstName": null,
41         "lastName": null,
42         "address": null,
43         "externalId": null,
44         "featuredAppId": null,
45         "latestAppId": null
46     },
47     "casinoId": null,
48     "categories": [
49         null
50     ],
51     "categoryIds": null,
52     "downloads": 46,
53     "featured": false,
54     "applicationVersionIds": null,
55     "keywords": [
56         "key1",
57         "key2",
58         "key3"
59     ],
60     "latestBuild": 18,
61     "latestVersion": "v0.3",
62     "initialVersionPublishDate": null,
63     "latestVersionPublishDate": null,
64     "order": 345,
65     "paragraph1": "1 paragraph",
66     "paragraph2": "2st paragraph",
67     "paragraph3": "3st paragraph",
68     "paragraph4": "4th para",
69     "presetPriceList": null,
70     "price": 3436,
71     "publisherId": null,
72     "publisher": null,
73     "ranking": 23,
74     "subtitle": "subtitle",
75     "updated": null,
```

```
76     "status": "PUBLISHED",
77     "downloadLink": null,
78     "compatibility": "kitkat",
79     "sizeOnDisk": "12MB",
80     "permissionDetails": "You should have kitkat version to run this app",
81     "additionalDetails": "This application is very popular",
82     "tags": null,
83     "rating": {
84         "count": 0,
85         "overall": 0,
86         "gamePlay": 0,
87         "design": 0,
88         "ease": 0
89     },
90     "silent": {
91         "min": 1,
92         "max": 1
93     },
94     "normal": {
95         "min": 1,
96         "max": 1
97     },
98     "mandatory": {
99         "min": 1,
100        "max": 1
101    },
102    "downgrade": {
103        "min": null,
104        "max": null
105    },
106    "deletedBy": null,
107    "deletedOn": null,
108    "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.google.com",
109    "sliderImages": [
110        {
111            "id": "7cc39613-7e2a-4d31-ad24-079c06e70d92",
112            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider1.jpg",
113            "order": 1
114        },
115        {
116            "id": "0c58f354-2926-424c-935f-3e4ce8a6bc90",
117            "image": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/slider2.jpg",
118            "order": 0
119        }
120    ],
121    "banner": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/banner",
122    "video": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/www.youtube.com",
123    "icon": null,
124    "featuredImage": null,
125    "privacyPolicy": null,
126    "locationSupported": [
127        "India",
128        "UK"
129    ],
130    "languageSupported": [
131        "English",
132        "French"
133    ],
134    "affiliateLaunchMode": null,
135    "affiliateLaunchData": null,
136    "editorsPick": false,
```

```

137     "live": false,
138     "reviewer": null,
139     "certificates": null
140   },
141   "currencyCode": "GBP",
142   "orderDate": 1481974480387,
143   "orderNumber": "4241a4d0-d21c-49aa-9551-c06905e64537",
144   "paymentType": "Consumer Debit E-Comm",
145   "providerPaymentId": "75760916-7154-43cd-b9e0-f04778c91bfc",
146   "providerTransactionId": "zasfazdg76qwtf",
147   "remarks": null,
148   "transactionType": "EXISTING",
149   "past": false,
150   "user": {
151     "id": "2880b416-177d-445f-838f-c414aea3b94a",
152     "createdOn": 1481536739007,
153     "lastModifiedOn": 1481539408963,
154     "updatedBy": "",
155     "deleted": false,
156     "addresses": null,
157     "devices": [
158       {
159         "id": "cd6c04e3-ea77-41b4-8ab4-aac729306ec5",
160         "createdOn": 1481536734856,
161         "lastModifiedOn": 1481536734856,
162         "updatedBy": "",
163         "deleted": false,
164         "description": "Old Device",
165         "deviceStatus": "NORMAL",
166         "manufacturer": "Apple",
167         "model": "iPhone 5",
168         "os": "iOS 9",
169         "udid": "2083718938038243",
170         "simStateHashCode": null,
171         "simCardState": null,
172         "deletedUdid": null,
173         "deletedBy": null,
174         "deletedOn": null,
175         "name": "Moto",
176         "brand": null,
177         "androidID": "etr657y",
178         "advertiserID": null,
179         "operator": null,
180         "country": "India",
181         "language": "English",
182         "screenWidthInPixels": null,
183         "screenHeightInPixels": null,
184         "screenWidthInInches": null,
185         "screenHeightInInches": null
186       }
187     ],
188     "emailAuthenticationChannels": [],
189     "firstName": "Reeth",
190     "fullName": "Reeth H",
191     "groupTag": [
192       "FACEBOOK",
193       "Apple",
194       "United Kingdom",
195       "iOS 9",
196       "1234234",
197       "iPhone 5"

```

```
198 ],
199 "lastName": "H",
200 "locationCountry": "United Kingdom",
201 "locationZipCode": "1234234",
202 "mobileAuthenticationChannels": [],
203 "pinCreated": true,
204 "profileImagePath": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/https://jfjh.jdhhg.",
205 "profileName": "ABC",
206 "registrationDate": 1481536734888,
207 "socialAuthenticationChannels": [
208   {
209     "addedOn": 1481536739002,
210     "blockStatus": "NORMAL",
211     "deletedOn": null,
212     "lastUsedOn": 1481536739002,
213     "loginType": "FACEBOOK",
214     "socialId": "zdg4ds5yf",
215     "deleted": false,
216     "recycleSocialId": null,
217     "emailAddress": "san.sh555@gmail.com",
218     "profileName": "facebook"
219   }
220 ],
221 "status": "ACTIVE",
222 "timezone": null,
223 "userSetting": {
224   "autoUpdateBetcadeApp": true,
225   "autoUpdateDownloadedApps": true,
226   "monthlyDepositMaxLimit": 0,
227   "monthlyDepositMaxLimitCurrency": "GBP",
228   "prefillUserInfoInCasino": true,
229   "receiveEmailReceipt": true,
230   "receiveNotifications": true,
231   "shareRegistrationInfo": true,
232   "userEmailProvided": true,
233   "versionOfDownloadedBetcadeApp": "v1",
234   "wifiDownloadLimitInMB": 0,
235   "preferredCategories": [],
236   "autoSaveCard": true,
237   "autoAddHomeIcon": true,
238   "receiveUpdateNotifications": true,
239   "receiveAutoUpdatedNotifications": true,
240   "receiveRecommendationNotifications": true,
241   "preferredCurrency": null,
242   "appSetting": {
243     "autoUpdateApps": 2,
244     "addIconHomeScreen": false,
245     "saveNewCreditOrDebitCards": true,
246     "appUpdatesAvailable": true,
247     "appsWereAutoUpdated": true,
248     "recommendedContentAvailable": true
249   },
250   "allowLargeFilesOverWifiOnly": true
251 },
252 "verified": true,
253 "pinResetDate": null,
254 "pinChangeDate": 1481536775580,
255 "singularId": null,
256 "acquisitionIds": null,
257 "userAuditInfo": {
258   "initialLoginDate": 1481536734888,
```

```

259         "initialLoginIp": "127.0.0.1",
260         "initialLoginLocation": " ",
261         "initialRegistrationDate": null,
262         "initialRegistrationIp": null,
263         "initialRegistrationLocation": null
264     },
265     "email": "san.sh555@gmail.com",
266     "phone": "+919874654244",
267     "dob": 663359640000,
268     "statusBeforeBlacklisting": null,
269     "muid": "07a5d35f-ebfb-4912-9302-88b82baa9dbe",
270     "testUser": null
271 },
272 "extCasinoPaymentGatewayID": "w123",
273 "deviceUdid": "2083718938038243",
274 "promoCodes": null,
275 "extCasinoUserID": "token",
276 "extCasinoTransID": "ppi12345",
277 "providerOrderId": "67d5ssdabd",
278 "pspCode": "PPG002",
279 "pspTID": "tid123",
280 "incentiveAppliedList": null,
281 "applicationVersion": "v12",
282 "transactionResult": "SUCCESS",
283 "amlData": {
284     "extRiskCheckResult": "PASS",
285     "extRiskCheckScore": 1,
286     "extRiskCheckDateTime": 1462361924,
287     "extRiskCheckData": {
288         "data": "sample",
289         "result": false
290     }
291 },
292 "threeDSData": {
293     "extRisk3DSTransaction": true,
294     "extRisk3DSecureTransId": "tr123",
295     "extRisk3DSEnrolledCard": true,
296     "extRisk3DSResult": "Success",
297     "extRisk3DSData": {
298         "data": "sample",
299         "result": false
300     }
301 },
302 "casino": {
303     "id": "53bb2a0b-25fe-4674-a1e5-b65d050a55f8",
304     "createdOn": 1472021963085,
305     "lastModifiedOn": 1472021963085,
306     "updatedBy": "",
307     "deleted": false,
308     "name": "Poker 26",
309     "videoUrl": "https://www.google.com/betting-video.mov",
310     "imageUrl": "http://www.google.com/betting.png",
311     "description": "This casino has lot of game apps1",
312     "website": "http://www.casino1.com",
313     "icon": "https://s3-us-west-2.amazonaws.com/btc.inf.apdx.assets/icon1234",
314     "banner": "banner2345",
315     "deletedBy": null,
316     "deletedOn": null,
317     "operatorStatus": "NEW",
318     "email": null,
319     "userRole": "OPERATOR",

```



```
320     "firstName": null,
321     "lastName": null,
322     "address": null,
323     "externalId": null,
324     "featuredAppId": null,
325     "latestAppId": null
326   },
327   "transactionCategory": "DEPOSIT",
328   "parentTransactionId": null,
329   "refundedAmount": null,
330   "manual": false,
331   "notes": null,
332   "reason": null,
333   "erpId": null,
334   "region": "International",
335   "cardScheme": "MASTERCARD",
336   "transactionStatus": "Authorized",
337   "geoLocation": {
338     "x": 132424,
339     "y": 2354635
340   },
341   "appliedPromoCodes": [
342     {
343       "promotionCode": "segwdxedsddgn",
344       "promoAmount": null
345     }
346   ],
347   "appliedIncentives": null
348 }
349 ],
350 "last": true,
351 "totalElements": 1,
352 "totalPages": 1,
353 "sort": null,
354 "first": true,
355 "numberOfElements": 1,
356 "size": 70,
357 "number": 0
358 },
359 "detail": null,
360 "error": false,
361 "message": "Fetching user transactions based on promotion successful.",
362 "code": "1000"
```

**GET**

## Fetch User Transactions Category Attributes

### Description

Allows a client to fetch transactions category attributes.

### Request Endpoint

GET <https://<Example api server address>/user/transaction/category>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/user/transaction/category'
```

curl

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "WITHDRAW": "TransactionCategory",  
4 |     "REFUND": "TransactionCategory",  
5 |     "PAYOUT": "TransactionCategory",  
6 |     "transactionCategory": "String",  
7 |     "DEPOSIT": "TransactionCategory",  
8 |     "CHARGEBACK": "TransactionCategory",  
9 |     "$VALUES": "TransactionCategory[]"  
10 |   },  
11 |   "detail": null,  
12 |   "error": false,  
13 |   "message": "Fetching transaction category values successful."  
14 | }
```

json

## Description

Gives you the final amount with the addition of the bonus amount associated with the promo code, and also:

- The object defining which promocode it is.
- What is the corresponding amount.

## Request Endpoint

POST `https://<Example api server address>/user/promocode/amount`

## Parameters

None.

## cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |     \"promoCodes\": [\"PC1234\", \"PROMO123\", \"PROMO\"],  
6 |     \"amount\":143.23,  
7 |     \"applicationId\" : \"54a8cc87-9504-4429-8d6b-3d7d63b3068d\",  
8 |     \"userId\" : \"98a8cc87-9504-4429-8d6b-3d7d63b3068d\"  
9 | }" \  
10 | 'https://core.dev.Example.net/api/user/promocode/amount'
```

## POST body attributes (JSON)

Attribute	Type	Use	Description
<code>promoCode</code>	Array	Required	An array of promo codes entered by the user.
<code>amount</code>	Number	Required	The amount to be deposited.
<code>applicationId</code>	String	Required	An application UDID to which you want to apply the promo code.
<code>userId</code>	String	Required	UUID of the user who is doing the transaction.

## POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |   "promoCodes": [  
3 |     "PC1234",  
4 |     "PROMO123",  
5 |     "PROMO"  
6 |   ],  
7 |   "amount": 143.23,  
8 |   "applicationId": "54a8cc87-9504-4429-8d6b-3d7d63b3068d",  
9 |   "userId": "98a8cc87-9504-4429-8d6b-3d7d63b3068d"  
10 | }
```

## Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1  {
2    "data": {
3      "amount": 153.23,
4      "promoCodeResponses": [
5        {
6          "promoCodeApplied": false,
7          "promoCode": "PC1234",
8          "promoCodeBonus": 0,
9          "message": "This promo code is Expired!"
10       },
11       {
12         "promoCodeApplied": true,
13         "promoCode": "PROMO123",
14         "promoCodeBonus": 10,
15         "message": "This promo code bonus is added/used"
16       },
17       {
18         "promoCodeApplied": false,
19         "promoCode": "PROMO",
20         "promoCodeBonus": 0,
21         "message": "This promo code is Invalid. Promo code size should be between 6-32"
22       }
23     ]
24   },
25   "detail": null,
26   "error": false,
27   "message": "Amount returned with promo code bonus successfull"
28 }
```

## POST Get User Transactions By User ID and Sort

### Description

Get all user transactions and sorts them by date, type, amount, and games.

### Request Endpoint

POST <https://<Example api server address>/user/transactions/userid>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{  
5 |         \"userId\": \"204d3005-d02c-48b1-a395-3c81de135c0d\",  
6 |         \"sortType\": \"transactionCategory\",  
7 |         \"sortDirection\": \"DESC\",  
8 |         \"filterCriteriaList\": [  
9 |             {  
10 |                 \"field\": \"orderDate\",  
11 |                 \"startValue\": \"2016-09-15\",  
12 |                 \"endValue\": \"2016-09-22\"  
13 |             }  
14 |         ]  
15 |     }" \  
16 |     'https://core.dev.Example.net/api/user/transactions/sort'
```

### POST body attributes (JSON)

Attribute	Type	Use	Description
userId	String	Optional	UUID of a user.
sortType	String	Optional	May be "orderDate", "amount", "transactionCategory", or "application".
sortDirection	String	Optional	ASC or DESC.
filterCriteriaList	String	Optional	Can be "orderDate", "amount", "transactionCategory", or "application".

### POST body

Headers: Content-Type: application/json

```
1 | {  
2 |     \"userId\": \"9b58ecc4-cfce-49ae-a581-8d6d6d4a0a6c\"  
3 | }
```

### Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |     \"data\": {  
3 |         \"content\": [  
4 |             {
```

```

5      "id": "9b58ecc4-cfce-49ae-a581-8d6d6d4a0a6c",
6      "deleted": false,
7      "additionalIdentifier": "CUSTOM",
8      "amount": 60.45,
9      "application": null,
10     "currencyCode": "GBP",
11     "orderDate": 1471428756751,
12     "orderNumber": "4aece9d0-8d3d-4b23-9a30-e36e89169b42",
13     "paymentType": null,
14     "providerPaymentId": "113903b9-2c03-4384-9474-8e202d1794f4",
15     "providerTransactionId": null,
16     "remarks": null,
17     "transactionType": "ONE_TIME_TRANSACTION",
18     "past": true,
19     "extCasinoPaymentGatewayID": "w123",
20     "deviceUdid": "ghjhrdecf",
21     "promoCodes": null,
22     "extCasinoUserID": "UUID.randomUUID().toString()",
23     "extCasinoTransID": "UUID.randomUUID().toString()",
24     "providerOrderId": "lEpvxsJtxA",
25     "pspCode": "code123",
26     "pspTID": "tid123",
27     "appliedIncentives": [
28       {
29         "incentiveId": "cb1c-4c9c-acef-44b9a784efb5",
30         "amount": 25.75
31       },
32       {
33         "incentiveId": "76c24-cb1c-4c9c-acef-44b9a784efb5",
34         "amount": 20.56
35       }
36     ],
37     "applicationVersion": "v0.3",
38     "transactionResult": "SUCCESS",
39     "amlData": null,
40     "threeDSData": {
41       "extRisk3DSTransaction": true,
42       "extRisk3DSecureTransId": "tr123",
43       "extRisk3DSEnrolledCard": true,
44       "extRisk3DSResult": "Success",
45       "extRisk3DSData": {
46         "data": null,
47         "result": false
48       }
49     },
50     "casino": null,
51     "transactionCategory": "DEPOSIT",
52     "parentTransactionId": null,
53     "reasonForRefund": null,
54     "refundedAmount": null,
55     "reasonForChargeBack": null,
56     "paymentComment": null,
57     "payoutAmount": null,
58     "reasonForPayout": null,
59     "transactionOrderId": null,
60     "manualRefund": false
61   }
62 ],
63 "last": true,
64 "totalPages": 1,
65 "totalElements": 1,

```

```
66     "sort": null,  
67     "numberOfElements": 1,  
68     "first": true,  
69     "size": 70,  
70     "number": 0  
71 },  
72 "detail": null,  
73 "error": false,  
74 "message": "Fetching user's transactions successful"  
75 }
```

**Description**

Through this API, Mobile Client or Payletter can save the events or steps followed in their system while a user adds/updates PM or makes any transaction.

**Request Endpoint**

POST <https://<Example api server address>/user/transaction/events>

**Parameters**

None.

**cURL syntax**

```

1 | curl --include \
2 |     --request POST \
3 |     --header "Content-Type: application/json" \
4 |     --data-binary "{
5 |     \"eventType\" : \"ADD_PAYMENT_METHOD\",
6 |     \"userId\" : \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",
7 |     \"providerPaymentId\" : \"sadzfxjndkd\",
8 |     \"events\" : [
9 |         {
10 |             \"eventName\" : \"Received data from User\",
11 |             \"timeStamp\" : 1462361924000,
12 |             \"data\" : {
13 |                 \"_class\" : \"com.Example.middleware.models.view.AddPMCallbackViewModel\",
14 |                 \"userId\" : \"dc26a81a-c3c3-41eb-951c-e1a27fa4ba92\",
15 |                 \"paymentInfo\" : {
16 |                     \"fullName\" : \"Samrudhi\",
17 |                     \"paymentType\" : \"CREDITCARD\",
18 |                     \"providerToken\" : \"100000000000043\",
19 |                     \"providerPaymentId\" : \"sadzfxjndkd\",
20 |                     \"isDefault\" : true
21 |                 }
22 |             },
23 |             \"eventSource\" : \"PAYLETTER\",
24 |             \"eventOrder\" : 1
25 |         },
26 |         {
27 |             \"eventName\" : \"Data sent to SAKA\",
28 |             \"timeStamp\" : 1462361924000,
29 |             \"data\" : \"100000000000043\",
30 |             \"eventSource\" : \"PAYLETTER\",
31 |             \"eventOrder\" : 2
32 |         }
33 |     ]
34 | }" \
35 | 'https://core.dev.Example.net/api/user/transaction/events'

```

**POST body attributes (JSON)**

Attribute	Type	Use	Description
eventType	String	Required	Can be any of "ADD_PAYMENT_METHOD", "UPDATE_PAYMENT_METHOD", "EXISTING", "ONE_TIME_TRANSACTION", "SAVE_CARD", or "REVERIFY_PAYMENT_METHOD".
providerOrder	String	Conditional	Relates to "orderId" generated in MC. It is mandatory for deposit cases.



Attribute	Type	Use	Description
providerPaymentId	String	Conditional	Relates to Payletter's "paymentInfoID". Mandatory for payment method cases.
userId	String	Optional	User's UUID as per the Client database.
events	Array	Required	An array of events with the following child attribute structure.
eventName	String	Optional	Name of the event.
timeStamp	Number	Optional	The Unix timestamp.
data	String	Optional	Data used in "event" (here data should be an object instead of string).
eventSource	String	Optional	Can be "PAYLETTER" or "MOBILE_CLIENT" depending on the context.
eventOrder	Number	Optional	An integer indicating the precedence of the event.

## POST body

Headers: Content-Type: application/json

```

1  {
2    "eventType": "ADD_PAYMENT_METHOD",
3    "userId": "dc26a81a-c3c3-41eb-951c-e1a27fa4ba92",
4    "providerPaymentId": "sadzfxjndkdn",
5    "events": [
6      {
7        "eventName": "Received data from User",
8        "timeStamp": 1462361924000,
9        "data": {
10       "_class": "com.Example.middleware.models.view.AddPMCallbackViewModel",
11       "userId": "dc26a81a-c3c3-41eb-951c-e1a27fa4ba92",
12       "paymentInfo": {
13         "fullName": "Samruddhi",
14         "paymentType": "CREDITCARD",
15         "providerToken": "100000000000043",
16         "providerPaymentId": "sadzfxjndkd",
17         "isDefault": true
18       }
19     },
20     "eventSource": "PAYLETTER",
21     "eventOrder": 1
22   },
23   {
24     "eventName": "Data sent to SAKA",
25     "timeStamp": 1462361924000,
26     "data": "100000000000043",
27     "eventSource": "PAYLETTER",
28     "eventOrder": 2
29   }
30 ]
31 }

```

## Response body

Headers: Content-Type: application/json | HTTPS Status Code: 200

```

1  {
2    "data": true,
3    "detail": null,
4    "error": false,

```

```
5 | "message": "Saving user events successfully"  
6 | }
```

## POST Update User Transaction Status

### Description

Updates the status of transactions present in Client and Netsuite.

### Request Endpoint

POST <https://<Example api server address>/user/transaction/status>

### Parameters

None.

### cURL syntax

```
1 | curl --include \  
2 |     --request POST \  
3 |     --header "Content-Type: application/json" \  
4 |     --data-binary "{\  
5 |         \"statusUpdateList\" : [  
6 |             {\  
7 |                 \"providerOrderId\" : \"oiqszsds5dfs\",\  
8 |                 \"transactionStatus\" : \"Captured\"\  
9 |             }\  
10 |         ]\  
11 |     }" \  
12 | 'https://core.dev.Example.net/api/user/transaction/status'
```

curl

### POST body attributes (JSON)

Attribute	Type	Use	Description
<b>statusUpdateList</b>	Array	Required	Array of the following attributes.
<b>providerOrderId</b>	String	Required	Provider order id through which a deposit is made.
<b>transactionStatus</b>	String	Required	Status of the transaction to be updated.

### POST body

**Headers:** Content-Type: application/json

```
1 | {  
2 |   \"statusUpdateList\": [  
3 |     {  
4 |       \"providerOrderId\": \"oiqszsds5dfs\",  
5 |       \"transactionStatus\": \"Captured\"  
6 |     }  
7 |   ]  
8 | }
```

json

### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   \"data\": {  
3 |     \"responseList\": [  
4 |       {
```

json

```
5     "providerOderId": "oiqszsds5dfs",
6     "statusUpdated": true,
7     "reason": null
8   }
9 ]
10 },
11 "detail": null,
12 "error": false,
13 "message": "Updating transaction status successful."
14 }
```

## Client APIs v5.51

Released: 2011-01-10 | Sprint 51  
Security classification: PUBLIC

### Utility Functionality APIs

#### GET Check App Version

##### Description

Allows a client to check the current Client version deployed.

##### Request Endpoint

GET `https://<Example api server address>/app/version`

##### Parameters

None.

##### cURL Syntax

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/app/version'
```

https

##### Response body

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "version": "0.22"  
4 |   },  
5 |   "detail": null,  
6 |   "error": false,  
7 |   "message": "Gather version information successful"  
8 | }
```

json

**GET****Check Health****Description**

Allows a client to check the health of the Client API server.

**Request Endpoint**

GET `https://<Example api server address>/health`

**Parameters**

None.

**cURL Syntax**

```
1 | curl --include \  
2 | 'https://core.dev.Example.net/api/health'
```

https

**Response body**

**Headers:** Content-Type: application/json | HTTPS Status Code: 200

```
1 | {  
2 |   "data": {  
3 |     "status": "running"  
4 |   },  
5 |   "detail": null,  
6 |   "error": false,  
7 |   "message": "Health check successful"  
8 | }
```

json