



Automatic Number Plate Recognition

TW-LPR2000

Features:



No NVR required for recording



No controller required to operate boom barrier




Black list vehicle can be stopped




Report can be viewed on mobile or laptop

- Deep learning-based Al engine
- IoT enabled ANPR with vehicle count
- Trained over 10 million images
- Recognition time less than 100ms


- Up to 95% accuracy on clearly visible plates
- Easy Boom barrier control & Video Recording
- Theft/Snatching SMS via Cloud Server
- Specially designed for Indian number plates












TimeWatch ANPR device is designed for reading vehicles number with high accuracy. ANPR engine is powered by advanced AI Technology which is capable of capturing and reading license plates in complete darkness, glaring light, and adverse weather conditions. The exceptional detection and recognition capabilities of the device help integrators provide solutions for challenging imaging problems at critical infrastructure sites and remote facilities

TimeWatch ANPR device is easy to install and setup.It comes with in-built integration for boom
barriers and access controllers. Vehicle hots listing
feature facilitates raising alerts for
Stolen/Suspected vehicles. Smart dashboard and
reports helps to view and analyze the vehicle data
from broader perspectives. It works perfectly for all
categories of vehicles including two wheelers &
auto









Specifications

Camera	
Resolution	4mp
IR Range	20m
Lens	12mm
Sensor	Sony
Optical Format	1/2.3
Frame Rate	30fps
Storage	
Records capacity	1,00,000 records
Flash Memory	32-128gb
Interface	
Wi-Fi	2.4 GHz and 5.0 GHz IEEE 802.11g wireless
Ethernet	Gigabit Ethernet
Access Control	
Access Control Boom Barrier	Yes
	Yes Yes
Boom Barrier	
Boom Barrier Alarm Inputs And Outputs	
Boom Barrier Alarm Inputs And Outputs Software Accessibility	Yes
Boom Barrier Alarm Inputs And Outputs Software Accessibility Cloud Dashboard	Yes
Boom Barrier Alarm Inputs And Outputs Software Accessibility Cloud Dashboard Local Dashboard	Yes
Boom Barrier Alarm Inputs And Outputs Software Accessibility Cloud Dashboard Local Dashboard Power	Yes Yes Yes
Boom Barrier Alarm Inputs And Outputs Software Accessibility Cloud Dashboard Local Dashboard Power Operating Power	Yes Yes Yes 12v3amp
Boom Barrier Alarm Inputs And Outputs Software Accessibility Cloud Dashboard Local Dashboard Power Operating Power Operating Temperature	Yes Yes Yes 12v3amp
Boom Barrier Alarm Inputs And Outputs Software Accessibility Cloud Dashboard Local Dashboard Power Operating Power Operating Temperature Mechanical	Yes Yes Yes 12v3amp -10 to 70
Boom Barrier Alarm Inputs And Outputs Software Accessibility Cloud Dashboard Local Dashboard Power Operating Power Operating Temperature Mechanical Material	Yes Yes Yes 12v3amp -10 to 70 Metal













Installation Guide



Camera Angel



- Head Office: D-162, Okhla Industrial Area Phase I, New Delhi, 110020.
- Regional Office: Mumbai, Bengaluru, Ahmedabad, Chennai, Kolkata.
- Phone: +91-95999-53923
- Sales: sales@timewatchindia.com
 - Support : helpdesk@timewatchindia.com

International Office: Dubai

Disclaimer: All pictures shown are for illustration purposes only. The actual product and color may vary due to product enhancement. The brief specification is mentioned and may change without prior notice. Please consult us before placing any order.







