

PRESCRIPTION ORDER FORM

RITUXIMAB

(Including Rituxan and biosimilars: Riabni, Ruxience, Truxima)



215 Pleasant Street, 5th Floor, Fall River, MA 02721
Phone: (508) 567-5666 | Fax: (508) 567-5614

PATIENT DEMOGRAPHICS

Patient Name: Patient's Phone Number:
Date of Birth: Address:
Allergies: See List NKDA
Weight: lbs or kg Patient's Email:

REQUIRED DOCUMENTATION

- Insurance Card History & Physical Patient Demographics Most Recent Labs Medication List Hep B Panel

PRIMARY DIAGNOSIS

- D59.10 Autoimmune hemolytic anemia, unspecified
D89.1 Cryoglobulinemia
I77.6 Arteritis, unspecified
M05.10 Rheumatoid lung disease w/rheumatoid arthritis of unspecified site
M05.79 Rheumatoid arthritis with rheumatoid factor multiple sites without organ system involvement
M05.9 Rheumatoid arthritis with rheumatoid factor, unspecified
M06.09 Rheumatoid arthritis without rheumatoid factor, multiple sites
M06.89 Other specified rheumatoid arthritis multiple sites
M06.9 Rheumatoid arthritis, unspecified
M31.30 Wegener's granulomatosis without renal involvement
M31.31 Wegener's granulomatosis with renal involvement
M31.7 Microscopic polyangitis
N01.7 Rapidly progressive nephrotic syndrome with diffuse crescentic glomerulonephritis
N03.2 Chronic nephritic syndrome with diffuse membranous glomerulonephritis
N04.2 Nephrotic syndrome with diffuse membranous glomerulonephritis
Other:

LAB ORDERS: PLEASE INCLUDE FREQUENCY

- CBC w/ diff & ANC: LFT's at month 2 then every 3 months after Other:

PRE-MEDICATIONS (15 - 20 MINS BEFORE INFUSION)

- Diphenhydramine 25mg PO or IVP & 50mg PO or IVP Cetirizine 10mg PO Pepcid 20mg PO or IVP
Solu-Medrol 40mg IVP Solu-Cortef 125mg IVP Tylenol 650mg PO Other:

PRIMARY MEDICATION ORDER

Rituxan or biosimilar (Ruxience, Riabni, Truxima) may be used according to payer guidelines.
To prohibit auto-substitution, please indicate specific brand required:
Rituximab 1000mg IV on day 1 and day 15 then repeat cycle day 1 and day 15 every 6 months - taper infusion rate
Rituximab 500mg IV on day 1 and day 15 then repeat cycle day 1 and day 15 every 6 months - taper infusion rate
Rituximab 375mg/m2 (calculated dose mg) once weekly for 4 weeks - taper infusion rate
Other:
First Dose: Y N Refill x12 months unless otherwise noted:

LINE USE/CARE ORDERS

- Start PIV/ACCESS CVC Flush device per Suite Life Health's protocol (See suitelifehealth.com for detailed policy)
Other Flush Orders: Please fax other line care orders if checking this box

ADVERSE REACTION & ANAPHYLAXIS ORDERS

- Administer acute infusion and anaphylaxis medications per Suite Life Health's protocol (See suitelifehealth.com for detailed policy)
Other: Please fax other reaction orders if checking this box

PROVIDER INFORMATION: PLEASE CHECK PREFERRED FORM OF COMMUNICATION

Provider Name: Office Contact:
Address: Phone:
City, State, Zip: Fax:
NPI AND License: Email:

Provider Signature

Date