

## Kisunla (Donanemab-azbt) Infusion Order

Patient Name: \_\_\_\_\_ DOB: \_\_\_\_\_  Male  Female

Diagnosis (please provide ICD10 code): \_\_\_\_\_

Other: \_\_\_\_\_

NKDA  Allergies: \_\_\_\_\_

New Therapy Order  Continuation of Therapy Date of last dose: \_\_\_\_\_

Ordering Provider Name: \_\_\_\_\_

Provider NPI: \_\_\_\_\_ Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

Practice Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip Code: \_\_\_\_\_

### Pre-Medication

- Acetaminophen \_\_\_\_\_mg by  PO
- Cetirizine \_\_\_\_\_mg by  PO
- Diphenhydramine \_\_\_\_\_mg by  PO/  IVP
- Solu-Medrol \_\_\_\_\_mg by  PO/  IVP
- Solu-Cortef \_\_\_\_\_mg by  PO/  IVP
- Other: \_\_\_\_\_

### Patient Height and Weight:

Patient Height (cm): \_\_\_\_\_

Patient Weight (kg): \_\_\_\_\_

### Required Documentation:

- Patient Medicare Registry # \_\_\_\_\_
- Copy of Patient Medicare Registry Confirmation Email
  - Must include the registration date, and the doctor's signature
- Patient Demographics
- Patient Insurance (med and pharm card copies, front and back)
- Progress Notes/Labs supporting diagnosis
- Clinical notes with amyloid beta confirmation
- MRI prior to the start of 1st infusion
- Amyloid-presence verified with either a PET Scan or CSF analysis
- MMSE Test Results
- Lilly Patient Copay Assistance Application as needed
- Other: \_\_\_\_\_

### Kisunla Medication Order (Please select ONE):

- 350mg IV every 4 weeks for treatment 1. **Please be advised that an MRI is required prior to 1st infusion**
- 700mg IV every 4 weeks for treatment 2. **Please be advised that an MRI is required prior to 2nd infusion**
- 1050mg IV every 4 weeks for treatment 3. **Please be advised that an MRI is required prior to 3rd infusion**
- 1400mg IV every 4 weeks for treatments 4 and thereafter. **Please be advised that an MRI is required prior to 4th and 7th infusions**
- 1400mg IV every 4 weeks for treatments \_\_\_\_\_

<b>Additional Instructions/Notes:</b>  	<b>Patient IV Access</b> <input type="checkbox"/> PIV <input type="checkbox"/> Use patient's SL/DL PICC, flush per protocol <input type="checkbox"/> Access/deaccess patient's Port, flush per protocol *Imaging results of proper placement required for PICC/Port
---	---

### Ordering Provider:

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

Provider: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

Best Contact Person in Office: \_\_\_\_\_

Phone: \_\_\_\_\_

<b>Locations:</b> <input type="checkbox"/> Skokie, IL: 4711 Golf Rd, Ste 900. P: 847-324-6800. F: 224-251-7141 <input type="checkbox"/> Libertyville, IL: 1900 Hollister Dr, Ste 210. P: 847-324-6800. F: 224-251-7141 <input type="checkbox"/> Houston, TX: 8303 SW Freeway, Ste 111. P: 346-738-9600. F: 346-613-8400
--