Capital Area Pediatrics Vaccine Schedule

	Нер В	DTaP	НІВ	IPV	Prevnar (PCV13)	Rotateq (oral)	MMR	Varicella	Нер А	Flu	Tdap	Menactra (MCV4P)	HPV9 (boys & girls)	Trumemba (Men B)
Birth - 2 weeks	*If not done in hospital													
1-2 months	*													
2 months		*	*	*	*	*								
4 months		*	*	*	*	*								
6 months		*	*	*	*	*			certain high- risk groups	seasonal				
9 months	*								certain high- risk groups	seasonal		certain high-risk groups		
12 months					*		*		*	seasonal		certain high-risk groups		
15 months		*	*	*				*		seasonal		certain high-risk groups		
18 months									*	seasonal		certain high-risk groups		
2 years									catch up	seasonal		certain high-risk groups		
30 months									catch up	seasonal		certain high-risk groups		
30 1110111113									caterrup	3001101		certain high-risk		
3 years									catch up	seasonal		groups certain high-risk		
4-5 years		*		*			*	*	catch up	seasonal		groups		
6-10 years					certain high- risk groups		catch up	catch up	catch up	seasonal	7-10yr for catch- up	certain high-risk groups	Can be given as early as 9 yrs, 2 doses by age 13	Age 10-26 yrs, certain high-risk groups
11-13 years					certain high-		catch up	catch up	catch up	seasonal	11 yr or 12 yr before entry into 7th grade	*	*	certain high-risk groups
13-15 years							catch up	catch up	catch up	seasonal	catch up	catch up	catch up	certain high-risk groups
16 years							catch up	catch up	catch up	seasonal	catch up	*	catch up	*
17-21 years					certain high- risk groups (through 18 yrs)		catch up	catch up	catch up	seasonal	Booster 8 yrs. after last dose	Booster at 17-18 yrs. If rec'd dose at 13-15 yrs./catch up		Booster at 17-18 yrs if 2 doses not already rec'd/catch- up

Flu vaccine is recommended yearly for everyone 6 months and older.

Pentacel if available

Quadracel if available

ProQuad if available