



Outdoor Commercial Decoration
Image is created by lights

Content

Basic Lights Series

- 01 - AC230V Basic LED Lights
- 02 - AC100V Basic LED Lights
- 03 - AC24V Basic LED Lights
- 04 - AC24V Basic LED Lights SF8M

DIY Accessories

- 06 - DIY Curtain Icicle Lights Accessories
- 07 - AC24V LED Garland String Lights

Garland Decoration Series

- 08 - AC24V LED Garland Curtain Lights
- 09 - AC24V LED Waterfall Lights
- 10 - AC24V LED Garland Net Lights
- 11 - AC24V LED Crystal Motif Lights
- 12 - AC24V LED Tower Tree Lights
- 13 - AC24V LED Light Tree
- 14 - AC24V LED Grape Lights
- 15 - AC24V LED Shape Lights

Wedding Decoration Series

- 16 - AC24V LED Wedding Motif Lights

Multi Power Supply Series

- 17 - Multi Power Supply Series
- 18 - LED Solar Lights
- 19 - LED Battery Box Lights

DMX System Lights

- 20 - LED DMX Lights
- 21 - 24V LED DMX Lights
- 22 - 100V LED DMX Lights
- 23 - 230V LED DMX Lights
- 24 - LED DMX RGB Lights

LED Rope Lights Series

- 25 - LED Rope Lights
- 26 - LED Motif Lights

LED Tape Lights Series

- 29 - LED Tape Lights

Home Decoration Series

- 30 - LED Home Decoration Lights



Basic Light -New Create Concept – Combine Decorative Display User And Home User



● AC230V - Basic LED Lights - Accessories



INDOOR USE



+PVC WIRE



Indoor plug



FOR DISPLAY

SAA

Special Waterproof Design(IP67)

OUTDOOR USE-PVC wire



+PVC WIRE



Outdoor plug



FOR DISPLAY

SAA

Special Waterproof Design(IP67)

OUTDOOR USE-Rubber wire



+RUBBER WIRE



Outdoor plug

BEST for outdoor use




FOR DISPLAY

SAA

Special Waterproof Design (IP67)

A Power cord





(with fuse inside)

MAX:2A connect:100Lx50sets

MAX:1A(RGB LED) connect:100Lx25sets

B Controller power cord



F8M-controller(2way)



MAX:2x0.5A

connect:100Lx20sets

function:

- 1) COMBINATION
- 2) IN WAVES
- 3) SEQUENTIAL
- 4) SLO-GLO
- 5) CHASING/FLASH
- 6) SLOW FADE
- 7) TWINKLE/FLASH
- 8) STEADY ON

C Extension cord



Connector



IP67



IP68

03T-2pins

03T-3pins

● AC230V - Basic LED Lights

String Lights



10cm, 10cm

100L/200L

02T-2pins

Twinkle bulb effect

Model No.:EB18-1407

Lamps:100

Length:10.1m

Spec.:AC230V 9.2W

Model No.:EB18-1409

Lamps:200

Length:20.1m

Spec.:AC230V 18.4W

Twinkle bulb effect

Model No.:EB18-1410

Lamps:200(10pc twinkle bulb)

Length:20.1m

Spec.:AC230V 18.4W

Twinkle bulb effect

Model No.:EB18-1408

Lamps:100(10pc twinkle bulb)

Length:10.1m

Spec.:AC230V 9.2W

Twinkle bulb effect

Model No.:EB18-1411

Lamps:100

Length:10.1m

Spec.:AC230V 18.4W

Twinkle bulb effect

Model No.:EB18-1412

Lamps:200

Length:20.1m

Spec.:AC230V 18.4W

Twinkle bulb effect

Model No.:EB18-1406

Lamps:114

Length:2.9X0.5m

Spec.:AC230V9.2W

Twinkle bulb effect

Model No.:EB18-1407

Lamps:114(12pcs twinkle bulb)

Length:2.9X0.5m

Spec.:AC230V9.2W

Twinkle bulb effect

Model No.:EB18-1408

Lamps:152

Length:1.9X1m

Spec.:AC230V9.2W

Twinkle bulb effect

Model No.:EB18-1409

Lamps:152(12pcs twinkle bulb)

Length:1.9X1m

Spec.:AC230V9.2W

Twinkle bulb effect

Model No.:EB18-1410

Lamps:180

Length:2X1m

Spec.:AC230V13.8W

Twinkle bulb effect

Model No.:EB18-1405

Lamps:120(12pcs twinkle bulb)

Size:2X1m

Spec.:AC230V9.2W

Twinkle bulb effect

Model No.:EB18-1407

Lamps:120

Size:2X1m

Spec.:AC230V9.2W

Twinkle bulb effect

Model No.:EB18-1406

Lamps:180(18pcs twinkle bulb)

Size:2X1m

Spec.:AC230V13.8W

Twinkle bulb effect

Model No.:EB18-1404

Lamps:120

Size:2X1m

Spec.:AC230V9.2W

Twinkle bulb effect

Model No.:EB18-1406

Lamps:180

Size:2X1m

Spec.:AC230V13.8W

Twinkle bulb effect

Model No.:EB18-1407

Lamps:120

Size:2X1m

Spec.:AC230V9.2W

Twinkle bulb effect

Model No.:EB18-1406

Lamps:180(18pcs twinkle bulb)

Size:2X1m

Spec.:AC230V13.8W

Twinkle bulb effect

Model No.:EB18-1407

Lamps:120

Size:2X1m

Spec.:AC230V9.2W

Twinkle bulb effect

Model No.:EB18-1406

Lamps:180(18pcs twinkle bulb)

Size:2X1m

Spec.:AC230V13.8W

Twinkle bulb effect

Model No.:EB18-1407

Lamps:120

Size:2X1m

Spec.:AC230V9.2W

Twinkle bulb effect

Model No.:EB18-1406

Lamps:180(18pcs twinkle bulb)

Size:2X1m

Spec.:AC230V13.8W

Twinkle bulb effect

Model No.:EB18-1407

Lamps:120

Size:2X1m

Spec.:AC230V9.2W

Twinkle bulb effect

Model No.:EB18-1406

Lamps:180(18pcs twinkle bulb)

Size:2X1m

Spec.:AC230V13.8W

Twinkle bulb effect

Model No.:EB18-1407

Lamps:120

Size:2X1m

Spec.:AC230V9.2W

Twinkle bulb effect

Model No.:EB18-1406

Lamps:180(18pcs twinkle bulb)

Size:2X1m

Spec.:AC230V13.8W

Twinkle bulb effect

Model No.:EB18-1407

Lamps:120




Basic Light -New Create Concept – Combine Decorative Display User And Home User



● AC100V - Basic LED Lights - Accessories


INDOOR USE

--FOR--
DISPLAYSpecial
Waterproof
Design(IP67)

OUTDOOR USE-PVC wire

--FOR--
DISPLAYSpecial
Waterproof
Design(IP67)

A Power cord

MAX:3A
connect:100Lx50set




Basic Light -New Create Concept – Combine Decorative Display User And Home User



● AC24V Basic LED lights -Accessories


A ADAPTER




B Convert(CNT) cord



C Controller cord



D Extension cord




● AC24V Basic LED lights


String lights



Icicle lights




Swag lights




Normal use of led light with accessories → **A (+ D EXD) + B (+ D EXD) + LED lights → steady on**
A (+ D EXD) + C (+ D EXD) + LED lights → function

example for: 1000L led garland



example for: 1000L led garland






Outdoor Home Decoration

Chasing Effect Lighting Show



● Chasing Effect Lighting Show Instruction



● Chasing Controller System




2
chasing
effect
led light

● AC24V Chasing Effect Controller & Accessories



Model No:
EB18SF8M-light-03T(5pin)
-EXD-1EC-1M
Length:1m



UL us CE GS



8functions:
1>steady on 5>fast chasing
2>flash 6>normal chasing
3>fastest chasing 7>slow chasing
4>faster chasing 8>slower chasing

Model No:
EB18SF8M-GS-adapter+EXC
Adapter:AC24V30W/IP44
EXC:SF8M-24V1A

Model No:
EB18SF8M-PSE-adapter+EXC
Adapter:AC24V24W/IP44
EXC:SF8M-24V1A

Extension cord for light/controller


Extension cord use for controller + light
Extension cord use for light + light

Extension cord After adapter → +SF8M controller cord+light



● AC24V LED Chasing String Light

AC24V LED Chasing G13mm Tube String Light




Model No:EB14-1501
Lamps:80L
Length:5M
Spec.:AC24V2.3W


Model No:EB14-1502
Lamps:160L
Length:10M
Spec.:AC24V4.6W

Tube light best use for
temperature 5~60°C

Best decorate
for outline




AC24V LED Chasing String Light




Model No:EB18-1501
Lamps:80L
Length:5M
Spec.:AC24V2.3W

Model No:EB18-1502
Lamps:160L
Length:10M
Spec.:AC24V4.6W

Best decorate
for outline




LED LAMP COLOR-16 kind of different color







● AC24V LED Chasing Swag Light




● AC24V LED Chasing Curtain Light



● AC24V LED Chasing Net Light (chasing from left to right)



● AC24V LED Chasing Net Light (chasing from up to down)






Basic Light -New Create Concept – Combine Decorative Display User And Home User

● AC24V/AC100V/AC230V Basic-DIY LED curtain /icicle lights-Accessories

E Extension cord for curtain or icicle light



A Adapter-use for AC24V LED light



B CNT cord-use for AC24V LED light



C Power cord-use for AC100V LED light




D Power cord-use for AC230V LED light




● AC24V/100V/230V - Basic LED Lights

String Light-AC24V



Twinkle bulb effect


Model No.: EB18-1413
Lamps: 16
Length: 2m
Spec.: AC24V0.48W



Twinkle bulb effect


Model No.: EB18-1415
Lamps: 24
Length: 3m
Spec.: AC24V0.72W

String Light -AC100V



Twinkle bulb effect


Model No.: EB18-1417
Lamps: 20
Length: 2m
Spec.: AC100V2W



Twinkle bulb effect


Model No.: EB18-1419
Lamps: 30
Length: 3m
Spec.: AC100V2W

String Light -AC230V



Twinkle bulb effect

Model No.: EB18-1421
Lamps: 20
Length: 2m
Spec.: AC230V4.6W



Twinkle bulb effect


Model No.: EB18-1423
Lamps: 30
Length: 3m
Spec.: AC230V4.6W

Normal use of
led light with
accessories

→ A + B + E + LED lights → AC24V

C / D + E + LED lights → AC100V / AC230V


example for:



Best for DIY Use the extension cord you can make any type and any color of the icicle/ curtain light as you like.


● H2/H4m curtain light

1xH2m / 2xH2m / 3xH2m /
1xH4m / 2xH4m / 3xH4m /




● H3/H6m curtain light

1xH3m / 2xH3m / 3xH3m /
1xH6m / 2xH6m / 3xH6m /



● H3m icicle light

0.5xH3m / 1xH3m / 2xH3m /





● AC24V - LED GARLAND LIGHT - Garden decoration



Garland Light...



► Decorate for tree...




► Decorate for tower...

1000L without controller

► Model No.:EB18ic-1419
Lamps:1000
Length:20m
Spec.:AC24V36W


Adapter-OD
AC24V1.5A36W
MAX connect:1000L(200Lx5sets)



1000L with controller-A

► Model No.:EB18ic-1420
Lamps:1000
Length:10m
Spec.:AC24V36W

Adapter-OD
AC24V1.5A36W
MAX connect:1000L(200Lx5sets)



controller 10functions:
1>steady on
2>flash
3>shooting(down-> up)
4>shooting(up->down)
5>shooting(down=>up)
6>snaking(down->up)
7>snaking(down=>up)
8>scan
9>scan wave
10>combination





1000L with controller-B




► Model No.:EB18ic-1421
Lamps:1000
Length:10m
Spec.:AC24V36W

Adapter-OD
AC24V1.5A36W
MAX connect:1000L(100Lx10sets)



● AC24V - LED STRING LIGHT - Garden decoration




► Decorate for outdoor...



Snaking effect string light

F4M controller 1>Slow snaking 3>Quick snaking
4 function: 2>Normal snaking 4>Combination



▼ 15m(320L)

Model No.:EB18-1432
Lamps:320
Length:15m
Spec.:AC24 /10W

▼ 30m(640L)

Model No.:EB18-1433
Lamps:640
Length:30m
Spec.:AC24 /20W

light move from left to right(3 lighting section move at same time)





Shooting star effect string light


▼ 10m(200L)

Model No.:EB18-1434
Lamps:200
Length:10m
Spec.:AC24 /10W

controller 10functions:
1>steady on
2>flash
3>shooting(down-> up)
4>shooting(up->down)
5>shooting(down=>up)
6>snaking(down->up)
7>snaking(down=>up)
8>scan
9>scan wave
10>combination





light move from left to right(one lighting section move)







● AC24V - LED CURTAIN LIGHT - Garden decoration


Shooting star effect curtain light



Digital controller effect curtain light


Special effect
(DF10M digital controller)

Light move have 10 kind of special effect.
Mainly pattern for example:





● AC24V - LED WATERFALL LIGHT - Garden decoration

Chasing effect waterfall light



Decorate with top light
as you like...

top light +



F6M controller 6 function:


1>Steady on
2>Flash
3>Chasing(Down->Up)
4>Chasing(Up->Down)
5>Chasing(Down=>Up)
6>Combination





● LED Waterfall Lights For Garden Decorate


Star /heart waterfall light



1 Chasing effect

F6M controller
6 function:

- 1>Steady on
- 3>Chasing(Down→Up)
- 5>Chasing (Down↔Up)
- 2>Flash
- 4>Chasing(Up→Down)
- 6>Combination



2 RGB led effect




Model No.:EB18ic-1430
Lamps:170
Length:H3m
Spec.:AC24V 10W

Model No.:EB18ic-1431
Lamps:260
Length:H5m
Spec.:AC24V 12.5W

Model No.:EB18ic-1432
Lamps:380
Length:H8m
Spec.:AC24V 15.36W

3 Twinkle led effect



Model No.:EB18ic-1433-10M
Lamps:204
Length:H3m
Spec.:AC24V 10W

Model No.:EB18ic-1434-10M
Lamps:320
Length:H5m
Spec.:AC24V 12.5W


Model No.:EB18ic-1435-10M
Lamps:384
Length:H8m
Spec.:AC24V 15.36W

4 Shooting star effect

F10M controller
10 function:

- 1>Steady on
- 2>Flash
- 3>Shooting(Down→Up)
- 4>Shooting(Up→Down)
- 5>Shooting(Down↔Up)
- 6>Snowfall(Down→Up)
- 7>Snowfall(Down↔Up)
- 8>Scan
- 9>Scan wave
- 10>Combination

Shooting star effect(up to down)




Model No.:EB18ic-1436-10M
Lamps:204
Length:H3m
Spec.:AC24V 10W

Model No.:EB18ic-1437-10M
Lamps:320
Length:H5m
Spec.:AC24V 13W

Model No.:EB18ic-1438-10M
Lamps:384
Length:H8m
Spec.:AC24V 13W

Shooting star effect(up to down)



Model No.:EB18ic-1436-P1C
Lamps:204
Length:H3m
Spec.:AC24V 10W

Model No.:EB18ic-1437-P1C
Lamps:320
Length:H5m
Spec.:AC24V 13W

Model No.:EB18ic-1438-P1C
Lamps:384
Length:H8m
Spec.:AC24V 13W



● AC24V-LED NET LIGHT-Garden decoration

Shooting star effect net light




1 light move left to right



1>Steady on 5>Shooting(Down→Up) 9>Scan wave
 2>Flash 6>Snowfall(Down→Up) 10>Combination
 3>Shooting(Down→Up) 7>Snowfall(Down→Up)
 4>Shooting(Up→Down) 8>Scan F10M controller(10 function)


3x1m(240L/320L)

Model No.:EB18net-1414
 Lamps:240/320
 Size:3x1m
 Spec.:AC24V 7.2W/9.6W




6x0.5m(240L/320L)

Model No.:EB18net-1415
 Lamps:240/320
 Size:6x0.5m
 Spec.:AC24V 7.2W/9.6W




2 light move up to down



1>Steady on 5>Shooting(Down→Up) 9>Scan wave
 2>Flash 6>Snowfall(Down→Up) 10>Combination
 3>Shooting(Down→Up) 7>Snowfall(Down→Up)
 4>Shooting(Up→Down) 8>Scan F10M controller(10 function)



3x1m(240L/320L)

Model No.:EB18net-1416
 Lamps:240/320
 Size:3x1m
 Spec.:AC24V 7.2W/9.6W



RGB digital controller effect net light

Special effect



Chasing effect fan net light

(Swag Light)


Multi(8 color mix)



controller 8 functions:
 1>steady on 5>fast chasing
 2>flash 6>normal chasing
 3>fastest chasing 7>slow chasing
 4>faster chasing 8>slower chasing




light move up to down



3x0.5m(240L/288L/384L)

Model No.:EB18ic-1417
 Lamps:240/288L/384
 Size:2.4x0.4m(240L)/3x0.5m(288L/384L)
 Spec.:AC24V 6W(240L) / 10W(288L/384L)





Basic Light -New Create Concept – Combine Decorative Display User And Home User



● AC24V LED CRYSTAL MOTIF LIGHT - Garden Decoration

Shooting star motif light

**Shooting star effect
(F10M controller)**


▼ Model No.:EB24-1402
Lamps:200
Size:1.4x0.4m
Spec.:AC24V 9.6W



Chasing flower motif light

**Chasing effect
(F8M controller)**

▼ Model No.:EB24-1403
Lamps:160
Size:1.25x0.45m
Spec.:AC24V 7.2W



Chasing Star motif light

**Chasing effect
(F8M controller)**

▼ Model No.:EB24-1401
Lamps:150
Size:1.25x0.64m
Spec.:AC24V 7.2W



Crystal reindeer family

◀ **Reindeer-baby
-H75cm**
Model No.:EB24-1404
Lamps:40
Size:38.5xH75x11.5cm
Spec.:AC24V2.4W




Crystal snowman family

◀ **Snowman-baby
-H40cm**
Model No.:EB24-1407
Lamps:16
Size:G20xH40cm
Spec.:AC24V1.2W



Christmas gift box motif light

◀ Model No.:EB24-1410
Lamps:32
Size:(13x13x13)x(16x16x16)x(20x20x20)cm
Spec.:AC24V1.2W



Christmas loco motif light

◀ Model No.:EB24-1411
Lamps:32
Size:35xH36x22.5cm
Spec.:AC24V 1.2W



Christmas star motif light

► Model No.:EB24-1412
Lamps:32
Size:40x38x10cm
Spec.:AC24V 2.4W



► Model No.:EB24-1413
Lamps:16
Size:40x38x5cm
Spec.:AC24V 1.2W





● AC24V LED TOWER/TREE LIGHT - Garden Decoration


Crystal tower light

Special effect

Light move from down top




square tower style



F10M controller 10 function:


- 1>Steady on
- 2>Flash
- 3>Shooting(Down ▶ Up)
- 4>Shooting(Up ▶ Down)
- 5>Shooting(Down ▶ Up)
- 6>Snowfall(Down ▶ Up)
- 7>Snowfall(Down ▶ Up)
- 8>Scan
- 9>Scan wave
- 10>Combination



Twinkle effect


Twinkle led

twinkle led



Acrylicl tower light



RGB

20x20xH90cm-RGB
Model No.:EB27-1401
Lamps:60
Size:20x20xH90cm
Spec.:AC24V 6W20x20xH90cm
Model No.:EB27-1402
Lamps:80
Size:20x20xH90cm
Spec.:AC24V 3.6W

Chasing cone tree light


1

Light move from left to right(F10M)

G50xH180cm-double layer
(248L/370)Model No.:
EB21-1401-1
Lamps:248/370
Size:G50xH180cm
Spec.:AC24V 9.6W(248L) / 12W(370L)G50xH180cm-single layer
(128L/190L)Model No.:
EB21-1402-1
Lamps:128/190
Size:G50xH180cm
Spec.:AC24V 4.8W(128L) / 6W(190L)

2

Light move from up to down (F6M)

G50xH180cm-double layer
(232L)

Model No.:EB21-1401-2

Lamps:232

Size:G50xH180cm

Spec.:AC24V 9.6W

G50xH180cm-single layer
(136L)

Model No.:EB21-1402-2

Lamps:136

Size:G50xH180cm


Spec.:AC24V 4.8W

Bubble tree light

RGBled effect

G50xH180cm
(66L/106L)
Model No.:EB21-1403
Lamps:66/106
Size:G50xH180cm
Spec.:AC24V 4.8W(66L)
/9.6W(106L)

Double Colorchange

blue
whiteG50xH180cm
(66L/106L)
Model No.:EB21-1404
Lamps:66/106
Size:G50xH180cm
Spec.:AC24V 4.8W(66L)
/9.6W(106L)




● AC24V - LED LIGHT TREE - Garden decoration

Artificial tree series

*Small type(G60xH120cm)

*Middle type(G70xH150cm)


*Big type(G90xH180cm)



leaf tree

Model No.
EB21-1405-H1.2m
Lamps:104
Size:G60xH120cm
Spec.:AC24V 4.8W

cherryblosom tree

Shooting star effect
(F10M)EB21-1406
H1.2m-104L(6M)
H1.5m-136L(6M)
H1.8m-204L(8M)

Snowball tree

Twinkle led

EB21-1407
H1.2m-104L
H1.5m-136L
H1.8m-204L

Rose tree

EB21-1408

H1.2m-104L

H1.5m-136L

H1.8m-204L



RGB+green

Model No.
EB21-1407-H1.2m
Lamps:104
Size:G60xH120cm
Spec.:AC24V 4.8WModel No.
EB21-1407-H1.5m
Lamps:136
Size:G70xH150cm
Spec.:AC24V 4.8WModel No.
EB21-1407-H1.8m
Lamps:204
Size:G90xH180cm
Spec.:AC24V 7.2W

White tree

RGB color change

EB21-1409
H1.2m-104L
H1.5m-136L
H1.8m-204LModel No.
EB21-1408-H1.2m
Lamps:104
Size:G60xH120cm
Spec.:AC24V 4.8WModel No.
EB21-1408-H1.5m
Lamps:136
Size:G70xH150cm
Spec.:AC24V 4.8WModel No.
EB21-1408-H1.8m
Lamps:204
Size:G90xH180cm
Spec.:AC24V 7.2W

White tower

● AC24V - LED LIGHT TREE TOWER- Garden decoration


Tree Tower series

*Small type

*Middle type

*Big type


Rose tower

RG B+green
EB21-1410
H0.9m-58L
H1.2m-96L
H1.5m-136L

Snowball tower

skyblue+
babypink
EB21-1411
H0.9m-60L
H1.2m-104L
H1.5m-160LModel No.
EB21-1411-H0.9m
Lamps:80
Size:G20xH90cm
Spec.:AC24V 3.6WModel No.
EB21-1411-H1.2m
Lamps:120
Size:G25xH120cm
Spec.:AC24V 2.4WModel No.
EB21-1411-H1.5m
Lamps:160
Size:G30xH150cm
Spec.:AC24V 3.6W

Colorful tower




10M multi color

EB21-1413
H0.9m-80L
H1.2m-120L
H1.5m-160LEB21-1412
H0.9m-60L
H1.2m-90L
H1.5m-120LModel No.
EB21-1412-H0.9m
Lamps:60
Size:G20xH90cm
Spec.:AC24V 3.6WModel No.
EB21-1412-H1.2m
Lamps:90
Size:G25xH120cm
Spec.:AC24V 4.8WModel No.
EB21-1412-H1.5m
Lamps:120
Size:G30xH150cm
Spec.:AC24V 6WModel No.
EB21-1413-H1.2m
Lamps:120
Size:G25xH120cm
Spec.:AC24V 4.8WModel No.
EB21-1413-H1.5m
Lamps:160
Size:G30xH150cm
Spec.:AC24V 4.8W



● AC24V LED GRAPE LIGHT - Garden Decoration

LED grape string light



LED grape arch light



● AC24V LED Madder Lights For Holiday Decorate

1 8 Function effect

4 multi color



F8M controller(8function)

- 1>Combination
- 2>In waves
- 3>Sequential
- 4>Slo-glo
- 5>Chasing/Flash
- 6>Slow fade
- 7>Twinkle/Flash
- 8>Steady on

Model No.:EB17-1405

Lamps:48
Length:4m
Spec.:AC24V 2.4W


2 Twinkle led effect

warmwhite

Model No.:EB17-1406
Lamps:48(6pc twinkle)
Length:4m
Spec.:AC24V 2.4W

Twinkle led

4m(48L)





● AC24V LED SHAPE LIGHT - Garden Decoration

LED snowball icicle light



Twinkle Snowball icicle light

Twinkle led

blue


G3cm
snowball

babypink

2.7x0.5m(112L)

► Model No.:EB13-1401-A
Lamps:112(14pc twinkle)
Length:2.7x0.5m
Spec.:AC24V3.6W

3.5x0.5m(144L)

► Model No.:EB13-1401-B
Lamps:144(18pc twinkle)
Length:3.5x0.5m
Spec.:AC24V4.8W

LED snowball net light


Twinkle Snowball net light

blue&white

babypink&white

G3cm
snowball


2x1m(96L/144L/192L)

► Model No.:EB13-1402
Lamps:96(12pc twinkle)/
144(18pc twinkle)/
192(24pc twinkle)
Length:2x1m
Spec.:AC24V3.6W(96L) / 4.8W(144L) / 6W(192L)

RGB led ball string light



Double chip led shape string light



without shape LED string light

► Model No.:EB18-1435
Lamps:80
Length:10m
Spec.:AC24V 4.8W► Model No.:EB13-1405-7WCM
Lamps:80
Length:10m
Spec.:AC24V 4.8W


LED butterfly string light



8 Function effect

F8M controller(8function)

- 1>Combination
- 2>In waves
- 3>Sequential
- 4>Slo-glo
- 5>Chasing/Flash
- 6>Slow fade
- 7>Twinkle/Flash
- 8>Steady on

► Model No.:EB13-1407
Lamps:80
Length:6.5m
Spec.:AC24V 3.6W



● AC24V - LED MOTIF LIGHT - Wedding decoration

Angel heart



Twinkle led

pink & babypink & white

1.4x0.4m(200L)


Chasing effect(F6M)+ twinkle led

6functions:
1>steady on
2>flash
3>chasing(down-> up)
4>chasing(up-> down)
5>chasing(down=>up)
6>combination

Shooting star effect(F10M)

10functions:
1>steady on
2>flash
3>shooting(down-> up)
4>shooting(up->down)
5>shooting(down=>up)
6>snaking(down->up)
7>snaking(down=>up)
8>scan
9>scan wave
10>combination

Love Hear



red+babypink

1.25x0.55m(160L)


▲ Model No.:EB24-1424
Lamps:160
Size:125x55x5cm
Spec.:AC24V 6W

80x70cm(190L)

pink+
babypink
+white

Bowknot heart


Chasing effect(F6M)+ twinkle led

▲ Model No.:EB24-1422
Lamps:190
Size:80x70x6cm
Spec.:AC24V 9.6W

Crystal Bowknot



Twinkle led




105x70x15cm(120L/240L)

◀ Model No.:EB24-1429
Lamps:120/240
Size:105x70x15cm
Spec.:AC24V 6W(120L)/12W(240L)

50x40x15cm(80L/120L)

◀ Model No.:EB24-1430
Lamps:80L/120
Size:50x40x15cm
Spec.:AC24V 3.6W(80L)/6W(120L)

Shooting star effect (F10M)




Crystal Double Heart

60x40cm(130L)
110x70cm(320L)white&
babypink

babypink

▲ Model No.:EB24-1425
Lamps:130
Size:60x40x6cm
Spec.:AC24V 6W

Shooting star effect (F10M)


▲ Model No.:EB24-1426
Lamps:320
Size:110x70x8cm
Spec.:AC24V 15W

Crystal Single Heart


Shooting
star
effect
(F10M)
(light move
from A to B)50x54cm(120L)
Model No.:EB24-1427
Lamps:120
Size:50x54x6.5cm
Spec.:AC24V 6W78x80cm(240L)
Model No.:EB24-1428
Lamps:240
Size:78x80x9cm
Spec.:AC24V 12W

● AC24V - LED ROSE LIGHT - Wedding decoration

Rose pathway light

Model No.:EB13-1408
Lamps:20/28
Size:2.4xH0.7m
Spec.:AC24V 2.4W



EB13-1409

F8M controller
8functions:
1>combination
2>in waves
3>sequential
4>slo-glo
5>chasing/flash
6>slow fade
7>twinkle/flash
8>steady on



EB13-1409

Model No.:EB13-1409
Lamps:20/28
Size:2.4xH0.7m
Spec.:AC24V 2.4W

Rose garland light

▲ Model No.:EB17-1407
Lamps:36
Length:1m
Spec.:AC24V 2.4WUse for garland
(1m)Use for wreath
(G30cm)

Rose arch light

Model No.:
EB17-1408
Lamps:112
Size:1.4xH2.1m
Spec.:AC24V 4.8W




● DC24V Multi Power Supply-LED Lights + Accessories

A Power supply-AC24V adapter



AC24V adapter




All the led light
can use A/B/C
Power supply



B Power supply-DC24V solar panel




DC24V 0.5W solar panel



C Power supply-DC24V battery box



DC24V BO3D battery box



The best effect
Max connect:1set(208L)


Model No.:EB18MPS-BAT24V
Spec.:DC24V 3xD

LED color & type



PIL004
hollow
round
Φ5.0mm
Welding

Special
Waterproof
Design(IP67)



PVC
tube


life:
3 months

PE
tube


life:
6 months

Multi Power Supply -LED Lights


1 208L LED string light




2 200L LED icicle light



3 200L LED curtain light



4 200L -LED net light





Basic Light -New Create Concept – Combine Decorative Display User And Home User




● DC24V - LED Solar Lights - Accessories

A Solar panel




Solar panel:DC24V0.5W
size:120x108x25mm

IP65
outdoor use
CE



Supper Bright Led

NEW
SOLAR panel
DC24V 0.5W



*8 function
with memory

Step1-Press the **ON/OFF** button
the indicator lamp light up that allow to charge in
full sunlight. Press again the **ON/OFF** button the
indicator lamp goes off that the solar panel
cannot work.
If not set **ON, the solar panel will not work.
Step2-Press **MODE** button
the user can select the follow mode for use


MODE
1> COMBINATION 2> IN WAVES
3> SEQUENTIAL 4> SLO-GLO
5> CHASING/FLASH 6> SLOW FADE
7> TWINKLE/FLASH 8> STEADYON

Example for:200~400L
Solar LED light

Expansion function
connect solar auto
power supply
(which can make solar light
keep brightness when the
solar light become less
bright or not work in cloudy
or rainy day)

Weather	Charge in	Lighting
	6hrs	6~10hrs
	6hrs	0.5~3hrs
	6hrs	0.5~1hrs

B Solar auto power supply(SAPS)




Patent
copyright

Model No.:
EB23-SAPS-3EC
Size:11x5.3x2cm


LED color & type

Single chip -LED lamp color



● DC24V - LED Solar Lights

String Lights




Model No.:EB26-1401
Lamps:96
Length:4.85m
Spec.:DC24V0.5W

Model No.:EB26-1402
Lamps:208
Length:10.45m
Spec.:DC24V0.5W

Model No.:EB26-1403
Lamps:384
Length:19.25m
Spec.:DC24V0.5W


Icicle Lights



Model No.:EB26ic-1401
Lamps:200
Length:4.9x0.5m
Spec.:DC24V0.5W

Model No.:EB26ic-1402
Lamps:400
Length:9.9x0.5m
Spec.:DC24V0.5W


Curtain Lights



Model No.:EB26cu-1401
Lamps:200
Length:2x1m
Spec.:DC24V0.5W

Model No.:EB26cu-1402
Lamps:400
Length:4x1m
Spec.:DC24V0.5W

Net Lights




Model No.:EB26net-1402
Lamps:400
Length:2x1m
Spec.:DC24V0.5W

Model No.:EB26net-1401
Lamps:200
Length:2x0.5m
Spec.:DC24V0.5W

Normal use of
led light with
accessories

→ A + LED lights
B + A + LED lights

example for:






Basic Light -New Create Concept – Combine Decorative Display User And Home User



● DC30V - LED Battery Box Lights-3xD cell




String Light




● DC24V - LED Battery Box Lights-3xA cell




Icicle Light



Curtain Light



Net Light



LED color & type






Outdoor Commercial Decoration




DMX Lighting Show with music







● DMX Lighting Show Instruction



● DMX Controller/DMX Driver/Power

	DMX Controller	DMX Driver	Power
24V	<p>DMX controller</p>  <p>Model No: EB18DMX-DC5V-CO1-SD CARD</p>	 <p>Model No: EB18DMX-24V-DRV AC24V/DC24V 3X1A</p>	<p>Model No: EB18DMX-OD-ADAPTER GS-AC24V30W/45W/80W(4m) BS-AC24V30W/45W/60W(4m) SAA-AC24V30W/60W/105W(4m) PSE-AC24V24W/46W/71W(2.5m) UL-AC24V30W(2m)</p>
100V~125V	<p>DMX controller</p>  <p>Model No: EB18DMX-DC5V-CO1-SD CARD</p>	 <p>Model No: EB18DMX-100V-DRV AC100V/DC100V/3X1A</p>	<p>Model No: EB18DMX-PSE-AC100V-OD-1.5m DMX driver power cord</p> <p>Model No: EB18DMX-UL-AC125V-OD-1.5m DMX driver power cord</p>
230V~240V	<p>DMX controller</p>  <p>Model No: EB18DMX-DC5V-CO1-SD CARD</p>	 <p>Model No: EB18DMX-230V-DRV AC230V/DC230V/3X1A</p>	<p>Model No: EB18DMX-GS-AC230V-OD-1.5m DMX driver power cord</p> <p>Model No: EB18DMX-SAA-AC230V-OD-1.5m DMX driver power cord</p> <p>Model No: EB18DMX-BS-AC240V-OD-1.5m DMX driver power cord</p>


● Accessories For DMX Lighting System

DMX driver-extension power cord Model No: EB18DMX-driver power-EXD-1EC-1M Length:1m	DMX driver-extension signal cord Model No: EB18DMX-driver signal-EXD-1EC-1M Length:1m	
DMX driver-rope light cord Model No: EB18DMX-rope light-03T(2pin)-EXD-1EC-2W-G13-A1-IP68-1M Length:1m	light-extension cord Model No: EB18DMX-03T(2pin)-EXD-1EC-1M/3M/5M Length:1m/3m/5m	
	light-T-extension cord Model No: EB18DMX-03T(2pin)-EXD-10EC-1.65M/2M Length:1.65m/2m	



● DC24V DMX Lighting System - Basic LED Lights

24V

ETB SPECIAL DESIGN
Best for outdoor displayLED
STRING
LIGHT





2m/3m/10m/20m

Model No: EB18DMX-1501-V1 Lamps:20 Length:2m DC24V0.576W
Model No: EB18DMX-1503-V1 Lamps:80 Length:10m DC24V2.3W


2m/3m/10m/20m

Model No: EB18DMX-1501-V2 Lamps:20 Length:2m DC24V0.576W
Model No: EB18DMX-1503-V2 Lamps:80 Length:10m DC24V2.3W

2m/3m/10m/20m

Model No: EB18DMX-1501-V3 Lamps:20 Length:2m DC24V0.576W
Model No: EB18DMX-1503-V3 Lamps:80 Length:10m DC24V2.3WLED
NET
LIGHTModel No: EB18DMX-1505-V2 Lamps:60 Length:1x1m DC24V1.728W
Model No: EB18DMX-1506-V2 Lamps:120 Length:2x1m DC24V3.456WModel No: EB18DMX-1505-V3 Lamps:60 Length:1x1m DC24V1.728W
Model No: EB18DMX-1506-V3 Lamps:120 Length:2x1m DC24V3.456WLED
ARCH
LIGHT0.5m
1m
Model No: EB18DMX-1507-V1 Lamps:60 Length:1x0.5m DC24V1.728W0.5m
1m
Model No: EB18DMX-1507-V2 Lamps:60 Length:1x0.5m DC24V1.728W0.5m
1m
Model No: EB18DMX-1507-V3 Lamps:60 Length:1x0.5m DC24V1.728WLED
ROPE
LIGHTG13mm
(2way)50m/roll
Model No: EB14DMX-1501 Length:50m 36L/m DC24V1.24W/m

Best for outdoor display

ETB-TAIWAN
HEAD OFFICE

LED LAMP COLOR-16 kind of different color





● DC100V~125V DMX Lighting System-Basic LED Lights


100V~
125V

Quality guarantee period		V1	V2	V3
3 years		G9mm 3cm	G5mm 3cm	G5mm 3cm
		IP68-CONNECTOR IP68-LED(Z)+CAP	IP68-CONNECTOR IP67-LED(Z)+PETUBE	IP68-CONNECTOR IP67-LED(Z)+PVCTUBE
		★ Cold-resistant Cord (use temperature:-40~60°C) VSF/G2.5MM/0.5SQM	★ Cold-resistant Cord (use temperature:-40~60°C) VSF/G2.5MM/0.5SQM	★ Cold-resistant Cord (use temperature:-40~60°C) VSF/G2.5MM/0.5SQM
LED STRING LIGHT		2m/3m/10m/20m Model No: EB18DMX-1508-V1 Lamps:20 Length:2m DC100V2W Model No: EB18DMX-1509-V1 Lamps:30 Length:3m DC100V2W	2m/3m/10m/20m Model No: EB18DMX-1508-V2 Lamps:20 Length:2m DC100V2W Model No: EB18DMX-1510-V2 Lamps:80 Length:10m DC100V8W	2m/3m/10m/20m Model No: EB18DMX-1508-V3 Lamps:20 Length:2m DC100V2W Model No: EB18DMX-1510-V3 Lamps:80 Length:10m DC100V16W
LED NET LIGHT			1x1m/2x1m Model No: EB18DMX-1512-V2 Lamps:60 Length:1x1m DC100V4W	1x1m/2x1m Model No: EB18DMX-1512-V3 Lamps:60 Length:1x1m DC100V4W
LED ARCH LIGHT		0.5m 1m Model No: EB18DMX-1514-V1 Lamps:60 Length:1x0.5m DC100V4W	0.5m 1m Model No: EB18DMX-1514-V2 Lamps:60 Length:1x0.5m DC100V4W	0.5m 1m Model No: EB18DMX-1514-V3 Lamps:60 Length:1x0.5m DC100V4W
LED ROPE LIGHT		★★★★★ ETB SPECIAL DESIGN Best for outdoor display (current market:36pcs/1M cutting) other lamp stop working If happen one lamp dead (ETB:72pcs/2M cutting) other lamp keep working		50m/roll Model No: EB14DMX-1502 Length:50m 36L/m DC100V2W/m G13mm (2way)

LED LAMP COLOR-16 kind of different color



Best for outdoor display





● DC230V~240V DMX Lighting System-Basic LED Lights

230V~
240V★★★★★
ETB SPECIAL DESIGN
Best for outdoor display

(current market)
other lamp
stop working
If happen
one lamp dead
(ETB)other
lamp keep
working

LED
STRING
LIGHT

2m/3m/10m/20m

Model No: EB18DMX-1515-V1
Lamps:20
Length:2m
DC230V4.6W

Model No: EB18DMX-1517-V1
Lamps:80
Length:10m
DC230V4.6W

2m/3m/10m/20m


Model No: EB18DMX-1515-V2
Lamps:30
Length:3m
DC230V4.6W

Model No: EB18DMX-1517-V2
Lamps:160
Length:20m
DC230V4.6W

2m/3m/10m/20m

Model No: EB18DMX-1515-V3
Lamps:20
Length:2m
DC230V4.6W

Model No: EB18DMX-1517-V3
Lamps:80
Length:10m
DC230V4.6W

LED
NET
LIGHT

1x1m/2x1m

Model No: EB18DMX-1519-V2
Lamps:60
Length:1x1m
DC230V4.6W

Model No: EB18DMX-1520-V2
Lamps:120
Length:2x1m
DC230V9.2W

1x1m/2x1m

Model No: EB18DMX-1519-V3
Lamps:60
Length:1x1m
DC230V4.6W

Model No: EB18DMX-1520-V3
Lamps:120
Length:2x1m
DC230V9.2W


LED
ARCH
LIGHT0.5m
1m

Model No: EB18DMX-1521-V1
Lamps:60
Length:1x0.5m
DC230V4.6W

Model No: EB18DMX-1521-V2
Lamps:60
Length:1x0.5m
DC230V4.6W

0.5m
1m

Model No: EB18DMX-1521-V3
Lamps:60
Length:1x0.5m
DC230V4.6W

LED
ROPE
LIGHT★★★★★
ETB SPECIAL DESIGN
Best for outdoor display


(current market: 72pcs/2M cutting)
other lamp stop working
If happen one lamp dead
(ETB: 144pcs/4M cutting)
other lamp keep working

4m
cutting mark
G13mm
(2way)

50m/roll

Model No: EB14DMX-1503
Length:50m
36L/m
DC230V2W/m

Best for outdoor display



LED LAMP COLOR-16 kind of different color





Basic Light -New Create Concept – Combine Decorative Display User And Home User

● DC5V - DMX RGB LED LIGHT - Display decoration

Dmx RGB led string light




A-type-without IC
PIL011(G8mm)
G11.5xH37.5mm
RGB LED-4pin
(with out IC)
DC5V 0.3W
IP66

A-type-with IC
PIL011(G8mm)
G11.5xH37.5mm
RGB LED-4pin
(with IC)
DC5V 0.3W
IP66



B-type-without IC
PIL012(G8mm)
26.5x19xH23mm
RGB LED-4pin
(with out IC)
DC5V 0.3W
IP66

B-type-with IC
PIL012(G8mm)
26.5x19xH23mm
RGB LED-4pin
(with IC)
DC5V 0.3W
IP66




Model No.: EB18-1401-A/B
Lamps:100(without IC)
Length:10m
Spec.:DC5V30W


Model No.: EB18-1402-A/B
Lamps:100(with IC)
Length:10m
Spec.:DC5V30W

HOW TO USE

RGB bulb without IC use with SD-DMX512 controller+DMX decoder




RGB Bulb with IC use with SD-DMX512 controller+SPI DMX decoder




● DC5V - LED DMX CONTROLLER - Display decoration

DMX light effect for display &home user **New**



HOW TO USE



1 SD-DMX 512 controller with Remove controller



Model No.: ETB-SD-DMX512
DC12V1W
Size:L130xW65xH46 mm
Max channel:512
Remove controller:13dBm/20mW
Max remove distance:>100m
SD card:with software(LedEditor v1.0)
Max 64 files
Function:flash/chasing/twinkle....

<SD-DMX512 controller include power supply>

2 DMX Decoder - for normal led lights



Model No.: ETB-Decoder-DMX100
DC5~24V
Size:L175xW53xH27 mm
Input:DMX512 signal
Output: 3-Nmos drain open -circuit output
Connection mode:common anode
Output current:<5A(each channel)
Output power:5V<75W, 12V<180W, 24V<360W
Remote distance:15m
Max connect:
sample for: 24V LED(2pin)- 6000pcs
5V RGB LED(4pin)-170pcs

2 DMX Decoder - for led RGB(IC) lights



Model No.: ETB-SPI Decoder-DMX200
DC5~24V
Size:L175xW53xH27 mm
Input:DMX512 signal
Output: SPI signal (DATA, CLK)
Max output:480W
Max connect:
sample for:
5V RGB LED(4pin-IC)-170pcs

The DMX SPI decoder support 10 kinds of different model of lights, at the same time the port of DMX signal has lighting protection measures. Not connected with DMX console, you can choose select the built-in 35 kinds of default patterns through the mode button, the default number of channel is 1024

4 AC/DC power supply



<UL/CUL/PSE/TUV/BIMI/CCC/CB/FCC/CE>
input: AC90~264V 47~63Hz
output:
DC5V 15W; DC5V 25W
DC12V 60W
DC24V 120W

3 Light for SD-DMX512 controller system



normal led light/tape light(2pin)
RGB led light/tape light(4pin-with/without IC)

(TAIWAN) 244 New Taipei City Linkou District, Hunan Village, 4.Neighborhood 15F-2 No.573, Sec.1, Wenhua 2nd Rd.TAIPEI, TAIWAN,R.O.C. Tel:886-2-26018529 Fax: 886-2-26018019

(SHANGHAI) No.45, Lane188, Nan Lu Rd., Xuan Qiao Town, NAN HUI DISTRICT, SHANGHAI, CHINA(P.C.201314) Tel:86-21-58188020/58188021 Fax: 86-21-58188023



Basic Light -New Create Concept – Combine Decorative Display User And Home User

● AC100V~240V LED Rope Light

LED Basic Rope light

Patent structure

Resolve one way
circuit defective problem



Single chip -LED lamp color




New two color twinkle rope light (Double chip -LED)




Power cord



Controller power cord



AC220~240V (36L/m; 2Watt/m)



Tube type

▲ Model No.:EB14-1401
Length:50m
Tube:G10-2W

Tube type

▲ Model No.:EB14-1402
Length:50m
Tube:G13-2W

Tube type

▲ Model No.:EB14-1403
Length:50m
Tube:G13-3W

AC100~125V (36L/m; 2Watt/m)



Tube type

▲ Model No.:EB14-1404
Length:50m
Tube:G10-2W

Tube type

▲ Model No.:EB14-1405
Length:50m
Tube:G13-2W

Tube type

▲ Model No.:EB14-1406
Length:50m
Tube:G13-3W

G10mm rope diy for motif light



G10mm/G13mm rope decorate for pathway



G10mm/G13mm rope decorate for pathway



G13mm rope decorate for tunnel

FOR
DISPLAY



● AC24/100/230V LED Tube Light

LED chasing G13mm tube string light

Speed chasing effect

SF8M controller(8function)

- 1>Steady on
- 2>Flash
- 3>Fastest chasing
- 4>Faster chasing
- 5>Fast chasing
- 6>Normal chasing
- 7>Slow chasing
- 8>Slower chasing





● AC24V LED Tube Motif Light-Accessories

A ADAPTER




Outdoor use with power cord(IP44)
*AC24V6W *AC24V10W
*AC24V30W




B Controller cord

Colorchanging effect controller for doublechipped



● AC24V LED Basic Tube Motif Light

Chasing effect




Model No.:EB12-1401
Lamps:32
Length:80x40cm
Spec.:AC24V0.96W



Model No.:EB12-1402
Lamps:56
Length:80x40cm
Spec.:AC24V1.92W



Model No.:EB12-1403
Lamps:48
Length:80x40cm
Spec.:AC24V1.92W



Model No.:EB12-1406
Lamps:57
Length:80x40cm
Spec.:AC24V1.92W




Model No.:EB12-1405
Lamps:48
Length:100x20cm
Spec.:AC24V1.92W

DIY - led tube A + B + led tube motif light motif light

Use for fence




Use for curtain



*AC24V30W
(max connect 3~10sets)


● AC100~230V LED Rope Motif Light

Star motif light



Model No.:EB14-1407
Size:110x60cm
Spec.:AC100V 10W

chasing effect




Snowflake motif light




Model No.:EB14-1408
Size:110x60cm
Spec.:AC100V 15W

chasing effect




Santa and sleigh deer




Model No.:EB14-1409
Size:135x53cm
Spec.:AC100V12W



chasing effect



Santa with gift box



chasing effect




Model No.:EB14-1410
Size:85xH80cm
Spec.:AC100V11W

chasing effect




Snowflake and star



white+blue



chasing effect



Octagram



white+blue



4 Layers Star











white+blue



Model No.:EB14-1413
Size:G60cm
Spec.:AC100V10W

chasing effect







● AC100V~230V LED Rope Motif Light **Chasing Effect**



● AC100V~230V LED Rope Motif Light

Chasing Effect



● AC100V~230V LED Rope Twinkle Motif Light



Model No.: EB14-1433
Size: 62xH80cm
Spec.: AC100V14W



Model No.: EB14-1438
Size: 46xH50cm
Spec.: AC100V6W




Falling star motif light with twinkle effect, Model No.: EB14-1443, Size: 100xH45cm, Spec.: AC100V10W



Model No.: EB14-1443
Size: 100xH45cm
Spec.: AC100V10W



Snowflake serise



Model No.: EB14-1444
Size: 120xH20cm
Spec.: AC100V12W



Model No.: EB14-1446
Size: 80xH45cm
Spec.: AC100V14W



Merry Christmas motif light with twinkle effect, Model No.: EB14-1448, Size: 120xH20cm, Spec.: AC100V12W



Basic Light -New Create Concept – Combine Decorative Display User And Home User



● DC4.5V - LED LIGHT - Home decoration

Crystal motif light


Reindeer&sledge(24L)



Little Train(24L)



Xmas tree(8L)




Crystal ball string light(8L)



LED shade string light

Battery box led shade string light



● Cherry blossom



● PS Star




● PS Snowflake



● White ball



● Butterfly& flower



● white snowball



● Waxberry



● DC4.5V - LED LIGHT - Home decoration

LED snowfall effect tube icicle light



- Model No.: EB13-1417-A/B
Lamps:200L/100L
length:G1.1x20cm
Spec.:AC12V20W
- Model No.: EB13-1418-A/B
Lamps:300L/200L
length:G1.1x25cm
Spec.:AC12V20W
- Model No.: EB13-1419-A/B
Lamps:400L/300L
length:G1.1x30cm
Spec.:AC12V20W

- bulb type-B (single side)

