



CLOUD SADDLE

USER MANUAL

AVIRON ACTIVE

END BORING WORKOUTS

We're thrilled you've chosen the *Aviron Cloud Saddle*. For the best experience, please review this manual carefully before use. It contains important information and step-by-step instructions for proper installation.

Table of Contents

PRODUCT OVERVIEW AND SPECIFICATIONS	2
Compatibility	2
Required Tools	2
Product Dimensions	2
ASSEMBLY INSTRUCTIONS	3
Fit Bike S (A)	3
Fit Bike (B)	8
CARE AND MAINTENANCE	10
Cleaning the Cloud Saddle	10
TERMS AND CONDITIONS	11
STATEMENTS AND WARRANTY	12

PRODUCT OVERVIEW AND SPECIFICATIONS

Compatibility

This device is designed for use with the Aviron Fit Bike and Fit Bike S models. The installation process differs between bike models, so be sure to follow the steps specific to your bike model:

- **Installation type A - Fit Bike S**
- **Installation type B - Fit Bike**

Required Tools

- M6 Allen key - Supplied with Fit Bike and Fit Bike S
- M13-15 Combination Wrench - Supplied with the Cloud Saddle


Product Dimensions and Specifications

Product (L x W x H): 10.5 x 8.5 x 3 inches / 266 x 216 x 76 mm

Total Weight: 1 lb / 470 g

ASSEMBLY INSTRUCTIONS


STEP 1-A




Turn the knob counter-clockwise to unlock the Seat Post Depth Slider. Slide the saddle all the way forward, then secure it by turning the knob clockwise.

ASSEMBLY INSTRUCTIONS

STEP 2-A




Tools: M6 Allen Key




Use the M6 Allen key to loosen the bolt securing the saddle assembly by turning it clockwise. This will release the clamp holding the saddle in place. Once the clamp is loosened, rotate it 90 degrees so that the top section passes through the saddle rails. Then, carefully lift the saddle upward to remove it.

ASSEMBLY INSTRUCTIONS

STEP 3-A





Tools: M13-15 Combination Wrench 


Use the M13-15 Combination Wrench to fully loosen and remove the nut securing the Cloud Saddle bracket by turning it counterclockwise. Once the nut is removed, the crossing bolt holding the bracket in place will be released. Remove the bolt to fully disengage the bracket, then lift and remove the bracket completely.

ASSEMBLY INSTRUCTIONS

STEP 4-A




Tools: M6 Allen Key




To install the new saddle, align the saddle rails with the groove on the lower clamp of the screw mount. Rotate the top clamp 90 degrees to fit over the rails. Then, using the M6 Allen key, lightly tighten the bolt by turning it counter-clockwise.

ASSEMBLY INSTRUCTIONS

STEP 5-A




Tools: M6 Allen Key




With the clamp slightly open, position the saddle so it is level or angled to your preference. Adjust it to your desired distance, then fully tighten the bolt using the M6 Allen key.

ASSEMBLY INSTRUCTIONS

STEP 1-B





Tools: M13-15 Combination Wrench 

Use the M13–15 Combination Wrench to fully loosen the nut securing the saddle bracket by turning it counterclockwise. Once the bracket is loosened, carefully lift the saddle upward to remove it.

ASSEMBLY INSTRUCTIONS

STEP 2-B



Tools: M13-15 Combination Wrench 

Install the Cloud Saddle onto the depth slider mast. Position the saddle so it is level or angled to your preference. Adjust it to your desired distance, then fully tighten the nut using the M13-15 Combination Wrench by turning it clockwise, to secure the saddle in place.

CARE AND MAINTENANCE

CAUTION:

- To ensure safe operation and optimal saddle performance, regularly check the saddle for wear or any damage, and replace if necessary.

Cleaning the Saddle

Regular cleaning is essential to maintain the saddle's performance and extend its lifespan. Follow these guidelines for safe and effective cleaning:

1. Before and after each workout, wipe down the saddle's top surface using a dry cloth.
2. Clean and disinfect the top surface with alcohol-free and ammonia-free solutions.
3. DO NOT use abrasive cleaners, as they can damage the product's finish.
4. DO NOT spray or pour liquids directly onto the saddle.
5. DO NOT allow sweat to sit on the device, as prolonged exposure to moisture and salt can cause corrosion and material degradation.

TERMS AND CONDITIONS

General Policies

Aviron Interactive Inc. (“Aviron”) aims to satisfy you (the “customer”) completely. Plans and specifications are interpreted as required, but Aviron takes no responsibility that the information provided is suitable for the intended purpose. Aviron reserves the right to accept or refuse any order as part of its policy of continuous equipment improvement. All information supplied by Aviron is believed to be accurate, but Aviron is not liable for errors or misinterpretations.

Exclusion of incidental, consequential, and certain other damages

To the maximum extent permitted by applicable law, in no event shall Aviron or its suppliers nor anyone else involved in the production or delivery of this equipment be liable for any indirect, special, consequential, punitive, or incidental damages whatsoever (including, but not limited to, damages for loss of profits or loss of data or confidential or other information, for business interruption, loss of business information, and the like) arising out of or related to this agreement or the use or inability to use such equipment, the provision of or failure to provide support or other services, information, software, and related content through the Aviron equipment or otherwise arising out of the use of the Aviron equipment, or otherwise under or in connection with any provision of this license, even in the event of the fault, tort (including negligence), misrepresentation, strict liability, breach of contract or breach of warranty of Aviron or any supplier, and even if Aviron has been advised of the possibility of such damages. In no event shall Aviron's liability hereunder, if any, exceed the purchase price paid by the customer for the Aviron equipment.

Disclaimer

The information contained in this user manual is for reference only. The product described above may be subject to modifications of the manufacturer's continuous research and development plans. The manufacturer is not obligated to announce it in advance.

We shall not bear any legal liability for any direct or indirect, accidental, special damages, losses, and expenses derived from or associated with this manual or the product contained.

Warranty

Your *Cloud Saddle* is covered by a limited warranty. For detailed terms and conditions, please visit our website:

www.avironactive.com/support/general/warranty/

Support

If you need help or run into any issues, please visit our support page:

www.avironactive.com/support/general/

ENDING BORING WORKOUTS



Airon Active

265 Bartley Drive
Toronto, Ontario
M4A 2N7, Canada

avironactive.com

Phone: 877-955-4222

General email: hello@avironactive.com

Support email: support@avironactive.com

Rev. 20250919