



## VHS 22000 DUCTED SYSTEM CONSISTS OF:

System parameters for 22000 btu when:  
@ 38°F suction & 90°F ambient temperature with a 10°  
temperature differential of air flow over fan coil



<b>Condensing Unit:</b>	
<b>Part No.:</b>	FTAHA201CFV020
<b>Horsepower:</b>	2
<b>Refrigerant:</b>	R134a
<b>Voltage:</b>	208-230/1/60
<b>MCA (Amps):</b>	29.1
<b>Length (In.):</b>	25.1
<b>Width (In.):</b>	34.1
<b>Height (In.):</b>	19.1
<b>Connection Suction (In.):</b>	7/8 S
<b>Connection Liquid (In.):</b>	3/8 S
<b>Compressor:</b>	CS20K6EPFV
<b>Oil:</b>	Polyol Ester
<b>Receiver Cap. 90 % Full (Lbs.):</b>	16.7
<b>Shipping Weight (Lbs.):</b>	215

**Evaporator:**

**Part No.:** VHA 120  
**Voltage:** 115v  
**MCA (Amps):** 2.1a  
20.94"  
**Length (In.):**  
**Width (In.):** 22.875"  
**Height (In.):** 39.125"  
**Shipping Weight (Lbs.):** 132 lbs.  
**Connection Suction (In.):** 3/8"  
**Connection Liquid (In.):** 5/8"  
**Drain Line (In.):** 7/8"  
**CFM:** 1150

**System Line Set:**

**Suction:** 5/8"  
**Liquid:** 3/8"  
**Suction (In.):** 1/2"  
**Liquid (In.):** 3/8"



