



WM 1800 AIR COOLED SYSTEM
CONSISTS OF:

System parameters for 1800 btu when:
@ 38°F suction & 90°F ambient temperature with a 10° temperature differential of air flow over fan coil



Condensing Unit:

| | |
|--|------------------------|
| Horsepower: | CU18 |
| Refrigerant: | 1/5 |
| Voltage: | R134a |
| MCA (Amps): | 115/1/60 |
| Length (In.): | 6.1 |
| Width (In.): | 17 |
| Height (In.): | 12 |
| Connection Suction (In.): | 9.4 |
| Connection Liquid (In.): | 3/8 F |
| Compressor: | 1/4 F |
| Oil: | NEK6160Z |
| Receiver Cap. 90 % Full (Lbs.): | Polyol Ester |
| Shipping Weight (Lbs.): | 2.4 |
| Features: | 41 |
| | Receiver, Low Pressure |



Evaporator:

| | |
|----------------------------------|---------|
| Part No.: | WM 15 |
| Voltage: | 115v |
| MCA (Amps): | 0.06a |
| Length (In.): | 16" |
| Width (In.): | 5.625" |
| Height (In.): | 36" |
| Shipping Weight (Lbs.): | 26 lbs. |
| Connection Suction (In.): | 3/8" |
| Connection Liquid (In.): | 1/2" |
| Drain Line (In.): | 1/2" |
| CFM: | 350 |

System Line Set:

| | |
|-----------------|------|
| Suction: | 3/8" |
| Liquid: | 1/4" |

Mounting Diagrams

