

According to the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016
on personal protective equipment and repealing Council Directive 89/686/EEC

A.N.C.I. Servizi s.r.l. a socio unico – CIMAC Laboratories
Community Identification N° 0465

Grants:
Manufacturer
U GROUP S.R.L.
VIA BORGOMANERO 50
28040 PARUZZARO

EU TYPE-EXAMINATION CERTIFICATE MODULE B
N° F-108-00600-18 Rev.2

for the following model of Personal Protective Equipment:

Design/ Item: Low shoe Art. RL20096 GOING ESD
Category of PPE: II
Additional requirements: S1 P SRC

safety footwear for professional use according to harmonized standard (*)
EN ISO 20345:2011

Picture of the basic model



First issue date: 18/07/2018
Revision date: 29/05/2020
Expiry date: 18/07/2023

Technical Manager
Giuseppe Bellotti



Manufacturer's identification mark:	U POWER		
Classification:	I - Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear		
Size range:	from 38 to 48 (french point)		
Identification of last:	7466 RED LION		
Manufacturing process:	Injection		
The footwear has a:	metallic toecap	cod	PU00041 (MARTEK 522)
	non-metallic penetration-resistant insert	cod	SP00007 (LENZI WB FLEX) TL00150
	removable insock	cod	SECOSOL 951622012451XX SECOSOL 9516101XXX7XXX

Additional requirements:	heel area closed;
A	antistatic properties;
E	energy absorption of seat region;
P	penetration resistance of sole complex;
FO	fuel oil resistant outsole; cleated outsole.

Test Reports: The results of tests and examinations are contained in the following test reports:

Whole footwear	CIMAC	RP 2017/0866-2-RP-2	dated	05/05/2017
	CIMAC	RP 2017/0866-2-RP-3	dated	05/05/2017
Upper	CIMAC	RP 2017/2176-1-RP-2	dated	09/11/2017
	CIMAC	RP 2017/2176-1-RP-4	dated	09/11/2017
Toecap	CIMAC	RP 2020/0196-1-RP-1	dated	29/01/2020
Vamp lining	CIMAC	RP 2018/1489-1-RP-2	dated	20/06/2018
	CIMAC	RP 2018/1489-1-RP-4	dated	20/06/2018
Quarter lining	CIMAC	RP 2015/1608-2-RP-2	dated	07/10/2015
	CIMAC	RP 2015/1608-2-RP-4	dated	07/10/2015
Tongue	CIMAC	RP 2017/1557-5-RP-2	dated	21/07/2017
	CIMAC	RP 2017/1557-5-RP-2	dated	21/07/2017
	CIMAC	RP 2019/0821-1-RP-2	dated	03/05/2019
	CIMAC	RP 2019/0821-1-RP-4	dated	03/05/2019
Removable insock	CIMAC	RP 2018/3390-1-RP-2	dated	20/12/2018
	CIMAC	RP 2018/3390-1-RP-4	dated	20/12/2018
	CIMAC	RP 2017/2646-1-RP-2	dated	12/12/2017
Insole/Non-metallic penetration-resistant insert	CIMAC	RP 2017/1071-1-RP-2	dated	01/06/2017
	CIMAC	RP 2017/1071-1-RP-3	dated	01/06/2017
	CIMAC	RP 2017/1071-1-RP-4	dated	01/06/2017

Outsole	CIMAC	RP 2017/0866-1-RP-2	dated	05/05/2017
	CIMAC	RP 2017/0866-1-RP-3	dated	05/05/2017
	CIMAC	RP 2017/0866-1-RP-4	dated	05/05/2017
Bottom of the footwear	CIMAC	RP 2020/0868-1-RP-1	dated	26/03/2020
	CIMAC	RP 2020/0868-1-RP-2	dated	26/03/2020
	CIMAC	RP 2020/0868-1-RP-3	dated	26/03/2020
	CIMAC	RP 2020/0925-1-RP-1	dated	16/04/2020
	CIMAC	RP 2020/0925-2-RP-1	dated	16/04/2020
	CIMAC	RP 2020/0925-3-RP-1	dated	16/04/2020

Marking



CE Marking

Name and postal address of the Manufacturer
 manufacturer's type designation
 the number and year of the reference European standard
 Category and additional requirements of the PPE
 Month and year of fabrication
 Size
 Batch number
 Reference to informative note



(*) Subsystems and safety components which are in conformity with harmonised standards or parts thereof the references of which have been published in the Official Journal of the European Union shall be presumed to be in conformity with the essential requirements set out in Annex II Regulation (EU) 2016/425.

Validity conditions: This certificate is valid for 5 years from the date of issue. On expiration the manufacturer shall ask for its renewal. The rules applied are those in force on the date of issue shown on this certificate; The validity of the certificate is no longer guaranteed if substitutive standards are issued before the expiration date. All changes made to the model and to the materials described in this EU type-examination certificate shall be reported to and approved by CIMAC. This EC Type-Examination Certificate may be integrally duplicated; the copy must be faithful, legible (if pint size) and must contain the bold caption "TRUE COPY". This certificate must be kept by the manufacturer to be shown, on request, to the inspection or notifying authorities.