

## EU Type Examination Certificate

Date: 2021/03/30

n. **860211308/TE**

Validity: 2026/03/29

This Certificate is a translation in English of the original Certificate issued in Italian.

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

|   |  |
|---|--|
| Manufacturer:<br>(Responsible of the PPE) | <b>U-GROUP SRL</b><br>Via Borgomanero, 50 – 28040 Paruzzaro (NO) – Italia  |
| Type of PPE:                              | <b>Safety footwear</b> in conformity with <b>EN ISO 20345:2011 class I</b> (= footwear in leather and other materials)   |
| Category of PPE:                          | <b>II: "medium" risks.</b><br>This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.  |
| Model                                     | <b>"MIAMI"</b><br>code <b>RR20346</b>  |
| Description:                              | <p><u>model</u>: A (low shoe);<br/> <u>fastening system</u>: by means of laces;<br/> <u>processing</u>: direct injection;<br/> <u>outsole</u>: black compact PU 7466 INDUSTRY marked "ANTISTATIC OIL RESISTANT" (CH00116);<br/> <u>midsole</u>: black foam PU (CH00117);<br/> <u>upper</u>: black grain greased leather PULL UP declared thickness 1,8/2,0 mm (PL00028), lateral insert made of black fabric RETE CICLAMINO coupled with felt (SI00387), with retro-reflective inserts LUXOR ARGENTO ECO (SI00245);<br/> <u>collar</u>: black fabric RETE CICLAMINO coupled with felt (SI00387);<br/> <u>tongue</u>: black fabric RETE CICLAMINO (SI00308), centrally lined and padded;<br/> <u>bellows</u>: black coated fabric SINTETICO SPICE (SI00002);<br/> <u>vamp lining</u>: light grey three-dimensional fishnet knitting OMEGA ECO C02 coupled with beige canvas (SI00120);<br/> <u>quarter and tongue lining</u>: grey three-dimensional fishnet knitting IMOLA (SI00168);<br/> <u>collar lining</u>: papaya color three-dimensional fishnet knitting IMOLA (SI00114);<br/> <u>insole</u>: white multilayered fabric with black print declared conductive art. WB FLEX (SP00007), which also serves as penetration resistant insert;<br/> <u>removable insock</u>: black perforated foam material MEMORY coupled with black knitting in contact with the user, with zig-zag stitching with conductive thread in the forepart (TL00153);<br/> <u>toecap</u>: polymeric material, article PS240 HAWAI (PU00042).</p> <p><u>Optional interchangeable orthopaedic insocks (DGUV 112-191)</u> described by the Customer as below (see also page 3): SECOSOL® by Matthias Hartmann Orthopädie + Sport GmbH (max thickness in the toe tip area: 2,9 mm):<br/> SECOSOL® COMPLETE – No. Art. 951622012451XX<br/> SECOSOL® LAMINATO CON TESSUTO – No. Art. 9516101XXX7XXX</p> |
| Technical Standard:                       | <b>EN ISO 20344:2011</b><br>(UNI EN ISO 20344:2012) Personal protective equipment – Test methods for footwear<br><b>EN ISO 20345:2011</b><br>(UNI EN ISO 20345:2012) Personal protective equipment – Safety footwear   |

## EU Type Examination Certificate

Date: 2021/03/30

n. **860211308/TE**

Validity: 2026/03/29

Intended use: general industry, engineering industry, construction industry, agriculture, warehouses, works on trucks, cranes.

Size range: from 35 to 48

Technical File: **DC-13004/E**

Test report: **RCT n°4031010.01/E**

Functions and performance levels: **basic requirements for safety footwear (SB)** (see Table 2 and 3 of EN ISO 20345:2011): all mandatory ones, among which:

**SRC = Slip resistance** – meets the following requirement:

- surface: ceramic / lubricant: detergent solution;
- surface: steel / lubricant: glycerol.

**Additional requirements** (Tab. 18 and 20 of EN ISO 20345:2011):

**S1** = closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil; **P** = penetration resistance of the sole.

Note 1: the penetration resistance of the synthetic stitch proof insole tends to decrease with the diameter of the perforating object; in return the synthetic insole offers more protective surface and ergonomics advantages (flexibility, insulation, humidity and impact absorption).

Marking: on a stitched label and displaying the following information:

- **CE Marking**;
- registered trademark, name and complete address of the Manufacturer;
- designation of the footwear (= article name and alphanumeric code);
- nr. and year of the Standard of reference + safety symbols;
- size of the footwear (printed on the outsole);
- production date (month + year);
- additional information: website, category of the PPE, "Made in ...".



## EU Type Examination Certificate

Date: 2021/03/30

n. **860211308/TE**

Validity: 2026/03/29

**CE**  
**U-Power**  
Don't worry... be happy!  
www.u-power.it

**UGROUP**  
**RR20346**

**12/2020**  
**MIAMI**

**EN ISO 20345:2011**  
**S1P SRC**

**MADE IN TUNISIA**

UGROUP SRL  
Via Borgomanero,50  
Paruzzaro (NO)-Italy

**DPI II**



**SECOSOL® COMPLETE**  
**951622012451XX**



**SECOSOL® LAMINATO CON TESSUTO**  
**9516101XXX7XXX**



Note: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements.  
The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).