


VINTAGE

wintan.info

ENVIRONMENTAL DATASHEET



WINTER WRUP-CYCLING


Winter Wrup-Cycling revives recycled materials into high-quality coverings. This upcycling process has been developed by Winter & Company. It allows to recycle valuable raw materials, ensures that they are used for high-quality products and do not end up as waste. Winter Wrup-Cycling was applied to the production of Wintan®

Tannery waste fibres are transformed into a durable cover material. The surface finish consists of a newly developed print resin containing more than 60% biomass and low risk chemicals.

Winter Wrup-Cycling reduces the environmental impact further by manufacturing long lasting cover materials.

WASTE EQUIVALENT

The use of tannery waste is an effective way to reduce the environmental impact. The recycling process produces a new product in a continuous roll form, true to the characteristics of real leather. At the same time saving a significant amount of waste that would otherwise have gone to landfill.



since 1892

POST-INDUSTRIAL WASTE

process waste and helps saving resources.

Wintan® Vintage contains 78% of post-industrial waste. Leather as a by-product of the food chain is the first process of using a waste product. During the process of tanning and refining the leather skins, the pretanned wet blue cowhides generate leather waste. Wintan® Vintage reuses this



REACH

None of our products contain any of the substances currently listed as SVHC's (Substances of Very High Concern) under REACH.

Registration, Evaluation, Authorisation and Restriction of Chemicals is a European Union regulation dating from 18 December 2006. REACH addresses the production and use of chemical substances, and their potential impacts on both human health and the environment.



UN GLOBAL COMPACT

Winter & Company confirms that the supply chain of Wintan® Vintage is committed to the business practices of UN Global Compact.

The UN Global Compact is the world's largest corporate sustainability (a.k.a. corporate social responsibility) initiative with 13000 corporate participants and other stakeholders over 170 countries with two objectives: "Mainstream the ten principles in business activities around the world" and "Catalyse actions in support of broader UN goals, such as the Millenium Development Goals (MDGs) and



OEKO-TEX® LEATHER STANDARD

Sustainable Development Goals (SDG's).

Wintan® Vintage is produced according to the LEATHER STANDARD by OEKO-TEX®. The standard is a worldwide consistent, independent testing and certification system for leather and leather articles of all levels of production. For the leather materials the conditions and criteria of the latest valid LEATHER STANDARD by OEKO-TEX® are applied, for non-leather components contained (e.g. textile materials, metallic accessories etc.) the requirements of the latest valid STANDARD 100 by OEKO-TEX® have to be met.



CPSIA

Wintan® Vintage is CPSIA compliant. The Consumer Product Safety Improvement Act of 2008 is a United law. It imposes new requirements on manufacturers of apparel, shoes, personal care products, accessories and jewelry, home furnishings, bedding, toys, electronics and video games, books, school supplies, educational materials and science kits.



Update: 11.2022





VINTAGE

wintan.info

APPLICATIONS / ANWENDUNGEN / APPLICATIONS	BINDING & HANG TAGS & LUXURY STATIONERY
	BINDING & HANG TAGS & LUXURY STATIONERY PUBLISHING LABELS PACKAGING
SURFACE / OBERFLÄCHE / SURFACE	Bonded leather fibres bio resin printed & embossed / Genarbter mit Bioharz bedruckt Lederfaserstoff / Fibres de cuir collées, imprimées et gaufrées avec de la résine biologique
BASE / TRÄGER / BASE	Recycled leather fibres / Recycled Lederfasern / Fibres de cuir recyclées
DECORATION BY / DRUCKVEREDELUNG / IMPRESSION	Foil and blind stamping / Folien- und Blindprägung / Dorure et gaufrage à chaud
TESTS	Lightfastness: Almond = 2, other colours min. 5 ISO 3376 Tensile strength: MD 100 N / CD 90 N TAPPI T414 Tear resistance: MD 2680 mN / CD 2710 mN ISO 3376 Elongation: MD 2% /CD 3.6% ISO 105-X12 (Crockmeter) Colourfastness: MD 4-5 / CD 3-4 ISO 535 Cobb: 72 g/m2
MIN. QUANTITY SPECIALS / SPECIALS MINIMUM / QUANT. MIN. FAB. SPECIALES	500 linear metres / Laufmeter / mètres linéaires Special colours on request / Sonderfarben auf Anfrage / Couleurs spéciales sur deman
PRODUCTION TIME / PRODUKTIONSZEIT / TEMPS DE PRODUCTION	3 - 4 weeks / Wochen / semaines
ROLL WIDTH / ROLLENBREITE / LAIZE DU ROULEAU	145 cm
ROLL LENGTH / ROLLENLÄNGE / LONGUEUR DU ROULEAU	45 m
SHEETS / BOGEN / FEUILLES	On request / Auf Anfrage / Sur demande
NET WEIGHT / GEWICHT / POIDS	~ 350 g/m2
THICKNESS / DICKE / EPAISSEUR	~ 0.35 mm (20% tolerance)
TYPE OF PACKAGING / ART DER VERPACKUNG / TYPE D'EMBALLAGE	1 roll per carton / 1 Rolle pro Karton / 1 rouleau par carton
SIZES OF PACKAGING / DIMENSIONEN / FORMAT DE L'EMBALLAGE	146 x 25 x 25 cm
INNER CORE Ø / INNEN Ø DES KERNS / Ø INTERIEUR DU MANDRIN	50 mm
GROSS WEIGHT / BRUTTOGEWICHT / POIDS BRUT	~ 26 kg
NET WEIGHT / NETTOGEWICHT / POIDS NET	~ 25 kg
CUSTOMS DECLARATION / WARENDEKLARATION / DESCRIPTION DOUANIERE	Leatherboard / Lederpappe / Synderme
TARIFF NUMBER / TARIFNUMMER / NO. TARIFAIRE	4115.0000 (Switzerland) 41151000000 (European Community)
ENVIRONMENTAL DATA / UMWELTDATEN / DONNEES ENVIRONNEMENTALES	REACH PIW CONCLUSIVE IN LATING

Update: 11.2022

