

IMPORTANT: FOR BEST RESULTS, DOWNLOAD THIS FORM AND OPEN IN ADOBE ACROBAT TO EDIT AND SUBMIT. DO NOT COMPLETE THIS FORM USING YOUR INTERNET BROWSER. YOU MAY ALSO REQUEST A QUOTE HERE: <u>WWW.SEURA.COM/QUOTE/</u> PAGE 1 OF 4

Custom Quote Form

Project Information

Desired Delivery Date (REQUIRED)

Project/Job Name

Sales Representative

STANDARD TV MIRROR

VANITY TV MIRRORS	
Mirror Size	TV Size
30" w x 36" h	21" TV
42" w x 36" h	32" TV
60" w x 36" h	
30" w x 42" h	
42" w x 42" h	
60" w x 42" h	

	ENTER
e	М
	54
/	6
	7

ENTERTAINMENT TV MIRRORS			
Mirror Size	TV Size		
54.5" w x 33.31" h	55" 4K UHD TV		
62.75" w x 38" h	65" 4K UHD TV		
71.5" w x 43" h	75" 4K UHD TV		

INSTALLATION TYPE

Surface On-Wall Configuration Recessed In-Wall Configuration

Note: If no installation type is selected, "Surface" is the default configuration.

CUSTOM TV MIRROR

🐼 SÉURA

Entertainment Glass Ideal for living areas and	Mirror Width	Advances I to take to		
bedrooms	Maximum size: 94" w x 70" h or	Mirror Height X 70" w x 94" h	Surface On-Wall Configuration	Recessed In-Wall Configuration
"w x 38.14" h) w x 33.31" h) :"w x 38" h)	Technology™. Dimmable Driver No Lighting TV Mirror Lighting Design IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	n Options		-
	Include additional customiz section on pg 3 or include r technologies paired with ot Vanishing Digital Clock Night Light Defogger	ation requests in the comments elated drawings. Some hers may not be compatible. Additional Ambient Lighting (for Lighted TV Mirrors) UL Electrical Plug (hardwire installation is standard; choose this option for plug-in	Include relevant size and lo comments section on pg 3 drawings. Custom Mirror Shap (arches, rounded corners, Include details in commen	cation information in the below or include related e oval, etc.)
	"w x 28" h) "w x 38.14" h) "w x 33.31" h) "w x 38" h) w x 43" h) N IN MIRROR	Image: Sector	Image: Second	Image: Second

Holes must be located at least 2.5x hole diameter from the edge. For example, a 2" hole must be located at least 5" away from the glass edge.

1230 Ontario Road Green Bay, Wisconsin 54311 1-800-957-3872 contacts@seura.com www.seura.com



STANDARD LIGHTED MIRROR

Séura standard lighted mirrors include Séura's Radiant COB LED Technology™.

RECTANGLE LIGHTED MIRRORS



MIRROR SIZE

Mirror Width	Mirror Height
24" w	36" h
30" w	42" h
36" w	
42" w	
48" w	
54" w	
60" w	

ROUNDED RECTANGLE LIGHTED MIRRORS



MIRROR SIZE


Mirror Width	Mirror Height
24" w	36" h
30" w	42" h
36" w	
42" w	Add ½" to the width and ½" to the height
48" w	for Rounded Rectangle
54" w	Lighted mirrors with the Lumin or Allegro
60" w	lighting design

ROUND LIGHTED MIRRORS



MIRROR SIZE

Diameter	Installation
30" w	Plug-in (default)
36" w	Hard-wire
42" w	Round Design Options



Round Halo

FULL LENGTH LIGHTED MIRROR



18" w x 60" h Lumin Lighting Design, Touch Control Dimming, Hardwire and Plug-in installation configurations included.

LIGHTING DESIGN



CUSTOM LIGHTED MIRROR

MIRROR SIZE

Mirror Width Mirror Height

Х

Maximum size: 94" w x 70" h or 70" w x 94" h

CUSTOM GLASS FABRICATION

Include relevant size and location information in the comments section on pg 3 or include related drawings.

> Custom Mirror Shape (arches, rounded corners, oval, etc.) Include details in comments section on pg 3.

Fixture Holes

Sizes available (diameter): 1/4", 1/2", 1", 1-1/2", 2", 2-1/2", 3", 3-1/2", 4"

Cutout edges of holes to be covered by sconce cover plates.

Holes must be located at least 2.5x hole diameter from the edge. For example, a 2" hole must be located at least $\overline{5''}$ away from the glass edge.

Vanishing Vanity Glass to match TV Mirror Touch Controls not available with Vanishing Vanity



LIGHTING DESIGN



Veda Forte Halo For custom, include details in comments section on pg 3 or related drawings.

LIGHTED MIRROR NON-DIMMING OR DIMMING TYPE

For other electrical requirements, include specifications in the comments section.

For dimmable mirrors without touch control, choose one of the non-touch dimming options. In North America, most homes and commercial buildings either require TRIAC dimming or 0-10V dimming. If you're unsure of the wiring in your home or building, please consult an electrician who may need to come to your home or building and look at the wiring to determine which type is installed or select "unknown dimming requirements".

Non-Dimming Touch Control Dimming 0-10V Dimming TRIAC Dimming, 1-10V Dimming, Potentiometer Dimming, or 10V PWM Dimming Other Dimming (clarify in comments section) Unknown Dimming Requirements

1230 Ontario Road Green Bay, Wisconsin 54311 1-800-957-3872 contacts@seura.com www.seura.com

FRAME TYPE

Frameless Frame

Browse Frame Collection: <u>www.seura.com/products/frames/</u>

INPUT POWER REQUIRED

In North America, the standard voltage in homes is 110-120V and commercial buildings is 110-120V or 277V. If you're unsure of the input voltage, please select "Unknown Input Power".

110-120V 220-240V

277V

Other Input Power (please clarify in comments) Unknown Input Power

MORE OPTIONS >

Publish date: July 19, 2024. Information is subject to change without notice. © 2024 Séura

PAGE 2 OF 4

S É U R A

QUOTE FORM

PAGE 3 OF 4

CUSTOM TOUCH CONTROLS

Touch Buttons are centered near bottom of mirror. Some technologies paired with others may not be compatible

U

On/Off/Dimming

On/Off/Dimming,

Color Temperature





On/Off/Dimming, Color Temperature. Night Light

Polished Chrome Brushed Gold

10:43



 \mathbf{O}

On/Off/Dimming,

ትት

Defogger



On/Off/Dimming, Defogger



Color Temperature,

No Touch Control, 0-10V or TRIAC dimming included

FULL SUN SERIES™

for any lighting including sun

50 inch 4K UHD

65 inch 4K UHD

85 inch 4K UHD

Touch control mirror upgrades are not available on mirror sizes larger than 17.5 square feet (i.e. larger than 60" x 42") with Allegro, Forte, or Halo lighting designs

COMPLETE THE HOME

HYDRA INDOOR WATERPROOF TV



DISPLAY SIZE

19" TV (Dimensions 19" w x 13 1/4" h x 3 3/16" d) 27" TV (Dimensions 28" w x 17 3/4" h x 3" d)

BEZEL COLOR

White Pearl
Black Onyx
Stainless Steel

OUTDOOR ENTERTAINMENT



SHADE SERIES™ for shaded areas 55 inch 4K UHD 65 inch 4K UHD 75 inch 4K UHD

SOUNDBAR

80W Outdoor Soundbar

OUTDOOR ACCESSORIES



Outdoor TV Cover Short Arm Ceiling Mount Long Arm Ceiling Mount Floor Stand

Slim Wall Mount Tilting Wall Mount Full Motion Articulating Wall Mount

COMMENTS

INCLUDE ADDITIONAL DETAILS ON THE PROJECT



CUSTOM LIGHTED MIRROR ADD-ON OPTIONS

Include additional customization requests in the comments section on pg 3 or include related drawings. Some technologies paired with others may not be compatible.

- Digital Clock
- Night Light

Defogger

Safety Backing Security Latch

Fingerprint Protection

Side Diffusers (for edge lighting designs, n/a with Radiant LEDs)

Additional Ambient Lighting

UL Electrical Plug (hardwire installation is standard; choose this option for plug-in installation)

Vanishing Vanity Glass to match TV Mirror (Touch Controls not available with Vanishing Vanity Glass)

Touch control mirror upgrades are not available on mirror sizes larger than 17.5 square feet (i.e. larger than 60" x 42") with Allegro, Forte, or Halo lighting designs.



PAGE 4 OF 4

Billing Information

Company	Contact Name		Email Address
Street Address			Suite #
City	State	Zip/Postal Code	Telephone

Shipping Information

Same as billing address Company	Contact Name		Email Address
Street Address			Suite #
City	State	Zip/Postal Code	Telephone

Delivery Services

Residential Delivery

Lift Gate (Required for Residential Delivery)

Order Process

- Step 1. Complete and submit the Custom Quote Form.
- Step 2. A member of the Séura Support Team will provide a Sales Order and Design Drawings via email.
- Step 3. Sign and return the Sales Order and Design Drawings via email to Séura for processing.
- Step 4. Allow 4-6 weeks for order fulfillment and shipment (lead time begins when Sales Order, Design Drawings, and payment are received by Séura).

To submit, save this completed form and email it to your contact at Séura. If unsure, you can send it to <u>contacts@seura.com</u>.

All products subject to availability. Contact your Seura representative for current stock status.

IMPORTANT: FOR BEST RESULTS, DOWNLOAD THIS FORM AND OPEN IN ADOBE ACROBAT TO EDIT AND SUBMIT. DO NOT COMPLETE THIS FORM USING YOUR INTERNET BROWSER. YOU MAY ALSO REQUEST A QUOTE HERE: <u>WWW.SEURA.COM/QUOTE/</u>

