

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures
Product name : PH+
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use, Professional use
Use of the substance/mixture : Plant nutrition

Title	Use descriptors
PH+	SU21, SU22, PC12

Full text of use descriptors: see section 16

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Dutchpro B.V.
Asterweg 113
1031 HM Amsterdam - Nederland
T +31 (0)20 4480854
info@dutchpro.com

Correspondence address

Dutchpro B.V.
De Steiger 97
1351 AH Almere - Nederland

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290
Skin corrosion/irritation, Category 1A H314

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger
Hazardous ingredients : potassium hydroxide, caustic potash
Hazard statements (CLP) : H290 - May be corrosive to metals
H314 - Causes severe skin burns and eye damage
Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand
P102 - Keep out of reach of children
P260 - Do not breathe vapours, mist
P280 - Wear protective gloves, protective clothing, eye protection
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

PH+

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER, a doctor
P501 - Dispose of contents/container to according to local regulations

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Mentioned percentages are in (w/w %)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Potassium carbonate	(CAS-No.) 584-08-7 (EC-No.) 209-529-3 (REACH-no) 01-2119532646-36	10 - 20	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
potassium hydroxide, caustic potash	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 019-002-00-8 (REACH-no) 01-2119487136-33	5 - 10	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314

Specific concentration limits:

Name	Product identifier	Specific concentration limits
potassium hydroxide, caustic potash	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 019-002-00-8 (REACH-no) 01-2119487136-33	(0,5 =<C < 2) Eye Irrit. 2, H319 (0,5 =<C < 2) Skin Irrit. 2, H315 (2 =<C < 5) Skin Corr. 1B, H314 (C >= 5) Skin Corr. 1A, H314

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). In all cases of doubt, or when symptoms persist, seek medical attention.
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of irregular breathing or respiratory arrest provide artificial respiration. In all cases of doubt, or when symptoms persist, seek medical attention.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. In case of loss of conscience place the victim in the recovery position. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : Causes severe skin burns and eye damage.
- Symptoms/effects after inhalation : In the event of exposure to high concentrations : May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing. Possible respiratory damage following repeated or prolonged inhalation. Risk of pneumonia. Repeated long inhalation of decomposition products can lead to lung oedema.
- Symptoms/effects after skin contact : Causes severe burns. Redness. Blisters. Burning sensation. Pain. May cause eczema.
- Symptoms/effects after eye contact : Splashes in the eyes can cause irritation and may even result in irreparable damage. Redness, pain. Tears. Decrease of vision.
- Symptoms/effects after ingestion : Blisters. May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Symptoms of poisoning may develop several hours following exposure. Victim should be under medical observation for at least 48 hours after exposure.

PH+

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand. Making extinguishing agents environment-friendly.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Hazardous decomposition products in case of fire : At high temperature may liberate dangerous gases. Carbon monoxide. Carbon dioxide (CO₂). Metal oxides. Do not breathe vapours.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus.
- Other information : Evacuate the danger area.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Ensure that there is a suitable ventilation system. Keep public away from danger area. Avoid inhalation of vapours. Use protective clothing.

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Use suitable disposal containers. Wash away remainder with plenty of water.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Ensure adequate ventilation. Avoid contact with skin. Avoid inhalation of vapours. Avoid aerosolbuilding. Remove ignition sources. Always add the product to the water for dilution/mixture.
- Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour. Do not breathe vapours, mist. Handle and open container with care. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Remove immediately contaminated clothing. Keep away from sources of ignition - No smoking. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.
- Hygiene measures : Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations. Provide local exhaust or general room ventilation. Handle and open container with care. Avoid aerosolbuilding.
- Storage conditions : Store in dry, cool, well-ventilated area. Keep only in original container. Close container tightly after use. Protect from heat and direct sunlight. Keep out of frost. Store in a dark area. Store locked up. Keep container closed when not in use. Containers which are opened should be properly resealed and kept upright to prevent leakage.
- Incompatible materials : Sources of ignition. Direct sunlight.
- Storage temperature : 10 - 30 °C
- Packaging materials : Suitable material: Polyethylene.

7.3. Specific end use(s)

No supplementary information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

PH+

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

potassium hydroxide, caustic potash (1310-58-3)		
United Kingdom	Local name	Potassium hydroxide
United Kingdom	WEL STEL (mg/m ³)	2 mg/m ³

Potassium carbonate (584-08-7)	
DNEL/DMEL (Workers)	
Long-term - local effects, dermal	16 mg/m ³
Long-term - local effects, inhalation	10 mg/m ³
DNEL/DMEL (General population)	
Long-term - local effects, dermal	8 mg/cm ²
Long-term - local effects, inhalation	10 mg/m ³

potassium hydroxide, caustic potash (1310-58-3)	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	1 mg/m ³
DNEL/DMEL (General population)	
Long-term - local effects, inhalation	1 mg/m ³

8.2. Exposure controls

Appropriate engineering controls:

Provide sufficient air exchange and/or exhaust. Avoid contact with skin, eyes and clothing. Wash hands thoroughly after handling. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal protective equipment:

Avoid all unnecessary exposure. Gloves. Safety glasses. Protective clothing.

Hand protection:

Wear suitable gloves tested to EN374. Suitable material: butyl rubber, Polyvinylchloride (PVC), Nitrile rubber, Neoprene. Layer thickness : 0,4 - 0,7 mm. penetration time (maximum wearing period): > 480 min. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. Gloves must be replaced after each use and whenever signs of wear or perforation appear

Eye protection:

Use eye protection according to EN 166, designed to protect liquid splashes. Safety glasses. Face shield

Skin and body protection:

Wear suitable protective clothing. Recommendation: Chemical resistant suit. EN 14605. Boots

Respiratory protection:

<Ontbrekende vertaling : />. This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type B according to standard EN 14387) is used



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use. Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and immediately after using the product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: odourless.
Odour threshold	: not determined
pH	: 14
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: < 0 °C

PH+

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Freezing point	: No data available
Boiling point	: > 100 °C
Flash point	: > 93 °C
Auto-ignition temperature	: not determined
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: ≈ 2,3 kPa (20°C)
Relative vapour density at 20 °C	: No data available
Relative density	: not determined
Solubility	: Water: Completely soluble.
Log Pow	: No data available
Viscosity, kinematic	: not determined
Viscosity, dynamic	: not determined
Explosive properties	: not determined.
Oxidising properties	: not determined.
Explosive limits	: not determined

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable in use and storage conditions as recommended in item 7.

10.2. Chemical stability

Stable under normal conditions. Storage at elevated temperatures may cause pressure build-up in sealed containers. Keep out of frost.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts with (strong) reducers. strong acids.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Protect against frost.

10.5. Incompatible materials

Corrosive to metals. Can affect plastics.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates : Corrosive vapours. Carbon monoxide. Carbon dioxide. metallic oxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Potassium carbonate (584-08-7)	
LD50 oral rat	2000 mg/kg
LD50 dermal rabbit	2000 mg/kg
LC50 inhalation rat (mg/l)	4,96 mg/l/4h

potassium hydroxide, caustic potash (1310-58-3)	
LD50 oral rat	333 - 388 mg/kg

Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 14
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 14
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met

PH+

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Potassium carbonate (584-08-7)

LC50 fishes	68 mg/l
-------------	---------

12.2. Persistence and degradability

PH+

Persistence and degradability	Potentially biodegradable.
-------------------------------	----------------------------

12.3. Bioaccumulative potential

PH+

Bioaccumulative potential	Bioaccumulation unlikely.
---------------------------	---------------------------

12.4. Mobility in soil

PH+

Ecology - soil	No supplementary information available.
----------------	---

12.5. Results of PBT and vPvB assessment

PH+

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: After use, container has to be completely emptied and closed.
Ecology - waste materials	: Avoid release to the environment.
European List of Waste (LoW) code	: 06 10 00 - wastes from the MFSU of nitrogen chemicals, nitrogen chemical processes and fertiliser manufacture 06 02 04* - sodium and potassium hydroxide

SECTION 14: Transport information





In accordance with ADR / IATA / IMDG / RID

ADR	IMDG	IATA	RID
14.1. UN number			
1814	1814	1814	1814
14.2. UN proper shipping name			
POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION	Potassium hydroxide solution	POTASSIUM HYDROXIDE SOLUTION
Transport document description (ADR)			
UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II, (E)	UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II	UN 1814 Potassium hydroxide solution, 8, II	UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II
14.3. Transport hazard class(es)			
8	8	8	8

PH+

Safety Data Sheet


according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	RID
			
14.4. Packing group			
II	II	II	II
14.5. Environmental hazards			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available			

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: C5
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP2
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler No.)	: 80
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 2R

- Transport by sea

Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Segregation (IMDG)	: SG35
Properties and observations (IMDG)	: Colourless liquid. Reacts with ammonium salts, evolving ammonia gas. Reacts with ammonium salts, evolving ammonia gas. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.
MFAG-No	: 154

- Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3

PH+

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ERG code (IATA)	: 8L
- Rail transport	
Classification code (RID)	: C5
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	PH+
--	-----

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out

SECTION 16: Other information

Indication of changes:

Revised safety data sheet in accordance with commission regulation (EU) No 2015/830.

Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail

Other information : **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:

PH+

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
PC12	Fertilizers
SU21	Consumer uses: Private households (= general public = consumers)
SU22	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Met. Corr. 1	H290	On basis of test data
Skin Corr. 1A	H314	On basis of test data

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product