

光學級快速乾燥機

Optics High Speed Dryer




光學級乾燥機具有如下特點:

1. 吸料和送料
2. 除濕乾燥

Optics Dryer has below features:

1. Suction feeder and Autoloader
2. Dehumidifying




光學級快速乾燥機適用在高精密的工程塑料
如:光學級PC,光學級PET,光學級PMMA, ...等。

Optics high speed dryer is suitable for engineering plastics of high precision.

Such as PET, PMMA, PC of optics...ext.


光學級快速乾燥機-結構

Optics high speed dryer-Structure



光學級快速乾燥機-示意圖

Optics high speed dryer-Schematic diagram



A: YP乾燥機吸風

A: Wind has been sucked by YP dryer.

B: 將塑料抽入料桶中

B: Plastic material send into hopper.

C: YP乾燥機將乾燥的風打入料桶中

C: YP dryer send drying wind into hopper.

D: 料桶中排放出的雜質送至YP集塵盒

D: Collecting impurities which discharged from hopper send into dust collector.

YP 快速乾燥機適用在各種射出機或押出機上

YP high speed dryer is suitable for all kinds of injection molding machine or extruder machine.



依客戶需求，乾燥機可搭配儲料桶，
報價不含儲料桶價格

Depend on customer demand, our
dryer could equipped with storage
can, price does not include storage
can price.



光學級快速乾燥機規格表 Optics High Speed Dryer Specification

型式 Model	HS-006OD	HS-015OD	HS-025OD	HS-050OD
入/回風管徑 (inch) inlet / outlet air pipe diameter	2"	2"	2.5"	2.5"
電熱功率 (kw) Electric heating power	2.29	2.59	2.59	3.20
總瓦特數 (kw) Total wattage	2.95	3.25	3.40	3.70
送料風機 (kw) Feeder blower	0.75	0.75	0.75	0.75
尺寸 Size	寬度 Width (mm)	462	462	462
	深度 Depth (mm)	690	690	690
	高度 High (mm)	1330	1430	1430
重量 Weight(kg)	65	72	72.5	75

*此機台為連續式適用於所有塑料、生產用、實驗室

*This machine is continuous and suitable for all plastics ,production, and laboratory.



YP 快速乾燥機

YP High Speed Dryer

省錢	Save Money
快速	High Speed
節能	Save Energy

燁品企業有限公司
電話 :+886-3-409-0577
傳真 :+886-3-409-3381
網址 :www.ye-pin.com.tw
國內聯絡e-mail : yepin.com@msa.hinet.net
國外聯絡e-mail : jenny_lo@ye-pin.com.tw

YE PIN CO., LTD.
TEL:+886-3-409-0577
FAX:+886-3-409-3381
Website :www.ye-pin.com.tw
Domestic contact e-mail: yepin.com@msa.hinet.net
Foreign contact e-mail: jenny_lo@ye-pin.com.tw