

48W Single Colour Wash Light User Data

Specifications

LU48-WL-S WASH LIGHT 48 WATT 1 CHANNEL

The LU48-WL-S provides a powerful single colour wash, with 40 high performance Luxeon LEDs, packed into and thermally managed by an anodised aluminium extrusion housing.

Designed, engineered, tried and tested right here in the UK, to the high standard you would expect from a British manufacturer.



Specifications

Physical

- System Colours: Single Colour
- Length: 320mm
- Width: 110mm
- Depth: 86mm

Electrical

- Drive Current: 350mA Constant Current
- Power Consumption: 48W @350mA
- Connectivity: RJ45 / 2 Core Option

Options

- 8° / 25° / 25 x 8° Optic Options
- Bespoke LED Population
- Bespoke Housing Colours
- Red, Green, Blue, Amber, 5K White LED Options

Operating Conditions

- Operating Ambient Temp Range: -10 °c / +40 °c
- Cooling System: Convection
- Environment: External IP66

Construction

- Housing: Aluminium Extrusion
- 1.5m RJ45 / 2 Core Option

Compatible Drivers

- LUD48-D
- LUD48-4
- LUD192-D

Installation

- 2 Core Connections

Mounting

- Surface Mount Adjustable Wall Bracket


Guarantee

- 2 Year Guarantee



48W Single Colour Wash Light User Data

Wiring Connections



48W Single Colour Wash Light User Data

Dimensions

