

240W White Wash Light User Data

Specifications

SL48-WL-S WASH LIGHT 240 WATT 1 CHANNEL

The SL48 produces an insanely powerful flood of White light with the latest in high power LED technology densely populated into and thermally managed by an IP65 rated aluminium dual-headed housing, making this fitting suitable for a wide variety of tall facade illuminations.



Specifications

Physical

- System Colours: White
- Height: 200mm
- Width: 660mm
- Depth: 225mm

Electrical

- Drive Current: 350mA Constant Current
- Power Consumption: 240W
- 192 White LEDs

Options

- White 3000k, 4000k, 6000k
- PSU Onboard
- DMX Driver Onboard
- Wireless DMX
- 8° / 15° / 25° / 40° Optic Options
- Bespoke Housing Colours

Operating Conditions

- Operating Ambient Temp Range: -10 °c / +40 °c
- Cooling System: Convection
- Environment: External IP65

Construction

- Housing: Aluminium Extrusion

Connections

- Lamp Only Remote DMX Driven: RJ45 CAT5
- Lamp Only Remote PSU: 2 Core
- PSU Onboard: Mains Lead
- DMX Driver Onboard: Mains Lead & 3 Pin XLR Data
- Wireless DMX: Mains Lead

Mounting

- Surface Mount Adjustable Wall Bracket

Guarantee

- 2 Year Guarantee



240W White Wash Light User Data

Dimensions




240W White Wash Light User Data

Wiring Connections

Lamp Only:



RJ45 Wired to Remote DMX Driver



Two Core Wired to Remote PSU

DMX Driver Onboard:




Mains Flex Power Input



3 Pin XLR Data In & Out

Wireless DMX

PSU Onboard



Mains Flex Power Input

