



GREEN LED MFG.

Green LED has Top Best Quality LED Modules in the World !!

100% Made in Korea!!

We Have Over 80% Market Share

#1 Company in Korea !!

We Have Been Supplying Around the World !!!

Dear Future Customers,

**We Have Provided Most of Our Products Only to
The Wholesale Suppliers up until
Now but, we are Announcing for on sale, to US market for
Directly From The Manufacture to You the Sign Companies
For The Lowest Price We Can Offer.**

**We Are Very Confident That is a Valuable Opportunity
For Your Company to Save Money and also provide
Your Customers with Better
Quality Product's for Their Satisfaction.**

GREEN LED MFG.



GREEN LED MFG.

REGULAR LED MODULES **For all Channel Lettering**



100% MADE IN KOREA!



REGULAR SERIES

(White color Item Code: **GKP**, Red color Item Code: **GR3**, Blue color Item Code: **GB3**)

-100 Modules Per Box (50 Feet)

-Can Be Used Without Distinguishing - or + By Attaching Nonpolar Circuit

-High Luminosity

-5 Year Warranty!

-Designed To Be Utilized In Adverse & Humid Conditions

-100% Waterproof By Clear Epoxy Sealant

-3M Double Sided Tape & Screw Points Built-In For Quick & Easy Installation

-Eco Friendly

-Low Power Consumption

-90% Heat Removal By Radiant Heat Circuitry Which Allows The LED Module To Maintain Consistent Brightness (Approximately 50,000 Hours)

-Constant Development & Quality Control Ensures 99% Reliability of Products

SPECIFICATION

LED Type: SMD LED

Of LED's: 3

Colors: **White, Red, Blue**

Lumens: 56.5 Lumens Per Module

Color Temperature: 8,000 K

Color Rendering Index (CRI): 70%

Beam Angle: True 120° Beam, Smooth Area Saturation

Module Pitch (Channel Lettering): 3.54 Inches Deep / 0.98 Inches Apart

Waterproof Rating: IP68 Rated

Voltage: 12v DC

Current: 60 mA

Power Consumption: 0.72 Watts Per Module

Operational Lifespan: 50,000 Hours

Base Material: ABS Resin (LG-HF380, White)

UL Listed: **E352678**

GREEN LED MFG.



GREEN LED MFG.

MINI LED MODULES
For Tiny Channel Lettering



100% MADE IN KOREA!



MINI SERIES

(white color Item Code: GOC3)

-100 Modules per box (22 Feet)

-High Luminosity

-5 Years Warranty!

-Designed To Be Utilized In Adverse & Humid Conditions

-100% Waterproof By Clear Epoxy Sealant

-3M Double Sided Tape

-Eco Friendly

-Low Power Consumption

-90% Heat Removal By Radiant Heat Circuitry Which Allows The LED Module To Maintain Consistent Brightness (Approximately 50,000 Hours)

-Constant Development & Quality Control Ensures 99% Reliability of Products

-Great For Small Channel Lettering, Small Reverse Channel Lettering, Accent Lighting

SPECIFICATION

LED Type: SMD LED

Of LED's: 3

Color: White

Lumens: 37.6 Lumens Per Module

Color Temperature: 8,000 K

Color Rendering Index (CRI): 70%

Beam Angle: True 120° Beam, Smooth Area Saturation

Module Pitch (Channel Lettering): 3.54 Inches Deep / 0.98 Inches Apart

Waterproof Rating: IP68 Rated

Voltage: 12v DC

Current: 20 mA

Power Consumption: 0.24 Watts Per Module

Operational Lifespan: 50,000 Hours

Base Material: ABS Resin (LG-HF380, White)

UL Listed: E352678

GREEN LED MFG.



GREEN LED MFG.

SQUARE LED MODULES **For Box Signage**



100% Made In Korea!

SQUARE SERIES

(white color Item Code: GSC4)

-100 Modules Per Box (46 Feet)

-Can Be Used Without Distinguishing - or + By Attaching Nonpolar Circuit

-High Luminosity

-5 Year Warranty!

-Designed To Be Utilized In Adverse & Humid Conditions

-100% Waterproof By Clear Epoxy Sealant

-3M Double Sided Tape & Screw Point Built-In For Quick & Easy Installation

-Eco Friendly

-Low Power Consumption

-90% Heat Removal By Radiant Heat Circuitry Which Allows The LED Module To Maintain Consistent Brightness (Approximately 50,000 Hours)

-Constant Development & Quality Control Ensures 99% Reliability of Products

-Primary Use Is For Lighted Box Signage, Also Great For Channel Lettering

SPECIFICATION

LED Type: SMD LED

Of LED's: 4

Color: White

Lumens: 75.3 Lumens Per Module

Color Temperature: 8,000 K

Color Rendering Index (CRI): 70%

Beam Angle: True 120° Beam, Smooth Area Saturation

Module Pitch (Channel Lettering): 3.54 Inches Deep / 0.98 Inches Apart

Waterproof Rating: IP68 Rated

Voltage: 12v DC

Current: 80 mA

Power Consumption: 0.96 Watts Per Module

Operational Lifespan: 50,000 Hours

Base Material: ABS Resin (LG-HF380, White)

UL Listed: E352678

GREEN LED MFG.



GREEN LED MFG.

RGB LED MODULES **For all signage**



100% MADE IN KOREA!



Sold Separately

RGB Controller W/RF Remote
(Item Code: G-RGB-HRC)

RGB SERIES

(changing color Item Code: **GRGB3)**

-100 Modules Per Box (50 Feet)

-High Luminosity

-5 Year Warranty!

-Designed To Be Utilized In Adverse & Humid Conditions

-100% Waterproof By Clear Epoxy Sealant

-3M Double Sided Tape

-Eco Friendly

-Low Power Consumption

**-90% Heat Removal By Radiant Heat Circuitry Which Allows The LED Module To
Maintain Consistent Brightness (Approximately 50,000 Hours)**

-Constant Development & Quality Control Ensures 99% Reliability of Products

SPECIFICATION

LED Type: SMD LED

Of LED's: 3

Color: **RGB (MULTI-COLOR)**

Lumens: 56.5 Lumens Per Module

Color Rendering Index (CRI): 70%

Beam Angle: True 120° Beam, Smooth Area Saturation

Module Pitch (Channel Lettering): 3.54 Inches Deep / 0.98 Inches Apart

Waterproof Rating: IP68 Rated

Voltage: 12v DC

Current: 60 mA

Power Consumption: 0.72 Watts Per Module

Operational Lifespan: 50,000 Hours

Base Material: ABS Resin (LG-HF380, White)

UL Listed: **E352678**

GREEN LED MFG.



LED Power Supply For all led products



30, 60, 100 & 200 WATT WATERPROOF LED POWER SUPPLY

- (30 Watt Item Code: GLM-1203T)**
- (60 Watt Item Code: GLM-1206T)**
- (100 Watt Item Code: GLM-1210W)**
- (200 Watt Item Code: GLM-1220W)**

- Compliance To CE / GS / UL Standards
- All Around Protection: SCP, OVP, OCP
- Active Power Factor Correction (0.95)
- High Efficiency (Over 87%)
- Compact Design
- Comes In 30, 60, 100, 200 Watts
- 3 Year Warranty!

SPECIFICATION

- Input Voltage:** 100 – 240 VAC
- Frequency Range:** 50 – 60 Hz
- Output Voltage:** 12 VDC
- Rated Current:** 2.5 A
- Output Wattage:** 30, 60, 100, 200 Watts
- Shell Material:** Aluminum
- Wire Length:** 10 Inches
- Waterproof Rating:** IP67 Rated
- UL Listed:** E365757

CONTACT US!

**For Any Questions Or To Place An Order
Call Us @**

**We Accept
Debit card, credit card, business check,
cashier's check, PayPal &
T T wire.**

Office: 713-691-8200

Toll free: 877-474-8282

Fax: 713-691-8203

Location:

2870 Gessner Dr. Suite B2

Houston, TX, 77080