

ANTHONY

LIFTGATES, INC.®

ANTHONYLIFTGATES.COM



PRODUCT GUIDE

QUALITY, RELIABILITY, CUSTOMER SERVICE

MADE IN THE USA 

WHY ANTHONY

Experienced truck equipment professionals know that often hidden costs matter the most. Downtime, maintenance expenses, and safety problems can really hurt the bottom line.

In our commitment to lower these costs, we've pioneered industry firsts like dual motors, service free sliders, fully assembled shipment, positive electrical connections, corrosion-resistant materials, JIC fittings, and potted control switches.

ANTHONY BRINGS YOU THE TOUGH, LOW MAINTENANCE PRODUCTS AND PERSONAL SERVICE YOU NEED TO KEEP YOUR BUSINESS MOVING.

THE ORIGINAL LIFTGATE

William C. Anthony founded The Anthony Company in 1917 with his invention of a gravity dump bed for the Ford Model T. Its success marked the beginning of a long legacy of innovative trucking products.

And in 1941, Anthony introduced the first liftgate, revolutionizing the way goods moved worldwide.

For over 70 years, Anthony Liftgates has been leading the way with innovative and reliable lifting solutions for trucks of all sizes.




QUALITY MADE IN USA



FULL LEVEL RIDE

Level platform throughout lift cycle.



GLR - GENTLE LEVEL RIDE™

Level lift cycle and gentle tilt at ground level.



STANDARD RAMPING

Gradual tilt to ground level.

Available Liftgate Capacity Range

Series	Model	Light Duty Vehicle GVW 14,000 lbs or less	Medium Duty Vehicle GVW 14,001 - 26,000 lbs	Heavy Duty Vehicle GVW 26,001 +	Ride Type
TuckUnder™	AST	1500 - 3000 lbs	1500 - 3000 lbs		Standard Ramping
	AST-Plus	2500 lbs	2500 lbs		Standard Ramping
	ATU	1800 - 3500 lbs	1800 - 3500 lbs		Standard Ramping
Magnum TuckUnder™	ATU-GLR	2500 - 3000 lbs	2500 - 3000 lbs		Gentle Level Ride
	MTU-GLR		2500 - 6000 lbs	2500 - 6000 lbs	Gentle Level Ride
RailTrac™	AR	1200 - 2500 lbs	1200 - 2500 lbs		Full Level Ride
	PCR	1800 - 2500 lbs	1800 - 2500 lbs		Full Level Ride
	HCR	2500 - 3000 lbs	2500 - 3000 lbs		Full Level Ride
	PCR-HC	2500 - 3000 lbs	2500 - 3000 lbs		Full Level Ride
Magnum RailTrac™	MRT		3500 - 6500 lbs	3500 - 6500 lbs	Full Level Ride
	MRT-SLR		3500 - 5500 lbs	3500 - 5500 lbs	Full Level Ride
Gas Bottle RailTrac™	PCR-GB		2500 lbs		Full Level Ride
	MRT-GB		3500 - 4500 lbs	3500 - 4500 lbs	Full Level Ride
Pickup, Van, & Stake Body Series	ALB	1500 lbs	1500 lbs		Full Level Ride
	LA	1600 - 2000 lbs	1600 - 2000 lbs		Full Level Ride
Special Application	SM		1800 - 2500 lbs	1800 - 2500 lbs	Standard Ramping
	AR-DT	1200 - 1800 lbs	1200 - 1800 lbs		Full Level Ride
	AC	1600 - 2500 lbs	1600 - 2500 lbs		Standard Ramping

TUCKUNDER™ SERIES

AST, AST-L

Affordable, general duty liftgates engineered to meet today's TuckUnder™ requirements.



	AST	AST-L
Capacities:	1500 - 3000 lbs	1800 - 2500 lbs
Bed Heights:	42" - 57"	36" - 44"
AST Platforms:	- Steel or Aluminum Wedge (80" x 50") - Steel Ramped (80" x 38" + 5")	
AST-L Platform:	- Steel or Aluminum Wedge (80" x 44")	



AST PLUS

The most popular features and a wide bed height range provide a single-model solution to most standard TuckUnder™ applications.



Capacities:	2500 lbs
Bed Heights:	38" - 56"
Platform Options (Load Area + Ramp):	- Steel or Aluminum Wedge (80" x 50")



ATU, ATU-LB

Higher available capacities, additional platforms, more standard features, and extended warranty make ATU a premium step up from the AST.



	ATU	ATU-LB
Capacities:	1800 - 3500 lbs	1800 - 2500 lbs
Bed Heights:	42" - 57"	36" - 44"
ATU Platforms:	- Steel or Aluminum Wedge (80" x 50") - Steel or Aluminum Ramped (80" x 45" + 6") - Steel with Aluminum Retention Ramp (80" x 48" + 12")	
ATU-LB Platform:	- Steel or Aluminum Wedge (80" x 44")	



*Shown with optional galvanized platform.

ATU-GLR

TuckUnder™ with Gentle Level Ride for value-minded applications.



Capacities:	2500 lbs & 3000 lbs
Bed Heights:	42" - 55"
Platform Options (Load Area + Ramp):	- Steel or Aluminum Wedge (80" x 50") - Steel or Aluminum Ramped (80" x 45" + 6") - Steel with Aluminum Retention Ramp (80" x 48" + 12")



MAGNUM TUCKUNDER™ SERIES

MTU-GLR

Premium TuckUnder™-style liftgate with Gentle Level Ride, twin cylinder drive, and up to 6000 lbs capacity.

Capacities: 2500 lbs - 6000 lbs

Bed Heights: 47" - 57"

Platform Options (Load Area + Ramp):

- Steel Main with Aluminum Flip Wedge and Dual Cart Stops (80" x 60")
- All Aluminum Wedge with Dual Cart Stops (80" x 60") (Up to 4000 lbs)



*Shown with optional all-aluminum platform.

RAILTRAC™ SERIES

AR

Spring assist open-close rail style liftgates with an extensive list of available configurations.

Capacities: 1200 lbs - 2500 lbs

Bed Heights: 28" - 58"

Model Widths: 78", 90", 94", 100"

Platform Options (Load Depth + Ramp):

- Single Piece Steel with Fixed Ramp (36" or 42" + 6")
- Single Piece Steel with Aluminum Retention Ramp (36" or 42" + 12")
- Single Piece Aluminum with Fixed Ramp (33", 39", 44", 50", 55", 60" + 12")
- Single Piece Aluminum with Aluminum Retention Ram (33", 39", 44", 50", 55", 60" + 12")



*Shown with optional aluminum platform, light kit, and stainless finish.

PCR

Power open-close rail style liftgates with an extensive list of available configurations.

Capacities: 1800 lbs & 2500 lbs

Bed Heights: 30" - 58"

Model Widths: 90", 94", 100"

Platform Options (Load Depth + Ramp):

- Single Piece Steel with Fixed Ramp (36" or 42" + 6")
- Single Piece Steel with Aluminum Retention Ramp (36" or 42" + 12")
- Single Piece Aluminum with Fixed Ramp (55" or 60" + 12")



*Shown with optional aluminum platform and light kit.

HIGH CYCLE

Rail style liftgate designed for high cycle applications. Available in PCR and AR version.

Capacities: 2500 lbs & 3000 lbs

Bed Heights: 30" - 58"

Model Widths: 90", 94"

Platform Options (Load Depth + Ramp):

- Single Piece Steel with Fixed Ramp (42" + 6")
- Single Piece Aluminum with Fixed Ramp (55" or 60" + 12" - Up to 2500 lbs)



*Shown with optional aluminum platform and light kit.

AR-DT (DUMP THROUGH)

Medium-duty RailTrac™ liftgate which allows material to be dumped through the platform. Ideal for landscape applications.



Capacities: 1200 lbs, 1800 lbs

Bed Heights: 36" - 52"

Platform Options (Load Depth + Ramp):

- Steel Dump-Through (36" + 6")

AR-RT (RAILTUCK)

AR-style liftgate designed to allow full access to the rear door when stowed.



Capacities: 1800 lbs, 2500 lbs

Bed Heights: 44" - 58"

Platform Options (Load Depth + Ramp):

- Two Piece Steel with Fixed Ramp (42" + 6")

MAGNUM RAILTRAC™ SERIES

MRT

Rail style liftgate built to provide low-maintenance performance in heavy duty truck & trailer applications.

Capacities: 3500 lbs - 6500 lbs

Bed Heights: 38" - 58"

Model Widths: 96", 102"

Platform Options (Load Depth + Ramp):

- Two Piece Steel with Integrated Cart Stop Ramp (60" or 72" + 12")
- Two Piece Steel or Aluminum with Aluminum Retention Ramp (72" or 84" + 16")



MRT-SL

MRT liftgate plus a patent-pending, full size platform that can be loaded from three sides.


Capacities: 3500 lbs - 5500 lbs

Bed Heights: 38" - 58"

Model Widths: 96", 102"

Platform Options (Load Depth + Ramp):

- Two Piece Steel with 16" Rear Aluminum Retention Ramp and (2) 30" x 33.5" side Aluminum Retention Ramps (84" + 16")



GAS BOTTLE RAILTRAC™ SERIES

MRT-GB AND PCR-GB

MRT and PCR models with special platform for gas bottle handling.

	MRT-GB	PCR-GB
Capacities:	3500 lbs, 4500 lbs	2500 lbs
Bed Heights:	38" - 58"	30" - 58"
Model Widths:	96", 102"	94", 100"
Platforms:	80" or 86" x 39" with 16" Flip Ramp	90" or 96" x 30" with 20" Flip Ramp



MRT-GB

PCR-GB

PICKUP, VAN AND UTILITY BODY SERIES

ALB

Commercial grade liftgate designed to fit most pickup trucks and utility bodies.

Capacities: 1500 lbs

Bed Heights: Up to 46"

Platform Options (Load Depth + Ramp):

- Steel or Aluminum Ramped (50" x 41" + 6")
- Steel Bar Grate (50" x 22" with Tire Rack)



*Shown with optional galvanized finish and bar grate platform.

LA

Commercial grade liftgate ideal for van, service, or utility bodies.

Capacities: 1600 lbs, 2000 lbs

Bed Heights: Up to 54"

Model Widths: 66", 86"

Platform Options (Load Depth + Ramp):

- Aluminum Ramped (41" + 6")
- Steel Bar Grate (27")



*Shown with optional galvanized finish and bar grate platform.

SPECIAL APPLICATION SERIES

SM


TuckUnder™ liftgate designed for use on the side of a vehicle.

Capacities: 1800 lbs - 3000 lbs

Bed Heights: 42" - 57"

Platform Options (Load Area + Ramp):

- Steel Ramped (48" x 34" + 7" or 72" x 38" + 5")



AC

Conventional-style liftgate which doubles as a tail gate when stowed. Ideal for stake bodies.

Capacities: 1600 lbs - 3000 lbs

Bed Heights: 36" - 57"

Platform Options (Load Area + Ramp):

- Steel (72" x 36 or 42" + 6")
- Steel (84" x 36" or 42" + 6")
- Steel (90" x 36" or 42" + 6")



PROTECT YOUR INVESTMENT

To keep your truck looking great and liftgate running for years to come, Anthony offers the best selection of corrosion resistant finishes in the industry.



LIFTGATE FINISHES	PAINTED	GALVANIZED	STAINLESS STEEL
TuckUnder	Standard	Optional	
Magnum TuckUnder	Standard	Optional	
RailTrac	Standard	Optional	Optional
Magnum RailTrac	Standard	Optional	Optional
Pickup, Van, Stake Body	Standard	Optional	
Special Application	Standard	Optional	

GENUINE ANTHONY PARTS & SERVICE

You can count on your local Anthony dealer to provide genuine OEM parts to keep your costs down and your Anthony liftgate running at peak productivity.

All Anthony OEM replacement parts come with a one-year, unlimited hours warranty (excludes electrical components).

Our trained customer service representatives are always just a phone call away. There are no automated phone systems or folks that don't call back. Just real people with real answers.



Anthony Liftgates reserves the right to make technical changes for product improvement at any time. Specifications and materials are subject to change without notice. Photos are for illustrative purposes only, and may display optional equipment.

For further information such as full platform dimension, standard features, optional features, or mounting requirements, see our product brochures or contact Anthony customer service.

Available at:



Anthony Liftgates, Inc.
 1037 W. Howard Street
 P.O. Box 615
 Pontiac, IL 61764-0615
Phone: 815.842.3383
Fax: 815.844.3612
Toll Free: 800.482.0003
www.anthonyliftgates.com