



American Lead and Solder Supply Co.

Div. of Len Gutman Sales

7056 Archibald St #102-434 - Eastvale, CA 92880

Phone 951-356-4180 Toll-Free 888-462-8258 Fax 951-356-4179

[Website: www.alasco.com](http://www.alasco.com) [Email: sales.alasco@gmail.com](mailto:sales.alasco@gmail.com)



Copper Roofing Slating Nails General

- Produced with top quality copper
- Available in either Smooth Shank or Ring Barb.

Copper Slating Nails (Large 3/8" Flat Head)

- Shank diameters fit pre-formed tile holes
- Larger head diameters preferred for covering tile holes and installing copper flashing and vents

Copper Shanks

- Available in 6", 7", 8", 9" & 10" lengths
- Oval Head with Scotch Shank
- Copper Ferrules in 5", 6" & 7" lengths

Also available Common Copper Nails



Stainless Steel Nails General

- Made from Type 304 and Type 316 Stainless Steel
 - Resist corrosion in most exterior environment
- Stainless Steel Finishing, Stainless Steel Common, Stainless Steel Trim**

- Available standard packaging
 - Painted to match most colors
- Stainless Steel Wood siding**

- For use in redwood & cedar applications
- Slender shanks & diamond points allow for minimal splitting
- Ring Barb threads assures that once driven, the nails resist backing out
- Small counter sunk heads rest nearly flush with the siding when properly driven.
- Checkered heads

Stainless Steel Roofing

- Large slating/ roofing heads provide extra holding power for roof top applications
- Available in Smooth Shank, Ring Barb, Screw Shank, & Helix Thread



American Lead and Solder Supply Co.

7056 Archibald Ave. 102-434—Eastvale, CA 92880

888.462.8258 toll-free | 951.356.4179 fax | sales.alassco@gmail.com email | alassco.com website

COPPER SLATING NAILS

PLAIN SHANK OR RING BARB - FLAT HEAD - DIAMOND POINT

PENNY SIZE	LENGTH	GUAGE	SHANK DIA.	HEAD DIA.	APPROX. COUNT/LB.
4d	3/4"	12	0.109	11/32"	401
	7/8"	12	0.109	11/32"	379
	1"	12	0.109	11/32"	332
	1-1/4"	12	0.109	11/32"	265
	1-1/2"	12	0.109	11/32"	221
	1-3/4"	12	0.109	11/32"	190
	2"	12	0.109	11/32"	166
6d	3/4"	11	0.120	3/8"	289
	1"	11	0.120	3/8"	240
	1-1/4"	11	0.120	3/8"	219
	1-1/2"	11	0.120	3/8"	183
	1-3/4"	11	0.120	3/8"	158
	2"	11	0.120	3/8"	137
8d	3/4"	10	0.134	27/64"	234
	1"	10	0.134	27/64"	220
	1-1/4"	10	0.134	27/64"	176
	1-1/2"	10	0.134	27/64"	146
	1-3/4"	10	0.134	27/64"	125
	2"	10	0.134	27/64"	110
	9d	2-1/2"	10	0.134	27/64"
9d	3"	10	0.134	27/64"	68



STAINLESS STEEL ROOFING NAILS

SMOOTH, RING BARB, OR SCREW SHANK

LENGTH	GUAGE	SHANK DIA.	HEAD DIA.	APPROX. COUNT/LB.
3/4"	10	.134	3/8"	275
1"	10	.134	3/8"	212
1-1/4"	10	.134	3/8"	166
1-1/2"	10	.134	3/8"	139
1-3/4"	10	.134	3/8"	126
2"	10	.134	3/8"	117



BUTTON HEAD RIVETS

ALUMINUM RIVET / ALUMINUM MANDREL



BUTTON HEAD RIVETS

PART #	SIZE	RIVET DIA NOM.	RIVET LEN. MAX	GRIP RANGE	HEAD DIA	HEAD HEIGHT	DRILL SIZE	LBS/M	CARTON QTY
00BAA42	#42	1/8" (.125)	.275	.063-.125	.250	.040	#30	1.1	10,000
00BAA44	#44		.400	.188-.250				1.3	10,000
00BAA46	#46		.525	.313-.375				1.4	10,000
00BAA48	#48		.650	.376-.500				1.5	10,000
00BAA62	#62	3/16" (.187)	.325	.062-.125	.375	.060	#11	2.8	5,000
00BAA64	#64		.450	.126-.250				3	5,000
00BAA66	#66		.575	.251-.375				3.4	5,000
00BAA68	#68		.700	.376-.500				3.8	4,000
00BAA610	#610		.825	.501-.625				4.3	4,000



PAINTED BUTTON HEAD RIVETS

Colors Available: (Please call for up to date color list and availability.)

01 almond, 02 black, 03 cb blue, 05 tahoe blue, 06 light bronze, 07 dark bronze, 08 beaver brown, 10 musket brown, 11 royal brown, 12 buckskin, 14 clay, 15 pebble clay, 16 cocoa, 17 cranberry, 18 cream, 20 dove gray, 21 pearl gray, 22 forest green, 23 spanish green, 25 herringbone, 26 ivory, 28 peach, 29 adobe tan, 30 white, 32 colonial white, 33 wicker, 34 cameo, 36 colonial gray, 37 grecian green, 38 evening gray, 40 heritage cream, 45 tuxedo gray, 48 sage, 56 rosewood, 59 storm gray, 66 marine green, 67 sea blue, 71 woodbeige, 76 desert mauve, 87 senox classic cream, 88 copper metallic, 89 paint grip metallic

**Add 2 digit color code to the end of the part number.

PART #	SIZE	RIVET DIA NOM.	RIVET LEN. MAX	GRIP RANGE	HEAD DIA	HEAD HEIGHT	DRILL SIZE	LBS/M	CARTON QTY
P00BAA42**	#42	1/8" (.125)	.275	.063-.125	.250	.040	#30	1.1	10,000
P00BAA44**	#44		.400	.188-.250				1.3	10,000



LARGE FLANGE BUTTON HEAD RIVETS

PART #	SIZE	RIVET DIA NOM.	RIVET LEN. MAX	GRIP RANGE	HEAD DIA	HEAD HEIGHT	DRILL SIZE	LBS/M	CARTON QTY
00LAA42	#42 LF	1/8" (.125)	.275	.032-.125	.375	.065	#30	2.3	10,000
00LAA44	#44 LF		.400	.188-.250				2.6	10,000

ALUMINUM RIVET / STEEL MANDREL



BUTTON HEAD RIVETS

PART #	SIZE	RIVET DIA NOM.	RIVET LEN. MAX	GRIP RANGE	HEAD DIA	HEAD HEIGHT	DRILL SIZE	LBS/M	CARTON QTY
00BA042	#42	1/8" (.125)	.275	.063-.125	.250	.040	#30	2.5	10,000
00BA044	#44		.337	.126-.187				2.7	10,000
00BA046	#46		.400	.188-.250				2.8	10,000
00BA048	#48		.525	.313-.375				3.1	10,000



LARGE FLANGE BUTTON HEAD RIVETS

PART #	SIZE	RIVET DIA NOM.	RIVET LEN. MAX	GRIP RANGE	HEAD DIA	HEAD HEIGHT	DRILL SIZE	LBS/M	CARTON QTY
00LA042	#42 LF	1/8" (.125)	.275	.032-.125	.250	.040	#30	2.5	10,000
00LA044	#44 LF		.400	.188-.250				2.7	10,000

STEEL RIVET / STEEL MANDREL

BUTTON HEAD RIVETS



PART #	SIZE	RIVET DIA NOM.	RIVET LEN. MAX	GRIP RANGE	HEAD DIA	HEAD HEIGHT	DRILL SIZE	LBS/M	CARTON QTY
00B0042	#42	1/8" (.125)	.275	.063-.125	.250	.040	#30	3	10,000
00B0043	#43		.337	.126-.187				3.1	10,000
00B0044	#44		.400	.188-.250				3.2	10,000
00B0046	#46		.525	.313-.375				3.5	10,000
00B0048	#48		.650	.376-.500				3.6	10,000
00B0062	#62	3/16" (.187)	.325	.062-.125	.375	.060	#11	7.4	5,000
00B0064	#64		.450	.126-.250				8.4	5,000
00B0066	#66		.575	.251-.375				8.8	5,000
00B0068	#68		.700	.376-.500				9.8	4,000
00B00610	#610		.825	.501-.625				11	2,000
00B00612	#612		.950	.626-.750				12.5	2,000

PAINTED BUTTON HEAD RIVETS



#42 Colors Available: (Please call for up to date color list and availability.)

01 almond, 02 black, 08 beaver brown, 10 musket brown, 11 royal brown, 15 pebble clay, 17 cranberry, 18 cream, 20 dove gray, 22 forest green, 26 ivory, 30 white, 94 weathered copper.

#44 Colors Available: (Please call for up to date color list and availability.)

11 royal brown, 15 pebble clay, 30 white.

**Add 2 digit color code to the end of the part number.

PART #	SIZE	RIVET DIA NOM.	RIVET LEN. MAX	GRIP RANGE	HEAD DIA	HEAD HEIGHT	DRILL SIZE	LBS/M	CARTON QTY
P00B0042**	#42	1/8" (.125)	.275	.063-.125	.250	.040	#30	3	10,000
P00B0044**	#44		.400	.188-.250				3.2	10,000

LARGE FLANGE BUTTON HEAD RIVETS



PART #	SIZE	RIVET DIA NOM.	RIVET LEN. MAX	GRIP RANGE	HEAD DIA	HEAD HEIGHT	DRILL SIZE	LBS/M	CARTON QTY
00LSS42	#42 LF	1/8" (.125)	.275	.032-.125	.250	.040	#30	3.3	10,000
00LSS44	#44 LF		.400	.188-.250				3.6	10,000
00LSS64	#64 LF	3/16" (.156)	.450	.062-.250	.615	0.90	#11	10.7	3,000
00LSS68	#68 LF		.700	.376-.500				11.7	3,000

STAINLESS STEEL RIVET / STAINLESS STEEL MANDREL

BUTTON HEAD RIVETS



PART #	SIZE	RIVET DIA NOM.	RIVET LEN. MAX	GRIP RANGE	HEAD DIA	HEAD HEIGHT	DRILL SIZE	LBS/M	CARTON QTY
00BSS42	#42	1/8" (.125)	.275	.063-.125	.250	.040	#30	2.9	10,000
00BSS43	#43		.337	.126-.187				3	10,000
00BSS44	#44		.400	.188-.250				3.1	10,000
00BSS46	#46		.525	.313-.375				3.5	10,000
00BSS48	#48		.650	.376-.500				3.6	5,000
00BSS62	#62	3/16" (.187)	.325	.062-.125	.375	.060	#11	7.4	5,000
00BSS64	#64		.450	.126-.250				8.4	5,000
00BSS66	#66		.575	.251-.375				8.8	2,500
00BSS68	#68		.700	.376-.500				9.8	2,500
00BSS610	#610		.825	.501-.625				11	2,000

STAINLESS STEEL RIVET / STAINLESS STEEL MANDREL



LARGE FLANGE BUTTON HEAD RIVETS

PART #	SIZE	RIVET DIA NOM.	RIVET LEN. MAX	GRIP RANGE	HEAD DIA	HEAD HEIGHT	DRILL SIZE	LBS/M	CARTON QTY
00L0042	#42 LF	1/8" (.125)	.275	.032-.125	.250	.040	#30	3.3	10,000
00L0044	#44 LF		.400	.188-.250				3.6	10,000

COPPER RIVET / BRASS MANDREL



BUTTON HEAD RIVETS

PART #	SIZE	RIVET DIA NOM.	RIVET LEN. MAX	GRIP RANGE	HEAD DIA	HEAD HEIGHT	DRILL SIZE	LBS/M	CARTON QTY
00BCB42	#42	1/8" (.125)	.275	.063-.125	.250	.040	#30	3.5	10,000
00BCB44	#44		.337	.126-.187				3.7	10,000
00BCB46	#46		.400	.188-.250				4.0	10,000

COPPER RIVET / STEEL COPPER PLATED MANDREL




BUTTON HEAD RIVETS

PART #	SIZE	RIVET DIA NOM.	RIVET LEN. MAX	GRIP RANGE	HEAD DIA	HEAD HEIGHT	DRILL SIZE	LBS/M	CARTON QTY
00BCD42	#42	1/8" (.125)	.275	.063-.125	.250	.040	#30	3.5	10,000
00BCD44	#44		.337	.126-.187				3.7	10,000
00BCD46	#46		.400	.188-.250				4.0	10,000

SELF PIERCING SHEET METAL SCREWS

Steel Zinc Plated



HEAD & DRIVE STYLE: 1/4" TALL INDENTED HEX WASHER HEAD-UNSLOTTED

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: ZINC PLATED STEEL - AVAILABLE IN STOCK WITH **PAINTED HEADS**

PART NUMBER	SIZE	HEAD SIZE	LBS/M	CARTON QTY
1000H2U0808	8 x 1/2"	1/4"	3.2	20,000



HEAD & DRIVE STYLE: 1/4" TALL INDENTED HEX WASHER HD-SLOTTED W/ #10 WASHER

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: ZINC PLATED STEEL - AVAILABLE IN STOCK WITH **PAINTED HEADS**

PART NUMBER	SIZE	HEAD SIZE	LBS /M	CARTON QTY	PART NUMBER	SIZE	HEAD SIZE	LBS/ M	CARTON QTY
1000H3S1008	10 x 1/2"	1/4" TALL	4.1	15,000	1000H3S1056	10 x 3-1/2"	1/4" TALL	18	1,000
1000H3S1012	10 x 3/4"	1/4" TALL	5.3	10,000	1000H3S1064	10 x 4"	1/4" TALL	22.4	1,000
1000H3S1016	10 x 1"	1/4" TALL	6.4	8,000	1100H3S1064 *	10 x 4"	1/4" TALL	22.4	1,000
1000H3S1020	10 x 1-1/4"	1/4" TALL	7.8	6,000	1000H3S1080	10 x 5"	1/4" TALL	27.8	1,000
1000H3S1024	10 x 1-1/2"	1/4" TALL	7.8	4,000	1100H3S1080 *	10 x 5"	1/4" TALL	27.8	1,000
1000H3S1032	10 x 2"	1/4" TALL	6.4	3,000	1000H3S1224	12 X 1 1/2"	1/4" TALL	11.6	4,000
1000H3S1040	10 x 2-1/2"	1/4" TALL	14	2,000					

* denotes 2" of thread from the point.

One of our top selling products is our #10 self piercing screws which have 1/4" heads that are 28% taller than the standard. They also have a #10 washer under the head instead of the standard #8 washer. This helps to ensure that the screws don't slip out of the drivers, better tool engagement and increased tool life.



HEAD & DRIVE STYLE: 1/4" TALL INDENTED HEX WASHER HEAD - SLOTTED W/ #10 WASHER AND FILLET UNDER HEAD

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY & PARTIAL THREADED

MATERIAL /FINISH: ZINC PLATED STEEL - AVAILABLE IN STOCK WITH **PAINTED HEADS**

PART NUMBER	SIZE	HEAD SIZE	LBS/ M	CARTON QTY	PART NUMBER	SIZE	HEAD SIZE	LBS/M	CARTON QTY
1000H4S1020	10 x 1-1/4"	1/4" TALL	7.8	6,000	1000H4S1056	10 x 3-1/2"	1/4" TALL	18	1,000
1000H4S1024	10 x 1-1/2"	1/4" TALL	7.8	4,000	1000H4S1064	10 x 4"	1/4" TALL	21	1,000
1000H4S1032	10 x 2"	1/4" TALL	6.4	3,000	1100H4S1064 *	10 x 4"	1/4" TALL	24	1,000
1000H4S1048	10 x 3"	1/4" TALL	16	1,500	1000H4S1224	12 X 1-1/2"	1/4" TALL	12	4,000

* denotes 2" of thread from the point.



HEAD & DRIVE STYLE: 1/4" TALL INDENTED HEX WASHER HEAD-UNSLOTTED - #10 WASHER

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - 1 3/4" THREADED

MATERIAL /FINISH: ZINC PLATED STEEL - AVAILABLE IN STOCK WITH **PAINTED HEADS**

PART NUMBER	SIZE	HEAD SIZE	LBS/M	CARTON QTY
1100H4U1256	12 x 3 1/2"	1/4" TALL	25	1,000



HEAD & DRIVE STYLE: 1/4" TALL INDENTED HEX WASHER HEAD - UNSLOTTED

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - 1 3/4" THREADED

MATERIAL /FINISH: ZINC PLATED STEEL - AVAILABLE IN STOCK WITH **PAINTED HEADS**

PART NUMBER	SIZE	HEAD SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	HEAD SIZE	LBS/ M	CARTON QTY
1100H5U1048	10 x 3"	1/4" TALL	16	1,500	1100H5U1248	12 x 3"	1/4" TALL		1,500

SELF PIERCING SHEET METAL SCREWS

Steel Zinc Plated



HEAD & DRIVE STYLE: 5/16" INDENTED HEX WASHER HEAD - SLOTTED

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: ZINC PLATED STEEL - AVAILABLE IN STOCK WITH **PAINTED HEADS**

PART NUMBER	SIZE	HEAD SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	HEAD SIZE	LBS /M	CARTON QTY
1000H6S1008	10 x 1/2"	5/16"	5.1	15,000	1000H6S1020	10 x 1-1/4"	5/16"	7.7	6,000
1000H6S1012	10 x 3/4"	5/16"	5.6	10,000	1000H6S1024	10 x 1-1/2"	5/16"	9.4	4,000
1000H6S1016	10 x 1"	5/16"	6.5	8,000	1000H6S1032	10 x 2"	5/16"	11	3,000



HEAD & DRIVE STYLE: 5/16" INDENTED HEX WASHER HEAD - UNSLOTTED

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: ZINC PLATED STEEL - AVAILABLE IN STOCK WITH **PAINTED HEADS**

PART NUMBER	SIZE	HEAD SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	HEAD SIZE	LBS/M	CARTON QTY
1000H6U1020	10 x 1-1/4"	5/16"	7.7	6,000	1000H6U1032	10 x 2"	5/16"	11	3,000



HEAD & DRIVE STYLE: 5/16" TALL INDENTED HEX WASHER HEAD - SLOTTED

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: ZINC PLATED STEEL - AVAILABLE IN STOCK WITH **PAINTED HEADS**

PART NUMBER	SIZE	HEAD SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	HEAD SIZE	LBS /M	CARTON QTY
1000H7S1012	10 x 3/4"	5/16" TALL	6.2	10,000	1000H7S1024	10 x 1-1/2"	5/16" TALL	10	4,000
1000H7S1016	10 x 1"	5/16" TALL	7.4	8,000	1000H7S1032	10 x 2"	5/16" TALL	11.7	3,000
1000H7S1020	10 x 1-1/4"	5/16" TALL	8.9	6,000					



HEAD & DRIVE STYLE: MODIFIED TRUSS HEAD #2 PHILLIPS DRIVE

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: ZINC PLATED STEEL - AVAILABLE IN STOCK WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
1000MTP0808	8 x 1/2"	3.5	16,000	1000MTP0826	8 x 1-5/8"	7.6	5,000
1000MTP0809	8 x 9/16"	3.8	14,000	1000MTP0830	8 x 1-7/8"	7.8	4,000
1000MTP0812	8 x 3/4"	4.5	10,000	1000MTP0832	8 x 2"	8.7	3,000
1000MTP0816	8 x 1"	5.6	8,000	1000MTP0840	8 x 2-1/2"	10.4	2,500
1000MTP0820	8 x 1-1/4"	6.4	7,000	1000MTP0848	8 x 3"	12.0	2,000
1000MTP0824	8 x 1-1/2"	7.0	5,000				



HEAD & DRIVE STYLE: PAN FRAMING HEAD #2 PHILLIPS DRIVE

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: ZINC PLATED STEEL - AVAILABLE WITH **PAINTED HEADS**

PART NUMBER	SIZE	DRIVE SIZE	LBS/M	CARTON QTY
1000PPF0607	6 x 7/16"	PHIL #2	2.3	10,000



HEAD & DRIVE STYLE: PANCAKE HEAD PHILLIPS DRIVE

THREAD & POINT: TYPE A POINT - FULLY THREADED

MATERIAL /FINISH: STEEL ZINC PLATED - AVAILABLE WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY
2000PCP1016	10 X 1	7.1	8,000

SELF PIERCING SHEET METAL SCREWS

Steel Black Phosphate



HEAD & DRIVE STYLE: MODIFIED TRUSS HEAD #2 PHILLIPS DRIVE

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: BLACK PHOSPHATE CARBON STEEL

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
100PMTP0808	8 x 1/2"	3.5	16,000	100PMTP0826	8 x 1-5/8"	7.6	5,000
100PMTP0809	8 x 9/16"	3.8	14,000	100PMTP0830	8 x 1-7/8"	7.8	4,000
100PMTP0812	8 x 3/4"	4.5	10,000	100PMTP0832	8 x 2"	8.7	3,000
100PMTP0816	8 x 1"	5.6	8,000	100PMTP0840	8 x 2-1/2"	10.4	2,500
100PMTP0820	8 x 1-1/4"	6.4	7,000	100PMTP0848	8 x 3"	12.0	2,000
100PMTP0824	8 x 1-1/2"	7.0	5,000				



HEAD & DRIVE STYLE: PAN FRAMING HEAD #2 PHILLIPS DRIVE

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: BLACK PHOSPHATE CARBON STEEL

PART NUMBER	SIZE	HEAD SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	HEAD SIZE	LBS /M	CARTON QTY
100PPFP0607	6 x 7/16"	#2 PHIL	2.3	10,000	100PPFP0707	7 x 7/16"	#2 PHIL	2.6	10,000

Steel Ceramic Coated (1000 Hour Salt Spray Tested)



HEAD & DRIVE STYLE: 1/4" INDENTED HEX WASHER HEAD - SLOTTED

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: WHITE CERAMIC COATED CARBON STEEL (1000 HOUR SALT SPRAY TESTED) - AVAILABLE IN STOCK WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
1010H1S0606	6 x 3/8"	2.0	25,000	1010H1S1024	10 x 1-1/2"	8.5	4,000
1010H1S0808	8 x 1/2"	2.9	20,000				



HEAD & DRIVE STYLE: 1/4" TALL INDENTED HEX WASHER HEAD - SLOTTED - #10 WASHER

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: WHITE CERAMIC COATED CARBON STEEL (1000 HOUR SALT SPRAY TESTED) - AVAILABLE WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY
1010H3S1016	10 x 1"	6.6	8,000



HEAD & DRIVE STYLE: 1/4" TALL INDENTED HEX WASHER HEAD - SLOTTED- #10 WASHER AND FILLET UNDER HEAD

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: WHITE CERAMIC COATED CARBON STEEL (1000 HOUR SALT SPRAY TESTED)- AVAILABLE WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
1010H4S1020	10 x 1-1/4"	7.7	6,000	1010H4S1032	10 x 2"	11.3	3,000
1010H4S1024	10 x 1-1/2"	8.5	4,000				



HEAD & DRIVE STYLE: 1/4" TALL INDENTED HEX WASHER HEAD SLOTTED- #10 WASHER

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: SILVER CERAMIC COATED CARBON STEEL (1000 HOUR SALT SPRAY TESTED)

PART NUMBER	SIZE	LBS/M	CARTON QTY
1010H3S1024	10 x 1-1/2"	8.5	4,000

SELF PIERCING SHEET METAL SCREWS

Steel Ceramic Coated (1000 Hour Salt Spray)



HEAD & DRIVE STYLE: 1/4" TALL INDENTED HEX WASHER HEAD SLOTTED - #10 WASHER AND FILLET UNDER HEAD

THREAD & POINT: TYPE 17 POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: SILVER CERAMIC COATED CARBON STEEL (1000 HOUR SALT SPRAY TESTED)

PART NUMBER	SIZE	LBS/M	CARTON QTY
1211H4S1224	12 x 1-1/2"	12.8	4,000



HEAD & DRIVE STYLE: 1/4" TALL INDENTED HEX WASHER HEAD UNSLOTTED - #10 WASHER AND FILLET UNDER HEAD

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - 1-1/2" THREADED

MATERIAL /FINISH: SILVER CERAMIC COATED CARBON STEEL (1000 HOUR SALT SPRAY TESTED)

PART NUMBER	SIZE	LBS/M	CARTON QTY
1111H4U1048	10 x 3"	17	1,500



HEAD & DRIVE STYLE: 1/4" TALL INDENTED HEX WASHER HEAD - UNSLOTTED W/ FILLET UNDER HEAD

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: SILVER CERAMIC COATED CARBON STEEL (1000 HOUR SALT SPRAY TESTED)

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
1011H5U0916	9-15 x 1"	6.4	8,000	1011H5U0940	9-15 x 2-1/2"	12	2,000
1011H5U0924	9-15 x 1-1/2"	8.6	5,000	1011H5U0948	9-15 x 3"	14.7	1,500
1011H5U0932	9-15 x 2"	11	3,000	ZS1011H5U1212	12x 3/4"	10.4	3,000



HEAD & DRIVE STYLE: 1/4" TALL INDENTED HEX WASHER HEAD UNSLOTTED WITH FILLET UNDER HEAD

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: WHITE CERAMIC COATED CARBON STEEL (1000 HOUR SALT SPRAY TESTED) AVAILABLE IN STOCK WITH **PAINTED HEADS**

FITTED WITH NEOPRENE BONDED WASHERS

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
1011N5U0916	9-15 x 1"	7.7	6,000	1011N5U0940	9-15 x 2-1/2"	14.5	2,000
1011N5U0924	9-15 x 1-1/2"	10.8	4,000	1011N5U0948	9-15 x 3"	16.7	1,500
1011N5U0932	9-15 x 2"	12.3	3,000				



HEAD & DRIVE STYLE: 1/4" TALL INDENTED HEX WASHER HEAD UNSLOTTED WITH FILLET UNDER HEAD

THREAD & POINT: TYPE 17 POINT - HI-LO THREAD - FULLY THREADED

MATERIAL /FINISH: SILVER CERAMIC COATED CARBON STEEL (1000 HOUR SALT SPRAY TESTED) AVAILABLE WITH **PAINTED HEADS**

FITTED WITH NEOPRENE BONDED WASHERS

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
ZS1411N5U1016	10 x 1"	8.7	3,000	ZS1411N5U1040	10 X 2-1/2"	15.4	1,500
1411N5U1024	10 x 1-1/2"	12	4,000	ZS1411N5U1048	10 x 3"	17.9	1,000
ZS1411N5U1032	10 x 2"	12.9	2,000	ZS1411N5U1212	12 x 3/4"	10.2	3,000



HEAD & DRIVE STYLE: PANCAKE HEAD PHILLIPS / SQUARE DRIVE

THREAD & POINT: TYPE 17 POINT - FULLY THREADED

MATERIAL /FINISH: SILVER CERAMIC COATED CARBON STEEL (1000 HOUR SALT SPRAY TESTED) AVAILABLE WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
1211PCQ1016	10 x 1"	7.1	8,000	1211PCQ1032	10 x 2"	11.7	3,000
1211PCQ1024	10 x 1-1/2"	9.4	4,000	1211PCQ1048	10 x 3"	16.3	1,500

SELF PIERCING SHEET METAL SCREWS

Stainless Steel (410)



HEAD & DRIVE STYLE: 1/4" INDENTED HEX WASHER HEAD - UNSLOTTED

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: STAINLESS STEEL (410) MAGNETIC

AVAILABLE IN STOCK WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY
10M0H1U0606	6 x 3/8"	2.1	25,000
10M0H1U0808	8 x 1/2"	3.1	20,000
10M0H1U0812	8 x 3/4"	3.9	14,000
10M0H1U0816	8 x 1"	5.0	10,000

PART NUMBER	SIZE	LBS/M	CARTON QTY
10M0H1U0820	8 x 1-1/4"	6.0	7,000
10M0H1U0824	8 x 1-1/2"	6.8	5,000
11M0H1U0824	8 x 1-1/2" (1"THREAD)	5.0	10,000



HEAD & DRIVE STYLE: 1/4" TALL INDENTED HEX HEAD - UNSLOTTED WITH #10 WASHER

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: STAINLESS STEEL (410) MAGNETIC

AVAILABLE IN STOCK WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY
10M0H3U1016	10 x 1"	6.5	8,000
10M0H3U1020	10 x 1-1/4"	7.7	6,000
10M0H3U1024	10 x 1-1/2"	8.5	4,000

PART NUMBER	SIZE	LBS/M	CARTON QTY
10M0H3U1032	10 x 2"	11.3	3,000
10M0H3U1048	10 x 3"	15.3	1,500



HEAD & DRIVE STYLE: 1/4" TALL INDENTED HEX WASHER HEAD UNSLOTTED WITH FILLET UNDER HEAD

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: STAINLESS STEEL (410) MAGNETIC

AVAILABLE IN STOCK WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY
10M0H5U0932	9 x 2"	11	3,000

PART NUMBER	SIZE	LBS/M	CARTON QTY
10M0H5U0932	9 x 2"	11	3,000



HEAD & DRIVE STYLE: 1/4" TALL INDENTED HEX WASHER HEAD UNSLOTTED WITH #10 WASHER AND FILLET UNDER HEAD

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - PARTIALLY THREADED

MATERIAL /FINISH: STAINLESS STEEL 410 (MAGNETIC)

AVAILABLE WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY
11M0H4U1256	12 X 3 1/2"	23	1,000

PART NUMBER	SIZE	LBS/M	CARTON QTY
11M0H4U12C8	12 X 8"	54	500



HEAD & DRIVE STYLE: INDENTED HEX WASHER HEAD WITH FILLET UNDER HEAD - UNSLOTTED

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - PARTIALLY THREADED

MATERIAL /FINISH: STAINLESS STEEL 410 (MAGNETIC)

FITTED WITH NEOPRENE BONDED WASHERS AVAILABLE WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY
10M0N5U0916	9-15 x 1"	6.9	6,000

PART NUMBER	SIZE	LBS/M	CARTON QTY
10M0N5U0932	9-15 x 2"	10	3,000



HEAD & DRIVE STYLE: MODIFIED TRUSS HEAD #2 PHILLIPS DRIVE

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: STAINLESS STEEL 410 (MAGNETIC)

AVAILABLE WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY
10M0MTP0808	8 x 1/2"	3.1	16,000
10M0MTP0812	8 x 3/4"	4.2	10,000
10M0MTP0816	8 x 1"	5.4	8,000

PART NUMBER	SIZE	LBS/M	CARTON QTY
10M0MTP0820	8 x 1-1/4"	6.0	7,000
10M0MTP0824	8 x 1-1/2"	7.4	5,000

SELF PIERCING SHEET METAL SCREWS

Stainless Steel (410)



HEAD & DRIVE STYLE: MODIFIED TRUSS HEAD #2 PHILLIPS DRIVE

THREAD & POINT: TYPE A POINT -FULLY THREADED

MATERIAL /FINISH: STAINLESS STEEL 410 (MAGNETIC)

AVAILABLE WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
20M0MTP0808	8 x 1/2"	3.5	16,000	20M0MTP0820	8 x 1-1/4"	6.4	7,000
20M0MTP0812	8 x 3/4"	4.5	10,000	20M0MTP0824	8 x 1-1/2"	7.0	5,000
20M0MTP0816	8 x 1"	5.6	8,000				



HEAD & DRIVE STYLE: PAN HEAD SQUARE DRIVE

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: STAINLESS STEEL 410 (MAGNETIC)

AVAILABLE WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
10M0PAR0808	8 x 1/2"	2.9	20,000	10M0PAR0816	8 x 1"	4.7	10,000



HEAD & DRIVE STYLE: PANCAKE HEAD QUADREX DRIVE

THREAD & POINT: TYPE 17 POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: STAINLESS STEEL 410 (MAGNETIC) DACROMET COATED

AVAILABLE WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
12MDPCQ1016	10 X 1"	7.1	8,000	12MDPCQ1024	10 X 1 1/2"	9.4	4,000

Stainless Steel (410) Copper Plated



HEAD & DRIVE STYLE: 1/4" INDENTED HEX WASHER HEAD - UNSLOTTED

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: STAINLESS STEEL (410) MAGNETIC COPPER PLATED

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
10MCH1U0606	6 x 3/8"	2.0	25,000	10MCH1U0816	8 x 1"	4.9	10,000
10MCH1U0808	8 x 1/2"	3.0	20,000	10MCH1U0824	8 x 1-1/2"	6.8	5,000
10MCH1U0812	8 x 3/4"	3.9	14,000	11MCH1U0824	8 x 1-1/2" (1" THREAD)	6.8	5,000




HEAD & DRIVE STYLE: 1/4" TALL INDENTED HEX WASHER HEAD UNSLOTTED WITH #10 WASHER

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED

MATERIAL /FINISH: STAINLESS STEEL (410) MAGNETIC COPPER PLATED

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
10MCH3U1016	10 x 1"	6.5	8,000	10MCH3U1032	10 x 2"	11.3	3,000
10MCH3U1024	10 x 1-1/2"	8.5	4,000	10MCH3U1048	10 x 3"	16.0	1,500



HEAD & DRIVE STYLE: 1/4" TALL INDENTED HEX WASHER HEAD UNSLOTTED WITH #10 WASHER AND FILLET UNDER HEAD

THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - 2" THREADED

MATERIAL /FINISH: STAINLESS STEEL (410) MAGNETIC COPPER PLATED

PART NUMBER	SIZE	LBS/M	CARTON QTY
11MCH4U12C8	12 x 8"	54	500

SELF PIERCING SHEET METAL SCREWS

Stainless Steel (18-8)



HEAD & DRIVE STYLE: 1/4" INDENTED HEX WASHER HEAD - UNSLOTTED
THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED
MATERIAL /FINISH: STAINLESS STEEL 18-8
 AVAILABLE WITH **PAINTED HEADS**
 * INDICATES 1/4" TALL HEAD WITH #10 WASHER

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
10S1H1U0808	8 x 1/2"	3	20,000	10S1H3U1024	10 x 1 1/2" *	8.5	4,000



HEAD & DRIVE STYLE: PANCAKE HEAD PHILLIPS / SQUARE DRIVE
THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED
MATERIAL /FINISH: STAINLESS STEEL 18-8
 AVAILABLE WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
12S1PCQ1016	10 x 1"	2.9	8,000	12S1PCQ1024	10 x 1-1/2"	8.5	4,000
12S1PCQ1032	10 x 2"	11.7	3,000				

Stainless Steel (18-8) Copper Plated



HEAD & DRIVE STYLE: INDENTED HEX WASHER HEAD - UNSLOTTED
THREAD & POINT: NEEDLE POINT - TWIN LEAD THREAD - FULLY THREADED
MATERIAL /FINISH: STAINLESS STEEL (18-8) COPPER PLATED
 * INDICATES 1/4" TALL HEAD WITH #10 WASHER

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
10SCH1U0808	8 x 1/2"	3.1	20,000	10SCH3U1024	10 x 1-1/2" *	9.4	4,000

Solid Copper



HEAD & DRIVE STYLE: 1/4" INDENTED HEX WASHER HEAD - UNSLOTTED
THREAD & POINT: TYPE A FULLY THREADED
MATERIAL /FINISH: SOLID COPPER

PART NUMBER	SIZE	LBS / M	CARTON QTY
20C1H1U0808	8 x 1/2"	2.9	20,000



EDPM BONDED WASHERS
MATERIAL /FINISH WASHER: SOLID COPPER

PART NUMBER	SIZE	LBS / M	CARTON QTY
WNCU1008	#10 x 1/2"	2.4	20,000

SELF DRILLING SHEET METAL SCREWS

Hardened Steel Ceramic Coated (1000 Hour Salt Spray)



HEAD & DRIVE STYLE: 5/16" INDENTED HEX WASHER HEAD - UNSLOTTED
THREAD & POINT: SELF DRILLING POINT FULLY THREADED
MATERIAL /FINISH: STEEL CERAMIC COATED
 AVAILABLE WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY
3011H2U1012	10 x 3/4"	6.5	10,000

SELF DRILLING SHEET METAL SCREWS

Steel Zinc Plated



HEAD & DRIVE STYLE: INDENTED HEX WASHER HEAD - UNSLOTTED

THREAD & POINT: SELF DRILLING POINT- FULLY THREADED

MATERIAL /FINISH: STEEL ZINC PLATED - AVAILABLE IN STOCK WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
1/4" INDENTED HEX WASHER HEAD UNSLOTTED #2 DRILL POINT							
3000H1U0606	6 x 3/8"	2.2	25,000	3000H1U0612	6 x 3/4"	3.2	16,000
3000H1U0608	6 x 1/2"	2.6	20,000	3000H1U0616	6 x 1"	3.8	10,000
1/4" INDENTED HEX WASHER HEAD UNSLOTTED #3 DRILL POINT							
3000H1U0808	8 x 1/2"	3.1	20,000	3000H1U0820	8 x 1-1/4"	4.6	7,000
3000H1U0810	8 x 5/8"	3.8	16,000	3000H1U0824	8 x 1-1/2"	6.8	5,000
3000H1U0812	8 x 3/4"	4.1	14,000	3000H1U0832	8 x 2"	8.8	4,000
3000H1U0816	8 x 1"	5.5	10,000				
5/16" INDENTED HEX WASHER HEAD UNSLOTTED #3 DRILL POINT							
3000H1U1008	10 x 1/2"	4.6	10,000	3000H1U1212	12 x 3/4"	8.0	8,000
3000H1U1010	10 x 5/8"	5.0	10,000	3000H1U1216	12 x 1"	9.3	6,000
3000H1U1012	10 x 3/4"	5.7	10,000	3000H1U1220	12 x 1-1/4"	10.8	4,000
3000H1U1016	10 x 1"	6.9	8,000	3000H1U1224	12 x 1-1/2"	12.3	3,000
3000H1U1020	10 x 1-1/4"	8.0	6,000	3000H1U1232	12 x 2"	16.0	2,000
3000H1U1024	10 x 1-1/2"	9.5	4,000	3000H1U1240	12 x 2-1/2"	19.3	1,500
3000H1U1032	10 x 2"	12.0	3,000	3000H1U1248	12 x 3"	27.5	1,200
3000H1U1040	10 x 2-1/2"	15.0	2,000	3000H1U1264	12 x 4"	31	1,000
3000H1U1048	10 x 3"	17.3	1,500				
5/16" TALL INDENTED HEX WASHER HEAD UNSLOTTED #3 DRILL POINT							
3000H2U1012	10 x 3/4"	6.3	10,000	3000H2U1024	10 x 1-1/2"	10.5	4,000
3000H2U1016	10 x 1"	8.0	8,000				
5/16" INDENTED HEX WASHER HEAD UNSLOTTED #4 DRILL POINT							
3300H1U1214	12-24 X 7/8"	9.5	4,000				
5/16" INDENTED HEX WASHER HEAD UNSLOTTED #5 DRILL POINT							
3500H1U1220	12-24 X 1-1/4"	10.5	2,000	3500H1U1232	12-24 X 2"	16.2	2,000
3500H1U1224	12-24 X 1 1/2"	13.5	2,000				
5/16" INDENTED HEX WASHER HEAD UNSLOTTED #2 DRILL POINT							
3000H6U1414	14 X 7/8"	11.5	3,000				
3/8" INDENTED HEX WASHER HEAD UNSLOTTED #3 DRILL POINT							
3000H1U1412	14 x 3/4"	11.4	5,000	3000H1U1448	14 x 3"	30	1,000
3000H1U1416	14 x 1"	13.8	4,000	3000H1U1456	14 x 3-1/2"	35	1,000
3000H1U1420	14 x 1-1/4"	16.3	3,000	3000H1U1464	14 x 4"	40.1	1,000
3000H1U1424	14 x 1-1/2"	18	2,500	3000H1U1472	14 x 4-1/2"	45.3	1,000
3000H1U1432	14 x 2"	22	2,000	3000H1U1480	14 x 5"	48	500
3000H1U1440	14 x 2-1/2"	27.3	1,500	3000H1U1496	14 x 6"	67	500
3/8" INDENTED HEX WASHER HEAD UNSLOTTED #4 DRILL POINT							
3300H1U1496	14 x 7"	69	400	3300H1U1496	14 x 8"	77.7	400



HEAD & DRIVE STYLE: MODIFIED TRUSS HEAD PHILLIPS DRIVE

THREAD & POINT: SELF DRILLING POINT- FULLY THREADED

MATERIAL /FINISH: STEEL ZINC PLATED - AVAILABLE IN STOCK WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
3000MTP0808	8 x 1/2"	3.1	16,000	3000MTP0826	8 x 1-5/8"	8.0	5,000
3000MTP0809	8 x 9/16"	3.6	14,000	3000MTP0830	8 x 1-7/8"	9.0	4,000
3000MTP0812	8 x 3/4"	4.2	10,000	3000MTP0832	8 x 2"	9.2	3,000
3000MTP0816	8 x 1"	5.4	8,000	3000MTP0840	8 x 2-1/2"	11.0	2,500
3000MTP0820	8 x 1-1/4"	6.0	7,000	3000MTP0848	8 x 3"	13.0	2,000
3000MTP0824	8 x 1-1/2"	7.4	5,000	3000MTP1012	10 x 3/4"	5.8	8,000

SELF DRILLING SHEET METAL SCREWS

Steel Zinc Plated



HEAD & DRIVE STYLE: TRUSS HEAD PHILLIPS DRIVE

THREAD & POINT: SELF DRILLING POINT - PARTIALLY THREADED

MATERIAL /FINISH: STEEL ZINC PLATED

AVAILABLE IN STOCK WITH **PAINTED HEADS

PART NUMBER	SIZE	LBS/M	CARTON QTY
P3700TRP1296**	12 x 6"	49	1,000



HEAD & DRIVE STYLE: INDENTED HEX WASHER HEAD - UNSLOTTED

THREAD & POINT: SELF DRILLING POINT FULLY THREADED

MATERIAL /FINISH: STEEL ZINC PLATED - AVAILABLE IN STOCK WITH **PAINTED HEADS**

PART NUMBER	SIZE	LBS/M	CARTON QTY	PART NUMBER	SIZE	LBS/M	CARTON QTY
1/4" INDENTED HEX WASHER HEAD UNSLOTTED #3 DRILL POINT							
3000N1U0808	8 x 1/2"	5.4	7,000	3000N1U0820	8 x 1-1/4"	8.4	3,000
3000N1U0810	8 x 5/8"	6.0	5,500	3000N1U0824	8 x 1-1/2"	9.2	2,000
3000N1U0812	8 x 3/4"	6.3	4,000	3000N1U0832	8 x 2"	11.5	2,000
3000N1U0816	8 x 1"	7.1	3,000				
5/16" INDENTED HEX WASHER HEAD UNSLOTTED #3 DRILL POINT							
3000N1U1008	10 x 1/2"	7.2	4,000	3000N1U1212	12 x 3/4"	11.0	3,000
3000N1U1010	10 x 5/8"	7.4	4,000	3000N1U1216	12 x 1"	12.6	3,000
3000N1U1012	10 x 3/4"	8.1	3,000	3000N1U1220	12 x 1-1/4"	13.8	2,000
3000N1U1016	10 x 1"	9.3	3,000	3000N1U1224	12 x 1-1/2"	15.9	2,000
3000N1U1020	10 x 1-1/4"	10.5	3,000	3000N1U1232	12 x 2"	18.9	1,500
3000N1U1024	10 x 1-1/2"	12.0	2,000	3000N1U1240	12 x 2-1/2"	22.7	1,000
3000N1U1032	10 x 2"	14.4	1,500	3000N1U1248	12 x 3"	25.9	1,000
3000N1U1040	10 x 2-1/2"	17.4	800	3000N1U1264	12 x 4"	33.9	800
3000N1U1048	10 x 3"	19.8	800				
5/16" TALL INDENTED HEX WASHER HEAD UNSLOTTED #3 DRILL POINT							
3000N2U1012	10 x 3/4"	8.7	10,000	3000N2U1024	10 x 1-1/2"	12.9	4,000
3000N2U1016	10 x 1"	10.4	8,000				
5/16" INDENTED HEX WASHER HEAD UNSLOTTED #4 DRILL POINT							
3300N1U1214	12-24 X 7/8"	12.4	3,000				
5/16" INDENTED HEX WASHER HEAD UNSLOTTED #5 DRILL POINT							
3500N1U1220	12-24 X 1-1/4"	13.4	2,000	3500N1U1232	12-24 X 2"	19.1	2,000
3500N1U1224	12-24 X 1 1/2"	14.4	2,000				
5/16" INDENTED HEX WASHER HEAD UNSLOTTED #2 DRILL POINT							
3000N6U1414	14 X 7/8"	14.7	3,000				
3/8" INDENTED HEX WASHER HEAD UNSLOTTED #3 DRILL POINT							
3000N1U1412	14 x 3/4"	15.5	3,000	3000N1U1448	14 x 3"	33.2	800
3000N1U1416	14 x 1"	17.8	2,000	3000N1U1464	14 x 4"	43.3	500
3000N1U1420	14 x 1-1/4"	19.7	1,500	3000N1U1480	14 x 5"	51.2	400
3000N1U1424	14 x 1-1/2"	22.5	1,500	3000N1U1496	14 x 6"	70.2	400
3000N1U1432	14 x 2"	27.3	1,000				
3000N1U1440	14 x 2-1/2"	30.6	800				
3/8" INDENTED HEX WASHER HEAD UNSLOTTED #4 DRILL POINT							
3300N1U1496	14 x 7"	72.2	400	3300N1U1496	14 x 8"	80.8	400