


KPH M1



Microscope Performance

XDC-10A series monocular zoom television microscope is widely suitable to use which is the remodel product of 10A series.

It is important equipment of auto-monitor and checkout in industrial field.

Microscope Specification:

1. Technical Specification: 0.7x -4.5x
2. Photography Eyepiece Magnification: 0.5x
3. Working distance: 95mm
4. Hand wheel Focus Range: 60mm
5. Elevating Adjustable Range: 110mm (XDC- 10A: 250mm)

Microscope Standard parts:

1. 0.7X-4.5X zooming objectives
2. 0.5X photography eyepiece
3. Inner Hexagonal spanner

KPH M2

Features:

1. New and in a good condition
2. Portable and convenient design, easy to carry
3. Simply connect of your phone camera lens and the screen will show you what you are looking at
4. Featured with 4.3 inches HD OLED display for clear views
5. It can be used for maintenance on circuit board, PCB, soldering, chips and household appliances etc.
6. With 600X magnification for easy and quick viewing

Specification

1. Pixel: HD 3.6MP
2. Magnification: 1-600X Continuous Magnification System
3. Dimensions: (4.84 x 5.91 x 2.44)" / (12.3 x 15 x 6.2)cm (L x W x H)
4. Color: Black
5. Weight: 6.60oz / 187g
6. Model: G600
7. LED Quantiy: 8PCS
8. Material: Plastic
9. Voltage: DC5V/2A
10. Display: 4.3 Inches HD OLED Display
11. Object Distance: 15mm-Infinity(Depend on the Different Distance)
12. Power Supply: Built-in Lithinum Battery
13. Working Time: More than 6 Hours
14. Languages: Multi-languages
15. Resolution: 1080P,720P,VGA
16. Data Tag: Displayed/Not Displayed
17. Cyclic Record: Off/3 Minutes/5 Minites/10 Minites
18. Exposure Value: ± 2.0
19. Light Source Frequency: 50Hz/60Hz
20. Software Version: V1.0
21. Power DC Interface: 5P Mini
22. Memory Card Socket: Micro SD,Support 1-64GB



KPH M3



Features:

Image Cmos Sensor Controller High Speed DSP
 Focus Range Software And Hardware
 Snap Shot Software And Hardware
 Video Capture Resolution: 320x240.640.1280x1024.1600x1200
 Still Image Capture Resolution : 320x240x480,
 1280x1024x1600x1200
 Light Source In Bulb White Light Led X8 480
 Still Image Capture Resolution 640x480
 Frame Rate 30f/s Under 600 Lux Brightness
 Brightness Control Manual Adjustment
 Magnification Ratio 1000x (manual)
 Power Supply USB Port (5v Dc)
 USB 2.0& USB 1.1 Compatible
 USB Digital Microscope Is A Good Quality To Use In Inspection
 Dissection Examination.
 Plant Dissection/ Examination. Skin Examination Scal Examination
 Textile Inspection Jewelry Inspection Collection / Coni Inspection
 Printing Inspection PCB Or PCBA Inspection And So No.
 The Microscope Is Made Up Of High Quality Ib And Electronic
 Component With Clear Image Quality Low Power Consumption
 High Resolution Applies To Small Objection To Be Larger Photo
 And Video Production Is The Best Choice Of Small Objection
 Recognition

Feature

Model KPH LAMP A
Lens Size 189*157mm
Lens Diopter 8D
Voltage Ac100-240v
Power 14w
Light Source 60pcs Smd
Led (0.2w/pc High Luminous
Luminous 1200lm
Cct Daylight 5600-6000k (Working Mode)
Material Flass + Pc +abs +abs+fe



Feature

Model KPH LAMP B
Lens size 189*157mm
Lens Diopter 8D
Voltage AC100-240V
Power 14W
Light Source 60PCS SMD
LED(0.2W/pc,High Luminous)
Luminous 1200lm
CCT Daylight 5600-6000K(Working Mode)
Material Glass+PC+ABS+Fe



Feature


Model KPH LAMP C
Lens Size 189*157mm
Lens Diopter 10D
Voltage Ac100-240v
Power 14w
Light Source 60pcs Smd
Led (0.2w/pc High Luminous
Luminous 1200lm
Cct Daylight 5600-6000k (Working Mode)
Material Flass + Pc +abs +abs+fe



8D+ Fish eye 20D



8D/10D/12D/15D
Lens Can Be Changed



Feature

Model KPH LAMP D
Lens Size 189*157mm
Lens Diopter 8D
Voltage Ac100-240v
Power 14w
Light Source 60pcs Smd
Led (0.2w/pc High Luminous
Luminous 1200lm
Cct Daylight 5600-6000k (Working Mode)
Material Flass + Pc +abs +abs+fe



Feature

Model KPH 9006led -127D
Lens Size 150mm
Lens Diopter 8D/10D/12D/15D &
8D+ Fish eye 20D
Voltage Ac100-240v
Power 14w
Light Source 60 Pcs Smd
Led(0.2w/pc,Luminous)
Luminous 1200 lm
CCT Daylight 5600k-6000k
(Working Mode)
Material Glass+PC+ABS+FE

Features:

- 40 Led Light, Environmentally Friendly Materials, It Can Adjustable Led Brightness As You Need;
- Quick To Fast Natural And Mild Light;
- It Can Fix On The Machine ,and Also Have On/off Switch;
- It Accompany With Bracket Plate
- High Power Factor Unbeaterbale Quality
- Long Projecting Distance And Wide Illuminating Area,long Life Span
- Design According To Human Body Engineering
- Double Power (5x-10x)wide Lens
- Voltage 220v 50hz (eu Plug)



Lens Diameter: 90 mm and 34 mm /
3.54in 1.34in &
Power: the external power source or 3 *
AA batteries (not included)
Power Adapter: Input 110-240V 50 / 60Hz,
yield: DC 4.8V 250mA



4 x magnifiers available:
1.2X, 1.8X, 2.5X, 3.5X (optional)
Peanut bulb: 2.2V-0.25A
collecting peanut bulb



100% Brand New And High Quality
Magnification :5x
Material : Plastic Glass
Independent Lighting 2leds



Magnification :3x
Lens Diameter : 20mm
Illumination : 2led Lamps
Batteries : 3aaa Batteries



Magnification : 40x
Lens Diameter : 20mm
Illumination : 2led Lamps
Batteries : 3aaa Batteries
Size: About 11.8x2.4x3cm



**Lens 127mm Dia
Lens 8x Magnification
Flurosent Tube**



**Magnification : 5x
Diameter Of Glass Lens :8.5cm
36pcs Fo SMD Led
Designed For Crafts, Hobbyist Jewelers Electricians
Beauticians Trecision Work Etc**




**Lens 127mm Dia
Lens 8x Magnification
Flurosent Tube**

Ionizing Product



3 Fan Source Ac Pulse Ion Bar



Air Source AC Pulse Ion Bar



Cross flow Ionizing Blower



Desktop Ionizing Air Blower



Desktop Ionizing Air Blower



Ionizing Air Nozzle



Ionizing Air Nozzle



Power Supply



Ionizing Air Gun



Static Measurer



Inductive Ionizing Air Snake