

# “Super Single” Material Handler Tyre



SETCO’s “Super Single” material handler tyre assemblies come in many different sizes and can replace any dual wheel assembly! Available as slicks or with traction tread, SETCO can build a tyre customized to your needs!

## Features

- Available with or without vent holes
- Rubber bonded directly to strong, 1” thick steel rim, providing exceptional durability in the most abusive environments
- “Super Single” design eliminates the void found on traditional dual wheel assemblies
- Available with interchangeable centreplates





SETCO's expanded rim solid tyres are designed for the toughest environments where traditional press-on tyres would fail. Using 100% natural rubber for its superior wear and cut resistance, SETCO's expanded-rim solid tyres will withstand even the toughest load and carry scrap and waste operations.

## Features

- Available with or without "Air Ride" cushion holes
- Interchangeable centreplates
- Available with slick or staggered gear lug traction tread (choice of 4, 8 or 16 lugs per side)
- Custom-made to order in the USA for every machine
- Flat side-wall ensures maximum rubber across full tyre width and depth



# Rubber Cutting Edge



SETCO's rubber cutting edges are made from durable natural rubber that unlike steel, will not wear out your concrete and will not spark. The rubber also acts as a sponge that keeps the floor drier, thereby increasing the traction of solid tyres. Tapered on both sides, the rubber cutting edges are even reversible!

## Features

- Double tapered (reversible)
- Universal slot to fit any bucket
- Does not spark
- Protects concrete
- Keeps floor drier and reduces tyre spinning
- 4" or 5" rubber thickness depending on size of machine
- Available in 36", 40", 49", 53" and 59" pieces





Using the same quality 100% natural rubber compounds found in SETCO's expanded-rim solid tyres, you can expect a premium product at a much lower cost while using an OEM rim. SETCO offers a rim exchange program, delivering the tyres pressed on to rims to you for quick mounting with minimal downtime.

## Features

- More cushion holes than any other solid tyre ensure best possible ride
- Available as slick or with 8 gear lugs per side
- Unique flat side-wall design for maximum rubber across full tyre with and depth
- Level wear and superior rubber compound ensures longer tyre life and lower cost per hour / cost per ton compared to competitor tyres

