




E-ZBIKES

2016

RENTAL SOLUTION




Permanent or mobile Rental Store, no construction required


Size available: 20, 25, 30 and 40 feet x 8, 16 or 24 feet
Energy "Free"

- Solar panel (10 or 20 x 300W panels)
- Wind Turbine (2 x 4000W)
- Stationary battery 4D
- Converter (110V or 220V)
- Backup generator (6500 or 8000W)
- Air Compressor 2HP
- Work Shop
- 30A electrical external input plug
- Maintenance Tools kit and spair parts inventory
- Ipad POS and BO system (Hardware & Software)
- GPS Tracking (Tracker devices and Cloud Platform)

Rental Store Layout and Setup



**Real Time Fleet Management and Tracking
RFID and GPS Technology**



CENTAUR



E-Bikes models and Fleet mix depending of operating location

- City
- Comfort
- Hybrid
- Mountain Bike
- Fat Tire
- E-Scooter (optional)

Accessories

- Kids trailer
- Helmet
- GPS device (SmartHalo)
- Bike anti theft system



Available Container Rental Store Dimension

10 ft.



10' Shipping Container

- Exterior: 10'L x 8'W x 8'6H
- Interior: 9'3L x 7'8W x 7'10H
- Weight: Approx. 2,500 lbs

Rental Fleet capacity:
6 to 10 eBikes

20 ft.



20' Shipping Container

- Exterior: 20'L x 8'W x 8'6H
- Interior: 19'4L x 7'8W x 7'10H
- Weight: Approx. 5,000 lbs

Rental Fleet capacity:
15 to 50 eBikes

40 ft.



40' Shipping Container

- Exterior: 40'L x 8'W x 8'6H
- Interior: 39'5L x 7'8W x 7'10H
- Weight: Approx. 8,300 lbs

Rental Fleet capacity:
30 to 40 eBikes

40 ft.
High Cube



40' High Cube Shipping Container

- Exterior: 40'L x 8'W x 9'6H
- Interior: 39'5L x 7'8W x 8'10H
- Weight: 8,600 lbs

Rental Fleet capacity:
30 to 40 eBikes

45 ft.
High Cube



45' High Cube Shipping Container

- Exterior: 45'L x 8'W x 9'6H
- Interior: 44'4L x 7'8W x 8'10H
- Weight: Approx. 10,500 lbs

Rental Fleet capacity:
35 to 45 eBikes

Note: Container store can be double or more and double stack to increase floor capacity,



Mobile Rental Booth for Daily Rent Solution

Fifth Wheel size available: 24 to 40 feet trailer

- 24 to 40 eBikes capacity
- Complete Trailer ready to operate
- Exhibition Pliable Aluminum Tent
- Solar panel (6 to 10 x 305W panels)
- Wind Turbine (2 x 500W to 3000W)
- Stationary battery 4D
- Converter (110V or 220V)
- Maintenance Tools kit and spare parts inventory
- Ipad POS and BO system (Hardware & Software)
- GPS Tracking (Tracker devices and Cloud Platform)



CENTAUR



E-Bikes models and Fleet mix depending of operating location

- City
- Comfort
- Hybrid
- Mountain Bike
- Fat Tire

Accessories

- Kids trailer
- Helmet
- GPS device (SmartHalo)
- Bike anti theft system



Mobile Rental Booth for Daily Rent Solution

Size available: 12 to 30 feet trailer

- 8 to 32 eBikes capacity
- Complete Trailer ready to operate
- Exhibition Pliable Aluminum Tent
- Solar panel (3 to 8 x 305W panels)
- Wind Turbine (2 x 500W to 2000W)
- Stationary battery 4D
- Converter (110V or 220V)
- Maintenance Tools kit and spare parts inventory
- Ipad POS and BO system (Hardware & Software)
- GPS Tracking (Tracker devices and Cloud Platform)



CENTAUR



E-Bikes models and Fleet mix depending of operating location

- City
- Comfort
- Hybrid
- Mountain Bike
- Fat Tire

Accessories


- Kids trailer
- Helmet
- GPS device (SmartHalo)
- Bike anti theft system



Mobile Rental Store 20 Fat eBikes

Size available: 30 feet trailer


- 20 Fat eBikes capacity
- Complete Trailer ready to operate
- Exhibition Pliable Aluminum Tent
- Solar panel (8 x 305W panels)
- Wind Turbine (2 x 500W to 2000W)
- Stationary battery 4D
- Inverter (110V or 220V)
- Maintenance Tools kit and spare parts inventory



Mobile Rental Store 15 Fat eBikes

Size available: 20 feet trailer


- 15 eBikes capacity
- Complete Trailer ready to operate
- Exhibition Pliable Aluminum Tent
- Solar panel (6 x 305W panels)
- Wind Turbine (1 x 2000W)
- Stationary battery 4D
- Inverter (110V or 220V)
- Maintenance Tools kit and spare parts inventory



Mobile Rental Store 10 Fat eBikes

Size available: 10 Fat feet trailer

- 10 eBikes capacity
- Complete Trailer ready to operate
- Exhibition Pliable Aluminum Tent
- Solar panel (4 x 305W panels)
- Wind Turbine (1 x 1500W)
- Stationary battery 4D
- Inverter (110V or 220V)
- Maintenance Tools kit and spare parts inventory





Mobile Rental Booth for Daily Rent Solution

Size available: 10 or 20 eBikes

- Complete Trailer ready to operate
- Exhibition Pliable Aluminum Tent 20 x 10 foot
- Solar panel (2 x 300W panels)
- Wind Turbine (2 x 500W)
- Stationary battery 4D
- Converter (110V or 220V)
- Maintenance Tools kit and spair parts inventory
- Ipad POS and BO system (Hardware & Software)
- GPS Tracking (Tracker devices and Cloud Platform)



CENTAUR



E-Bikes models and Fleet mix depending of operating location

- City
- Comfort
- Hybrid
- Mountain Bike
- Fat Tire

Accessories

- Kids trailer
- Helmet
- GPS device (SmartHalo)
- Bike anti theft system



Carbon Pro Series CB27-MTB-R

- Carbon Frame T700
- Carbon Handlebar
- Carbon Stern
- WREN Inverted Fork
- Shimano XT Shifter
- Shimano front and rear XT Derailleur
- Shimano XT Cassette 10 SPD
- Centaur ultra light weight wheel 27.5
- Maxxis AGRESSOR TPI120 2.35 Tire
- Shimano XT Hydraulic F&R Disc Brakes
- Shimano 180mm Front Disc Brake
- Shimano 160mm Rear Disc Brake
- 250W or 500W Mid Crank Brushless motor with 90Nm Torque
- In frame 36V 11.4Ah Lithium Battery
- Multi Function Intelligent LCD Display
- 20 miles/32 kmh USA/Canada limited speed
- 25 kmh Europe limited speed

SHIMANO DEORE XT





Carbon Pro Series CB27-MTB

- Carbon Frame T700
- Carbon Handlebar
- Carbon Stern
- WREN Inverted Fork
- Shimano SLX Shifter
- Shimano front and rear SLX Derailleur
- Shimano SLX Cassette 10 SPD
- Centaur ultra light weight wheel 27.5
- Maxxis AGRESSOR TPI120 2.35 Tire
- Shimano DEORE Hydraulic F&R Disc Brakes
- Shimano 160mm Front Disc Brake
- Shimano 160mm Rear Disc Brake
- 250W or 500W Mid Crank Brushless motor with 90Nm Torque
- In frame 36V 11.4Ah Lithium Battery
- Multi Function Intelligent LCD Display
- 20 miles/32 kmh USA/Canada limited speed
- 25 kmh Europe limited speed

**SHIMANO
SLX**



**SHIMANO
Deore**





Fat Bike Serie

- Aluminum Frame
- Aluminum Handlebar
- Aluminum Stern
- Rockshok BLUTO 120 mm or 11NINE inverted Fork
- Shimano SLX Shifter
- Shimano front and rear SLX Derailleur
- Shimano SLX Cassette 7 SPD
- ZOOM Hydraulic F&R Disc Brakes
- 160 mm Front Disc Brake
- 160 mm Rear Disc Brake
- 250W or 750 W Hub Brushless motor
- In frame 48V 13 or 14.3AMP Lithium Battery
- Multi Function Intelligent LCD Display
- 20 miles/32 kmh USA/Canada limited speed
- 25 kmh Europe limited speed

SHIMANO
SLX





Hybrid Cross Country Series


- Aluminum Frame
- Aluminum Handlebar
- SANTOUR XCM or EPICON Air Fork
- Shimano ALIVIO Shifter
- Shimano ALIVIO 3 Crankset Derailleur
- Shimano ALIVIO 10 SPD
- Shimano DEORE or SLX option
- F&R Hydraulic Disc Brakes
- 160 mm Front Disc Brake
- 160 mm Rear Disc Brake
- 27.5 MAXXIS Tires
- 500W or 750W Brushless Hub motor
- 48V 11.4, 14.3 or 14 Ah SAMSUNG Lithium Battery
- Multi Function Intelligent LCD Display
- 20 miles/32 kmh USA/Canada limited speed
- 25 kmh Europe limited speed
- Maximum speed 30 mph/45 kmh

Alivio
SHIMANO



SANTOUR forks

XCT





Hybrid Cross Country Series

- Aluminum Frame
- Aluminum Handlebar
- Aluminum Stern
- SANTOUR XCT Fork
- Shimano ALIVIO Shifter
- Shimano ALIVIO 3 Crankset Derailleur
- Shimano ALIVIO 10 SPD
- Shimano F&R Disc Brakes
- 160 mm Front Disc Brake
- 160 mm Rear Disc Brake
- 27.5 MAXXIS Tires
- 250W or 500W Mid Crank Brushless motor with 90Nm Torque
- 36V 11.4 Ah SAMSUNG Lithium Battery
- Multi Function Intelligent LCD Display
- 20 miles/32 kmh USA/Canada limited speed
- 25 kmh Europe limited speed

Alivio
SHIMANO



SANTOUR forks

XCT





The "Hollandais" Series

- Aluminum Frame
- Aluminum Handlebar
- Aluminum Stern
- RST Fork
- Shimano Inter Shifter
- Shimano Inter Derailleur
- Shimano Nexus Inter 7 SPD
- Shimano F&R Disc Brakes
- 160 mm Front Disc Brake
- 140 mm Rear Disc Brake
- 700C Tires
- 250W or 500W Mid Crank Brushless motor with 90Nm Torque
- 36V 11.4 Ah SAMSUNG Lithium Battery
- Multi Function Intelligent LCD Display
- 20 miles/32 kmh USA/Canada limited speed
- 25 kmh Europe limited speed



CENTAURO

Limited Edition Carbon CB27-MTB



Carbon CB27-MTB-R



Carbon CB27-MTB



Carbon CB27-CCF



Carbon CB27-CC



Carbon CB27-R



Frame	Carbon Fiber	Carbon Fiber	Carbon Fiber	Carbon Fiber	Carbon Fiber	Carbon Fiber	Carbon Fiber	Carbon Fiber	Carbon Fiber
Handle bar	Carbon Fiber	Alu Raiser 700mm	Carbon Raiser 700mm	Carbon Raiser 700mm	Carbon Raiser 700mm	Carbon Raiser 700mm	Carbon Raiser 700mm	Carbon Raiser 700mm	Carbon Raiser 700mm
Stem	Carbon Fiber	Aluminum	Carbon fiber	Carbon fiber	Carbon fiber	Carbon fiber	Carbon fiber	Carbon fiber	Carbon fiber
Fork	Carbon Fiber	Epicon Air 120mm	Fox 34 140mm	Inverted 160mm	Inverted 160mm	Inverted 160mm	Inverted 160mm	Inverted 160mm	Inverted 160mm
Rear shock	None	None	None	None	None	None	None	None	None
Front gear	Dual	Single	Single	Single	Single	Single	Single	Single	Dual
Front derailleur	Shimano SLX	None	None	None	None	None	None	None	Shimano XTR Di2
Rear cassette	Shimano 10 speed	Shimano 10 speed	Shimano 10 speed	Shimano 10 speed	Shimano 10 speed	Shimano 10 speed	Shimano 10 speed	Shimano 11 speed	Shimano 11 speed
Rear derailleur	Shimano SLX	Shimano SLX	Shimano XT	Shimano XT	Shimano SLX	Shimano XT	Shimano XT	Shimano XTR Di2	Shimano XTR Di2
Chain	Shimano	Shimano	Shimano	Shimano	Shimano	Shimano	Shimano	Shimano	Shimano
Front brake	Disc Hydraulic ZOOM	Disc Hydraulic ZOOM	Disc Hydraulic Deore	Disc Hydraulic Deore	Disc Hyd Shimano Deore	Disc Hyd Shimano XT	Disc Hyd Shimano SAINT	Disc Hyd Shimano SAINT	Disc Hyd Shimano SAINT
Front Disc Dimension	160 mm	160 mm	180 mm	180 mm	180 mm	180 mm	203 mm	203 mm	203 mm
Rear brake	Disc Hydraulic ZOOM	Disc Hydraulic ZOOM	Disc Hydraulic Deore	Disc Hydraulic Deore	Disc Hyd Shimano Deore	Disc Hyd Shimano XT	Disc Hyd Shimano SAINT	Disc Hyd Shimano SAINT	Disc Hyd Shimano SAINT
Rear Disc Dimension	160 mm	160 mm	160 mm	160 mm	160 mm	160 mm	180 mm	180 mm	180 mm
Wheels	MAVIC Crossride 27.5	MAVIC Crossride 27.5	MAVIC Crossride 27.5	MAVIC Crossride 27.5	CENTAUR 27.5	CENTAUR 27.5	CENTAUR 27.5	CENTAUR 27.5	CENTAUR 27.5
Tire brand	MAXXIS	MAXXIS	MAXXIS	MAXXIS	MAXXIS	MAXXIS	MAXXIS	MAXXIS	MAXXIS
Tire model	TREAD LITE	AGRESSOR TPI120	AGRESSOR TPI120	AGRESSOR TPI120	AGRESSOR TPI120	AGRESSOR TPI120	AGRESSOR TPI120	AGRESSOR TPI120	AGRESSOR TPI120
Tires width	2.1	2.35	2.35	2.35	2.35	2.35	2.35	2.35	2.35

Motor	Bofeili GEN2	Bofeili GEN2	Bofeili GEN2	Bofeili GEN2	Bofeili GEN2	Bofeili GEN2	Bofeili GEN2	Bofeili GEN2	Bofeili GEN2
Battery	Samsung 36V - 8.7Ah	Samsung 36V - 8.7ah	Samsung 36V - 8.7Ah	Samsung 36V - 8.7Ah	Samsung 36V - 11.4Ah	Samsung 36V - 11.4Ah	Samsung 36V - 11.4Ah	Samsung 36V - 11.4Ah	Samsung 36V - 11.4Ah
Display	APT 800S LCD	APT 800S LCD	APT 800S LCD	APT 800S LCD	APT 800S LCD	APT 800S LCD	APT 800S LCD	APT 800S LCD	APT 800S LCD
Charger	110/220V 50/60Hz - FR plug	110/220V 50/60Hz - FR plug	110/220V 50/60Hz - FR plug	110/220V 50/60Hz - FR plug	110/220V 50/60Hz - FR plug	110/220V 50/60Hz - FR plug	110/220V 50/60Hz - FR plug	110/220V 50/60Hz - FR plug	110/220V 50/60Hz - FR plug
Performance	20 mph / 32 kmh	20 mph / 32 kmh	20 mph / 32 kmh	20 mph / 32 kmh	20 mph / 32 kmh	20 mph / 32 kmh	20 mph / 32 kmh	20 mph / 32 kmh	20 mph / 32 kmh
Estimated Autonomy	50 to 75 miles / 80 to 120km	50 to 75 miles / 80 to 120 km	50 to 75 miles / 80 to 120 km	50 to 75 miles / 80 to 120 km	60 to 95 miles / 100 to 150 km	60 to 95 miles / 100 to 150 km	60 to 95 miles / 100 to 150 km	60 to 95 miles / 100 to 150 km	60 to 95 miles / 100 to 150 km

CENTAURO

	Fat Tire 26"	Fat Tire 26"	Fat Tire 26"	Fat Tire 26"
Frame	Aluminum	Aluminum	Aluminum	Aluminum
Handle bar	Alu Raiser 700mm	Alu Raiser 700mm	Alu Raiser 700mm	Alu Raiser 700mm
Stem	Aluminum	Aluminum	Aluminum	Aluminum
Fork	Rigid	Rockshox Bluto	11NINE inverted	11NINE inverted
Front gear	Single	Single	Single	Single
Front derailleur	None	None	None	None
Rear cassette	Shimano 7 speed	Shimano 7 speed	Shimano 7 speed	Shimano 7 speed
Rear derailleur	Shimano SLX	Shimano SLX	Shimano SLX	Shimano SLX
Chain	Shimano	Shimano	Shimano	Shimano
Front brake	Disc Hydraulic	Disc Hydraulic	Disc Hydraulic	Disc Hydraulic
Front Disc Dimension	160 mm	160 mm	160 mm	180 mm
Rear brake	Disc Hydraulic	Disc Hydraulic	Disc Hydraulic	Disc Hydraulic
Rear Disc Dimension	160 mm	160 mm	160 mm	160 mm
Wheels	26 x 4	26 x 4	26 x 4	26 x 4
Tire brand	Please specify	Please specify	Please specify	Please specify
Tire model	Please specify	Please specify	Please specify	Please specify
Tires width	4	4	4	4
Motor	8FUN 48V - 500W	8FUN 48V - 500W	8FUN 48V - 500W	8FUN 48V - 750W
Battery	Samsung 48V - 13Ah	Samsung 48V - 13Ah	Samsung 48V - 13Ah	Samsung 48V - 14.3Ah
Display	LCD Multi Function	LCD Multi Function	LCD Multi Function	LCD Multi Function
Charger	110/220V 50/60Hz - FR plug	110/220V 50/60Hz - FR plug	110/220V 50/60Hz - FR plug	110/220V 50/60Hz - FR plug
Performance	20 mph / 32 kmh	20 mph / 32 kmh	20 mph / 32 kmh	30 mph / 45 kmh
Estimated Autonomy	50 to 75 miles / 80 to 120 km	50 to 75 miles / 80 to 120 km	50 to 75 miles / 80 to 120 km	60 to 95 miles / 100 to 150 km


CENTAUER

	Dual Susp 26ER	Dual Susp 27.5ER	Hybrid RW 27.5ER	Hybrid RW 27.5ER	Hybrid MC 27.5ER	Hollandais
Frame	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Handle bar	Alu Raiser 700mm	Alu Raiser 700mm	Alu Raiser 700mm	Alu Raiser 700mm	Alu Raiser 700mm	Adjustable Handlebar
Stem	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Fork	SANTOUR EPICON Air	SANTOUR EPICON Air	SANTOUR XCM	SANTOUR EPICON Air	SANTOUR XCT	RST
Front gear	Dual	Dual	Dual	Dual	Dual	Single
Front derailleur	Shimano SLX	Shimano SLX	ALIVIO	ALIVIO	ALIVIO	None
Rear cassette	Shimano 10 speed	Shimano 10 speed	Shimano 7 speed	Shimano 7 speed	Shimano 7 speed	Shimano INTER 7 speed
Rear derailleur	Shimano SLX	Shimano SLX	Shimano ALIVIO	Shimano ALIVIO	Shimano SLX	Shimano SLX
Chain	Shimano	Shimano	Shimano	Shimano	Shimano	Shimano
Front brake	Disc Hydraulic	Disc Hydraulic	Disc Hydraulic	Disc Hydraulic	Disc	Disc
Front Disc Dimension	160 mm	160 mm	160 mm	160 mm	160 mm	180 mm
Rear brake	Disc Hydraulic	Disc Hydraulic	Disc	Disc	Disc	Disc
Rear Disc Dimension	160 mm	160 mm	160 mm	160 mm	160 mm	160 mm
Wheels	Mavic Crossride 26	Mavic Crossride 27.5	27.5	27.5	27.5	700C
Tire brand	Please specify	Please specify	Please specify	Please specify	Please specify	Please specify
Tire model	Please specify	Please specify	Please specify	Please specify	Please specify	Please specify
Tires width	2.25	2.25	2.1	2.1	2.1	
Motor	BOFEILI GEN2 500W	BOFEILI GEN2 500W	8FUN 500W	8FUN 500W	BOFEILI GEN2 500W	BOFEILI GEN2 500W
Battery	Samsung 36V - 11.4Ah	Samsung 36V - 11.4Ah	Samsung 48V - 11 Ah	Samsung 48V - 11 Ah	Samsung 36V - 11.4Ah	Samsung 36V - 11.4Ah
Display	LCD Multi Function	LCD Multi Function	LCD Multi Function	LCD Multi Function	LCD Multi Function	LCD Multi Function
Charger	110/220V 50/60Hz - FR plug	110/220V 50/60Hz - FR plug	110/220V 50/60Hz - FR plug	110/220V 50/60Hz - FR plug	110/220V 50/60Hz - FR plug	110/220V 50/60Hz - FR plug
Performance	20 mph / 32 kmh	20 mph / 32 kmh	20 mph / 32 kmh	20 mph / 32 kmh	20 mph / 32 kmh	30 mph / 45 kmh
Estimated Autonomy	50 to 75 miles / 80 to 120 km	50 to 75 miles / 80 to 120 km	50 to 75 miles / 80 to 120 km	50 to 75 miles / 80 to 120 km	50 to 75 miles / 80 to 120 km	60 to 95 miles / 100 to 150 km





E-ZBIKES



Contact us for additional information about our turn
key mobile rental store solution

Info@e-zbikes.com

Phone: (514) 806-4500