

SECTION 1 - IDENTIFICATION OF PREPARATION

PRODUCT	Palintest Aluminium No 1 Tablets	PRODUCT CODE:	166
APPLICATION	For water testing applications only		

SECTION 2 - COMPOSITION/INGREDIENTS INFORMATION

COMPOSITION	Tablets containing ascorbic acid and potassium hydrogen sulphate (up to 60% in total) in formulation with fillers, stabilisers and tableting aids.
--------------------	--

SECTION 3 - HAZARD IDENTIFICATION

Ingestion or eye contact may cause irritation.

SECTION 4 - FIRST AID MEASURES

PRIMARY ROUTES OF ENTRY	SKIN ABSORPTION : INHALATION :	INGESTION : X NOT HAZARDOUS :
Eye/Skin Contact:	Wash with plenty of water.	
Inhalation:	N/A	
Ingestion:	Give plenty of water to drink followed by milk of magnesia. Seek medical attention immediately.	

SECTION 5 - FIRE-FIGHTING MEASURES

FIRE EXTINGUISHER:

Water and all extinguishers may be used. Tablets are non-combustible.

SPECIAL FIRE FIGHTING PRECAUTIONS:

None.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED:

Sweep up and wash with plenty of water.

SECTION 7 - HANDLING AND STORAGE PROCEDURES

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Use only as instructed. Avoid handling tablets whenever possible. Store in original container. Keep dry. Keep away from children.

Product Code:	166
----------------------	-----

SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

RESPIRATORY PROTECTION : N/A		
PROTECTIVE GLOVES	: N/A	EYE PROTECTION : N/A

SECTION 9 - PHYSICAL/CHEMICAL PROPERTIES

APPEARANCE AND ODOUR	White tablets with no odour
WATER REACTIVITY	Non-reactive
SOLUBILITY IN WATER	Complete to give a strongly acidic solution
MELTING POINT	Unknown

SECTION 10 - STABILITY AND REACTIVITY

STABILITY : Stable	CONDITIONS TO AVOID : None
---------------------------	-----------------------------------

SECTION 11 - TOXICOLOGICAL INFORMATION

Minimal hazard during normal handling and use as instructed. Ingestion or eye contact may cause irritation.

SECTION 12 - ECOLOGICAL INFORMATION

N/A

SECTION 13 - DISPOSAL CONSIDERATIONS

DISPOSAL OF USED TEST SOLUTION:
To be performed in compliance with local practice and regulations.

SECTION 14 - TRANSPORT INFORMATION

Not classified under transport regulations

SECTION 15 - REGULATORY INFORMATION

Corrosive R34 S24\25

SECTION 16 - OTHER INFORMATION

National Poisons Unit, New Cross Hospital, London Tel : 0207 635 9191

12 March 2002

The above information is believed to be correct but does not claim to be all-inclusive and should be used only as a guide.