

Push-In Fittings - *LIQUIfit Food Grade*

## Legris LIQUIfit

The LIQUIfit body is manufactured from a unique bio-based, high performance polymer produced from renewable plants, to expand the use of non-fossil-based resources. Legris LIQUIfit fittings offers an “eco-designed” innovative alternative for water & beverage applications; no fluid contamination occurs and environmental protection is guaranteed.

**Markets:**

Water Filtration • Beverage Dispensing • Life Science • Bottling • Semi-Conductor • Medical


**Applications:**

Water Purification Systems • Water Dispensers • Hot & Cold Drink Dispensers  
Cooling Systems • Food Process • CO2

**Features & Benefits:**

Stainless steel grab ring • EPDM D-seal • Meets requirements of FDA, NSF 51 and NSF 61  
D-seal provides a positive seal on the O.D. of the tube • High chemical resistance  
Inch & metric sizes, 5/32" - 1/2", 4mm - 12mm • NPTF, UNS, BST threads

For more information and ordering please contact MVP.


 Push-In Fittings - *Nickel-Plated Brass*

### 3601



**Male Stud**, BSP Parallel & Metric, Nickel-Plated Brass

ØD	C	P/N
4	M5x0,8	3601 04 19
4	G1/8	3601 04 10
4	G1/4	3601 04 13
6	M5x0,8	3601 06 19
6	G1/8	3601 06 10
6	G1/4	3601 06 13
8	G1/8	3601 08 10
8	G1/4	3601 08 13
8	G3/8	3601 08 17
10	G1/4	3601 10 13
10	G3/8	3601 10 17
10	G1/2	3601 10 21
12	G1/4	3601 12 13
12	G3/8	3601 12 17
12	G1/2	3601 12 21
14	G3/8	3601 14 17
14	G1/2	3601 14 21

### 57000



**Straight Male Adaptor** Universal Short, Nickel-Plated Brass

ØD	C	P/N
6	1/8	57000 00 002
6	1/4	57000 00 003
6	3/8	57000 00 014
6	1/2	57000 00 015
10	1/4	57000 00 007
10	3/8	57000 00 008
10	1/2	57000 00 017
12	1/4	57000 00 009
12	3/8	57000 00 010
12	1/2	57000 00 018
14	3/8	57000 00 019
14	1/2	57000 00 020

### 57030



**Straight Female Adaptor**, Nickel-Plated Brass

ØD	C	P/N
4	M5	57030 00 008
4	1/8	57030 00 001
4	1/4	57030 00 009
5	1/8	57030 00 006
6	1/8	57030 00 002
6	1/4	57030 00 003
8	1/8	57030 00 004
8	1/4	57030 00 005
8	3/8	57030 00 010
10	1/4	57030 00 011
10	3/8	57030 00 012
10	1/2	57030 00 013
12	3/8	57030 00 014
12	1/2	57030 00 015

### 3699



**Male Stud Elbow**, BSPP & Metric Thread, Nickel-Plated Brass

ØD	C	P/N
4	M5x0,8	3699 04 19
4	G1/8	3699 04 10
4	G1/4	3699 04 13
6	G1/8	3699 06 10
6	G1/4	3699 06 13
8	G1/8	3699 08 10
8	G1/4	3699 08 13
8	G3/8	3699 08 17
10	G1/4	3699 10 13
10	G3/8	3699 10 17
12	G1/4	3699 12 13
12	G3/8	3699 12 17
12	G1/2	3699 12 21
14	G3/8	3699 14 17
14	G1/2	3699 14 21

### 57111



**Orienting Elbow Male Adaptor**, Universal Short, Nickel-Plated Brass

ØD	C	P/N
6	1/8	57111 00 004
6	1/4	57111 00 005
10	1/4	57111 00 010
10	3/8	57111 00 011
10	1/2	57111 00 012
12	3/8	57111 00 013
12	1/2	57111 00 014
14	3/8	57111 00 015
14	1/2	57111 00 016

### 3602



**Equal Elbow**, Nickel-Plated Brass

ØD	P/N
4	3602 04 00
6	3602 06 00
8	3602 08 00
10	3602 10 00
12	3602 12 00
14	3602 14 00

### 57130



**Equal Elbow**, Nickel-Plated Brass

ØD	P/N
4 (5/32)	*57130 00 001
5	57130 00 006
6	57130 00 002
8 (5/16)	*57130 00 003
10	57130 00 004
12	57130 00 005
14	57130 00 008

### 3669



**Extended Male Stud Elbow**, BSPP & Metric, Nickel-Plated Brass

ØD	C	P/N
4	M5x0,8	3669 04 19
4	G1/8	3669 04 10
6	G1/8	3669 06 10
6	G1/4	3669 06 13
8	G1/8	3669 08 10
8	G1/4	3669 08 13

## 3604

Equal Tee, Nickel-Plated Brass



ØD	P/N
4	3604 04 00
6	3604 06 00
8	3604 08 00
10	3604 10 00
12	3604 12 00
14	3604 14 00

## 57230

Tee Connector, Nickel-Plated Brass



ØD	P/N
4 (5/32)	*57230 00 001
5	57230 00 006
6	57230 00 002
8 (5/16)	*57230 00 003
10	57230 00 004
12	57230 00 005
14	57230 00 008

## 3698

Male Stud Branch Tee, BSPP & Metric, Nickel-Plated Brass



ØD	C	P/N
4	M5x0,8	3698 04 19
4	G1/8	3698 04 10
6	G1/8	3698 06 10
6	G1/4	3698 06 13
8	G1/8	3698 08 10
8	G1/4	3698 08 13

## 57211

Orienting Tee Male Adaptor  
Universal Short - Centre Leg,  
Nickel-Plated Brass



ØD	C	P/N
6	1/8	57211 00 004
6	1/4	57211 00 005
10	1/4	57211 00 010
10	3/8	57211 00 011
10	1/2	57211 00 012
12	3/8	57211 00 013
12	1/2	57211 00 014

## 57223

Orienting Tee Male Adaptor  
Universal Short Off-Set Leg,  
Nickel-Plated Brass



ØD	C	P/N
6	1/8	57223 00 004
6	1/4	57223 00 005
10	1/4	57223 00 010
10	3/8	57223 00 011
10	1/2	57223 00 012
12	3/8	57223 00 013
12	1/2	57223 00 014

## 3693

Male Stud Run Tee, BSPP & Metric, Nickel-Plated Brass



ØD	C	P/N
4	M5x0,8	3693 04 19
4	G1/8	3693 04 10
6	G1/8	3693 06 10
6	G1/4	3693 06 13
8	G1/8	3693 08 10
8	G1/4	3693 08 13

## 57040

Tube-To-Tube Connector, Nickel-Plated Brass



ØD	C	P/N
4 (5/32)		57040 00 001
5		57040 00 008
6	4	57040 00 002
6		57040 00 003
8	6	57040 00 004
8 (5/16)		57040 00 005
10	8	57040 00 011
10		57040 00 006
12	10	57040 00 012
12		57040 00 007
14		57040 00 010

## 3606

Equal Tube-To-Tube Connector,  
Nickel-Plated Brass



ØD	P/N
4	3606 04 00
6	3606 06 00
8	3606 08 00
10	3606 10 00
12	3606 12 00
14	3606 14 00

## 57310

Y Connector, Nickel-Plated Brass



ØD	P/N
4 (5/32)	*57310 00 001
5	57310 00 004
6	57310 00 002
8 (5/16)	*57310 00 003
10	57310 00 008

## 3616

Equal Bulkhead Connector,  
Nickel-Plated Brass



ØD	P/N
4	3616 04 00
6	3616 06 00
8	3616 08 00
10	3616 10 00
12	3616 12 00
14	3616 14 00

## 57050

Bulkhead Connector, Nickel-Plated Brass



ØD	C	P/N
4 (5/32)	M12	57050 00 001
5	M14	57050 00 006
6	M14	57050 00 002
8 (5/16)	M16	57050 00 003
10	M20	57050 00 004
12	M22	57050 00 005

## 3666

Plug-In Reducer, Nickel-Plated Brass



ØD1	ØD2	P/N
4	6	3666 04 06
4	8	3666 04 08
6	8	3666 06 08
6	10	3666 06 10
6	12	3666 06 12
8	10	3666 08 10
8	12	3666 08 12
8	14	3666 08 14
10	12	3666 10 12
10	14	3666 10 14
12	14	3666 12 14

## 3668

Plug-In Increaser, Nickel-Plated Brass



ØD1	ØD2	P/N
6	4	3668 06 04

### Push-In Fittings - High Pressure

## 58000

High Pressure - Straight Male Adaptor (Taper), Nickel-Plated Brass



ØD	C	P/N
4	M6x1	58000 00 001
4	M8x1	58000 00 002
4	M10x1	58000 00 003
4	1/8	58000 00 004
6	M6x1	58000 00 005
6	M8x1	58000 00 006
6	M10x1	58000 00 007
6	1/8	58000 00 008

## 58040

High Pressure - Straight Connector, Nickel-Plated Brass



ØD	P/N
4	58040 00 001
6	58040 00 002

## 58100

High Pressure - Fixed Elbow Male Adaptor (Taper), Nickel-Plated Brass



ØD	C	P/N
4	M6x1	58100 00 001
4	M8x1	58100 00 002
4	M10x1	58100 00 003
4	1/8	58100 00 004
6	M6x1	58100 00 005
6	M8x1	58100 00 006
6	M10x1	58100 00 007
6	1/8	58100 00 008

## 58111

High Pressure - Orienting Elbow Male Adaptor (Taper), Nickel-Plated Brass



ØD	C	P/N
4	M6x1	58111 00 001
4	M8x1	58111 00 002
4	M10x1	58111 00 003
4	1/8	58111 00 004
6	M6x1	58111 00 005
6	M8x1	58111 00 006
6	M10x1	58111 00 007
6	1/8	58111 00 008

## Push-In Fittings - Imperial Fittings

## 89010

Inch Tube - Straight Male  
Adaptor, Nickel-Plated Brass

ØD	C	P/N
5/32 (4)	1/8	89010 00 008
5/16 (8)	1/8	89010 00 001
5/16 (8)	1/4	89010 00 009

## 89040

Inch Tube - Straight Connector,  
Nickel-Plated Brass

ØD	ØD	P/N
1/8		89040 00 001
1/4		89040 00 003
1/4		89040 00 004
3/8	1/4	89040 00 006
3/8	1/2	89040 00 009
3/8		89040 00 007
1/2		89040 00 008

## 89116

Inch Tube - Orienting Elbow Male  
Adaptor (Parallel), Nickel-Plated  
Brass

ØD	C	P/N
1/8	10/32	89116 00 001
5/32(4)	10/32	89116 00 002
1/4	10/32	89116 00 003

## 89050

Inch Tube - Bulkhead Connector,  
Nickel-Plated Brass

ØD	C	P/N
1/8	M10x1	89050 00 001
1/4	M14x1	89050 00 003
3/8	M20x1	89050 00 005
1/2	M22x1	89050 00 006

## 89130

Inch Tube - Elbow Connector,  
Nickel-Plated Brass

ØD	P/N
1/8	89130 00 001
1/4	89130 00 002
3/8	89130 00 003
1/2	89130 00 004

## 89216

Inch Tube - Orienting Tee Male  
Adaptor - Parallel - Centre Leg,  
Nickel-Plated Brass

ØD	C	P/N
1/8	10/32	89216 00 001
5/32 (4)	10/32	89216 00 002
1/4	10/32	89216 00 003

## 89230

Inch Tube - Tee Connector,  
Nickel-Plated Brass

ØD	P/N
1/8	89230 00 001
1/4	89230 00 003
3/8	89230 00 005
1/2	89230 00 006

## 89310

Inch Tube - Y Connector, Nickel-  
Plated Brass

ØD	P/N
1/8	89310 00 001
1/4	89310 00 003
3/8	89310 00 005

## 89000

Inch Tube - Straight Male Adaptor  
- Universal Short, Nickel-Plated  
Brass

ØD	C	P/N
1/8	10/32	89000 00 019
1/8	1/8	89000 00 001
1/8	1/4	89000 00 002
5/32 (4)	10/32	89000 00 020
5/32 (4)	1/8	89000 00 003
5/32 (4)	1/4	89000 00 004
1/4	10/32	89000 00 021
1/4	1/8	89000 00 005
1/4	1/4	89000 00 006
1/4	3/8	89000 00 007
5/16 (8)	1/8	89000 00 008
5/16 (8)	1/4	89000 00 009
5/16 (8)	3/8	89000 00 010
5/16 (8)	1/2	89000 00 022
3/8	1/8	89000 00 011
3/8	1/4	89000 00 012
3/8	3/8	89000 00 013
3/8	1/2	89000 00 014
1/2	1/8	89000 00 015
1/2	1/4	89000 00 016
1/2	3/8	89000 00 017
1/2	1/2	89000 00 018

## 89111

Inch Tube - Orienting Elbow Male  
Adaptor - Universal Short, Nickel-  
Plated Brass

ØD	ØD	P/N
1/8	1/8	89111 00 001
1/8	1/4	89111 00 002
5/32 (4)	1/8	89111 00 003
5/32 (4)	1/4	89111 00 004
1/4	1/8	89111 00 005
1/4	1/4	89111 00 006
1/4	3/8	89111 00 007
5/16 (8)	1/8	89111 00 008
5/16 (8)	1/4	89111 00 009
5/16 (8)	3/8	89111 00 010
5/16 (8)	1/2	89111 00 018
3/8	1/8	89111 00 011
3/8	1/4	89111 00 012
3/8	3/8	89111 00 013
3/8	1/2	89111 00 014
1/2	1/4	89111 00 015
1/2	3/8	89111 00 016
1/2	1/2	89111 00 017

## 89211

Inch Tube - Orienting Tee Male  
Adaptor - Universal Short, Nickel-  
Plated Brass

ØD	C	P/N
1/8	1/8	89211 00 001
1/8	1/4	89211 00 002
5/32 (4)	1/8	89211 00 003
5/32 (4)	1/4	89211 00 004
1/4	1/8	89211 00 005
1/4	1/4	89211 00 006
1/4	3/8	89211 00 007
5/16 (8)	1/8	89211 00 016
5/16 (8)	1/4	89211 00 015
5/16 (8)	3/8	89211 00 017
3/8	1/8	89211 00 014
3/8	1/4	89211 00 008
3/8	3/8	89211 00 009
3/8	1/2	89211 00 010
1/2	1/4	89211 00 011
1/2	3/8	89211 00 012
1/2	1/2	89211 00 013

## 89223

Inch Tube - Orienting Tee Male  
Adaptor Uni. Short - Offset Leg,  
Nickel-Plated Brass

ØD	C	P/N
1/8	1/8	89223 00 001
1/8	1/4	89223 00 002
5/32 (4)	1/8	89223 00 003
5/32 (4)	1/4	89223 00 004
1/4	1/8	89223 00 005
1/4	1/4	89223 00 006
1/4	3/8	89223 00 007
5/16 (8)	1/8	89223 00 015
5/16 (8)	1/4	89223 00 016
5/16 (8)	3/8	89223 00 017
3/8	1/8	89223 00 014
3/8	1/4	89223 00 008
3/8	3/8	89223 00 009
3/8	1/2	89223 00 010
1/2	1/4	89223 00 011
1/2	3/8	89223 00 012
1/2	1/2	89223 00 013

## Push-In Fittings - Stainless Steel

## 60000

Stainless Steel - Straight Male  
Adaptor (Taper)

ØD	C	P/N
4	1/8	60000 00 001
4	1/4	60000 00 002
6	1/8	60000 00 003
6	1/4	60000 00 004
8	1/8	60000 00 005
8	1/4	60000 00 006
10	1/4	60000 00 007
10	3/8	60000 00 008
12	3/8	60000 00 009
12	1/2	60000 00 010

## 3805

Stainless Steel - Male Stud,  
BSPT Thread

ØD	C	P/N
4	R1/8	3805 04 10
4	R1/4	3805 04 13
6	R1/8	3805 06 10
6	R1/4	3805 06 13
8	R1/8	3805 08 10
8	R1/4	3805 08 13
8	R3/8	3805 08 17
10	R1/4	3805 10 13
10	R3/8	3805 10 17
12	R1/4	3805 12 13
12	R3/8	3805 12 17
12	R1/2	3805 12 21

## 3801

Stainless Steel - Male Stud With  
FKM Seals, BSP, Parallel Metric  
& UNF

ØD	C	P/N
4	R1/8	3801 04 10
4	M5x0,8	3801 04 19
6	R1/8	3801 06 10
6	R1/4	3801 06 13
6	M5x0,8	3801 06 19
8	R1/8	3801 08 10
8	R1/4	3801 08 13
8	R3/8	3801 08 17
10	R1/4	3801 10 13
10	R3/8	3801 10 17
12	R1/4	3801 12 13
12	R3/8	3801 12 17

## 60020

Stainless Steel - Straight Male  
Adaptor

ØD	C	P/N
4	M5	60020 00 011
4	1/8	60020 00 001
4	1/4	60020 00 002
6	M5	60020 00 013
6	1/8	60020 00 003
6	1/4	60020 00 004
8	1/8	60020 00 005
8	1/4	60020 00 006
10	1/4	60020 00 007
10	3/8	60020 00 008
10	1/2	60020 00 012
12	3/8	60020 00 009
12	1/2	60020 00 010