

Edition 1.5 **2019**

Your Industrial & Commercial Specialist Supplier



REMOTE CONTROL

Elsema 433MHz, SMS Control Phoenix Contact **32 KLM**

COMMERCIAL

Load Break Switches
AC Fuse disconnectors
3 Phase plugs and outlets
Isolators
Metal Enclosures
Stainless Enclosures
Polyester Enclosures
Din Rail Terminals

INDUSTRIAL

Rotary Encoders
Isolators
Limit Switches
Guard & Float Switches
Polyester, ABS enclosures
22mm Metal Push Buttons
Contactors
Star Delta, Auto transformer
Elsema Remote Controls
PLC'S

SAFETY

Safety Contactors Pull wire Switches Bells, Sirens Flashing Lights Tower Lights Guard Switches Safety PLC'S







































































Quality at a realistic price!

Unit 1 - 12 Kenworth Place, Brendale QLD 4500

P: 07 3048 1631 F: 07 3319 4616 E: admin@sourceitdirect.net.au

www.sourceitdirect.com.au





We offer the following core values

- Australian Owned Company
- Comittment to our customers
- Customer First Policy
- Fair Work Ethics
- Loyality to our Customers
- Quality and Value
- Quality products
- Excellent Stock Quantities
- Same Day Shipping



About Us

Source it Direct Pty Ltd is a proudly 100% Australian owned, family business with a key focus on putting customers first.

This catalogue contains a comprehensive range of superior electrical products within the Industrial, Commercial and Marine markets.

Our Aim:

Our aim is to provide first class customer service while supplying industry leading products at highly completive prices.

Message from the Director

Our range of products gets better each year, we sell well known brand names, **we sell quality!**I would like to thank our customers for all the support you have given us, and look forward to supporting and working with you in the future. All our products come with an 18 month warranty and we can beat most competitors prices by 5-10%.

Alan Jorgensen

Contact Us

Office:

Unit 1 - 12 Kenworth Place Brendale Queensland 4500 Australia

Phone: 07 3048 1631

Email: admin@sourceitdirect.net.au

Fax: 07 3319 4616

Web: www.sourceitdirect.com.au

Opening Hours:

Mon-Thur 8:00am - 4:00pm **Fri** 8:00am - 12:00pm

Sales:

Alan Jorgensen | **Mob**: 0409 326 914 **Email**: alan@sourceitdirect.net.au

Sales | Mob: 0412 340 676

Email: admin@sourceitdirect.net.au







Accounts:

Office | Ph: 07 3048 1631

Email: admin@sourceitdirect.net.au



CONTENTS	PAGE	DISCOUNT STRUCTURE
3 Phase Industrial Switchgear Tesla	12, 13,14	
Beacons / Flashing Lights / Rotating Lights, Sirens, Bells	60, 61, 62, 63	
Bells CNC	60	
Boxes ABS Tesla	30	
Boxes Polycarbonate Tesla	31, 32,	
Boxes Aluminium & ABS Junction Tesla	32	
Boxes Steel Powder Coated	33	
Boxes, Terminal boxes, Stainless Steel 316 x 1.6 - 2mm	34	
Cabinet Fans, Heaters SM Electric	35	
Cable Ties, Nylon + Metal Glands, Din Rail Phoenix Contact	42, 43	
Change Over Switches, Tesla	13	
Circuit Breakers ABB, Tesla	7	
Conduit Steel flexible ABB Liquidtite	41	
Connectors, Cage Clamp	42	
Contactors, Phoenix Contact, Schneider, CNC, ABB	1, 2, 3, 4, 5	
Counters Tesla	24	
Crane pendants SID	22	
Current Transformers Phoenix Contact	59	
Din Contactors Tesla	4	
Din GPO,s	10	
DOL Starters Tesla	4	
Emergency Stop buttons 22.5mm Tesla	46	
Foot Switches SID	27	
Fuse Disconnectors, Fuses Cartridges CHFE	11	
GPO Din, Double Weatherproof ABB, Tesla	10	
Guard Switches Saip	22	
Hour Run Meters	9	
Indicator lights, Buzzers APT 16mm & 22.5mm	48, 49	
Inverters DC to AC Tesla	18	
Isolators 20A-100Amp GLE	16, 17	
Isolators polycarbonate 1 & 3 Pole ABB	10	
Joysticks	26	
Key Switches 22.5mm Tesla	23	
LED Lighting, Flood, Machine & Vehicle	60	
Level, Float Switches, Conductive Level Phoenix Contact	24	



Todi maastilai & Commiciolai	Ouppliol	
CONTENTS	PAGE	DISCOUNT STRUCTURE
Limit Switches Omron, Telemecanique, Tend	23, 24, 25	
Load Break Switches 25A-630Amp GLE, Tesla	14	
Loadcentres Tesla	7	
Manual Motor Circuit Breakers Schneider	6	
Metering, Multifunction, Hour Run Meters CNC	9	
Micro Switches (V, Z Series) Omron	24	
Multi Pin Connectors, Phoenix Contact	15	
Network switches Phoenix Contact	58	
Overloads Schneider	1	
Phase Failure Relay Phoenix Contact, Tesla	9, 53	
Power Supplies Phoenix Contact, AC Transformers YDHC	18, 19	
PLC's Programmable Logic Controllers Phoenix Contact	64, 65, 66, 67	
Pull Wire Switches Omron	27	
Pushbuttons 22.5mm Tesla	44, 45, 46, 47	
Pushbuttons enclosures APT	43	
Pushbuttons Illuminated 22.5mm Tesla	33	
RCD Enclosures IP66 Tesla	7, 12	
Relays Phoenix Contact, Omron	54, 55, 56,	
Remote Controls, Phoenix Contact, Elsema	29, 30	
Rotary Encoders Source it Direct	21	
Rotary Limit Switches WT	24	
Safety Guard, SAIP	25	
Safety Lights, Tower lights, Buzzers APT, Tesla	55, 56, 57, 58	
Safety and Monitoring Relays Phoenix Contact	58	
Selector Switches 22.5mm Tesla	41	
Solenoid Valves Hoyan, Pneubig Air	28	
Solid State Relays, Heat Sinks, CNC	57	
Star Delta starters Tesla	4	
Terminals TB, UK, PT, UK Phoenix Contact	36, 37, 38, 39	, 40
Timers, Analogue, Digital, Omron, Time Clocks	50, 51, 52, 53	
Temperature controllers Panasonic	20	
Tools, Test Equipment, Multimeters Phoenix Contact	68. 69	
Vehicle Flood Lights CREE	70	
Terms and Conditions of sale	71, 72	



Schneider * AC Contactors

240VAC and 24VAC coils available The N/C auxiliary contact is a safety contact

690 V AC rated

CE, IEC, UK, VDE Approved

CL, ILC, UK,	ADE VAL	noveu					
Part No	kW	AC3	AC1	Aux Contacts		Price	GST Price
LC1 D09	4	9	25	1 x N/O, N/C	Stocked	\$32.00	\$35.20
LC1 D12	5.5	12	25	1 x N/O, N/C	Stocked	\$35.00	\$38.50
LC1 D18	7.5	18	32	1 x N/O, N/C	Stocked	\$40.00	\$44.00
LC1 D25	11	25	40	1 x N/O, N/C	Stocked	\$49.00	\$53.90
LC1 D32	15	32	50	1 x N/O, N/C	Stocked	\$88.00	\$96.80
LC1 D38	18.5	38	50	1 x N/O, N/C	Stocked	\$100.00	\$110.00
LC1 D40A	18.5	40	60	1 x N/O, N/C	Stocked	\$111.00	\$122.10
LC1 D50A	22	50	80	1 x N/O, N/C	Stocked	\$131.00	\$144.10
LC1 D65A	30	65	80	1 x N/O, N/C	Stocked	\$146.00	\$160.60
LC1 D80	37	80	125	1 x N/O, N/C	Stocked	\$161.00	\$177.10
LC1 D95	45	95	125	1 x N/O, N/C	Stocked	\$171.00	\$188.10
LC1D115	80	115	200	No Aux contacts	Stocked	\$550.00	\$605.00
LC1D150	100	150	200	No Aux contacts	Stocked	\$650.00	\$715.00
LC1F185	100	185	275	No Aux contacts	3 weeks	\$790.00	\$869.00
LC1F225	110	225	315	No Aux contacts	3 weeks	\$1,080.00	\$1,188.00
LC1F265	140	265	350	No Aux contacts	3 weeks	\$1,640.00	\$1,804.00
LC1F330	180	330	400	No Aux contacts	3 weeks	\$1,740.00	\$1,914.00
LC1F400	220	400	500	No Aux contacts	3 weeks	\$1,808.00	\$1,988.80
LC1F500	280	500	700	No Aux contacts	3 weeks	\$2,795.00	\$3,074.50





Schneider *		Overloads			
Part No	Range	Suit contactor		Price	GST Price
LRD04	0.4-0.63	D09 to D32	Stocked	\$29.00	\$31.90
LRD 05	0.63-1A	D09 to D32	Stocked	\$29.00	\$31.90
LRD 06	1-1.6A	D09 to D32	Stocked	\$29.00	\$31.90
LRD 07	1.6-2.5A	D09 to D32	Stocked	\$29.00	\$31.90
LRD 08	2.5-4A	D09 to D32	Stocked	\$32.00	\$35.20
LRD 10	4-6A	D09 to D32	Stocked	\$32.00	\$35.20
LRD 12	6-8A	D09 to D32	Stocked	\$32.00	\$35.20
LRD 14	7-10A	D09 to D32	Stocked	\$32.00	\$35.20
LRD 16	9-13A	D09 to D32	Stocked	\$32.00	\$35.20
LRD 21	12-18A	D09 to D32	Stocked	\$35.00	\$38.50
LRD 22	17-25A	D09 to D32	Stocked	\$35.00	\$38.50
LRD 32	23-32A	D09 to D32	Stocked	\$56.00	\$61.60
LRD35	23-32A	D25 to D32	Stocked	\$61.00	\$67.10
LRD332	23-32A	D40A-D65A	Stocked	\$81.00	\$89.10
LRD340	30-40A	D40A-D65A	Stocked	\$88.00	\$96.80
LRD350	37-50A	D40A-D65A	Stocked	\$91.00	\$100.10
LRD365	48-65A	D40A-D65A	Stocked	\$101.00	\$111.10
LRD3355	30-40A	D80 to D95	Stocked	\$111.00	\$122.10
LRD3357	37-50A	D80 to D95	Stocked	\$126.00	\$138.60
LRD3359	48-65A	D80 to D95	Stocked	\$136.00	\$149.60
LRD3363	63-80A	D80 to D95	Stocked	\$136.00	\$149.60
LRD3365	80-104A	D80 to D95	Stocked	\$136.00	\$149.60
LRD4365	80-104A	D115 to D150	Stocked	\$275.00	\$302.50
LRD4369	110-140A	D115 to D150	Stocked	\$320.00	\$352.00
LAD7B106C	Din ı	mount adaptor for o/load LRD	03-LRD35	\$35.00	\$38.50





Note: * "Schneider Electric and Telemecanique are trademarks owned by Schneider Electric SE or its subsidiaries,

Page 1 Source IT Direct is not in any way affiliated with or endorsed by Schneider Electric SE".



Your Industrial Commercial Supplier

Schneider * 24V DC Contactors							
690 V AC rate	ed						
CE, IEC, UK, V	DE Appro	ved					
Part No	kW	AC3	AC1	Aux Contacts		Price	GST Price
LC1 D12 BD	5.5	12	25	1 x N/O, N/C	Stocked	\$65.00	\$71.50
LC1 D18 BD	7.5	18	32	1 x N/O, N/C	Stocked	\$75.00	\$82.50
LC1 D25 BD	11	25	40	1 x N/O, N/C	Stocked	\$85.00	\$93.50
LC1 D32 BD	15	32	50	1 x N/O, N/C	Stocked	\$110.00	\$121.00
LC1 D38 BD	18.5	38	50	1 x N/O, N/C	Stocked	\$120.00	\$132.00
Schneider *			uxilary	contacts			
						Price	GST Price



Schneider *	Auxila				
				Price	GST Price
LAD N 11C	Aux contacts	1 x N/C, 1 N/O	Stocked	\$18.00	\$19.80
LAD N 22C	Aux contacts	2 x N/C, 2 N/O	Stocked	\$24.00	\$26.40
LAD N 13C	Aux contacts	3 x N/C, 1 N/O	Stocked	\$24.00	\$26.40
LAD N 31C	Aux contacts	1 x N/C, 3 N/O	Stocked	\$26.00	\$28.60
LAD N 04C	Aux contacts	4 x N/C	Stocked	\$26.00	\$28.60
LAD N 40C	Aux contacts	4 x N/O	Stocked	\$26.00	\$28.60



Schneid	er *	Pneumati	c Timers			
Pneumatic Ti	mers				Price	GST Price
LAD T 2	Pneumatic timer	0.1 - 30sec	On Delay	Stocked	\$42.00	\$46.20
LAD T 4	Pneumatic timer	10 - 180sec	On Delay	Stocked	\$42.00	\$46.20
LAD R 0	Pneumatic timer	0.1 - 3sec	Off Delay	Stocked	\$42.00	\$46.20
LAD R 2	Pneumatic timer	10 - 30sec	Off Delay	Stocked	\$42.00	\$46.20
LAD S2	Pneumatic timer 1	1 - 30sec	Star Delta	Stocked	\$42.00	\$46.20



	Mechanical Interlocks	S		
Mechanical Interlo	ck kit		Price	GST Price
M17.5	Suits LC1D 12 - LCID 32	Stocked	\$30.00	\$33.00
LAD4CM	Suits LC1D 40 - LCID 65	Stocked	\$35.00	\$38.50
M130	Suits LC1D 40 - LCID 95	Stocked	\$30.00	\$33.00



		AC Coils			
Contactor C	oils			Price	GST Price
LXD1B7-	24V	Suit LC1D12 to LC1D32	Stocked	\$30.00	\$33.00
LXD1C7-	32V	Suit LC1D12 to LC1D32	Stocked	\$30.00	\$33.00
LXD1E7-	48V	Suit LC1D12 to LC1D32	Stocked	\$30.00	\$33.00
LXD1F7-	110V	Suit LC1D12 to LC1D32	Stocked	\$30.00	\$33.00
LXD1P7-	230-240V	Suit LC1D12 to LC1D32	Stocked	\$45.00	\$49.50
Coil D80-98	5	Suit LC1D80 to LC1D95	Stocked	\$50.00	\$55.00



Note: * "Schneider Electric and Telemecanique are trademarks owned by Schneider Electric SE or its subsidiaries, Source IT Direct is not in any way affiliated with or endorsed by Schneider Electric SE".



TESLA Mini Contactors

MINI Contactor Rated to 660V 50 / 60Hz							
IEC 60947-4	kW	AC3	AC1	Aux Contacts	i	Price	GST Price
CJX2-K1210 24	5.5kW	12	25	1 x N / O	Stocked	\$20.00	\$22.00
24 V AC							
CJX2-K1210 240	5.5kW	12	25	1 x N / O	Stocked	\$20.00	\$22.00
240 V AC							
CJX2-K1210 415	5.5kW	12	25	1 x N / O	Stocked	\$20.00	\$22.00
415 V AC							
CJX2-K1210 12 D	5.5kW	12	25	1 x N / O	Stocked	\$35.00	\$38.50
12 V DC							
CJX2-K1210 24 D	5.5kW	12	25	1 x N / O	Stocked	\$35.00	\$38.50
24 VDC							



Tesla Din Contactors

Din Rail Mounting
Voltage 240V AC
85 - 110% of the rated voltage
Operating temperature -22C to +55C
IEC / EN 61095









SI	LIM	LINE	22.	5MM	WID	Œ
111	5V 3 I	Dhaea	some	types	with o	WA

	nase, some types wi iry 1 x DPT All Ph	Price	GST Price		
2900530 H	Hydrid Contactor,24V	DC, 9A	2 - 3 Days	\$178.50	\$196.35
2900531 H	Hydrid Contactor,230	VAC, 9A	2 - 3 Days	\$178.50	\$196.35
2900543	Hybrid Contact & Ove	erload,24VDC, 2,4A	2 - 3 Days	\$188.43	\$207.27
2900544	Hybrid Contact & Ove	erload,230VAC, 2,4A	2 - 3 Days	\$188.43	\$207.27
2900545	Hybrid Contact & Ove	erload,24VDC, 9A	2 - 3 Days	\$188.71	\$207.58
2900546	Hybrid Contact & Ove	erload,230VAC, 9A	2 - 3 Days	\$188.43	\$207.27
2900567	Hybrid Contact, Overl	oad & ESTOP, 24VDC, 2,4	4A 2 - 3 Days	\$218.18	\$239.99
2900568	Hybrid Contact,Overl	oad & E-STOP,230VAC, 2	2,4A 2 - 3 Days	\$218.18	\$239.99
2900569	Hybrid Contact, Overl	oad & ESTOP, 24VDC, 9A	2 - 3 Days	\$218.18	\$239.99
2900570	Hybrid Contact,Overl	oad & E-STOP,230VAC, 9	A 2 - 3 Days	\$218.18	\$239.99
2902747	DIN Rail Adaptor	Required for mounting	2 - 3 Days	\$38.50	\$42.35
Page 3					







Your Industrial Commercial Supplier

DOL Starters

Insulated IP 54 ABS enclosure

Overload included, but supplied with the following

For additional size overloads, please refer to page 1

240V Coil

Part No	Description	Overload Size		Price	GST Price
DOL5.5 240	5.5kW DOL Starter	9 - 13A	Stocked	\$68.00	\$74.80
DOL7.5 240	7.5kW DOL Starter	12 - 18A	Stocked	\$75.00	\$82.50
DOL11 240	11kW DOL Starter	16 - 25A	Stocked	\$80.00	\$88.00

415V Coil

Part No	Description	Overload Size		Price	GST Price
DOL5.5 415	5.5kW DOL Starter	9 - 13A	Stocked	\$68.00	\$74.80
DOL5.5 415 E / Stop	5.5kW DOL Starter	9 - 13A	2 days	\$75.00	\$82.50
DOL7.5 415	7.5kW DOL Starter	12 - 18A	Stocked	\$75.00	\$82.50
DOL11 415	11kW DOL Starter	16 - 25A	Stocked	\$80.00	\$88.00
DOL18.5 415	18.5kW DOL Starter +	Metal Case	Stocked	\$150.00	\$165.00



Tesla Star Delta Starters

Quality design at an economical price Supplied with overload on mounting plate

Note, the o/load is normally set at 58% of FLC

Part No	kW	HP	O/Load A	O/Load		Price	GST Price
SD11	11kW	15	9 - 13A	LRD1612	Stocked	\$200.00	\$220.00
SD22	22kW	30	16 - 24A	LRD1322	Stocked	\$300.00	\$330.00
SD37	37kW	50	30 - 40A	LRD3355	Stocked	\$400.00	\$440.00
SD55	55kW	75	55 - 70A	LRD3361	3 - 4 days	\$500.00	\$550.00
SD75	75kW	100	63 - 80A	LRD3366	3 - 4 days	\$600.00	\$660.00



ENCLOSURE KIT, Insulated IP66 polycarbonate enclosure Kit

Supplied with IP66 stop, start buttons & 240V run light

	Enclosure	Size		Price	GST Price
Kit SD11	AG2819-1	280x190x180D	Stocked	\$72.00	\$79.20
Kit SD22	AG2819-1	280x190x180D	Stocked	\$72.00	\$79.20
Kit SD37	AG2834-1	340x280x180D	Stocked	\$80.00	\$88.00
Kit SD55	TIP43	400x300x200D	Stocked	\$155.00	\$170.50
Kit SD75	TIP43	400x300x200D	Stocked	\$155.00	\$170.50



Schneider * Reset Button

22mm hole ABS body

XB5 AA86102 17-120mm adjustable distance **Stocked \$27.00** \$29.70



Note: * "Schneider Electric and Telemecanique are trademarks owned by Schneider Electric SE or its subsidiaries, Source IT Direct is not in any way affiliated with or endorsed by Schneider Electric SE".



Your Industrial Commercial Supplier





Safety Contactors

690 V AC rated AC / DC electronic Coil Suitable for Cat 4 Applications

Part No	kW	AC3	AC1	Aux Contacts		Price	GST Price
AFS09302211 24 - 60V	4	9	25	2 x N/O, 2 x N/C	3 Days	\$175.00	\$192.50
AFS09302213 100-250V	4	9	25	2 x N/O, 2 x N/C	3 Days	\$175.00	\$192.50
AFS12302211 24 - 60V	5.5	12	28	2 x N/O, 2 x N/C	3 Days	\$185.00	\$203.50
AFS12302213 100-250V	5.5	12	28	2 x N/O, 2 x N/C	3 Days	\$185.00	\$203.50
AFS16302211 24 - 60V	7.5	18	30	2 x N/O, 2 x N/C	3 Days	\$196.00	\$215.60
AFS16302213 100-250V	7.5	18	30	2 x N/O, 2 x N/C	3 Days	\$196.00	\$215.60
AFS26302211 24 - 60V	11	25	45	2 x N/O, 2 x N/C	3 Days	\$286.00	\$314.60
AFS26302213 100-250V	11	25	45	2 x N/O, 2 x N/C	3 Days	\$286.00	\$314.60
AFS30302211 24 - 60V	15	32	50	2 x N/O, 2 x N/C	3 Days	\$410.00	\$451.00
AFS30302213 100-250V	15	32	50	2 x N/O, 2 x N/C	3 Days	\$410.00	\$451.00
AFS38302211 24 - 60V	18.5	38	50	2 x N/O, 2 x N/C	3 Days	\$655.00	\$720.50
AFS38302213 100-250V	18.5	40	50	2 x N/O, 2 x N/C	3 Days	\$655.00	\$720.50
AFS52302211 24 - 60V	22	50	100	2 x N/O, 2 x N/C	3 Days	\$700.00	\$770.00
AFS52302213 100-250V	22	50	100	2 x N/O, 2 x N/C	3 Days	\$700.00	\$770.00
AFS65302211 24 - 60V	30	65	105	2 x N/O, 2 x N/C	3 Days	\$810.00	\$891.00
AFS65302213 100-250V	30	65	105	2 x N/O, 2 x N/C	3 Days	\$810.00	\$891.00
AFS80302211 24 - 60V	37	80	125	2 x N/O, 2 x N/C	3 Days	\$902.00	\$992.20
AFS80302213 100-250V	37	80	125	2 x N/O, 2 x N/C	3 Days	\$902.00	\$992.20
AFS096302211 24 - 60V	49	95	130	2 x N/O, 2 x N/C	3 Days	\$975.00	\$1,072.50
AFS096302213 100-250V	49	95	130	2 x N/O. 2 x N/C	3 Davs	\$975.00	\$1.072.50



ABB	Thermal	Overloads			
Current rating required	Range	Suits Contactor		Price	GST Price
TF42	0.10-38A	AF09 - AF38	3 Days	\$100.00	\$110.00
TF65	22-67A	AF40 - AF65	3 Days	\$322.00	\$354.20
TF96	40-96A	AF80 - AF96	3 Days	\$441.00	\$485.10
TF140DU	66-142A	AF116 - AF140	3 Days	\$398.00	\$437.80



ABB	Electronic	Overloads			
	Range	Suits Contactor			
EF19	0.10-18.9A	AF09 - AF16	3 Days	\$200.00	\$220.00
EF45	9-45A	AF26 - AF38	3 Days	\$338.00	\$371.80
AF65	20-70A	AF40 - AF65	3 Days	\$594.00	\$653.40
AF96	20-100A	AF80 - AF96	3 Days	\$650.00	\$715.00
	F4 4F0A	AF440 AF440	0.0	* 700.00	¢000 00
EF146	54-150A	AF116 - AF146	3 Days	\$736.00	\$809.60







Schneider *		GV2 ME Thermal Magnetic Motor Circuit Breaker					
		Standard power rating	gs @ 415V				
	KW	Current	Breaking	capacity	Price	GST Price	
		range - A	lcu				
GV2-ME01		0.1-0.16A	100kA	Stocked	\$62.00	\$68.20	
GV2-ME02		0.16-0.25A	100kA	Stocked	\$62.00	\$68.20	
GV2-ME03		0.25-0.4A	100kA	Stocked	\$62.00	\$68.20	
GV2-ME04		0.40-0.63A	100kA	Stocked	\$62.00	\$68.20	
GV2-ME05	0.37	0.63- 1.0A	100kA	Stocked	\$62.00	\$68.20	
GV2-ME06	0.55	1-1.6A	100kA	Stocked	\$62.00	\$68.20	
GV2-ME07	1.1	1.6-2.5A	100kA	Stocked	\$62.00	\$68.20	
GV2-ME08	1.5	2.5-4.0A	100kA	Stocked	\$62.00	\$68.20	
GV2-ME10	2.2	4.0-6.3A	100kA	Stocked	\$62.00	\$68.20	
GV2-ME14	4	6.0-10	100kA	Stocked	\$62.00	\$68.20	
GV2-ME16	5.5	9-14A	15kA	Stocked	\$65.00	\$71.50	
GV2-ME20	7.5	13-18A	15kA	Stocked	\$70.00	\$77.00	
GV2-ME21	9	17-23A	15kA	Stocked	\$80.00	\$88.00	
GV2-ME22	11	20-25A	15kA	Stocked	\$80.00	\$88.00	
GV2-ME32	15	24-32A	10kA	Stocked	\$90.00	\$99.00	



Instantaneous Contact							
	Mounting	Max number	Type of Con	tact			
GVA-AE1	Front	1	1 x N/O	3 weeks	\$18.00	\$19.80	
GVA-AE11	Front	1	N/O + N/C	Stocked	\$18.00	\$19.80	
GVA-AE20	Front	2	N/O + N/O	Stocked	\$18.00	\$19.80	
GVA-AN11	LH Side	2	N/O + N/C	Stocked	\$18.00	\$18.80	
GVA-AN20	LH Side	2	N/O + N/C	3 weeks	\$18.00	\$19.80	



Fault Signaling Contact + Instantaneous Auxilary Contact							
	Mounting	Max number	er Type of Cor	ntact			
GVAD1010	LH Side	1	N/O fault + N/O	3 weeks	\$18.00	\$19.80	
GVAD0110	LH Side	1	N/O fault + N/O	3 weeks	\$18.00	\$19.80	

Short Circ	uit Contact					
	Mounting	Max number	Type of Con	tact		
GVAM11	LH Side	1 (C/O common pt	3 weeks	\$20.00	\$22.00

Under Voltage Trip							
	Mounting	Voltage					
GVAU025	RH Side	24V	3 weeks	\$50.00	\$55.00		
GVAU115	RH Side	110V	3 weeks	\$50.00	\$55.00		
GVAU225	RH Side	220-240V	3 weeks	\$50.00	\$55.00		
GVAU415	RH Side	415-440V	3 weeks	\$50.00	\$55.00		



Shunt Trip	os				
GVAS025	RH Side	24V	3 weeks	\$40.00	\$44.00
GVAS115	RH Side	110V	3 weeks	\$40.00	\$44.00
GVAS225	RH Side	220-240V	3 weeks	\$40.00	\$44.00
GVAS415	RH Side	415-440V	3 weeks	\$40.00	\$44.00

Note: * "Schneider Electric and Telemecanique are trademarks owned by Schneider Electric SE or its subsidiaries, Source IT Direct is not in any way affiliated with or endorsed by Schneider Electric SE".



Miniature Circuit Breaker Range

Protection for cables and equipment BEST QUALITY

MCB - Overcurrent Protection and RCD - 30mA Earth Leakage, see below

ABB	Main Switch	6kA			
6kA rated				Price	GST Price
MS1P 80	1 pole	6kA	Stocked	\$10.00	\$11.00
MS3P 80	3 pole	6kA	Stocked		



ARR	MCD CLA		0.0			
	MCB - 6kA		C Curve			
6kA rated					Price	GST Price
MCB1P2	1 Pole	6kA	C Curve	Stocked	\$5.00	\$5.50
MCB1P6	1 Pole	6kA	C Curve	Stocked	\$5.00	\$5.50
MCB1P10	1 Pole	6kA	C Curve	Stocked	\$5.00	\$5.50
MCB1P16	1 Pole	6kA	C Curve	Stocked	\$5.00	\$5.50
MCB1P20	1 Pole	6kA	C Curve	Stocked	\$5.00	\$5.50
MCB1P25	1 Pole	6kA	C Curve	Stocked	\$5.00	\$5.50
MCB1P32	1 Pole	6kA	C Curve	Stocked	\$5.00	\$5.50
MCB1P40	1 Pole	6kA	C Curve	Stocked	\$5.00	\$5.50
MCB1P50	1 Pole	6kA	C Curve	Stocked	\$5.00	\$5.50
MCB1P63	1 Pole	6kA	C Curve	Stocked	\$5.00	\$5.50
MCB3P10	3 Pole	6kA	C Curve	Stocked	\$27.00	\$29.70
MCB3P16	3 Pole	6kA	C Curve	Stocked	\$27.00	\$29.70
MCB3P20	3 Pole	6kA	C Curve	Stocked	\$27.00	\$29.70
MCB3P25	3 Pole	6kA	C Curve	Stocked	\$27.00	\$29.70
MCB3P32	3 Pole	6kA	C Curve	Stocked	\$27.00	\$29.70
MCB3P40	3 Pole	6kA	C Curve	Stocked	\$27.00	\$29.70
MCB3P50	3 Pole	6kA	C Curve	Stocked	\$30.00	\$33.00
MCB3P63	3 Pole	6kA	C Curve	Stocked	\$33.00	\$36.30





TESLA		D Curve	Motor start			
6kA rated						
MCB3P20 -D	3 Pole	6kA	D Curve	Stocked	\$55.00	\$60.50
MCB3P32 -D	3 Pole	6kA	D Curve	Stocked	\$55.00	\$60.50
MCB3P40 -D	3 Pole	6kA	D Curve	Stocked	\$55.00	\$60.50
MCB3P50 -D	3 Pole	6kA	D Curve	Stocked	\$55.00	\$60.50
MCB3P63 -D	3 Pole	6kA	D Curve	Stocked	\$60.00	\$66.00



ABB	RCD / MCB	1 POLE	30mA sensitivity Ele	ectronic		
6kA rated					Price	GST Price
RCDM6110	1 pole	6kA	C Curve	Stocked	\$35.00	\$38.50
RCDM6116	1 pole	6kA	C Curve	Stocked	\$35.00	\$38.50
RCDM6120	1 pole	6kA	C Curve	Stocked	\$35.00	\$38.50



ABB	RCD / MCB 2	2 POLE	- 6kA 30mA sensitivi	ty, 2 pole 6 Ka	Electromag	netic
10kA rated					Price	GST Price
HRL3 C10	2 pole	6kA	C Curve	Stocked	\$32.00	\$35.20
HRL3 C16	2 pole	6kA	C Curve	Stocked	\$32.00	\$35.20
HRL3 C20	2 pole	6kA	C Curve	Stocked	\$32.00	\$35.20



ABB	RCD 's 4 POLE 30mA sensitivity, Curen	t rating 40,63 A	mp	
6kA rated			Price	GST Price
RCD4P40	4 pole 40A RCD	Stocked	\$49.00	\$53.90
RCD4P63	4 pole 63A RCD	Stocked	\$55.00	\$60.50
Dama 7				





Tesla Plastic Module Enclosures IP40

IP40 Price	GST Price
IF40 FILE	
PME1 1 pole module Stocked \$5.00	\$5.50
PME2 2 pole module Stocked \$5.00	\$5.50
PME4 4 pole module Stocked \$6.00	\$6.60
PME6 6 pole module Stocked \$12.00	\$13.20
PME8 8 pole module Stocked \$18.00	\$19.80
PME12 12 pole module Stocked \$22.00	\$27.50



TESLA Surface mount Load Centre IP42 Tesla Including links, Transparent cover, ABS Fire rated body					
			Price	GST Price	
PDBL12 -	12 pole Surface mount	Stocked	\$30.00	\$33.00	
PDBL15 -	15 pole Surface mount	Stocked	\$34.00	\$37.40	
PDBL18 -	18 pole Surface mount	Stocked	\$48.00	\$52.80	
PDBL24 -	24 pole Surface mount	Stocked	\$65.00	\$71.50	
PDBL36 -	36 pole Surface mount	Stocked	\$72.00	\$79.20	



TESLA Recesed mount IP42 Including links, Transparent cover, ABS Fire rated body						
			Price	GST Price		
PDBL12R -	12 pole Recesed mounting	Stocked	\$30.00	\$33.00		
PDBL15R -	15 pole Recesed mounting	Stocked	\$34.00	\$37.40		
PDBL18R -	18 pole Recesed mounting	Stocked	\$48.00	\$52.80		
PDBL24R -	24 pole Recesed mounting	Stocked	\$65.00	\$71.50		
PDBL36R -	36 pole Recesed mounting	Stocked	\$72.00	\$79.20		



TESLA WEATHERPROOF Load Centre IP65 Including links, Transparent cover, ABS Fire rated body					
UV stabalised ABS, Fire resistant	Price	GST Price			
56 series Heavy Duty					
Threaded cable entries 2 x 25mm and 1 x 32mm					



56 CB4N	4 pole surface mount	Stocked	\$25.00	\$27.50
56CB8N	8 pole surface mount	Stocked	\$42.00	\$46.20
PDBL12 IP65	12 pole Surface mount	Stocked	\$45.00	\$49.50
	Suitable for solar load centre No Neutral termina	al link		



IESLA	Generator	Enclose	ed Cha	inge O	ver Si	witche	S		
								Price	GST Price
		_				_			

TSW 320 F/R	3 Pole	Reversing switch 20A 415V	Stocked	\$90.00	\$99.00
TSW 320 C/O	3 Pole	Change over switch 20A 415V	Stocked	\$90.00	\$99.00



Change Over Isolator 3 position, centre OFF 4 Pole

ABS enclosure size: 240L x 155W x 195H

UKT5-463C/O 4 Pole Change over 63 Amp 415V **Stocked** \$150.00 \$165.00



Tel: 07-3048 1631 Fax: 07-3886-1616

Your Industrial Commercial Supplier

Multi Function meters 72 x 72MM

Displays, Volts, Amps, Watts, HZ, PF,

3 phase voltage, 3 phase current, Active power, Reactive power, Power factor,

Frequency,

Pulse output, other sizes are available Price GST Price

JYS-7S4 Selectable Volt, Amp, Watts, Hz, PF Stocked \$190.00 \$209.00

72 x 72mm



HOUR RUN Meters

Mechanical

Hours and minutes

Mounting clip supplied for panel mounting

48 x 48mm square fascia

Panel Cutout 45 x 45mm

Finger protect terminals

C⊏ approved	PANEL MOUNT		
HM1 220- 240V		Stocked	\$50.00
HM1 10-60V AC / DC		Stocked	\$50.00

 HM1 10-60V AC / DC
 Stocked
 \$50.00
 \$55.00

 HM1 Panel mount adaptor
 72 x 72mm
 Stocked
 \$15.00
 \$16.50

DIN RAIL MOUNT

HM2 220- 240V	Stocked	\$50.00	\$55.00
HM2 10-60V AC / DC	Stocked	\$50.00	\$55.00



\$55.00



Phase Failure relays

Phase balance relay 415V supply with SPST contact

with adjustable minimium, maximium values

Phase sequence relay, loss of phase

MYOW 11WRUPS

Stocked

Price GST Price

\$100.00

PF113A din rail mount base Stocked \$8.00 \$8.80



Phoenix Contact monitoring relays Page 59

Tradesman Power pack

10A RCD and MCB protected

10A RCD and MCB protected			
		Price	GST Price
TPP4W	Stocked	\$75.00	\$82.50

Power outlet with combined RCD and MCB (earth leakage and overload protect) with 4 outlets



TESLA Plugs and Sockets

Supplied in 10 Pack

		Quantity			
CLPT10	10A Plug	10	Stocked	\$35.00	\$38.50
CLPT15	15A plug	10	Stocked	\$50.00	\$55.00
CLPS10	10A socket	10	Stocked	\$40.00	\$44.00
CLPS15	15A socket	10	Stocked	\$60.00	\$66.00








AC Air Conditioning Isolators lockable, with earth and neutral bars, 25mm cable entries

UV, IP66 Size 166.4 x 82.6mm Category AC23A M25 cable entries Padlockable OFF and ON



				Price	GST Price
WSD220CL	20A 2 pole	166.4H x 82.6W x 72.6D	Stocked	\$14.00	\$15.40
WSD432CL	32 Amp 4 pole	166.4H x 82.6W x 72.6D	Stocked	\$18.00	\$19.80
WSD463CL	63 Amp 4 pole	166.4H x 82.6W x 72.6D	Stocked	\$21.00	\$23.10





SOLAR DC 1000V Isolators lockable, with earth and neutral bars, 25mm cable entries

UV, IP68 Price GST Price SISO 4 pole 1000V 32 A 165H x 110W x 110D Stocked \$60.00 \$66.00 Note: we can supply all of ABB solar component range.





10A Waterproof GPO's IP53 with base

Waterproof single & double GPO 10A

240V 50 / 60Hz

Australian Ap	proved			Price	GST Price
WSO110	Single	10A	Stocked	\$18.00	\$19.80
WSO211	Double	10A	Stocked	\$20.00	\$22.00



TESLA	15A Waterp	roof GPO's IP53	with bas
WPG01 /15	Single	15A	

ILOLA IO	A Waterpit	or or o a ir oo with base			
WPG01 /15	Single	15A	Stocked	\$18.00	\$19.80
WPG02 / 15	Double	15A	Stocked	\$22.00	\$24.20



Din Rail GPO

Clearly marked terminals

240 VAC 10 Amp

IP42

Australian ApprovedPriceGST PriceDINGPO10A single gangStocked\$20.00\$22.00





Waterproof Switches IP54 with base

16A single and double weatherproof switches

Waterproof IP66

240V 50 / 60Hz

Australian Approved			Price	GST Price
WSW211	16A single gang W/P	Stocked	\$20.00	\$22.00
WSW221	16A Double gang W/P	Stocked	\$22.00	\$24.20





Your Industrial Commercial Supplier



© A ⊕ C € C CB RoHS

AC Fuse Disconnectors with LED indicator up to 63A size

1 Din Module and 3 Din Module widths 500V rating

Cartridge size 10 x 38mm

Fitted with L:ED indicator when fuse is blown

			Price	GST Price
RT18-32-1, 1 pole, fuse size 2-32A	(Fuse size 10 x 38)	Stocked	\$5.50	\$6.05
RT18-32-3, 3 pole, fuse size 2-32A	(Fuse size 10 x 38)	Stocked	\$18.00	\$19.80
RT18-63-1, 1 pole, fuse size 40-63A	(Fuse size 14 x 51).	Stocked	\$20.00	\$22.00
RT18-63-3, 3 pole, fuse size 40-63A	(Fuse size 14 x51)	Stocked	\$45.00	\$49.50
RT18-125-1, 1pole, fuse size 80-125A	(Fuse size 22 x 58)	3 Weeks	\$58.00	\$63.80
RT18-125-3, 3 pole, fuse size 80-125A	(Fuse size 22 x 58)	3 Weeks	\$75.00	\$82.50



AC Cylindrical Fuses for the above RT18 fuse disconnectors

500V rating	Fuse size	To suit		Price	GST Price
2A	10 x 38	RT18-32	Stocked	\$3.00	\$3.30
4A	10 x 38	RT18-32	Stocked	\$3.00	\$3.30
6A	10 x 38	RT18-32	Stocked	\$3.00	\$3.30
10A	10 x 38	RT18-32	Stocked	\$3.00	\$3.30
16A	10 x 38	RT18-32	Stocked	\$3.00	\$3.30
20A	10 x 38	RT18-32	Stocked	\$3.00	\$3.30
32A	10 x 38	RT18-32	Stocked	\$3.00	\$3.30
40A	14 x 51	RT18-63	Stocked	\$8.00	\$8.80
50A	14 x 51	RT18-63	Stocked	\$8.00	\$8.80
63A	14 x 51	RT18-63	Stocked	\$8.00	\$8.80
80A	22 x 58	RT18-125	3 Weeks	\$12.00	\$13.20
100A	22 x 58	RT18-125	3 Weeks	\$15.00	\$16.50
125A	22 x 58	RT18-125	3 Weeks	\$20.00	\$22.00



DC 1000V Fuse	es			
	Fuse size		Price	GST price
8A, 1000VDC	10 x 38 mm	Stocked	\$9.50	\$10.45
10A, 1000VDC	10 x 38 mm	Stocked	\$9.50	\$10.45
12A, 1000VDC	10 x 38 mm	Stocked	\$9.50	\$10.45
16A, 1000VDC	10 x 38 mm	Stocked	\$9.50	\$10.45
20A, 1000VDC	10 x 38 mm	Stocked	\$12.00	\$13.20
32A, 1000VDC	10 x 38 mm	Stocked	\$12.00	\$13.20





Your Industrial Commercial Supplier

3 Phase Switch	ched Combinations			
Note, these come f	rom the same factory as some other major	suppliers		
	1 Phase		Price	GST Price
TCO 310 Tesla	3 pin 10Amp switched combination	Stocked	\$42.00	\$46.20
TCO 315 Tesla	3 pin 15Amp switched combination	Stocked	\$48.00	\$52.80
TCO 320 Tesla	3 pin 20Amp switched combination	Stocked	\$55.00	\$60.50
	3 Phase 10 Amp			
TCO 410 Tesla	4 pin 10Amp switched combination	Stocked	\$78.00	\$85.80
TCO 510 Tesla	5 pin 10Amp switched combination	Stocked	\$84.00	\$92.40
	3 Phase 20 Amp			
TCO 420 Tesla	4 pin 20Amp switched combination	Stocked	\$78.00	\$85.80
TCO 520 Tesla	5 pin 20Amp switched combination	Stocked	\$85.00	\$93.50
	3 Phase 32 Amp			
TCO 432 Tesla	4 pin 32Amp switched combination	Stocked	\$86.00	\$94.60
TCO 532 Tesla	5 pin 32Amp switched combination	Stocked	\$90.00	\$99.00
	3 Phase 40 Amp			
TCO 440 Tesla	4 pin 40Amp switched combination	Stocked	\$126.00	\$138.60
TCO 540 Tesla	5 pin 40Amp switched combination	Stocked	\$132.00	\$145.20
	3 Phase 50 Amp			
TCO 450 Tesla	4 pin 50Amp switched combination	Stocked	\$135.00	\$148.50
TCO 550 Tesla	5 pin 50Amp switched combination	Stocked	\$139.00	\$152.90



Socket Ou	tlet			
			Price	GST Price
TSO 310	3 pin 10Amp	Stocked	\$30.00	\$33.00
TSO 315	3 pin 15Amp	Stocked	\$35.00	\$38.50
TSO 410	4 pin 10Amp	Stocked	\$49.00	\$53.90
TSO 510	5 pin 10Amp	Stocked	\$49.00	\$53.90
TSO 420	4 pin 20Amp	Stocked	\$50.00	\$55.00
TSO 520	5 pin 20Amp	Stocked	\$48.00	\$52.80
TSO 432	4 pin 32Amp	Stocked	\$51.00	\$56.10
TSO 532	5 pin 32Amp	Stocked	\$51.00	\$56.10
TSO 440	4 pin 40Amp	Stocked	\$70.00	\$77.00
TSO 450	4 pin 50Amp	Stocked	\$84.00	\$92.40
TSO 540	5 pin 50Amp	Stocked	\$88.00	\$96.80
TSO 550	5 pin 50Amp	Stocked	\$88.00	\$96.80



Straight Plugs				
			Price	GST Price
TP 310	3 pin 10Amp	Stocked	\$15.00	\$16.50
TP 410	4 pin 10Amp	Stocked	\$34.00	\$37.40
TP 510	5 pin 10Amp	Stocked	\$36.00	\$39.60
TP 315	3 pin 15Amp	Stocked	\$17.00	\$18.70
TP 420	4 pin 20Amp	Stocked	\$36.00	\$39.60
TP 520	5 pin 20Amp	Stocked	\$38.00	\$41.80
TP 432	4 pin 32Amp	Stocked	\$48.00	\$52.80
TP 532	5 pin 32Amp	Stocked	\$53.00	\$58.30
TP 440	4 pin 40Amp	Stocked	\$55.00	\$60.50
TP 540	5 pin 40Amp	Stocked	\$55.00	\$60.50
TP 450	4 pin 50Amp	Stocked	\$56.00	\$61.60
TP 550	5 pin 50Amp	Stocked	\$56.00	\$61.60





Your Industrial Commercial Supplier

Angled Plugs				
			Price	GST Price
TPA 410	4 pin 10Amp	Stocked	\$34.00	\$37.40
TPA 510	5 pin 10Amp	Stocked	\$36.00	\$39.60
TPA 420	4 pin 20Amp	Stocked	\$36.00	\$39.60
TPA 520	5 pin 20Amp	Stocked	\$38.00	\$41.80
TPA 432	4 pin 32Amp	Stocked	\$49.00	\$53.90
TPA 532	5 pin 32Amp	Stocked	\$53.00	\$58.30



Reverse inlets				
			Price	GST Price
C66AI 310	3 pin 10 Amp reverse Inlet	Stocked	\$48.00	\$52.80
C66AI 315	3 pin 15 Amp reverse Inlet	Stocked	\$48.00	\$52.80
C66AI 420	4 pin 20 Amp reverse Inlet	Stocked	\$90.00	\$99.00
C66AI 520	5 Pin 20 Amp reverse Inlet	Stocked	\$120.00	\$132.00
C66AI 432	4 pin 32 Amp reverse Inlet	Stocked	\$150.00	\$165.00
C66AI 532	5 Pin 32 Amp reverse Inlet	Stocked	\$160.00	\$176.00



Extension	Lead Socket Outlet			
			Price	GST Price
TSCS 310	3 pin 10Amp	Stocked	\$42.00	\$46.20
TSCS 315	3 pin 15Amp	Stocked	\$44.00	\$48.40
TSCS 410	4 pin 10Amp	Stocked	\$42.00	\$46.20
TSCS 410	4 pin 10Amp	Stocked	\$44.00	\$48.40
TSCS 510	5 pin 10Amp	Stocked	\$44.00	\$48.40
TSCS 420	4 pin 20Amp	Stocked	\$46.00	\$50.60
TSCS 520	5 pin 20Amp	Stocked	\$46.00	\$50.60
TSCS 432	4 pin 32Amp	Stocked	\$49.00	\$53.90
TSCS 532	5 pin 32Amp	Stocked	\$49.00	\$53.90
TSCS 440	4 pin 40Amp	Stocked	\$55.00	\$60.50
TSCS 540	5 pin 40Amp	Stocked	\$55.00	\$60.50
TSCS 450	4 pin 50Amp	Stocked	\$56.00	\$61.60
TSCS 550	5 pin 50Amp	Stocked	\$56.00	\$61.60



RCD enclosure 4 and 8 pole

Fire resistant UV stabalised ABS Heavy Duty IP66

Threaded cable entries 2 x 25mm and 1 x 32mm Complete Cover + base

-				
56A CB4N	Tesla 4 pole enclosure	Stocked	\$25.00	\$27.50
56A CB8N	Tesla 8 pole enclosure	Stocked	\$50.00	\$55.00



Price

GST Price

ABB	RCD 's 4 POLE 30mA sensitivity, Curent rating 40,63 Amp			
			Price	GST Price
RCD4P40	4 pole 40A RCD	Stocked	\$49.00	\$53.90
RCD4P63	4 pole 63A RCD	Stocked	\$55.00	\$60.50





T3E

T4E

T₆E

T8E



Your Industrial Commercial Supplier

Stocked

Stocked

Stocked

Stocked

\$32.00

\$38.00

\$52.00

\$80.00

\$35.20

\$41.80

\$57.20

\$88.00

Tesla Lids				
			Price	GST Price
T1E LID	1 Gang lid	Stocked	\$8.50	\$9.35
T2E LID	2 Gang lid	Stocked	\$12.00	\$13.20
Tesla Bases				
			Price	GST Price
T1E	1 Gang base	Stocked	\$12.00	\$13.20
T2E	2 Gang Base	Stocked	\$15.00	\$16.50





ISOLATORS complete with base					
	•		Price	GST Price	
TWS 110	10Amp 1 pole isolator	Stocked	\$20.00	\$22.00	
TWS 320	20Amp 3 pole isolator	Stocked	\$42.00	\$46.20	
TWS 332	32Amp 3 pole isolator	Stocked	\$46.00	\$50.60	
TWS 340	40Amp 3 pole isolator	Stocked	\$60.00	\$66.00	
TWS 350	50Amp 3 pole isolator	Stocked	\$70.00	\$77.00	



Tesla, Change Over & Reversing Switches

20 Amp Change Over Isolator, 3 position centre OFF

3 Gang Base

6 Gang Base

8 Gang Base

4 Gang Square Base

3 Pole					
ABS enclosure	size: 100L	x 100W x 105H		Price	GST Price
TSW 320 C/O	3 Pole	Change over 204mn 415V	Stocked	\$90.00	\$00 nn





Change Over Isolator 3 position, centre OFF 4 Pole ABS enclosure size: 240L x 155W x 195H

				Price	GST Price
UKT5-463C/O	4 Pole	Change over 63 Amp 415V	Stocked	\$150.00	\$165.00



Key is ONLY Re	movable i	n OFF position		Price	GST Price
LW26-63 1-0-2	4 Pole	Change over 63 Amp 415V	Stocked	\$150.00	\$165.00



LW28-125 4P	4 Pole	Change over 125 Amp 440V	Stocked	\$200.00	\$220.00







Multi Pole Plugs and Sockets

Tel: 07-3048 1631

Fax: 07-3319 4616













Die-cast Aluminium body

Single or Double Locking Latch

Connectors are interchangable from the Plug top to the Mounting base

Supplied as a complete set, Male + Female

Operating Temperature -40c to 120c

These are designed to be operated with the power switched OFF

Power up to 500V

16 AMP contacts

METAL Body	No of Pins			
			Price	GST Price
1411487	6 Pin	Stocked	\$70.00	\$77.00
1411491	10 Pin	Stocked	\$90.00	\$99.00
1411492	16 Pin	Stocked	\$108.27	\$119.09
1411493	24 Pin	Stocked	\$129.99	\$142.98



Heavy Duty IP66 ABS Impact Resistant body Single or Double Locking Latch

Connectors are interchangable from the Plug top to the Mounting base

Supplied as a complete set, Male + Female

Operating Temperature -40c to 120c

These are designed to be operated with the power switched OFF

Power up to 500V

16 AMP Contacts

PLASTIC Body	No of Pins			
			Price	GST Price
1407710	6 Pin	2-3 days	\$68.36	\$75.19
1407711	10 Pin	2-3 days	\$86.24	\$94.86
1407712	16 Pin	Stocked	\$110.01	\$121.01
1407713	24 Pin	2-3 days	\$136.40	\$150.04



NOTE, there are many different ranges of power and signaling multi pin plugs and sockets, if you need advice, please ask your rep about the most suitable product for your application.



Your Industrial Commercial Supplier

Load Break Switches Panel mount								
	AC21	AC23	AC23			_		
IP56 handle	400V	400V	400V					
	(A)	(A)	(kW)		Price	GST Price		
GLD11-25/3	25A	14A	7.5kW	Stocked	\$50.00	\$55.00		
GLD11-32/3	32A	21A	11kW	Stocked	\$50.00	\$55.00		
GLD11-40/3	40A	28A	15kW	Stocked	\$60.00	\$66.00		
GLD11-63/3	63A	40A	22kW	Stocked	\$88.00	\$96.80		
GLD11-80/3	80A	55A	30kW	Stocked	\$95.00	\$104.50		
GLD11-100/3	100A	66A	37kW	Stocked	\$100.00	\$110.00		



IP	54	En	Clo	osu	re	ΚI	ΓS
_		44	40	—	-1.		

GLD11-40 Enclosure IP54	Suits 32-40A	Stocked	\$14.00	\$15.40
GLD11-40M Metal enclosure Kit Su	its 32-40A	Stocked	\$52.00	\$57.20
GLD11-100 Enclosure IP54	Suits 63-100A	Stocked	\$40.00	\$44.00
GLD11-100M Metal Enclosure Kit s	uits 63-100A	Stocked	\$60.00	\$66.00



Load Break Switches base mount with 300mm shaft 25A - 100A

	AC21	AC23	AC23			
IP56 handle	400V	400V	400V			
	(A)	(A)	(kW)		Price	GST Price
GLD11-25/3S	25A	14A	7.5kW	Stocked	\$50.00	\$55.00
GLD11-32/3S	32A	21A	11kW	Stocked	\$50.00	\$55.00
GLD11-40/3S	40A	28A	15kW	Stocked	\$60.00	\$66.00
GLD11-63/3S	63A	40A	22kW	Stocked	\$88.00	\$96.80
GLD11-80/3S	80A	55A	30kW	Stocked	\$95.00	\$104.50
GLD11-100/3S	100A	66A	37kW	Stocked	\$120.00	\$132.00
300mm Shaft and ha	ndle to suit all	the above		Stocked	\$5.00	\$5.50



Tesla Load Break Switches 125A - 400A

Supplied with direct mounting handle					
	AC21	AC23	AC23		
	400V	400V	400V		
	(Δ)	(A)	(kW)		

	(A)	(A)	(kW)		Price	GST Price
HGL125/3	125A		63kW	Stocked	\$140.00	\$154.00
HGL160/3	160A		80kW	Stocked	\$150.00	\$165.00
HGL250/3	250A		132kW	2-3 days	\$200.00	\$220.00
HGL400/3	400A		220kW	2-3 days	\$245.00	\$269.50
300mm Extension Shaft and handle to suit all above				Stocked	\$14.00	\$15.40





Your Industrial Commercial Supplier


IP56 Handle
Approved Standards
CE
IEC 947
EN 60947
VDE 0113
VDE 0660

GB14048.3-2002			
PANEL MOUNT	Γ		
	D1	K	Total Length L+K
GLD11-25	22	50	32
GLD11-32	22	50	32
GLD11-40	22	61	32
GLD11-63	22	61	32
GLD11-80	22	68	32
GLD11-100	22	68	32



BASE MOUNT				
	D1	K	L Min	L Max
GLD11-25S	22	50	32	250
GLD11-32S	22	50	32	250
GLD11-40S	22	61	32	250
GLD11-63S	22	61	32	250
GLD11-80S	22	68	32	250
GLD11-100S	22	68	32	250





Load Break Switches Panel mount 415V 25 AMP

65 x 65mm Front fascia IP56 handle	AC21 400V	AC23	AC23 400V			
ir 30 Hallule	(A)	(A)	(kW)		Price	GST Price
LW30-25	25A	14A	7.5kW	Stocked	\$50.00	\$55.00





INSPIRING INNOVATIONS

100-240V input voltage
Slim Line
Compact, General purpose, Din rail mount
Twin Output Connections
Compact basic up to 240W
High Efficiency up to 94%
Temperature -25 to +70c

UNO 12 VDC

100-240V Input	Output Voltage	Output Curre	nt	Price	GST Price
2902998	12V DC	2.5A	2 days	\$55.00	\$60.50
2902999	12V DC	4.6A	Stocked	\$88.00	\$96.80
2902997	12V DC	8.3A	2 days	\$132.00	\$145.20
2903158 TRIO	12V DC	10A	2 weeks	\$243.00	\$267.30

UNO 24 VDC

100-240V Input	Output Voltage	e	Output Curi	rent	Price	GST Price
2902991	24V DC	30w	1.25A	Stocked	\$49.00	\$53.90
2902992	24V DC	60w	2.5A	Stocked	\$55.00	\$60.50
2902994	24V DC	90w	3.75A	Stocked	\$85.00	\$93.50
2902993	24V DC	100w	4.20A	Stocked	\$88.00	\$96.80
2904376	24V DC	150w	6.25A	Stocked	\$100.00	\$110.00
2904372	24V DC	200w	10A	Stocked	\$174.00	\$191.40



Robust up to 1000 w available High Reliability Push in Cable Connection Temperature -25 to +70c

1.5 times the nominal current for 5 seconds

TRIO 24VDC

100-240V AC /	110-250V DC Input			Price	GST Price
2903147	100-240V input, 24V	3 Amp	2 days	\$99.90	\$109.89
2903148	100-240V input, 24V	5 Amp	2 days	\$138.00	\$151.80
2903149	100-240V input, 24V	10 Amp	Stocked	\$242.50	\$266.75
2903151	100-240V input, 24V	20 Amp	Stocked	\$383.56	\$421.92
	415V 3 Phase Input				
2903153	415V input, 24V	5 Amp	2 days	\$210.00	\$231.00
2903154	415V input, 24V	10 Amp	Stocked	\$302.30	\$332.53
2903155	415V input, 24V	20 Amp	2 days	\$402.00	\$442.20



Many other Power Supplies, Redundancy Power Suppliers, UPS's, DC/DC Converters, various voltages are available, please ask for a full Power supply catalogue





Maximium Functionability

Selective Fuse Breaking, 6 times normal current for 12 ms Power Boost of 1.5 times the nomimal current for high loads

		3			
QUINT				Price	GST Price
Input Voltage	85-264VAC / 90-300V	DC			
2866747	24V DC	3.5A	2 days	\$254.36	\$279.79
2866750	24V DC	5A	2 days	\$359.38	\$395.31
2866763	24V DC	10A	2 days	\$469.94	\$516.93
2866776	24V DC	20A	2 days	\$616.44	\$678.08
2866789	24V DC	40A	2 days	\$962.03	\$1,058.23
(Ex)					
2320908	24V DC	5A	2 days	\$561.39	\$617.52
2320911	24V DC	10A	2 days	\$754.99	\$830.48
2320898	24V DC	20A	2 days	\$987.29	\$1,076.11
2866718	12V DC	15A	2 days	\$581.34	\$639.47
2866721	12V DC	20A	2 days	\$774.04	\$851.44
2866679	48V DC	5A	2 days	\$576.58	\$634.23
2866682	48V DC	10A	2 days	\$764.97	\$841.46
2866695	48V DC	20A	2 days	\$1,295.07	\$1,424.50
Input Voltage	85-264VAC / 400-500	VAC / 450-800VDC	3 Phase Inp	ut	
				Price	GST Price
2866734	24V DC	5A	2 days	\$360.00	\$396.00
2866705	24V DC	10A	2 days	\$469.00	\$515.90
2866792	24V DC	20A	2 days	\$542.00	\$596.20
2866802	24V DC	40A	2 days	\$848.00	\$932.80
2320924	24V DC	20A	2 days	\$929.00	\$1,021.90
2320827	48V DC	20A	2 days	\$1,178.00	\$1,295.80





CONTROL TRANSFORMERS

230-240V AC input 24V AC output

Fully Encapulated resin filled

Enclosed terminals

Din Rail Mount on LKB40-T

Note :- LKB40-T 415V 40VA Note :- LKB40-T 240V 30VA

 Note :- LKB40-T 240V 30VA
 Price
 GST Price

 LKB40-T 240 - 415V AC Input 24V AC Output 40VA 1.66A
 Stocked
 \$70.00

 LKB80-T 230-240V AC Input 24V AC Output 80VA 3.33A
 Stocked
 \$100.00



DC-AC Tesla Inverters

Pure sine wave

12VDC input, 240VAC output **Price** Supplied with battery leads **GST Price CAR 300** 300W **Stocked** \$225.00 \$245.70 **CAR 600** 600W **Stocked** \$255.00 \$280.50 **CAR 1.0K** 1000W Stocked \$320.00 \$352.00 **CAR 2.0K** 2000W **Stocked** \$500.00 \$550.00 3000W **CAR 3.0K Stocked** \$600.00 \$660.00



Page 19



Your Industrial Commercial Supplier

Price

GST Price

Panasonic

Temperature controllers

Quality Japanese controllers with many features

Best quality
Easy to program

Multiple inputs,-

K, J, R, S, B, E, T, N, PL-II, C

PT100, JPT100,

4-20mA, 0-20mA, 0-1VDC, 0-5VDC, 0-10VDC, 1-5VDC

PID or On / Off control 85-264VAC supply

Relay or SSR outputs

2 x alarm outputs

AKT4 11120, 48 x 48mm, 100-240V, relay output **Stocked \$248.00** \$272.80

AKT4R 11220, 48 x 48mm, 100-240V, SSR output **Stocked \$248.00** \$272.80

AKT 7 112100 Din Rail Mounting 240V, SSR output **Stocked \$285.00** \$313.50

AKT9 112100 96 x 96mm 100-240V, SSR output **Stocked \$349.00** \$383.90

	120
	PARTIE DE LA CONTRACTION DEL CONTRACTION DE LA C
383.90	.8888.

PT100 Probes

		Price	GST Price
PT100 probe SS 75 x 5mm with 2m of cable	Stocked	\$55.00	\$60.50
PT100 probe SS 140 x 5mm with 2m of cable	Stocked	\$55.00	\$60.50

Custom probes available Please Ask

Cabinet Thermostat

			Price	GST Price
KTS001140	Cooling 0 -60 C 240V 10A N/C	Stocked	16.00	\$17.60
KTSO1141	Heating 0 -60 C 240V 10A N/O	Stocked	16.00	\$17.60





ROTARY ENCODERS quality German Engineered Incremental Low Cost encoders

40mm barrel, 6mm shaft, push pull

Push Pull output

5 - 28V DC operating voltage

A, B, & Z output phases

Resolution up to 2000 PPR

40mm barrel, 6mm shaft, available in open

collector or push pull output, in the following

Free Coupling with encoder

PPR, 100, 360, 500, 1000, 1024, 2000

All Stocked

INSERT PPR

Price GST Price RIB40- -ZTJ PCD 28 and 30mm Stocked \$255.00 \$280.50



8mm Hollow Shaft, push pull

40mm barrel, 8mm hollow shaft, available in

5 - 28V DC operating voltage

A, B, & Z output phases

push pull output, in the following

PPR, 360, 500, All stocked

INSERT PPR

Price GST Price RIA40-___ZTJ Stocked \$265.00 \$291.50



LINE DRIVER 40mm barrel, 6mm shaft

5V DC + or - 5%

Line Driver output

PPR, 500,

Free Coupling with encoder **Price GST Price** \$275.00

IP65

RIB40-0500-LDJ PCD 28 and 30mm **Stocked** \$250.00



50mm barrel, 8mm shaft, push pull,

Push Pull output

4.75 - 28V DC operating voltage

A, B, & Z output phases

Resolution up to 5000 PPR

50mm barrel, 8mm shaft

Free Coupling with encoder

All Stocked PPR, 60, 100, 360, 500, 1000, 5000

INSERT PPR

IP65 Weatherproof Price GST Price RIB50- ZTJ Stocked \$288.00 \$316.80



80mm barrel, 18mm hollow shaft, push pull

80mm Barrel, 18mm hollow shaft push pull output, in the following **Price GST Price** RIA80-0500ZTJ **Stocked** \$374.00 \$340.00





Your Industrial Commercial Supplier

Slim Line Crane Pendants 415V 5 Amp contacts

Ergonomic slim

415V, 5 Amp

One handed operation

IP54

COB 61 2 Button IP54 Up, Down Stocked \$60.00



XCD 61C	2 Button + UP, Down + E / Stop	Stocked	\$65.00	\$71.50



COB 61A	4 Button UP, Down +	Stocked	\$80.00	\$88.00
	ON / OFF latching button			



XCD 62C	5 Button IP54 Up, Down,	Stocked	\$85.00	\$93.50
	East, West, + E / Stop			



Heavy Duty Crane Pendants 415V

ABS high impact heavy duty One handed operation 2 piece sandwich body Single row buttons

IP65	ttoris		Price	GST Price
XAC-A281	2 button IP65 Up, Down	Stocked	\$80.00	\$88.00
XAC-A2713	2 button + E / Stop IP65	Stocked	\$90.00	\$99.00
VA 0 A 404		0 / 1 1	40= 00	010150
XAC-A481	4 button IP65 Up, Down, East, West	Stocked	\$95.00	\$104.50
XAC-A4713	4 button IP65 Up, Down,	Stocked	\$100.00	\$110.00
	East, West, + E / Stop			



2 SPEED Button H/Duty Crane Pendant

XAC A 4913	4 Button + E / Stop	Stocked	\$150.00	\$165.00
XAC A 6913	6 Button + E / Stop	Stocked	\$175.00	\$192.50
XAC A 8913	8 Button + E / Stop	Stocked	\$200.00	\$220.00





tend

TZ Metal Body

with 6.5mm cable grommet

Rugged Metal Diecast body IP67

. 55				
180 degrees ov	vertravel, IP40			
2 pole, 1 x N/C	and 1 x N/O 5 amp contact		Price	GST Price
TZ-8104 I	Roller lever 180 degrees overtravel	Stocked	\$37.00	\$40.70
TZ-8108	Adjustable roller lever 180 degrees	Stocked	\$40.00	\$44.00
	overtravel			
TZ-8111	Pin plunger	Stocked	\$35.00	\$38.50
TZ-8112	Roller plunger	Stocked	\$40.00	\$44.00
TZ-8107	Adjustable rod lever	Stocked	\$45.00	\$49.50
TZ-8166	Coil Spring 6mm dia with nylon end	Stocked	\$45.00	\$49.50



XCK N Osiswitch IP65 Telemecanique *

ABS Body, Oiltight, waterproof, Dustproof IP65 (→) IEC 60947-5-1

Positive Opening Contacts Overtravel types

M 20 thread

10 Amp 250VAC r	resistive rating				
2 pole, 1 x N/C an	id 1 x N/O conta	ct		Price	GST Price
XCK N2118P20C	Telemecanique	Roller lever 180 deg travel	Stocked	\$60.00	\$66.00
XCK N2145P20C	Telemecanique	Adj Roller lever 180 deg	Stocked	\$66.00	\$72.60
XCK N2110P20C	Telemecanique	Pin plunger	Stocked	\$56.00	\$61.60
XCK N2102P20C	Telemecanique	Roller plunger	Stocked	\$56.00	\$61.60
XCK N2106P20C	Telemecanique	Cats whisker with spring	Stocked	\$62.00	\$68.20



Metal heavy duty IP67 **OMRON** WL

Rugged Metal Diecast body IP67 Oiltight, waterproof, Dustproof

Metal arms and rollers M20 cable entry					
10A 250VAC resi	stive rating	2 pole, 1 x N/C and 1 x N/C	contact	Price	GST Price
WLCA2-2N	Omron	Roller lever 180 deg travel	Stocked	\$100.00	\$121.00
WLCA12-2N	Omron	Adj Roller lever 180 deg	Stocked	\$110.00	\$104.50
WLD	Omron	Pin plunger	Stocked	\$100.00	\$110.00
WLD2	Omron	Roller plunger	Stocked	\$100.00	\$110.00
WLNJ	Omron	Coil spring 6.5mm diameter	Stocked	\$100.00	\$110.00
WLCL-Y	Omron	Adjustable rod lever	Stocked	\$110.00	\$121.00





Note: * "Schneider Electric and Telemecanique are trademarks owned by Schneider Electric SE or its subsidiaries, Page 23 Source it Direct is not in any way affiliated with or endorsed by Schneider Electric SE".



Stocked

\$40.00

\$44.00

Telemecanique * XCK - J Osi Sense IP66

Complete switch with insulated plastic body

Telemecanique

Oiltight, waterproof, Dustproof IP66, M20 Thread


Snap action contacts

ZCK-Y43

GST Price 10 Amp 250VAC resistive rating Price 2 pole, 1 x N/C and 1 x N/O contact ZCK-J1H29 Telemecanique Body Stocked \$105.00 \$115.50 ZCK-E08 Telemecanique Spring Rod Stocked \$40.00 \$44.00 ZCK-E05 Telemecanique Head Stocked \$40.00 \$44.00

Adj roller lev







	Z Series Switches			
Z-15GD-B	Button Plunger	Stocked	\$17.00	\$18.50
Z-15 GQ-B	Panel mount plunger	Stocked	\$17.00	\$18.50
Z-15GQ22-B	Panel mount roller plunger	Stocked	\$17.00	\$18.50
Z-15GW22-B	Short roller lever 26.6mm	Stocked	\$17.00	\$18.50
Z-15GW2-B	Long roller lever 48.5mm	Stocked	\$22.00	\$24.20
Z-15GW-B	Long Hinge Lever 63mm	Stocked	\$22.00	\$24.20
XZ-15HT	Flexible terminal cover	Stocked	\$6.00	\$6.60





Conductive Water Level Controller

Adjustable sensivity by pot on front

Adjustable time delay

2 x C/O output relays 3 Amp, 240V

90mm H x 22.5mm W x 113mm D

2885906 240V power, 16VAC power to the probes **Stocked \$200.00** \$220.00



Float Switches

Polyproplene, total length 112mm + cable

Oil and chemical resistant

12-240VAC / DC, 0.5 Amp

Temperature rating -10 to 85C

Internal & External thread IP66

MR-L3 float switch 1/2"NPT **Stocked \$12.00** \$13.20



Float switch with 2 or 3 meters of cable


Float switch for measuring liquid level in tanks

Easy Installation

IP68

240VAC 10Amp, 1 x C/O contact

Oil and chemical resistant			Price	GST Price
UKY-2 float switch 2 mtr cable		Stocked	\$55.00	\$60.50
UKY-3 float switch 3 mtr cable		Stocked	\$65.00	\$71.50
UKY-10 float switch 10 mtr cable	Neoprene cable	Stocked	\$140.00	\$154.00



Page 24

Note: * "Schneider Electric and Telemecanique are trademarks owned by Schneider Electric SE or its subsidiaries, Source it Direct is not in any way affiliated with or endorsed by Schneider Electric SE".



Safety Guard Switches IP65

Heavy duty Machine guarding IP65 supplied with M20 adaptor

Top or side entry

IEC 60947-5-1, EN50047, EN60947-5-1

Positive opening contacts IEC 60947-5-1 **Price GST Price Rated 3A 240V, 1A 24VDC** CZ-93 C 1 N/O & 1 NC Stocked \$70.00 \$77.00 CZ-93 B 2 N/C Stocked \$70.00 \$77.00 CZ93-K1 Flat kev Stocked \$8.00 \$8.80 CZ93-K2 Right angle key **Stocked** \$8.00 \$8.80 CZ93-K3 \$8.00 Swivel key Stocked \$8.80



Rotary Limit Switches IP65

8 Ratios

4 cam profiles, A - 20degrees, B - 45 degrees, C - 45 degrees, D - 20 degrees

4 x 6 amp inductive load, 10A resistive 240V C/O contacts

Heavy Duty cast Aluminium body

Available Ratio's: 1:13, 1:17, 1:46, 1:60, 1:78, 1:210, 1:274, 1:960

Operating Temperature -400 to +550		Price	GST Price
Dimensions 163L x 120W x 153H			
DXZ 1:13	2-3 weeks	\$160.00	\$176.00
DXZ 1:17	2-3 weeks	\$160.00	\$176.00
DXZ 1:46	2-3 weeks	\$160.00	\$176.00
DXZ 1:60	2-3 weeks	\$160.00	\$176.00
DXZ 1:78	2-3 weeks	\$160.00	\$176.00
DXZ 1:210	2-3 weeks	\$160.00	\$176.00
DXZ 1:274	2-3 weeks	\$160.00	\$176.00
DXZ 1:960	2-3 weeks	\$160.00	\$176.00



Tesla Counters 72 x 72mm

High speed input, 3,000counts per second

Key protection, 4 levels of protection

Scalable input suitable for rotary encoder

Decimal point

6 digit display Counts Up & Down

Reset input

PNP, NPN, contact input

Price

\$180.00

Stocked

GST Price

CCT Deia

4 counting modes

DH2C2J-A2PR Digital counter AC 100-240VAC

FIICE GS





Retroreflective, MSR Polarised, ABS sensor

Power supply: 10-30V DC

IP 69 Price GST Price

Sensing distance

E3FA-RP11 0.1-3 mtr **PNP** output Stocked \$60.00 \$66.00 E39-R1 Reflector, Size: 60 x 40 x 7.5mm Stocked \$10.00 \$11.00 E39-L182 Stocked Panel mount adaptor \$10.00 \$11.00

Page 25







XD2-PA

Ø 22mm Joysticks

Chromium Plated Metal Bezel Positive 2 screw clamping, will not twist 2 and 4 direction available IP65, Nema 4x Replacement contact blocks available **Quality brand** 22 mm Hole size

Tel: 07 3048 1631

		2 Direction			Price	GST Price
XD2-PA12	2 Direction	Stay put	Stocked	Bezel	\$85.00	\$93.50
	$0 \leftarrow 0 \rightarrow 0$	centre OFF		Metal		
					Price	GST Price
XD2-PA22	2 Direction	Spring return to	Stocked	Bezel	\$85.00	\$93.50
	$\mathbf{O} \leftarrow \mathbf{O} \rightarrow \mathbf{O}$	centre OFF		Metal		



		4 Direction			Price	GST Price
XD2-PA14	4 Direction	Stay put	Stocked	Bezel	\$85.00	\$93.50
		centre OFF		Metal		
	0					
	↑					
	$0 \leftarrow 0 \rightarrow 0$					
	\downarrow					
	0					
					Price	GST Price

					Price	GST Price
XD2-PA24	4 Direction	Spring return to	Stocked	Bezel	\$85.00	\$93.50
		centre OFF		Metal		
	0					
	↑					
	$0 \leftarrow 0 \rightarrow 0$					
	\downarrow					
	0					



Replacement Contact Blocks							
			Price	GST Price			
XB2-BE101C	Spare	N/O contact block	\$4.00	\$4.40			





1 Pedal Foot Switch

Full Cast aluminium guard and body

M 20 cable entry

IP 54

415VAC @ 100VA or 220DC @ 10W

FS-502 has 1 x C / O snap action contacts

FS-502- 2 has 2 x C / O snap action contacts

FS-502- 2 stage has 2 x C / O snap action contacts

73-302- 2 Staye II	as 2 x C / O shap action contacts			
Yellow Safety col	our		Price	GST Price
FS-502	Heavy duty Foot Switch	Stocked	\$125.00	\$137.50
FS-502- 2	Heavy duty 2 x C/O contacts	Stocked	\$150.00	\$165.00
FS-502- 2 stage	Heavy duty 2 stage switching	Stocked	\$155.00	\$170.50
FS-502- E/ Stop	Heavy duty 1 x C/O contacts	Stocked	\$155.00	\$170.00
	with E/Stop, Grey colour			
2 x PEDAL	_			
FS-602	2 pedal heavy duty Foot Switch	Stocked	\$195.00	\$214.50
	- · · · · · · · · · · · · · · · · · · ·			






Conveyor Safety Pull Wire Switches

EN 60669-1, 1999+A1, 2002+A2, 2008 Latching Emergency stop tripwire switches Reset by booted push button M20 Cable entries **IP65** 1 x N/C + 1 x N/O contacts

Cat 2 safety rating Suitable for cable length up to 10 mtr





HS-85Q	10 meter 1 x N/C + 1 x N/O	Stocked	\$100.00	\$110.00
XY2CZ703	Spring 304 SS	Stocked	\$12.00	\$11.00

OMRON Conveyor Safety Pull Wire Switches

IEC 60947-5-1, IEC 13849-1,UL508, ISO13850,

IP67

2 x N/C + 1 x N/O contacts (RED and Green colour) Cat 4 safety rating

Recommended Cable Support Distance is 5 mtr

Conveyor switch must be used with Spring

Use 3.2mm stranded wire available from any hardware store

Temperature rating - 20 to + 70C

Removable E/Stop or can be fitted on either side of body

ER5018-021M	40 meter	2 x N/C + 1 x N/O	Stocked	\$300.00	\$330.00
XY2CZ - 80		Spring Galvanised	Stocked	\$12.00	\$13.20
ER5022-021M	80 meter	2 x N/C + 1 x N/O	3 days	\$360.00	\$396.00
XY2CZ - 80		Spring Galvanised	Stocked	\$12.00	\$13.20








Hoyan Solenoid Valves

Tel: 07 3048 1631

Fax: 07-3319 4616

Brass valve body, SUS304 plunger Suitable for water, liquid, chemical or air I/4, 1/2", 3/4", 1", 1-1/2" and 2" BSP threads Working pressure: 0-10bar, or 0-150 PSI Maximium Pressure: 16bar, or 232PSI Operating temperature Range -10 to 150C



Stainless steel bodies available, 3 week lead time 1/4" BSP						GST Price
PU-04C 24DC	150PSI	24V DC	1/4" BSP, 4mm Orifice	Stocked	\$90.00	\$99.00
PU-04C 24AC	150PSI	24V AC	1/4" BSP, 4mm Orifice	Stocked	\$90.00	\$99.00
PU-04C 240AC	150PSI	240V AC	1/4" BSP, 4mm Orifice	Stocked	\$90.00	\$99.00
0/011 DOD						





3/4" BSP						
PU-20C 240AC	150PSI	240V AC	3/4" BSP	20mm Orifice Stocked	\$120.00	\$132.00
PU-20C 24AC	150PSI	24V AC	3/4" BSP	20mm Orifice Stocked	\$120.00	\$132.00
PU-20C 24DC	150PSI	24V DC	3/4" BSP	20mm Orifice Stocked	\$120.00	\$132.00

1" BSP						
PU-25C 240AC	150PSI	240V AC	1" BSP	25mm Orifice Stocked	\$140.00	\$154.00
PU-25C 24AC	150PSI	24V AC	1" BSP	25mm Orifice Stocked	\$140.00	\$154.00
PU-25C 24DC	150PSI	24V DC	1" BSP	25mm Orifice Stocked	\$140.00	\$154.00

1-1/2" BSP							
PU-35C 240AC	150PSI	240V AC	1-1/2" BSP	35mm Orifice	Stocked	\$220.00	\$242.00
PU-35C 24AC	150PSI	24V AC	1-1/2" BSP	35mm Orifice	3 weeks	\$220.00	\$242.00
DII-35C 24DC	150DQI	24\/ DC	1_1/2" RSP	35mm Orifice	3 wooks	\$220.00	\$242.00

2" BSP						
PU-50C 240AC	150PSI	240V AC	2" BSP	50mm Orifice Stocked	\$350.00	\$385.00
PU-50C 24AC	150PSI	24V AC	2" BSP	50mm Orifice 3 weeks	\$350.00	\$385.00

50mm Orifice 3 weeks

\$350.00

\$385.00

2" BSP

PNEUBIG Air Control Valves

24V DC

150PSI

PU-50C 24DC

 5 Port Valve

 LED indicator
 Price GST Price

 Voltage 19.2 - 26.3VDC

 4V210-08 24DC
 22-116 PSI

 Stocked
 \$80.00

 \$88.00















433 MHz frequency

350 to 1500 meter transmission distance with ANT433M, line of sight $\,$

Modes, Momentary, Off Delay, Flip Flop, On-Off, Pulsing.

Elsema Remote Transmitter				
			Price	GST Price
GLT43301 - 1 Channel Transmitter		Stocked	\$80.00	\$88.00
GLT43302 - 2 Channel Transmitter		Stocked	\$82.00	\$90.20
GLT43303 - 3 Channel Transmitter		Stocked	\$82.00	\$90.20
GLT43304 - 4 Channel Transmitter		Stocked	\$90.00	\$99.00
GLT43308 - 8 Channel Transmitter		Stocked	\$110.00	\$121.00
LONG DISTAN	NCE			
GLT4330112E 1 Ch, 11-24VDC Max distance 1500 Mtr	IP65 Metal Case	Stocked	\$150.00	\$165.00
GLT4330812E 8 Ch, 11-24VDC Max distance 1500 Mtr	IP65 Metal Case	Stocked	\$175.00	\$192.50





Elsema Remote Receivers			
240V AC	•	Price	GST Price
GLR43301240 - 1 Channel 240 VAC with relay output	Stocked	\$135.00	\$148.50
GLR43302240 - 2 Channel 240 VAC with relay outputs	Stocked	\$140.00	\$154.00
24V			
GLR43301 - 1 Channel 10-28 VAC/DC with relay output	Stocked	\$120.00	\$132.00
GLR43302 - 2 Channel 10-28 VAC/DC with relay outputs	Stocked	\$127.00	\$139.70
GLR43303 - 3 Channel 24 VAC/DC with relay outputs	Stocked	\$131.00	\$144.10
GLR43304 - 4 Channel 24 VAC/DC with relay outputs	Stocked	\$135.00	\$148.50



Elsema Accessories			
		Price	GST Price
ANT433S - Antenna 35cm long with 3.5m cable	Stocked	\$58.00	\$63.80
ANT433M - Antenna 94cm long with 3.5m cable	1 Day	\$78.00	\$85.80
	_		
AB10.0-N - Antenna 35cm long with 10m cable + ANT433S-N	1 Day	\$115.00	\$126.50
C1020 - IP66 PVC Plastic box for receiver board 100 x 200 x 70mm	Stocked	\$28.00	\$30.80
QM150 - Printed circuit Board Mounting frame	Stocked	\$12.00	\$13.20
·			
12PP - 12 Volt DC powerpack 500mA	Stocked	\$25.00	\$27.50
24PP - 24 Volt AC powerpack 500mA	Stocked	\$25.00	\$27.50

Stocked

\$145.00

\$159.50



GSM, SMS Mobile Phone Controller

GLR43308R - 8 Channel 21-28 VAC/DC with relay outputs

Send operation comands from your mobile phone

Receive faults and alarms on your mobile phone

Supplied with 240-12VDC power pack and internal Aerial

GSM Frequency 900-1800MHz

Inpute 2 v. no voltago inpute

inputs 2 x no voitage ii	iputs			
Outputs 2 x relay 240V	3Amp		Price	GST Price
SID- 1000 GSM	2 x inputs, 2 x Outputs	2 Days	\$275.00	\$302.50
ΔNT915S-N	Antenna with 2 meter cable and 15 cm aerial	2 Dave	\$88 00	\$96.80





WIRELESS

32

km / 20 miles





PHŒNIX CONTACT INSPIRING INNOVATIONS

32km Radioline Bi Directional Transceiver

Ex n



Wireless Network applications

I/O data exchange

PLC / Modbus RTU mode , I/O intergration, Profibus module Networking of serial I/O devices, simple RS-232, RS 485

Thumb wheel easy programming

Bi-directional communication 900 mHz

Transmission Distance 32 km

10.5 - 30.5V DC supply

Number of channels 8 x 55

Parralel operation of multiple networks

17.5mm wide

Easy expansion replacement, (hot swap)

(Ex) Ex n, II 3 G Ex nA nC IIC T4 Gc X ATEX, ICEx

Australian Approved












Please ask for a RadioLine PDF to be sent to you.

Other aerials and cables are available





ABS Heavy Duty Enclosures

IP66 enclosures Impact resistant ABS

Supplied with metal mounting plate from AG 1525 and bigger

UV grey coloui	r				Price	GST Price
	Height	Width	Depth			
AG 0506	65	50	55	Stocked	\$8.00	\$8.80
AG 0811	110	80	70	Stocked	\$9.00	\$9.90
AG 1212	125	125	100	Stocked	\$15.00	\$16.50
AG 1217	170	125	100	Stocked	\$18.00	\$19.80
AG 1525	250	150	100	Stocked	\$22.00	\$24.20
AG 1525-1	250	150	130	Stocked	\$25.00	\$27.50
ABS 200	200	200	130	Stocked	\$48.00	\$52.80
AG 2819	280	190	130	Stocked	\$50.00	\$55.00
AG 2819-1	280	190	180	Stocked	\$72.00	\$79.20
AG 3428-1	340	280	180	Stocked	\$80.00	\$88.00
AG 3828-1	380	280	180	Stocked	\$85.00	\$93.50



ABS Transparent Lid Enclosure

IP66 enclosures Impact resistant ABS

Supplied with metal mounting plate from AT 2020

UV grey colou	ır, transpar	ent cover			Price	GST Price
	Height	Width	Depth			
AT 1212	125	125	100	Stocked	\$14.00	\$15.40
AT 1525-1	250	150	130	Stocked	\$25.00	\$27.50
AT 2020	200	200	130	Stocked	\$52.00	\$57.20
AT 3828	390	280	180	Stocked	\$80.00	\$88.00



ABS Hinged Enclosure

IP66 enclosures Impact resistant ABS UV grey colour, transparent cover Over latching lock mechanism

	Height	Width	Depth		Price	GST Price
AG 2530	300	250	180	Stocked	\$85.00	\$93.50
MG 4030	400	300	180	Stocked	\$120.00	\$132.00





Your Industrial Commercial Supplier

HEAVY DUTY Polyester Hinged Enclosure OUTDOOR

Glass Fiber Reinforced with protective door flange top and bottom

Stronger than a steel enclosure

IP66 CE, ROHS approval

Oil Resistant

Saline Resistant

Chemical Resistant

UV stabilised

Internal galvanized mounting plate included

4 x External mounting feet supplied

Hinged door

•	Height	Width	Depth		Price	GST Price
TIP- 43	400	300	200	Stocked	\$165.00	\$181.50
TIP- 44	400	400	200	Stocked	\$175.00	\$192.50
TIP- 64	600	400	230	Stocked	\$225.00	\$247.50
TIP- 65	600	500	230	Stocked	\$245.00	\$268.50
TIP- 86	800	600	300	Stocked	\$300.00	\$330.00



ALUMINIUM Heavy Duty Boxes

Diecast

IP66 enclosures

Diecast, good quality casting

Powder coated RAL 7038

Temperature range -40 deg C to + 90 deg C

Impact resistant Heavy Duty

UV grey colour

Suitable for Junction Boxes or Electrical Enclosure

		=				
	Height	Width	Depth		Price	GST Price
FA 2	120	80	55	Stocked	\$55.00	\$60.50
FA 60	120	120	82	Stocked	\$60.00	\$66.00
FA 61	140	140	75	Stocked	\$65.00	\$71.50
FA 62	160	160	90	Stocked	\$72.00	\$79.20
FA 67	265	190	130	Stocked	\$110.00	\$121.00



IP65 Terminal Box ABS

IP65 enclosures

Screwed Cover

Polyester

UV Stabilised

Suitable for Junction Boxes or Electrical Enclosure

Outlable for danction boxes of Licetifical Efficiosate								
	Height	Width	Depth		Price	GST Price		
D 9020	88	88	53	Stocked	\$5.50	\$6.05		
D 9040	100	100	61	Stocked	\$6.50	\$7.15		
K 9060	140	120	70	Stocked	\$9.80	\$10.78		
K 9100	167	125	82	Stocked	\$14.00	\$15.40		
K 9250	200	160	100	Stocked	\$16.00	\$17.60		





ST3320

ST4320

Tel: 07 3048 1631 Fax: 07-3319 4616

Your Industrial Commercial Supplier

Stocked

Stocked

\$132.00

\$150.00

\$145.20

\$165.00

Quality Heavy Duty Steel Enclosures

Supplied with heavy duty mounting plate
RAL 7035 Textured Powder Coated Finish

Part No.	Description (W x H x D mm)	1.6mm thick	LEAD	Price	GST Price
	200mm ł	High	Time		
ST2215	Steel Enclosure 200W x 200H x	150D , IP66 Grey	Stocked	\$110.00	\$121.00
	300mm l	High			
ST2315	Steel Enclosure 200W x 300H x	150D IP66 Grev	Stocked	\$112.00	\$123.20

400mm	High

Steel Enclosure 300W x 300H x 200D, IP66 Grey

Steel Enclosure 400W x 300H x 200D, IP66 Grey

ST3420	Steel Enclosure 300W x 400H x 200D, IP66 Grey	Stocked	\$150.00	\$165.00
ST4420	Steel Enclosure 400W x 400H x 200D, IP66 Grey	Stocked	\$174.00	\$191.40

500mm High

ST3520	Steel Enclosure 300W x 500H x 200D, IP66 Grey	3 days	\$182.00	\$200.20
ST4520	Steel Enclosure 400W x 500H x 200D, IP66 Grey	Stocked	\$196.00	\$215.60
ST4525	Steel Enclosure 400W x 500H x 250D, IP66 Grey	3 days	\$214.00	\$235.40
ST5525	Steel Enclosure 500W x 500H x 250D, IP66 Grey	3 days	\$260.00	\$286.00

600mm High

ST4620	Steel Enclosure 400W x 600H x 200D, IP66 Grey	Stocked	\$238.00	\$261.80
ST4630	Steel Enclosure 400W x 600H x 300D, IP66 Grey	3 days	\$274.00	\$301.40
ST5625	Steel Enclosure 500W x 600H x 250D, IP66 Grey	3 days	\$260.00	\$286.00
ST5630	Steel Enclosure 600W x 600H x 200D, IP66 Grey	3 days	\$310.00	\$341.00
ST6620	Steel Enclosure 600W x 600H x 250D, IP66 Grey	3 days	\$304.00	\$334.40
ST6630	Steel Enclosure 600W x 600H x 300D, IP66 Grey	3 days	\$344.00	\$378.40

700mm High

ST5725	Steel Enclosure 500W x 700H x 250D , IP66 Grey	3 days	\$320.00	\$352.00
	800mm High			

ST6830	Steel Enclosure 600W x 800H x 300D, IP66 Grey	3 days	\$422.00	\$464.20
ST8830	Steel Enclosure 800W x 800H x 300D, IP66 Grey	3 days	\$504.00	\$554.40
ST8840	Steel Enclosure 800W x 800H x 400D, IP66 Grey	3 days	\$608.00	\$668.80

1000mm High

ST61030	Steel Enclosure 600W x 1000H x 300D , IP66 Grey	3 days	\$558.00	\$613.80
ST81030	Steel Enclosure 800W x 1000H x 300D, IP66 Grey	3 days	\$668.00	\$734.80
ST81040	Steel Enclosure 800W x 1000H x 400D, IP66 Grey	3 days	\$814.00	\$895.40

1200mm High Double door

	1.00 \$807.40
ST81240 Steel Enclosure 800W x 1200H x 400D , IP55 Grey 3 days \$86	1.00 \$950.40
ST101230 Steel Enclosure 1000W x 1200H x 300D , IP55 Grey 3 days \$99	5.00 \$1,095.60
ST101240 Steel Enclosure 1000W x 1200H x 400D , IP55 Grey 3 days \$1,1	8.00 \$1,218.80

1400mm High Double Door

ST101430 Steel Enclosure 1000W x 1400H x 300D, IP55 Grey	3 days	\$1,292.00	\$1,421.20
ST121440 Steel Enclosure 1000W x 1400H x 400D, IP55 Grey	3 days	\$1,482.00	\$1,630.20
Page 33			









Your Industrial Commercial Supplier

Quality 316 SS Stainless Steel Terminal Boxes

Supplied with heavy duty galvanised mounting plate

1.2mm 316 Stainless Steel IP65

Best quality

Captive Screws

Part No.	Description (H	x W x D	mm)		Price	GST Price
TB 151512	150	150	120	Stocked	\$130.00	\$143.00
TB 201512	200	150	120	Stocked	\$136.00	\$149.60
TB 202012	200	200	120	Stocked	\$150.00	\$165.00
TB 302012	300	200	120	3 days	\$180.00	\$198.00
TB 403012	400	300	120	3 days	\$243.00	\$267.30
TB 503012	500	300	120	3 days	\$272.00	\$299.20
TB 603012	600	300	120	3 days	\$310.00	\$341.00
TB 804012	800	400	120	3 days	\$358.00	\$393.80



Quality 316SS Stainless Steel Enclosures

Supplied with heavy duty galvanised mounting plate

1.6mm 316 Stainless Steel IP66

Best quality Description (H x W x D mm)

Hinged doo	r		Price	GST Price
	300mm High			
STX 32015	316SS Enclosure 300H x 200W x 150D , IP66	Stocked	\$207.00	\$227.70

40	0mm	Hi	gh

STX 43020	316SS Enclosure 400H x 300W x 200D , IP66	Stocked	\$321.00	\$353.10
STX 44020	316SS Enclosure 400H x 400W x 200D , IP66	Stocked	\$378.00	\$415.80



STX 54020	316SS Enclosure 500H x 400W x 200D , IP66	Stocked	\$428.00	\$470.80
STX 55020	316SS Enclosure 500H x 500W x 200D , IP66	Stocked	\$500.00	\$550.00



STX 64020	316SS Enclosure 600H x 400W x 200D , IP66	Stocked	\$500.00	\$550.00
STX 66020	316SS Enclosure 600H x 600W x 200D , IP66	Stocked	\$635.00	\$698.50

800mm High

	•			
STX 86030	316SS Enclosure 800H x 600W x 300D , IP66	Stocked	\$885.00	\$973.50

1000mm High

STX 106030 316SS Enclosure 1000H x 600W x 300D, IP60	Stocked	\$1,335.00	\$1,468.50
STX 108030 316SS Enclosure 1000H x 800W x 300D. IP66	6 3 dav	\$1.642.00	\$1.806.20

1200mm High

STX 126030 316SS Enclosure 1200H x 600W x 300D, IP66	3 day	\$1,557.00	\$1,712.70
STX 128030 316SS Enclosure 1200H x 800W x 300D, IP66	3 day	\$1,892.00	\$2,081.20

1600mm High

1000iiiii Tiigii			
STX 166030 316SS Enclosure 1600H x 600W x 300D,	IP66 3 day \$	\$3,000.00	3,300.00
STX 160606 316SS Enclosure 1600H x 660W x 600D,	IP66 3 day \$	4,405.00	64,845.50
STX161006 316SS Enclosure 1600H x 1000W x 600D	, IP66 3 day \$	\$4,950.00 \$	5,445.00
STX162006 316SS Enclosure 1600H x 2000W x 600D	, IP66 3 day \$	6.500.00	37.150.00







Page 34



Your Industrial Commercial Supplier

SM Quality Heavy Duty Cabinet Fans

Complete Fan, Grill, Exhaust Filter Grill and Thermostat

220-240V AC

IP54

Temperature -10 to + 50C ABS grill with internal washable filters Quality Ball bearing fan assembly

Supplied as a complete package with the following:-

- 1 x Fan and Filter Grill
- 1 x Exhaust Filter Grill
- 1 x Thermostat for Cooling

	GRILL SIZE	EFFECTIVE VOLUME		Price	GST Price
SF-8803 KIT	148.5 x 148.5mm	25 m ₃ /hr	Stocked	\$150.00	\$165.00
	GRILL SIZE	EFFECTIVE VOLUME		Price	GST Price
SF-8804 KIT	204 x 204 mm	50 m3/hr	Stocked	\$175.00	\$192.50
	GRILL SIZE	EFFECTIVE VOLUME		Price	GST Price
SF-8805 KIT	255 x 255 mm	80 m ₃ /hr	Stocked	\$220.00	\$242.00
	GRILL SIZE	EFFECTIVE VOLUME		Price	GST Price
SF-8806 KIT	320 x 320 mm	120 m _{3/hr}	Stocked	\$275.00	\$302.50







SM Cabinet Heater

Supplied as a package with a Heating Thermostat

- 1 x PTC Heater
- 1 x Thermostat for Heating

PTC Resistor, self regulating and temperature limiting Voltage 110-265V AC / DC Din Rail Mount Temperature - 45 to + 70c

Vertical Fitting Required Terminal Connection

i oi iiiiiiai ooiiiioo					
		LENGTH		Price	GST Price
15W PTC	15W, 1.5A inrush	65mm	Stocked	\$50.00	\$55.00
30W PTC	30W, 3A inrush	65mm	2-3 weeks	\$60.00	\$66.00
60W PTC	60W, 3.5A inrush	140mm	2-3 weeks	\$75.00	\$82.50







PHŒNIX CONTACT
INSPIRING INNOVATIONS

TB Terminals

Suitable for Di	n rail. Deeı	o Din Rail	+ G Rail
-----------------	--------------	------------	----------

		Cable size	Rated Current		Price	GST Price
TB 2.5	3246311	2.5 mm	20 Amp	Stocked	\$0.70	\$0.77
TB 4	3246324	4mm	32 Amp	Stocked	\$0.75	\$0.82
TB 6	3000486	6 mm	57 Amp	Stocked	\$0.80	\$0.88
TB 10	3246340	10 mm	76 Amp	Stocked	\$1.00	\$1.10
TB 16	3246353	16 mm	101 Amp	Stocked	\$1.82	\$2.00
TB 35	3246366	35 mm	125 Amp	Stocked	\$4.20	\$4.64



TB Earth Terminals

Fully enclosed heav	v dutv
---------------------	--------

•	•	Cable size	Rated Current		Price	GST Price
ET - 4	3059980	2.5 - 4mm	32 Amp	Stocked	\$2.60	\$2.86
ET - 6	3059870	6 mm	57 Amp	Stocked	\$3.80	\$4.18
ET - 10	3059883	10 mm	76 Amp	Stocked	\$4.75	\$5.22
ET - 16	3059896	16 mm	101 Amp	Stocked	\$7.00	\$7.70
ET - 35	3059906	35 mm	125 Amp	Stocked	\$10.00	\$11.00



End Plates

		Suit			
EC 3	3059919	TB2.5	Stocked	\$0.50	\$0.55
EC 4	3059809	TB4	Stocked	\$0.50	\$0.55
EC 6	3059809	TB6	Stocked	\$0.60	\$0.66
EC 10	3059809	TB10	Stocked	\$0.66	\$0.72
EC 16	3059922	TB16	Stocked	\$0.66	\$0.72
EC 35	Intergrated i	nto termina	I		



Din Rail Clamp

CLIPFIX 35-5	3022276	\$0.90	\$0.99



CENTRE CONNECTOR STRIP OF 10 SCBI

TB 2.5 Centre Connector	3246117 - 10 link Strip	Stocked	\$5.00	\$5.50			
TB 5N Centre Connector	3246120 - 10 link Strip	Stocked	\$5.00	\$5.50			
TB 6N Centre Connector	3246133 - 10 link Strip	Stocked	\$7.00	\$7.70			
TB 10N Centre Connector	3246145 - 10 link Strip	Stocked	\$10.00	\$11.00			
TB 16N Centre Connector	3246159 - 10 link Strip	Stocked	\$10.00	\$11.00			
NUMBERS in STRIPS for TRIPLE 117 15 mm or lower							



NUMBERS in STRIPS for TB, UK UT 2.5 mm or larger

1 to 10	Stocked	\$1.00	\$1.10
11 to 20	Stocked	\$1.00	\$1.10
21 to 30	Stocked	\$1.00	\$1.10
31 to 40	Stocked	\$1.00	\$1.10
41 to 50	Stocked	\$1.00	\$1.10
51 to 60	Stocked	\$1.00	\$1.10
61 to 70	Stocked	\$1.00	\$1.10
71 to 80	Stocked	\$1.00	\$1.10
81 to 90	Stocked	\$1.00	\$1.10
91 to 100	Stocked	\$1.00	\$1.10





PHŒNIX CONTACT INSPIRING INNOVATIONS

UK Terminals

Suitable f	or Din	rail,	Deep	Din	Rail +	G Rail
------------	--------	-------	------	-----	--------	--------

		Cable size	Rated Curre	nt	Price	GST Price
UK 3 N	3001501	2.5 mm	20 Amp	Stocked	\$1.41	\$1.55
UK 5 N	3004362	4mm	32 Amp	Stocked	\$1.50	\$1.65
UK 6 N	3004524	6 mm	57 Amp	Stocked	\$2.08	\$2.28
UK 10 N	3005073	10 mm	76 Amp	Stocked	\$2.59	\$2.84
UK 16 N	3006043	16 mm	101 Amp	Stocked	\$4.22	\$4.64
UK 35 N	3074130	35 mm	125 Amp	Stocked	\$9.10	\$10.01



Earth Terminals

		Cable size	Rated Curre	nt		
USLKG 5	0441504	2.5 - 4mm	32 Amp	Stocked	\$4.73	\$5.20
USLKG 6 N	0442079	6 mm	57 Amp	Stocked	\$4.95	\$5.44
USLKG 10 N	3003923	10 mm	76 Amp	Stocked	\$5.36	\$5.96
USLKG 16 N	0443023	16 mm	101 Amp	Stocked	\$6.91	\$7.60
USLKG 35 N	3074143	35 mm	125 Amp	Stocked	\$12.81	\$14.09



End Plates

	Suit			
D-UK 4/10	3003020 UK 3 N	Stocked	\$0.70	\$0.77
D-UK 4/10	3003020 UK 5 N	Stocked	\$0.70	\$0.77
D-UK 4/10	3003020 UK 6 N	Stocked	\$0.70	\$0.77
D-UK 4/10	3003020 UK 10 N	Stocked	\$0.70	\$0.77
D-UK 16	3006027 UK 16 N	Stocked	\$0.89	\$0.97
UK 35N	Intergrated into terminal			



Din Rail Clamp

NO screw required Solid fastening, will not move

CLIDELY 25 5 2022276	Ctooked	¢ ለ ለለ	የ ለ ሰለ
CLIPFIX 35-5 3022276	Stocked	\$0.90	\$0.99



Centre Connectors in strips of 10


UK 2.5 Centre Connector	2770642	10 link Strip	Stocked	\$6.15	\$6.76
UK 5N Centre Connector	0203250	10 link Strip	Stocked	\$5.81	\$6.39
UK 6N Centre Connector	0203263	10 link Strip	Stocked	\$6.13	\$6.74
UK 10N Centre Connector	0203276	10 link Strip	Stocked	\$7.91	\$8.70



Number Labels

Please refer to TB Terminals on previous page







7	PHŒNIX CONTACT	1
1	CONTACT	

	ITIME!
INSPIRING	INNOVATIONS

							INSPIRING IN
PT 2.5 mm	Termin	nals	Ex				
Suitable for Dir	rail, Deep	Din Rail	+ G Rail			Price	GST Price
PT 2.5	3209510	GREY	2.5 mm	20 Amp	Stocked	\$1.45	\$1.59
PT 2.5 WH	3209514	WHITE	2.5 mm	20 Amp	Stocked	\$1.60	\$1.76
PT 2.5 RD	3209512	RED	2.5 mm	20 Amp	Stocked	\$1.60	\$1.76
PT 2.5 YE	3209511	YELLOW	2.5 mm	20 Amp	Stocked	\$1.60	\$1.76
PT 2.5 OG	3212329	ORANGE	2.5 mm	20 Amp	Stocked	\$1.60	\$1.76
PT 2.5 BK	3212330	BLACK	2.5 mm	20 Amp	Stocked	\$1.60	\$1.76
PT 2.5 BU	3209523	BLUE	2.5 mm	20 Amp	Stocked	\$1.60	\$1.76
D-ST 2.5	3030417	GREY	End Plate		Stocked	\$0.75	\$0.82
PT 2.5 TWIN	3209549		2.5 mm	20 Amp	Stocked	\$1.88	\$2.06
D-ST 2.5 TWIN	3030488		End Plate		Stocked	\$0.75	\$0.82
PTTB 2.5	3210567	2 Tier	2.5 mm	20 Amp	Stocked	\$3.65	\$4.01
PTTB 2.5-PV	3210583	2 Tier al	ll bridged	20 Amp	Stocked	\$3.65	\$4.01
D-PTTB 2.5	3211634		End Plate		Stocked	\$0.93	\$1.02
DT 0 5 01	2040400	2 Tion	2.5	20 4	Ctaalcad	#C 20	¢c 00
PT 2.5-3L D-PT 2.5-3L	3210499	3 Tier	2.5 mm	20 Amp	Stocked	\$6.30	\$6.93
Earth Term	3211647 ninale	⟨£x⟩	End Plate		Stocked	\$1.08	\$1.18
Laitii iciii	iiiais		Cable size	Rated Curre	ent	Price	GST Price
PT2.5 -PE	3044092		2.5 mm	20 Amp	Stocked	\$6.01	\$6.61
Centre Cor	nnector	'S					
						Price	GST Price
FBS 2-5	3030161		2 bridge link		Stocked	\$0.60	\$0.66
FBS 5-5	3030190		5 bridge link		Stocked	\$2.25	\$2.47
FBS 10-5	3030213		10 bridge link		Stocked	\$5.05	\$5.55

Stocked

Stocked

\$10.20

\$25.55

\$11.22

\$28.10



Number Labels		
	Price	GST Price
0808697 1-10	\$1.40	\$1.54
0808697 11-20	\$1.40	\$1.54
0808697 21-30	\$1.40	\$1.54
0808697 31-40	\$1.40	\$1.54
0808697 41-50	\$1.40	\$1.54
0808697 51-60	\$1.40	\$1.54
0808697 61-70	\$1.40	\$1.54
0808697 81-90	\$1.40	\$1.54
0808697 91-100	\$1.40	\$1.54
Numbers to 150 ex stock		
Din Pail Clamp		

20 bridge link

50 bridge link



Din	Rail	Cla	mp
NO s	rew r	auire	h

FBS 20-5

FBS 50-5

3030226

3038930

NO screw requi	red		Price	GST Price
CLIPFIX 35-5	3022276	Stocked	\$1.00	\$1.10



Page 38





PT Terminals



Suitable	for Din	rail,	Deep	Din	Rail +	G Rail	
----------	---------	-------	------	-----	--------	--------	--


Guitable for Di	ii iaii, beep bi	ii itali · O itali				
		Cable size	Rated Current		Price	GST Price
PT 4	3211757	4mm	32 Amp	Stocked	\$1.86	\$2.04
D-ST 4	3030420	End Plate		Stocked	\$0.80	\$0.88
PT 6	3211813	6 mm	57 Amp	Stocked	\$2.63	\$2.89
D-PT 6	3212044	End Plate		Stocked	\$0.80	\$0.88
PT 10	3212120	10 mm	76 Amp	Stocked	\$3.79	\$4.16
D-PT 10	3212057	End Plate		Stocked	\$0.90	\$0.99
PT 16 N	3212138	16 mm	101 Amp	Stocked	\$4.51	\$4.96
D-PT 16 N	3212060	End Plate		Stocked	\$1.25	\$3.47
PT 35	3212064	35 mm	125 Amp	4 days	\$38.79	\$42.66







Earth Terminals



>					
	Cable size	Rated Curre	nt	Price	GST Price
	2.5 mm	20 Amp	Stocked	\$6.01	\$6.61
	2.5 - 4mm	32 Amp	Stocked	\$6.22	\$6.84
	6 mm	57 Amp	Stocked	\$6.53	\$7.83
	10 mm	76 Amp	Stocked	\$8.10	\$8.91
	16 mm	101 Amp	Stocked	\$9.62	\$10.58
	35 mm	125 Amp	4 days	\$22.03	\$24.23



PT4 Centre Connectors

		Standard colour is RED		Price	GST Price		
FBS 2-6	3030336	2 bridge link	Stocked	\$0.61	\$0.67		
FBS 4-6	3030255	4 bridge link	Stocked	\$1.82	\$2.00		
FBS 10-6	3030271	10 bridge link	Stocked	\$5.38	\$5.91		
FBS 10-6 BLUE	3032198	10 bridge link BLUE	Stocked	\$5.50	\$6.05		
FBS 20-6	3030365	20 bridge link	Stocked	\$10.96	\$12.05		



4mm Fuse Terminal with 24V LED



Stocked

\$25.00

\$27.50

					Price	GST Price
PT4-H	IESILED	3211903	Fuse terminal 24V LED	Stocked	\$15.86	\$17.44
D-ST4	ļ	3030420	End cap	Stocked	\$1.00	\$1.10
0.25 A	Fuse			Stocked	\$1.10	\$1.21
0.3 A	Fuse			Stocked	\$1.10	\$1.21
0.75 A	Fuse			Stocked	\$1.10	\$1.21
1 A	Fuse			Stocked	\$1.10	\$1.21
2 A	Fuse			Stocked	\$1.10	\$1.21
4 A	Fuse			Stocked	\$1.10	\$1.21
5 A	Fuse			Stocked	\$1.10	\$1.21
6 A	Fuse			Stocked	\$1.10	\$1.21





Fuse pack 10 pieces of each fuse size 5 x 20mm Fuse 0.25A, 0.3A, 0.5A, 0.75A,

1A, 2A, 3A, 4A, 5A, 6A



PHŒNIX CONTACT INSPIRING INNOVATIONS

UT Terminals

Suitable for Di	n rail, Deep D	in Rail + G Rail				
	•	Cable size	Rated Curre	nt	Price	GST Price
UT2,5	3044076	2.5 mm	32 Amp	Stocked	\$1.20	\$1.32
D-UT 2,5-10	3047028	End Plate		Stocked	\$0.80	\$0.88
UT 4	3044102	4 mm	41 Amp	Stocked	\$1.45	\$1.59
D-UT 2,5-10	3047028	End Plate		Stocked	\$0.80	\$0.88
UT 6	3044131	10 mm	76 Amp	Stocked	\$2.15	\$4.16
D-UT 2,5-10	3047028	End Plate		Stocked	\$0.80	\$0.88
UT 10	3033180	16 mm	57 Amp	3 days	\$2.85	\$3.13
D-UT 2,5-10	3047028	End Plate		3 days	\$0.80	\$0.88
UT 16	3044199	16 mm	101 Amp	3 days	\$4.45	\$4.89
D-UT 16	3047206	End Plate		3 days	\$0.80	\$0.88
UT 35	3044225	35 mm	150 Amp	Stocked	\$9.25	\$10.17
		No End Plate r	equired			





Disconnect Links

					Price	GST Price
UT2,5 MT	3046362	2.5 mm	20 Amp	Stocked	\$4.30	4.73
D-UT2,5-4Twin	3047141	End Plate		Stocked	\$0.90	\$0.99
UT4 MT	3046139	No End plate	20 Amp	Stocked	\$4.40	\$4.84
		required				



Earth Terminals

		Cable size	Rated Curre	nt	Price	GST Price
UT2.5 -PE	3044092	2.5 mm	32 Amp	Stocked	\$6.55	\$7.20
UT4 -PE	3044128	2.5 - 4mm	41 Amp	Stocked	\$6.80	\$7.48
UT6 -PE	3044157	6 mm	57 Amp	Stocked	\$6.85	\$7.53
UT10-PE	3044173	10 mm	76	Stocked	\$7.40	\$8.14
UT16-PE	3044212	16 mm	101 Amp	Stocked	\$10.70	\$11.77
UT35-PE	3044241	35 mm	150 Amp	4 days	\$12.40	\$13.64



UT4 Centre Connectors , for UT2.5mm pls refer to page 38

	;	Standard colour is RED			
FBS 2-6	3030336	2 bridge link	Stocked	\$0.61	\$0.67
FBS 4-6	3030255	4 bridge link	Stocked	\$1.82	\$2.00
FBS 10-6	3030271	10 bridge link	Stocked	\$5.38	\$5.91
FBS 10-6 BLUE	3032198	10 bridge link BLUE	Stocked	\$5.50	\$6.05
FBS 20-6	3030365	20 bridge link	Stocked	\$10.96	\$12.05





4mm Fuse Terminal with 24V LE	D
-------------------------------	---

				Price	GST Price
UT4-HESI	3046032	Fuse terminal NO LED	Stocked	\$7.15	\$7.86
		No End Plate required			
UT4-HESI LED	3046090	Fuse terminal 24V LED	Stocked	\$16.85	\$18.53



Page 40






CT DISCONNECT LINKS

Suitable For High Vibration Conductor size 6 mm Suit Solid or Flexible wires **Current Rating Max 32 Amp** Flame resistant PA66.PC **Din Rail Mount**

Tel: 07 3048 1631

Fax: 07-3319 4616

5921922	1 Phase	Stocked	\$26.00	\$28.60
5921919	3 Phase	Stocked	\$109.00	\$119.90





SPL Series LIQUID-TIGHT Smooth Wall Steel Core Conduit

High Strength Smooth Wall Oil Resistant Water Resistant IP66 min **Temperature rating** Static -20 to + 105C Moving -5 to + 105C Supplied in 10M length 25M lengths are available Longer lengths are available

SPL16/10M	16mm inside	Stocked	\$93.40	\$102.74
SPL16/M16/M	M16 thread Nickel plated brass, MALE	Stocked	\$9.93	\$10.92
1411268	A-INLE-M16 M16 EMC Nut	Stocked	\$1.00	\$1.10
SPL20/10M	20mm inside	Stocked	\$103.85	\$114.23
SPL20/M20/M	M20 thread Nickel plated brass, MALE	Stocked	\$7.69	\$8.45
1411269	A-INLE-M20 M20 EMC Nut	Stocked	\$1.00	\$1.10
SPL25/10M	25mm inside	Stocked	\$138.99	\$152.88
SPL25/M25/M	M25 thread Nickel plated brass, MALE	Stocked	\$14.68	\$16.14
1411270	A-INLE-M25 M25 EMC Nut	Stocked	\$1.35	\$1.48
SPL32/10M	32mm inside	2-3 days	\$201.54	\$221.69
SPL32/M32/M	M32 thread Nickel plated brass, MALE	2-3 days	\$19.85	\$21.83
1411271	A-INLE-M32 M32 EMC Nut	Stocked	\$1.50	\$1.65
SPL40/10M	40mm inside	2-3 days	\$324.13	\$356.54
SPL40/M40/M	M40 thread Nickel plated brass, MALE	2-3 days	\$31.55	\$34.70
1411272	A-INLE-M40 M40 EMC Nut	Stocked	\$3.00	\$3.30
SPL50/10M	50mm inside	2-3 days	\$461.74	\$507.91
SPL50/M50/M	M50 thread Nickel plated brass, MALE	2-3 days	\$38.50	\$42.35
1411273	A-INLE-M50 M50 EMC Nut	2-3 days	\$7.00	\$7.70











Your Industrial Commercial Supplier

Vibration Proof Connectors Spring cage clamp

Suitable For High Vibration

Approvals

Conductor size 0.8 - 2.5mm single strand

BC CE **RoHS**

Conductor size 0.8 - 4.0mm Multi stranded

Suit Solid or Flexible wires **Current Rating Max 32 Amp** Flame resistant PA66.PC

Suitable for Machinery, Automotive, Boats & Ships

Wire Stripping Length: 9 - 10mm **Price GST Price Box Quantity** 50 Pieces Stocked \$29.70 222-412 A 2 pole \$27.00 222-413 A 50 Pieces Stocked \$29.00 \$31.90 3 pole 222-415 A 5 pole 75 Pieces Stocked \$37.00 \$40.70



Din Rail

Slotted Din Rail Zinc plated steel

DRS-1

DRS-2

Price GST Price

Length 1 mtr Stocked \$7.00 \$7.70 0801733 0801733 2 x 1mtr Stocked \$14.00 \$15.40



Cable Ties

Nylon 66 **Unflammable 94V.2**

UL		Size	Quantity		Price	GST Price			
Small	Black	3mm x 100 mm	1000	Stocked	\$4.00	\$4.40			
Medium	Black	5mm x 180mm	100	Stocked	\$5.00	\$5.50			
	Diagn	omm x roomm	100	O to o mou	ψοίου	ψο.σσ			
Large	Black	5mm x 350mm	100	Stocked	\$6.00	\$6.60			
304 Grade Stainless steel									
CTMSS304		4.6mm x 300mm	100	Stocked	\$23.00	\$25.30			



CTLSS304 7.9mm x 400mm 100 **Stocked** \$25.00 \$27.50



Cable Glands

Material: Polyamide 6 Temperature: -30c to +80c

IP67

Complete with locking nut

		MOQ	Suits Cable		Price Each	GST Price
1411131	M 12	25	3-6.5mm	2 days	\$0.80	\$0.88
1411132	M 16	1	5-10mm	Stocked	\$0.80	\$0.88
1411133	M 20	1	6-12mm	Stocked	\$0.90	\$0.99
1411134	M 25	1	11-17mm	Stocked	\$1.10	\$1.21
1411136	M 32	1	15-21mm	Stocked	\$2.00	\$2.20
1411137	M 40	1	19-25mm	2 days	\$4.00	\$4.40



Page 42





Nickel Plated Brass Cable Glands

Nickel Plated Brass Cable Glands EMC Glands have Shield Earthing Inside Temperature -40c to + 100c

Clamping Insert: Polyamide 6, O Ring: NBR

IP68 / IP69K EN 50262

Part No		Metal Cable Glands				
			MOQ		Price Each	GST Price
	G-INS-M16-S68N-NNES-S	M16 Brass Cable Gland	5	Stocked	\$3.70	\$4.07
1411163	G-INS-M20-S68N-NNES-S	M20 Brass Cable Gland	5	Stocked	\$5.03	\$5.53
1411165	G-INS-M25-M68N-NNES-S	M25 Brass Cable Gland	5	Stocked	\$5.60	\$6.16
1411166	G-INS-M32-M68N-NNES-S	M32 Brass Cable Gland	3	Stocked	\$9.66	\$10.62
1411167	G-INS-M40-M68N-NNES-S	M40 Brass Cable Gland	3	Stocked	\$17.26	\$18.98
1411168	G-INS-M50-L68N-NNES-S	M50 Brass Cable Gland	1	2 days	\$29.38	\$32.31
1411169	G-INS-M63-L68N-NNES-S	M63 Brass Cable Gland	1	2 days	\$56.29	\$61.91
Part No		Sheilded EMC Glands				
			MOQ		Price Each	GST Price
1411188	G-INSEC-M16-S68N-NCRS-S	M16 EMC Gland	10	Stocked	\$8.83	\$9.71
1411189	G-INSEC-M20-S68N-NCRS-S	M20 EMC Gland	5	Stocked	\$8.89	\$9.77
1411190	G-INSEC-M25-S68N-NCRS-S	M25 EMC Gland	5	Stocked	\$12.22	\$13.44
	G-INSEC-M32-M68N-NCRS-S	M32 EMC Gland	5	Stocked	\$17.87	\$19.65
1411192	G-INSEC-M40-M68N-NCRS-S	M40 EMC Gland	5	Stocked	\$25.22	\$27.74
1411193	G-INSEC-M50-L68N-NCRS-S	M50 EMC Gland	1	2 days	\$78.43	\$86.27
1411194	G-INSEC-M63-L68N-NCRS-S	M63 EMC Gland	1	2 days	\$117.41	\$129.15
Part No		EMC Metal Nuts				
			MOQ		Price Each	GST Price
1411268	A-INLE-M16-N-S	M16 EMC Nut	10	Stocked	\$1.00	\$1.10
1411269	A-INLE-M20-N-S	M20 EMC Nut	10	Stocked	\$1.00	\$1.10
1411270	A-INLE-M25-N-S	M25 EMC Nut	10	Stocked	\$1.35	\$1.48
1411271	A-INLE-M32-N-S	M32 EMC Nut	10	Stocked	\$1.50	\$1.65
1411272	A-INLE-M40-N-S	M40 EMC Nut	5	Stocked	\$3.00	\$3.30
	A-INLE-M50-N-S	M50 EMC Nut	5	2 days	\$7.00	\$7.70
1411274	A-INLE-M63-N-S	M63 EMC Nut	5	2 days	\$9.00	\$9.90
Part No		Thredded Adaptors				
		REDUCER ADAPTOR	MOQ		Price Each	GST Price
1647611	REDUC-M-KV-M20/M16	M20 to M16 Reducing	10	2 days	\$2.56	\$2.81
	REDUC-M-KV-M25/M20	M25 to M20 Reducing	10	2 days	\$4.04	\$4.44
	REDUC-M-KV-M32/M25	M32 to M25 Reducing	10	2 days	\$6.70	\$7.37
	REDUC-M-KV-M40/M32	M40 to M32 Reducing	10	2 days	\$10.15	\$11.16
1647640						
1647640		STEP UP ADAPTOR				
	ENLAR-M-KV-M16/M20	STEP UP ADAPTOR M16 to M20 Step-up	10	Stocked	\$2.84	\$3.12
1647653	ENLAR-M-KV-M16/M20 ENLAR-M-KV-M20/M25		10 10	Stocked Stocked	\$2.84 \$4.36	\$3.12 \$4.79
1647653 1647666		M16 to M20 Step-up				











XB2 Push buttons Metal Ø 22 mm

Tesla Push buttons, selector switches and indication lights

Positive 2 screw clamping, will not twist

Stack up to 6 x Contact blocks screwed on to metal coupling plate

IP66, Nema 4, fo	or dust and wet o	conditions		Price	GST Price
XB2-BA11	White	N / 0 contact included	Stocked	\$15.00	\$16.50
XB2-BA21	Black	N / 0 contact included	Stocked	\$15.00	\$16.50
XB2-BA31	Green	N / 0 contact included	Stocked	\$15.00	\$16.50
XB2-BA51	Yellow	N / 0 contact included	Stocked	\$15.00	\$16.50
XB2-BA61	Blue	N / 0 contact included	Stocked	\$15.00	\$16.50
XB2-BA42	Red	N / C contact included	Stocked	\$15.00	\$16.50



Illuminated Push Buttons Ø 22 mm

IP66, Nema 4, for dust and wet conditions

22.5mm

Uses BA9S LED bulb

Positive 2 screw clamping, will not twist

Contact blocks screwed on to metal coupling plate

Supplied with 24V LED BA9S bulb				Price	GST Price
XB2-BW3361G	Green	N / 0 contact included	Stocked	\$23.00	\$25.30
XB2-BW3462R	Red	N / 0 contact included	Stocked	\$23.00	\$25.30
XB2-BW3561A	Amber	N / 0 contact included	Stocked	\$23.00	\$25.30
XB2-BW3361B	Blue	N / 0 contact included	Stocked	\$23.00	\$25.30



XB2-LED Bulbs	12V, 24V, 110V and 240VAC	Stocked	\$4.00	\$4.40

Extra Contact blocks if required

XB2-BE101C	N/O contact block	Stocked	\$4.00	\$4.40
XB2-BE102C	N/C contact block	Stocked	\$4.00	\$4.40



Stop & Start Button, fits Ø 22mm hole

Stop + Start buttons with 24V LED indicator Supplied with $1 \times N/O + 1 \times N/C$ contacts

Fits 22 mm Hole **Price** GST Price **LAY5-BW 8465** Stop, Start + indication light **Stocked** \$25.00 \$27.50

Momentary contacts with BA9S LED lamp



TBSP-330 Stocked \$50.00 3Phase, 30Amp, 3.7kW, ABS case \$55.00

Push ON, Push OFF

Size:- Enclosed 90 High x 45 Wide x 50.5mm Deep

METAL CASE

TBSN-330 Stocked \$60.00 \$66.00 3Phase, 30Amp, 3.7kW ABS case

Latching Switch Push ON, Push OFF

Size:- Enclosed 62 High x 57.5 Wide x 50mm Deep



Schneider * Reset Button

22mm hole **ABS** body

Latching switch

XB5 AA86102 17-120mm adjustable distance **Stocked** \$27.00 \$29.70

GST Price Price



Note: * "Schneider Electric and Telemecanique are trademarks owned by Schneider Electric SE or its subsidiaries, Source IT Direct is not in any way affiliated with or endorsed by Schneider Electric SE".

Page 44



XB2-BG33

XB2-BG53

Page 45

Your Industrial Commercial Supplier

IKE =					
XB2 Selector / Ke	ey Switches Metal	Ø 22 mm			
Positive 2 screw clar	. •				
Stack to a total of 6 of	wed on to metal coupli	ng plate		Price	GST Price
IP66	Contact blocks			Price	GSTFIICE
XB2-BD21	2 position stay put wi	th N/O	Stocked	\$17.00	\$18.70
V== == //			•	44- 4	0.40.70
XB2-BD41	2 position spring to c	entre with N/O	Stocked	\$17.00	\$18.70
XB2-BD33	3 position stay put N	O + N/O	Stocked	\$18.00	\$19.80
XB2-BD53	3 position spring retu	rn to centre	Stocked	\$18.00	\$19.80
XB2 Illuminated 2	2 PositionSelector	Switches Me	etal Ø 22 r	nm	
2 position Stay Put					
Supplied with 24VAC	C/DC lamp, other voltag	jes are availabl	е		
XB2-BK2365 Green	2 position atom put	N/O + N/O	Stocked	Price	GST Price
ADZ-DNZ305 Green	2 position stay put	N/O + N/C	Stocked	\$24.00	\$26.40
XB2-BK2465 Red	2 position stay put	N/O + N/C	Stocked	\$24.00	\$26.40
V20 21/0202 A . I	2 "' '	N/0 N/0		***	000.10
XB2-BK2565 Amber	2 position stay put	N/O + N/C	Stocked	\$24.00	\$26.40
XB2-BK2665 Blue	2 position stay put	N/O + N/C	Stocked	\$24.00	\$26.40
	, , , , , ,				
	3 Position Switches	s Metal Ø 22	mm		
3 position Stay Put	C/DC lamp, other voltag	ios aro availabl	0	Price	GST Price
Supplied with 24VAC	JDC lamp, other voitag	jes are avaliabi	e	FIICE	GSTFILE
XB2-BK3365 Green	3 position stay put	N/O + N/C	Stocked	\$25.00	\$27.50
VD2 DV2465 Dad	2 position atom put	N/O + N/O	Ctooked	¢25.00	¢27.50
XB2-BK3465 Red	3 position stay put	N/O + N/C	Stocked	\$25.00	\$27.50
XB2-BK3565 Amber	3 position stay put	N/O + N/C	Stocked	\$25.00	\$27.50
VD0 DV0005 DI	0 "	N/O · N/O	04 1 1	A07.00	007.50
XB2-BK3665 Blue	3 position stay put	N/O + N/C	Stocked	\$25.00	\$27.50
XB2 Kev Switche	s Metal Ø 22 mm				
_	st and wet conditions				
Ronis 455 Key					
XB2-BG21	2 position key switch	with N/O	Stocked	\$19.00	\$20.90
XB2-BG61	2 pos key spring retu	rn to LHS	Stocked	\$22.00	\$20.90
	, , ,				
XB2-BG02	2 pos key removable	in all positions	Stocked	\$22.00	\$24.20
XB2-BG03	3 position key switch	. N/O + N/O	Stocked	\$24.00	\$26.40
	Ctov put kov remove			4 = 1.00	Ψ=3.10

Stocked

Stocked

\$24.00

\$24.00

\$26.40

\$26.40

Stay put, key removable in all 3 positions

Stay put, key removable only in OFF position

3 position key switch, N/O + N/O

3 pos spring to centre, N/O + N/O





DIRECT	Your Industrial Co	mmer	cial S	upplier	
Emergency Stop Butto	on fits Ø 22mm hole				
Emergency Stop Buttons	511, 11t3 5 2211111 1151C				
Supplied with 1 x N/C con	tacts				
Fits 22 mm Hole			Price	GST Price	
ABS Plastic body					
XB2-PS542	E/Stop twist release ABS 40mm	Stocked	\$17.00	\$18.70	
METAL Body	=101	24 1 1	410.00	0.40.00	
XB2-BS542	E/Stop, twist release Metal 40mm	Stocked	\$18.00	\$19.80	
METAL Body KEY RESE	F				
XB2-BS542C	E/Stop Key Release Metal 40mm	Stocked	\$30.00	\$33.00	
AB2 B00420	Liotop Roy Rollado Metal 4011111	Otoonou	ψου.σσ	Ψ00.00	6
METAL Body					
XB2-BS642	E/Stop, twist release Metal 60mm	Stocked	\$30.00	\$33.00	
Extra Contact blocks if red	•				
XB2-BE101C	N/O contact block	Stocked	\$3.90	\$4.29	
XB2-BE102C	N/C contact block	Stocked	\$3.90	\$4.29	
II I LIMINATED Emorar	anay Stan Button fits (8.22m	m hala wi	th LED I	omp	
Stop + start buttons with 2	ency Stop Button, fits Ø 22m	III HOIE W	IIII LED L	-amp	
Supplied with 1 x N/O conf					
Fits 22 mm Hole	tact block				
ABS construction, double	insulated		Price	GST Price	
,					
KBO-PS542/D 240V AC	E/Stop twist release LED Light	Stocked	\$39.00	\$42.90	
KBO-PS542/D 24V AC / DC	E/Stop twist release LED Light	Stocked	\$39.00	\$42.90	
Fotos Ocotost block 19	and the sale				
Extra Contact blocks if red SKB0-1 N/O	quired N/O contact block	Stockod	\$3.90	\$4.20	
SKB0-1 N/C	N/C contact block	Stocked Stocked	\$3.90 \$3.90	\$4.29 \$4.29	
OLDO-1 MO	14/O COMIGOL BIOCK	JIOCKEU	ψυ.συ	ψτ.23	



Enclosed Emergency Stop Button						
Enclosed Emergency S	top					
40mm head twist to rele	ease					
ABS construction, doul	ble insulated					
M20 cable knock outs			Price	GST Price		
Supplied with 1 x N/C c	ontact block					
XB2-J174H29	Yellow box E/Stop twist to release	Stocked	\$22.00	\$24.20		
XB2-J174H29 KEY	Yellow box E/Stop Keyrelease	Stocked	\$35.00	\$38.50		
Extra BASE MOUNT Co	ntact blocks if required					
XB2-BE101	N/O contact block	Stocked	\$3.90	\$4.29		
XB2-BE102	N/C contact block	Stocked	\$3.90	\$4.29		



Schneider Enc	losed Emergency Stop				
Best quality IP65		Price	GST Price		
Twist to release 22mm hole					
Supplies with 1 x l	N/C contact block, can add another 2 blocks				
XALK174 with 60m	m Schneider Emergency stop label.	\$70.00	\$77.00		
ZENL1121	N/O contact block	\$7.00	\$7.70		
ZENL1111	N/C contact block	\$7.00	\$7.70		
Note, may come un	assembled				



Page 46



Your Industrial Commercial Supplier

Push button Enclosures						
•	Polycarbonate material					
Impact resistant m	edium duty			007.5		
IP42			Price	GST Price		
XB2-BOX 1	1 hole box	Stocked	\$15.00	\$16.50		
XB2-BOX 2	2 hole box	Stocked	\$18.00	\$19.80		
XB2-BOX 3	3 hole box	Stocked	\$22.00	\$24.20		
XB2-BOX 4	4 hole box	Stocked	\$25.00	\$27.50		
XB2-BOX 5/6	5/6 hole box	Stocked	\$30.00	\$33.00		
	46					





Division of Siemens Electrical Apparatus Ltd

IP66 Encl	losures Heavy Duty Polycarbonate			
UV rated				
Polycarbon	nate material			
Heavy Duty	y, will take 2 rows of contact blocks			
IP66			Price	GST Price
XKB-1	1 Hole H/Duty enclosure	Stocked	\$25.00	\$27.50
XKB-2	2 Hole H/Duty enclosure	Stocked	\$27.00	\$29.70
XKB-3	3 Hole H/Duty enclosure	Stocked	\$30.00	\$33.00
XKB-4	4 Hole H/Duty enclosure	Stocked	\$32.00	\$35.20



Labels / Legends suit Ø 22 mm switches			
		Price	GST Price
ZB60 mm Diameter Emergency Stop 2mm thick	Stocked	\$5.00	\$5.50
ZBY9330 Schneider 60mm Diameter Emergency Stop	Stocked	\$8.00	\$8.80
ZB90 mm Diameter Emergency Stop 2mm thick	Stocked	\$6.00	\$6.60
Start	Stocked	\$3.00	\$3.30
Stop	Stocked	\$3.00	\$3.30
Stop Start	Stocked	\$3.00	\$3.30
Emergency stop Rectangular label	Stocked	\$3.00	\$3.30
Reset	Stocked	\$3.00	\$3.30
Blank	Stocked	\$3.00	\$3.30
60mm Dia Emergency stop			

EMA	
Emi	AGENC
Stop OF	¥
Op	



F1 Clear Silicone Cover Stocked \$5.50 \$6.0 F2 Safety cover Stocked \$27.00 \$29.		Accessories
F2 Safety cover Stocked \$27.00 \$29.		
	Stocked \$5.50 \$6.05	Clear Silicone Cover
F19 Panel plug with nut Stocked \$4.00 \$4.4	Stocked \$27.00 \$29.70	Safety cover
F19 Panel plug with nut Stocked \$4.00 \$4.4		
	Stocked \$4.00 \$4.40	719 Panel plug with nut
F5 + F7 30-22 mm adaptor with F7 rear plate Stocked \$15.00 \$16.	Stocked \$15.00 \$16.50	5 + F7 30-22 mm adaptor with F7 rear plate







Your Industrial Commercial Supplier

APT	IJ
-----	----

Division of Siemens Electrical Apparatus Ltd 22 mm LED Indication Lights Fully integrated monoblock LED

22 IIIII LED	indication	Lights Fully in	tegrated	monopioc	KLED	
22 mm Hole size		• 4				
Fully integrated LE	•					
Long Life LED, Rol	•	_			Price	GST Price
415V AC	(304-456					
AD16-22 W 415V	White	415V AC	LED	3 weeks	\$22.00	\$24.20
AD16-22 G 415V	Green	415V AC	LED	Stocked	\$22.00	\$24.20
AD16-22 R 415V	Red	415V AC	LED	Stocked	\$22.00	\$24.20
AD16-22 A 415V	Yellow	415V AC	LED	Stocked	\$22.00	\$24.20
AD16-22 B 415V	Blue	415V AC	LED	Stocked	\$22.00	\$24.20
240V AC	(176 - 26	4VAC)				
AD16-22 W 240V	White	240VAC	LED	Stocked	\$15.00	\$16.50
AD16-22 G 240V	Green	240V AC	LED	Stocked	\$15.00	\$16.50
AD16-22 R 240V	Red	240V AC	LED	Stocked	\$15.00	\$16.50
AD16-22 A 240V	Yellow	240V AC	LED	Stocked	\$15.00	\$16.50
AD16-22 B 240V	Blue	240V AC	LED	Stocked	\$15.00	\$16.50
110V AC / DC	(88 - 132	VAC/DC)				
AD16-22 W 110V	White	110V AC/DC	LED	Stocked	\$22.00	\$24.20
AD16-22 G 110V	Green	110V AC/DC	LED	Stocked	\$22.00	\$24.20
AD16-22 R 110V	Red	110V AC/DC	LED	Stocked	\$22.00	\$24.20
AD16-22 A 110V	Yellow	110V AC/DC	LED	Stocked	\$22.00	\$24.20
AD16-22 B 110V	Blue	110V AC/DC	LED	Stocked	\$22.00	\$24.20
241/40/00	(40 2 20	01/40/00				



AD16-22 G 110V	Green	TIUV AC/DC	LED	Stocked	\$22.00	\$24.20
AD16-22 R 110V	Red	110V AC/DC	LED	Stocked	\$22.00	\$24.20
AD16-22 A 110V	Yellow	110V AC/DC	LED	Stocked	\$22.00	\$24.20
AD16-22 B 110V	Blue	110V AC/DC	LED	Stocked	\$22.00	\$24.20
24V AC / DC	(19.2 - 28.	.8VAC/DC)				
AD16-22 W 24V	White	24V AC/DC	LED	Stocked	\$15.00	\$16.50
AD16-22 G 24V	Green	24V AC/DC	LED	Stocked	\$15.00	\$16.50
AD16-22 R 24V	Red	24V AC/DC	LED	Stocked	\$15.00	\$16.50
AD16-22 A 24V	Yellow	24V AC/DC	LED	Stocked	\$15.00	\$16.50
AD16-22 B 24V	Blue	24V AC/DC	LED	Stocked	\$15.00	\$16.50
12V AC/DC	(9.6V -	14.4VAC/DC)				
AD16-22 W 12V	White	12V AC/DC	LED	3 weeks	\$22.00	\$24.20
AD16-22 G 12V	Green	12V AC/DC	LED	Stocked	\$22.00	\$24.20
AD16-22 R 12V	Red	12V AC/DC	LED	Stocked	\$22.00	\$24.20
AD16-22 A 12V	Yellow	12V AC/DC	LED	Stocked	\$22.00	\$24.20
AD16-22 B 12V	Blue	12V AC/DC	LED	Stocked	\$22.00	\$24.20



Ø 22 mm Push to	Test LED	Indication	Liahts Ful	lv integrat	ted LED	
AD16-22 B 12V	Blue	12V AC/DC	LED	Stocked	\$22.00	\$2
AD4C 00 D 40V	Dive	101/10/00	LED	Ctablead	600.00	00
AD 10-22 A 12 V	I CHOW	12 V AC/DC		Stocked	Ψ Ζ Ζ.00	ΨΖ



Fully intergrated LED complete unit EXTRA BRIGHT						
For switchboard with test push button to check all lamps are working						
AD56-22DTG 24V	Green	24V AC/DC	LED	Stocked	\$25.00	\$27.50
AD56-22DTR 24V	Red	24V AC/DC	LED	Stocked	\$25.00	\$27.50
AD56-22DTA 24V	Amber	24V AC/DC	LED	Stocked	\$25.00	\$27.50
AD56-22DTB 24V	Blue	24V AC/DC	LED	Stocked	\$25.00	\$27.50
					•	



240V AC

AD56-22DTG 240V	Green	240V AC	LED	Stocked	\$25.00	\$27.50
AD56-22DTR 240V	Red	240V AC	LED	Stocked	\$25.00	\$27.50



Your Industrial Commercial Supplier

APT 😃

Division of Siemens Electrical Apparatus Ltd

Ø 22 mm LED Flashing Lights and Buzzers								
Buzzer loudness, 70db @ 10cm								
				Price	GST Price			
240V AC	(176 - 264VAC)							
AD16-22DH 240	Red flashing light	240VAC	Stocked	\$22.00	\$24.40			
AD16-22SM 240	Red flashing+Buzzer	240VAC	Stocked	\$22.00	\$24.40			
AD16-22M 240	Buzzer	240VAC	Stocked	\$22.00	\$24.40			
				Price	GST Price			
24V AC / DC	(19.2 - 28.8VAC/DC)							
AD16-22SM 24V	Red flashing+Buzzer	24VAC/DC	Stocked	\$22.00	\$24.40			
AD16-22M 24V	Buzzer	24VAC/DC	Stocked	\$22.00	\$24.40			
				Price	GST Price			
12V AC/DC	(9.6V - 14.4VAC/D	(C)						
AD16-22SM 12V	Red flashing+Buzzer	24VAC/DC	Stocked	\$22.00	\$24.40			







Ø 30 mm Buzzers

Buzzer loudness, 90db @ 10cm

AD16-30M 240 Buzzer 240VAC **Stocked \$48.00** \$52.80



Ø 16 mm LED Indication Lights Fully integrated monoblock LED

16 mm Hole size
Fully intergrated LED complete unit
Extra Long Life, Robust
Extra Bright

					Price	GST Price
240V AC	(176 - 2	264VAC)				
AD16-16 W 240V	White	240VAC/DC	LED	Stocked	\$15.00	\$16.50
AD16-16 G 240V	Green	240VAC/DC	LED	Stocked	\$15.00	\$16.50
AD16-16 R 240V	Red	240VAC/DC	LED	Stocked	\$15.00	\$16.50
AD16-16 A 240V	Yellow	240VAC/DC	LED	Stocked	\$15.00	\$16.50
AD16-16 B 240V	Blue	240VAC/DC	LED	Stocked	\$15.00	\$16.50
					Price	GST Price
24V AC / DC	(19.2 - 2	28.8VAC/DC)				
AD16-16 W 24V	White	24VAC/DC	LED	Stocked	\$15.00	\$16.50
AD16-16 G 24V	Green	24VAC/DC	LED	Stocked	\$15.00	\$16.50
AD16-16 R 24V	Red	24VAC/DC	LED	Stocked	\$15.00	\$16.50
AD16-16 A 24V	Yellow	24VAC/DC	LED	Stocked	\$15.00	\$16.50
AD16-16 B 24V	Blue	24VAC/DC	LED	Stocked	\$15.00	\$16.50
					Price	GST Price
12V AC/DC	(9.6\	/ - 14.4VAC/DC)			
AD16-16 W 12V	White	12VAC/DC	LED	Stocked	\$16.00	\$17.60
AD16-16 G 12V	Green	12VAC/DC	LED	Stocked	\$16.00	\$17.60
AD16-16 R 12V	Red	12VAC/DC	LED	Stocked	\$16.00	\$17.60
AD16-16 A 12V	Yellow	12VAC/DC	LED	Stocked	\$16.00	\$17.60
AD16-16 B 12V	Blue	12VAC/DC	LED	Stocked	\$16.00	\$17.60









Your Industrial Commercial Supplier

Omron Timer	OMRON	OMRON	OMRON	OMRON
Part Number	H3CR-A	H3CR-A8	H3CR-A8E	H3DK-M1
	/ Table 1	/ Table 195	/ Table 1985	
	AND THE PARTY OF T			A1 15 2071
	POWER	POWER	POMER	
	MODE	MODE	MODE	
	2 02	20 22	20 22	
	× ×	N	N	1906 to
Dimensions	48 x 48mm	48 x 48mm	48 x 48mm	22 x 75mm
Hole cut out	45 x 45mm	45 x 45mm	45 x 45mm	22 x 54mm
Time range	0.05 sec to 300 h	0.05 sec to 300 h	0.05 sec to 300 h	0.1 sec to 120 h
_	0.00 000 10 000 11			0.1 000 to 120 11
Rated Voltage	24V AC/DC or	24V AC/DC or	24V AC / DC	24 - 240V AC/DC
85-110% V	100-240V AC	100-240V AC		
Output	2 x C/O	2 x C/O	1 x C/O	1 x C/O
Instantaneous			1 x Instant	
Modes	A: Delay ON	A: Delay ON	A: Delay ON	A: Delay ON
	B: Flicker OFF start	B2 Flicker ON start	B2 Flicker ON start	B: Flicker OFF start
	B2 Flicker ON start C: Signal ON/OFF	E: Interval J: One shot	E: Interval J: One shot	B2 Flicker ON start C: Signal ON/OFF
	D: Signal OFF delay	J. Offe shot	J. Office shot	D: Signal OFF delay
	E: Interval			E: Interval
Control Output	J: One shot 5A at 240VAC /	5A at 240VAC /	5A at 240VAC /	G: ON/OFF delay 5A at 240VAC /
Control Output	30VDC	30VDC	30VDC	30VDC
Operating Temp	Minus 10° to + 55°C	Minus 10° to + 55°C	Minus 10° to + 55°C	Minus 10° to + 55°C
Accuracy	0.2% of full scale	0.2% of full scale	0.2% of full scale	1% of full scale
•				
Din Rail Socket Panel Mt Socket	P2CF-11 P3G-11	P2CF-08 P3G-08	P2CF-08 P3G-08	Din Rail mounted
Panel mt clip	Y92F-30	Y92F-30	Y92F-30	
Price .	\$66.00 + GST	\$66.00 + GST	\$66.00 + GST	\$74.00 + GST
Suits				
P2CF-11 H3CR-A	\$9.00			
P3G-11 H3CR-A	\$8.00		44.44	
P2CF-08 H3CR-A8		\$9.00	\$9.00	
P3G-08 H3CR-A8	62.00	\$8.00	\$8.00	
Y92F-30	\$3.90	\$3.90	\$3.90	









Omron Timer	OMRON	OMRON	OMRO

Part Number H3DK-F TWIN TIMER H3CR-H8L S OFF DELAY SECONDS MINUTES







	1111	SOC SOC	Office Ho.
Dimensions Hole cut out	22 x 75mm 22 x 54mm	48 x 48mm 45 x 45mm	48 x 48mm 45 x 45mm
Time range	0.1 sec to 1200 h	0.6 sec to 12 sec	0.6 min to 12 min
Rated Voltage 85-110% V	24 - 240V AC/DC	200-240V AC 24 AC / DC	200-240V AC 24 AC / DC
Output Instantaneous	1 x C/O	2 x C/O	2 x C/O
Modes	A: Flicker OFF start B: Flicker ON start	A: True OFF Delay	A: True OFF Delay
Settings	Independant ON and OFF times		
Control Output	5A at 240VAC / 30VDC	5A at 240VAC / 30VDC	5A at 240VAC / 30VDC
Operating Temp	Minus 10° to + 55°C	Minus 10° to + 55°C	Minus 10° to + 55°C
Accuracy	1% of full scale	0.2% of full scale	0.2% of full scale
Din Rail Socket Panel Mt Socket Panel mt clip	Din Rail mounted	P2CF-08 P3G-08 Y92F-30	P2CF-08 P3G-08 Y92F-30
Price Suits	\$110.00 + GST	\$120.00 + GST	\$120.00 + GST
P2CF-08 H3CR-A8		\$9.00	\$9.00



\$8.00

\$3.90



\$8.00 \$3.90

P3G-08 **H3CR-A8**

Y92F-30



P3G-08 H3CR-A8

Y92F-30

Tel: 07 3048 1631 Fax: 07-3319 4616

Your Industrial Commercial Supplier

DIGITAL TIMERS	OMRON	Panasonic	Panasonic
Part Number	H3CA-A	LT4H-AC240V-F	LT4HW-AC240VS
	M S S S N	Panasonic TIMER PRESET UP DOWN	Panasonic TIMER
Dimensions Hole cut out	48 x 48mm 45 x 45mm	48 x 48mm 45 x 45mm	48 x 48mm 45 x 45mm
Time range	0.05 sec to 300 h	0.05 sec to 300 h	0.05 sec to 300 h
Rated Voltage 85-110% V	24V AC/DC or 100-240V AC	100-240V AC	100-240V AC
Output	2 x C/O	2 x C/O	1 x C/O
Modes	A: Delay ON B: Flicker OFF start B2 Flicker ON start C: Signal ON/OFF D: Signal OFF delay E: Interval J: One shot	A: Delay ON A2: Power ON delay B: Signal ON delay C: Signal OFF delay D: Pulse one shot E: Puilse ON delay F: Signal Flicker G: Intergration	Pulse ON / OFF delay Pulse OFF start cyclic Pulse ON start cyclic Intergration ON / OFF delay Intergration OFF start cyclic Intergration ON start cyclic
Control Output	5A at 240VAC / 30VDC	5A at 240VAC / 30VDC	5A at 240VAC / 30VDC
Operating Temp	Minus 10° to + 55°C	Minus 10° to + 55°C	Minus 10° to + 55°C
Accuracy IP Rating Din Rail Socket Panel Mt Socket Panel mt clip	0.2% of full scale P2CF-11 P3G-11 Y92F-30	0.2% of full scale IP66 Front Fascia P2CF-11 P3G-11 Supplied	0.2% of full scale IP66 Front Fascia Not required Supplied
Price P2CF-11 H3CR-A, PM4H P3G-11 H3CR-A P2CF-08 H3CR-A8	\$115.00 + GST \$9.00 \$8.00	\$200.00 + GST \$9.00 \$8.00	\$285.00 + GST



\$3.90





Your Industrial Commercial Supplier

QUALITY BAKERY and IRRIGATION TIMER up to 99 hours

48 x 48mm supplied with panel mount clip, or 58mm wide x 88mm High, screw fixing 0.01 sec to 99.99Hrs, 90-250VAC 50/60 HZ

Reset, Set (Start Button) on front fascia

Selectable 2 x Timed contacts or 1 time + 1 instantaneous contact 5 Amp / 250V

Eeprom, Battery Backup

		Price	GST Price
TM 48-4D Digital counter 48 x 48mm Panel Mount	Stocked	\$140.00	\$154.00
TM 50-4D Digital Counter 58 x 88mm Panel Mount	Stocked	\$140.00	\$154.00
P3G 08 Base	Stocked	\$8.00	\$8.80





Tesla Analogue Time Clocks with Battery Back UP 24 Hour

SUL181H

54mm or 3 din module wide

Analogue

240V 50Hz 16A Resistive, 8A Inductive loads

150 Hour reserve Price GST Price

30 minute minimium time

SUL181H 24 hour time clock with 150H reserve Stocked \$54.00 \$59.40

24 Hour with Battery Back UP

TB388

82mm wide

Analogue

110-240V 50Hz 20A Resistive, 10A Inductive loads

150 Hour reserve Price GST Price

15 minute minimium time

TB388 24 hour time clock with 150H reserve **Stocked \$65.00** \$71.50





Tesla Digital Time Clocks with Battery Back UP 24 Hour 7 Day

AHC15A

36mm or 2 din module wide

Digital 24 hour 7 Day

240V 50 / 60Hz

16A Resistive, 8A Inductive loads

15 Day reserv	/e		Price	GST Price
AHC15A	24 hour 7 Day time clock, 15 day reserve	Stocked	\$65.00	\$71.50
AHC15A 12VI	DC 24hour 7 day time clock, 15 day reserve	Stocked	\$65.00	\$71.50



2CDC 2 CHANNEL TIME CLOCK

2 Channel Time Clock

54mm or 3 din module wide

Digital 24 hour 7 Day

240V 50 / 60Hz

2 C/O contacts, one for each channel, 16A Resistive, 8A Inductive loads

4 year reserve

Minimium switching time is 1 second

			Price	GST Price
AHC822	24 hour 7 Day time clock, 4 year reserve	3 days	\$100.00	\$110.00







BPHŒNIX

GENERAL PURPOSE POWER RELAYS

(S)PHŒNIX

FEATURES

LED indicator

Plug in to din rail mount socket

Slim compact body and standard sizes

1 and 2 pole relays

1 pole has SPDT contacts

2 pole has DPDT contacts

5A, 10A and 15Amp contact ratings as below

Relays	INSPIRING INNOVATIONS	INSPIRING INNOVATIONS	INSPIRING INNOVATIONS	OMRON	OMRON
Part Number	RIF 0-RPT	PLC-RSC	RIF 1 - 2	G2R-1-SN	G2R-2-SN
	DESCRIPTION OF THE PROPERTY OF		SA 250VAC		
Dimensions	6 mm wide base	6 mm wide base	16 mm wide base	16 mm wide base	16 mm wide base
LED Indicator	Yes	Yes	Yes	Yes	Yes
Push to Test Voltage Stocked	24VDC (2903370)	12VDC (2966906)	Yes 24VAC (2987956)	24VAC	24VAC
lines	24750 (2000070)	,	24VDC (2987943)	24VDC	24VDC
		240VAC (2966207)	240VAC (2987972)	110VAC	110VAC
Wastatan an Blada		V.		240VAC	240VAC
Varistor or Diode Output	1 x C/O	Yes 1 x C/O	2 x C/O	1 x C/O	2 x C/O
Output	1 x 0/0	1 x 0/0	2 X 0/0	1 X 0/0	2 x 0/0
Control Output	6A at 240VAC /	6A at 240VAC /	8A at 240VAC /	10A at 240VAC /	5A at 240VAC /
(Resistive Load)	30VDC	30VDC	30VDC	30VDC	30VDC
Din Rail Socket			28 33 518	P2RF 05-E	P2RF 08-E
	RIF 0-RPT	PLC-RSC	PR1-2	G2R-1-SN	G2R-2-SN
Relay Price	\$12.00 + GST	\$15.00 + GST	\$11.50 + GST	\$12.75 + GST	\$14.00 + GST
Din Socket					
P2RF 05-E				\$6.00 + GST	
P2RF 08-E					\$6.00 + GST

Bridging bar suit PLC-RSC Relays 2966786 RED Bridging Bar 50 way

28 33 518

2966692 Blue Bridging Bar 50 way



Supplied with base Supplied with base



\$5.75 + GST





28 33 518 P2RF 05-E

P2RF 08-E Page 54



Your Industrial Commercial Supplier

GENERAL PURPOSE POWER RELAYS

FEATURES

LED indicator

Plug in to din rail mount socket

Slim compact body and standard sizes

1 and 2 pole relays

1 pole has SPDT contacts

2 pole has DPDT contacts

5A, 10A and 15Amp co	ontact ratings as be	elow			
Relays	OMRON	OMRON	OMRON	DPHŒNIX CONTACT INSPIRING INNOVATIONS	PHŒNIX CONTACT INSPIRING INNOVATIONS
Part Number	LY1N	LY2N	LY4N	RIF 2 - 2	RIF 2 - 4
				MY2N Equivalent	MY4N Equivalent
				39/35; VS 3 VS	39/85E 298 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Dimensions	28.5 mm wide base	28.5 mm wide base	41.5 mm wide base	28.5 mm wide base	28.5 mm wide base
LED Indicator	Yes	Yes	Yes	Yes	Yes
Voltage Stocked	24VAC	12VDC	24VAC	12VDC (2903659)	24VAC (2903686)
lines	24VDC	24VAC	24VDC	24VAC (2903666)	24VDC (2903677)
	110VAC	24VDC	240VAC	24VDC (2903660)	240VAC (2903688)

LED Indicator	Yes	Yes	Yes	Yes	Yes
Voltage Stocked lines	24VAC 24VDC 110VAC 240VAC	12VDC 24VAC 24VDC 240VAC	24VAC 24VDC 240VAC	12VDC (2903659) 24VAC (2903666) 24VDC (2903660) 240VAC (2903668)	
Output	1 x C/O	2 x C/O	4 x C/O	2 x C/O	4 x C/O
Control Output (Resistive Load)	15A at 240VAC / 30VDC	10A at 240VAC / 30VDC	10A at 240VAC / 30VDC	10A at 240VAC / 30VDC	5A at 240VAC / 30VDC
Din Rail Socket	PTF 08A-E	PTF 08A-E	PTF14A-E	2833563	2833563
Relay Price Din Socket	LY1N \$14.00 + GST	LY2N \$14.00 + GST	LY4N \$28.00 + GST	\$14.00 + GST	\$15.00 + GST
PTF 08A-E	\$6.50 + GST	\$6.50 + GST			
PTF 14A-E			\$8.50 + GST		
2833563				\$6.00 + GST	\$6.00 + GST
2833592 Retaining clip				\$1.50 + GST	\$1.50 + GST
			All ce CE		
	PTF 08A-E	PTF 08A-E	PTF 14A-E	2833563	2833563



Your Industrial Commercial Supplier



GENERAL PURPOSE POWER RELAYS

FEATURES LED indicator Plug in to din rail mount socket Standard sizes, direct replacement to OMRON 2 and 3 pole C/O relays

10A to 16 Amp contact r	atings as below			
DPHENIX INSPIRING INNOVATIONS				Timer plugs into
Part Number	RIF 3 - 2 Equiv to MKS2P	RIF 3 - 3 Equiv to MK3PIN	RIF 4 - 3	RIF Relay Bases 2902647
			Samuel Sa	D C C C
Push to Test	Yes	Yes	No	Timing interupts the coil
LED Indicator	Yes	Yes	No	circuit
Mechanical indicator	Yes	Yes	No	
Voltage Stocked	24VDC	24VAC	24VDC	24 VDC
lines	24VDC	24VDC	120VAC	24V AC/DC only for RIF1
	240VAC	240VAC	240VAC	
	2.0	_ 101713		MODES
Output	2 x C/O	3 x C/O	3 x C/O	ON Delay
•				Flicker ON Start
Control Output	10A at 240VAC /	10A at 240VAC /	16A at 240VAC / 24VDC	Interval
(Resistive Load)	28VDC	28VDC	10A at 415VAC	医性原液性 电电池
	Stocked	Stocked	3 Day Delivery	
	Stocked	Stockeu	3 Day Delivery	1 1 2 2
Relay Price	\$16.00 + GST	\$18.00 + GST	\$18.00 + GST	\$42.25 + GST
Din Socket				Time ranges
			Note, base only	0.5s - 10s
2833602	\$6.00 + GST		available with	5s - 100s
2833615		\$6.50 + GST	push in terminals	0.5m - 10m
2900961		•	\$10.00 + GST	5m - 100m
			Han Park	Fits all Phoenix Bases









SSR

Solid State Relays

3-32V DC, 3-32VAC, 13mA Input voltage **Output Voltage** 90-480V AC, 5-60V DC

Response Time ON < 20ms, OFF < 40ms Zero Cross trigger

Voltage withstand 2.5KvAC for 1 minute Insulation test 50mΩ @ 500V

62.5 x 44.8 x 23.2mm high **Dimensions**

DC INPUT switching AC OUTPUT

	Voltage	Input V	Amps		Price	GST Price
SSR-40 DA-H	90-480VAC	3-32V DC	40A	Stocked	\$55.00	\$60.50
SSR-60 DA-H	90-480VAC	3-32V DC	60A	Stocked	\$60.00	\$66.00
SSR-75DAH	90-480VAC	3-32V DC	75A	Stocked	\$75.00	\$82.50



	Voltage	Input V	Amps		Price	GST Price
SSR3-40DA-H	90-480VAC	3-32V DC	40A	Stocked	\$140.00	\$154.00
SSR3-80DA-H	90-480VAC	3-32V DC	80A	3 weeks	\$240.00	\$264.00
H-110	Heat si	nk suit SSR3-4	10DA-H	Stocked	\$27.00	\$29.70

AC INPUT switching AC OUTPUT

Input voltage 3-32V AC, 13mA @ 12VAC

Output Voltage 90-480V AC

GST Price Voltage Input V Amps **Price** SSR-50 AA-H 90-480VAC 3-32V AC **Stocked** 50A \$60.00 \$66.00

DC INPUT switching DC OUTPUT

Input voltage 3-32V DC, 13mA @ 12VDC

5 - 60V DC **Output Voltage**

Price GST Price Voltage Input V **Amps** SSR-75 DD 3-32V DC 75A **Stocked** 5 - 60VDC \$75.00 \$82.50

Variable resistance or voltage input (VOLTAGE REGULATOR)

Input 500kΩ to 110V **Control type** Phase control **Output Voltage** 24-380V AC

GST Price Voltage **Price** Input **Amps** $500k\Omega$ to 110VSSR-40 VA 24-380V 40A **Stocked** \$55.00 \$60.50 POT 500K + Knob **Stocked** \$15.00 \$16.50

Slim Line with Heat Sink Din Rail Mount

DC INPUT switching AC OUTPUT

ON < 20ms, OFF < 40ms Zero Cross trigger Response Time:-

Dimensions:-80mm L x 25mm W x 105mm H

Voltage Input V Amps **Price** GST Price SYDR4048ZD3 24-480VAC 3-32V DC 40A Stocked \$55.00 \$60.50

S S R Heat Sinks

Pre drilled for SSR (SSR not included)

Slides onto Din Rail

Up to 75Amp

Large finned surface area

Dimensions 100 x 50 x 96mm high

Mounting holes 47mm

CBD-2 0-75Amp **Stocked** \$15.00 \$16.50 **HSP** Stocked \$8.00 \$8.80 **HEAT SINK PASTE 60g tube**



















INSPIRING INNOVATIONS



Safety Relays

CLASS 1, ZONE 2

Coupling relay for SIL 3 high and low-demand applications, couples digital output signals to the I/O, 1 enabling current path, 1 confirmation current path, 1 digital signal output, safe state off applications, test pulse filter, fixed screw terminal block

Price

GST Price

2700356 Process Safety / Coupling to safe outputs **2 Days** \$246.58 \$271.23

CAT4

Safety relay for emergency stop and safety door monitoring up to SIL 3 or Cat. 4, PL e according to EN ISO 13849, single or two-channel operation, 2 enabling current paths,

nominal input voltage of 24 V AC/DC, plug-in screw terminal blocks

Reinforced insulation 6kV Price GST Price 2900525 PSR-SCP-24UC/ESM4/2X1/1X2 Stocked \$317.86 \$349.64

CAT4

Safety relay for emergency stop and safety door monitoring up to SIL 3 or Cat. 4, PL e according to EN ISO 13849, single or two-channel operation, 3 enabling current paths, nominal input voltage of 24 V AC/DC, plug-in screw terminal blocks

Basic insulation 4kV

2900509 PSR-SCP-24UC/ESAM4/3X1/1X2/B Stocked \$326.45 \$359.09

CAT4

Safety relay for emergency stop and safety door and light curtain monitoring up to SIL 3 or Cat. 4, PL e according to EN ISO 13849, single or two-channel operation, 3 enabling current paths, nominal input voltage of 24 V AC/DC, plug-in screw terminal blocks

2981059 PSR-SCP-24UC/ESL4/3X1/1X2/B Stocked \$353.46 \$388.80



Network Switches

INSPIRING INNOVATIONS
Supply Voltage 12 - 48 VDC

5 Port is 28mm wide

8 Port is 50mm wide

Speed, 10/100 Mbps

LED Indicator

Part #	Description		Price	GST Price
2891001	FL SWITCH SFNB 5TX 5 Port	2-3 days	\$213.52	\$234.87
2891002	FL SWITCH SFNB 8TX 8 Port	2-3 days	\$338.76	\$372.63



Powered Ethernet Switches

NSPIRING INNOVATIONS
Powered Ethernet Switch with 60W capacity

Unique Clean up, hides unused configuration pages

Secure web based and SNMP based management

Redundant power supply

Extensive web diagnostics, configurable LED and remote alarms

Operating Temperature -40 - 75C

1026924	4 x 10/100 PoE, 60W + 1 x 1000Mpbs SFP	2-3 weeks	\$2,239.00	\$2,462.90
	ports with Total180W			
1026923	8 x 10/100 PoE + ports with 60W Total PoE	2-3 weeks	\$2,830.00	\$3,113.00
	180W			
1026922	8 x 10/100/1000 +4 std10/100/1000 ports, 4 x	2-3 weeks	\$3,560.00	\$3,916.00
	1000Mbps SFP ports Total PoE 240W			















Your Industrial Commercial Supplier



PHŒNIX CONTACT INSPIRING INNOVATIONS	Flexible C/T's			
Retrofit CT & transduc	cer		Price	GST Price
2904921	300 mm, diameter: 95 mm	2 Days	\$546.43	\$601.07
2904922	450 mm, diameter: 140 mm	2 Days	\$546.43	\$601.07
2904923	600 mm, diameter: 190 mm	2 Days	\$546.43	\$601.07
Split Core AC Current	Transducers			
Voltage Output			Price	GST Price
2813457	050/75/100A	2 Days	\$387.39	\$426.12
2813460	0100/150/200A	2 Days	\$387.39	\$426.12
2813473	0400A	2 Days	\$387.39	\$426.12
Current Output			Price	GST Price
2813486	050/75/100A	2 Days	\$425.89	\$468.47
2813499	0100/150/200A	2 Days	\$425.89	\$468.47
2813509	0400A	2 Days	\$425.89	\$468.47
PHŒNIX	Current Transformers			





CONTACT INSPIRING INNOVATIONS	Current Transformers			
2277815	PACT MCR-V2-3015- 60- 60-5A-1	2 Days	\$39.27	\$43.19
2277828	PACT MCR-V2-3015- 60- 75-5A-1	2 Days	\$39.27	\$43.19
2277831	PACT MCR-V2-3015- 60- 80-5A-1	2 Days	\$39.27	\$43.19
2277844	PACT MCR-V2-3015- 60- 150-5A-1	2 Days	\$39.27	\$43.19
2277857	PACT MCR-V2-3015- 60- 200-5A-1	2 Days	\$39.27	\$43.19
2277860	PACT MCR-V2-3015- 60- 250-5A-1	2 Days	\$39.27	\$43.19
2277873	PACT MCR-V2-6015- 85- 200-5A-1	2 Days	\$74.37	\$81.80
2277886	PACT MCR-V2-6015- 85- 250-5A-1	2 Days	\$74.37	\$81.80
2277899	PACT MCR-V2-6015- 85- 300-5A-1	2 Days	\$74.37	\$81.80
2277909	PACT MCR-V2-6015- 85- 400-5A-1	2 Days	\$74.37	\$81.80
2277912	PACT MCR-V2-6015- 85- 500-5A-1	2 Days	\$74.37	\$81.80
2277925	PACT MCR-V2-6015- 85- 600-5A-1	2 Days	\$74.37	\$81.80
2277938	PACT MCR-V2-6015- 85- 750-5A-1	2 Days	\$74.37	\$81.80
2277941	PACT MCR-V2-6015- 85- 800-5A-1	2 Days	\$74.37	\$81.80
2277954	PACT MCR-V2-6015- 85-1000-5A-1	2 Days	\$74.37	\$81.80



PHŒNIX

Page 59

Monitoring Relays

SLIM LINE 17.5mm Wide

1 Phase, Over & Under current, has adjustable mininium and maxinium range					
		Price	GST Price		
2903521	2 Days	\$192.75	\$212.02		
1 Phase Undervoltage, has adjustable mininium and maxinium range					
		Price	GST Price		
2903523	2 Days	\$177.73	\$195,03		
3 Phase, Voltage & Phase Sequence has adj	mininium and max	inium range)		
		Price	GST Price		
2903525	Stocked	\$172.39	\$189.62		
3 Phase, Phase Sequence, Phase Failure, Asynmetry					
		Price	GST Price		
2903527	Stocked	\$116.04	\$127.64		





Tesla Flashing Lights

Dimensions 103mm x 83mm Available in Red, Green & Amber Available in 240V AC & 24V DC

Available III 240 V	AC & 24V DC				
Part No	Colour	Voltage		Price	GST Price
LTE-3072R24	Red	24V DC	Stocked	\$57.00	\$62.70
LTE-3072G24	Green	24V DC	Stocked	\$57.00	\$62.70
LTE-3072A24	Amber	24V DC	Stocked	\$57.00	\$62.70
				\$57.00	\$62.70
LTE-3072R240	Red	240V AC	Stocked	\$57.00	\$62.70
LTE-3072G240	Green	240V AC	Stocked	\$57.00	\$62.70
LTE-3072A240	Amber	240V AC	Stocked	\$57.00	\$62.70



IP66 12 V DC LED Flashing Warning Lights

Programmable Flashing or Fixed pattern

J	· ·	•			Price	GST Price
LTDG 31	Red	3 x .5w	12V DC	Stocked	\$60.00	\$66.00
LTDG 31	Red	3 x 1.0w	12V DC	3 weeks	\$66.00	\$72.60



Tesla Sirens - Motor Driven

Dimensions 165mm long x 130mm diameter

120 db @ 1 Meter

Continuous sound rating

CE Approved	Voltage			
IP42			Price	GST Price
MS 290- 240V	220 - 240V AC	Stocked	\$128.00	\$140.80
MS 290-24V	24V DC	Stocked	\$128.00	\$140.80



Ø 22 mm Flashing lights and buzzers

240V AC		Voltage		Price	GST Price
AD16-22DH 240V	Red	240VAC	Stocked	\$22.00	\$24.40
AD16-22SM 240V	Red flashing + Buzzer 2	240VAC	Stocked	\$22.00	\$24.40
AD16-22M 240V	Buzzer	240VAC	Stocked	\$25.00	\$27.50
24V AC / DC		Voltage			

A		
	1	
Mon	/	

24V AC / DC		Voltage			
AD16-22DH 24V	Red	24V AC / DC	Stocked	\$22.00	\$24.40
AD16-22SM 24V	Red flashing + Buzzer 2	24V AC / DC	Stocked	\$22.00	\$24.40
ΔD16-22M 24V	Ruzzer	24V AC / DC	Stocked	\$25.00	\$27.50

Bells

100mm IP32

150 - 200 mm IP54

Internal striker

Supplied with ABS mounting connection box

Supplied with ADS		^			
	Size	dB rating		Price	GST Price
CB4B 24V DC	100 mm	86	Stocked	\$58.00	\$63.80
CB4B 240V AC	100 mm	86	Stocked	\$58.00	\$63.80
CB6B 24V DC	150 mm	95	Stocked	\$77.00	\$84.70
CB6B 240V AC	150 mm	95	Stocked	\$77.00	\$84.70
CB8B 24V DC	200 mm	87	Stocked	\$105.00	\$115.50
CB8B 240V AC	200 mm	87	Stocked	\$105.00	\$115.50



Page 60





Division of Siemens Electrical Apparatus Ltd

TL-701 LED Signal Tower IP65

IP65

Polycarbonate construction

UV rated

LED

LED					
Height 110mm + Post 80)mm			Price	GST Price
Diameter 70mm					
TL-701 - LF 23 R	24V AC / DC Red	IP65	Stocked	\$105.00	\$115.50
TL-701 - LF 23 G	24V AC / DC Green	IP65	3 weeks	\$105.00	\$115.50
TL-701 - LF 23 A	24V AC / DC Amber	IP65	Stocked	\$105.00	\$115.50
TL-701 - LF 23 W	24V AC / DC White	IP65	3 weeks	\$105.00	\$115.50
TL-701 - LF 23 B	24V AC / DC Blue	IP65	3 weeks	\$105.00	\$115.50
TL-701 - LF 31 R	240V AC / DC Red	IP65	Stocked	\$105.00	\$115.50
TL-701 - LF 31 G	240V AC / DC Green	IP65	Stocked	\$105.00	\$115.50
TL-701 - LF 31 A	240V AC / DC Amber	IP65	Stocked	\$105.00	\$115.50
TL-701 - LF 31 W	240V AC / DC White	IP65	3 weeks	\$105.00	\$115.50
TL-701 - LF 31 B	240V AC / DC Blue	IP65	3 weeks	\$105.00	\$115.50







TL-702 LED Signal Tower + Buzzer

IP44

Polycarbonate construction

UV rated LED


Continuous Tone Buzzer

75 dB @ 1 mtr

Height 110mm + Post 80mm

Diameter 70mm				Price	GST Price
TL-702 - FI 23 R	24V AC / DC Red	IP65	Stocked	\$110.00	\$121.00
TL-702 - FI 23 G	24V AC / DC Green	IP65	3 weeks	\$110.00	\$121.00
TL-702 - FI 23 A	24V AC / DC Amber	IP65	Stocked	\$110.00	\$121.00
TL-702 - FI 23 W	24V AC / DC White	IP65	3 weeks	\$110.00	\$121.00
TL-702 - FI 23 B	24V AC / DC Blue	IP65	3 weeks	\$110.00	\$121.00
TL-702 - FI 31 R	240V AC / DC Red	IP65	Stocked	\$110.00	\$121.00
TL-702 - FI 31 G	240V AC / DC Green	IP65	3 weeks	\$110.00	\$121.00
TL-702 - FI 31 A	240V AC / DC Amber	IP65	Stocked	\$110.00	\$121.00
TL-702 - FI 31 W	240V AC / DC White	IP65	3 weeks	\$110.00	\$121.00
TL-702 - FI 31 B	240V AC / DC Blue	IP65	3 weeks	\$110.00	\$121.00











Division of Siemens Electrical Apparatus Ltd

TL-70 LED Tower Lights

Specifications
Protection Rating IP65
Total of 5 modules
Available in Permanent or Flashing
120dB @ 1 meter
24V is suitable for AC or DC









Division of Siemens Electrical Apparatus Ltd

TL-70 LED Tower Lights

IP65 Modular Total of 5 modules Flashing or permanent lights 120dB @ 1 mtr



24V AC / DC	Permanent light		Price	GST Price
TL-70LLR23	24VAC / DC Red permanent	Stocked	\$40.00	\$44.00
TL-70LLG23	24VAC / DC Green permanent	Stocked	\$40.00	\$44.00
TL-70LLA23	24VAC / DC Amber permanent	Stocked	\$40.00	\$44.00
TL-70LLW23	24VAC / DC White permanent	Stocked	\$40.00	\$44.00
24V AC / DC F	Flashing light		Price	GST Price
TL-70LFR23	24VAC / DC Red Flashing	Stocked	\$40.00	\$44.00
TL-70LFG23	24VAC / DC Green Flashing	Stocked	\$40.00	\$44.00
TL-70LFA23	24VAC / DC Amber Flashing	Stocked	\$40.00	\$44.00
TL-70LFW23	24VAC / DC White Flashing	Stocked	\$40.00	\$44.00
TL-70LFB23	24VAC / DC Blue Flashing	Stocked	\$40.00	\$44.00
24V AC / DC E	Buzzers		Price	GST Price
TL-70BC23	24VAC / DC Continuous tone	Stocked	\$40.00	\$44.00
220 - 240V AC	Permanent light		Price	GST Price
TL-70LLR31	240VAC Red permanent	Stocked	\$40.00	\$44.00
TL-70LLG31	240VAC Green permanent	Stocked	\$40.00	\$44.00
TL-70LLA31	240VAC Amber permanent	Stocked	\$40.00	\$44.00
TL-70LLW31	240VAC White permanent	Stocked	\$40.00	\$44.00
220 - 240V AC	Flashing light		Price	GST Price
TL-70LFR31	240VAC Red Flashing	Stocked	\$40.00	\$44.00
TL-70LFG31	240VAC Green Flashing	Stocked	\$40.00	\$44.00
TL-70LFA31	240VAC Amber Flashing	Stocked	\$40.00	\$44.00
TL-70LFW31	240VAC White Flashing	3 weeks	\$40.00	\$44.00
220 - 240V AC	Buzzers		Price	GST Price
TL-70BC31	240VAC Continuous tone	Stocked	\$40.00	\$44.00
Lid			Price	GST Price
TL-70C		Stocked	\$6.00	\$6.60
. = 100		Otoonea	ψ3.00	ψ0.00
Terminal Block r	nax 5 modules		Price	GST Price
TL-70L		Stocked	\$27.00	\$29.70
Bases				
TI -S7-2	80 mm high	Stocked	\$25.00	\$27.50









TL-SZ-2	80 mm high	Stocked	\$25.00	\$27.50
TL-SZ-3	110mm high	3 weeks	\$25.00	\$27.50
TL-SZ-4	Hinged base for slope	3 weeks	\$60.00	\$66.00
TL-CZ-1	Zinc plated right angle bracket	Stocked	\$20.00	\$22.00







PLC's with FREE SOFTWARE

		Price	GST Price
2701221	Software Nano Navigator	FREE	
2701043	24VDC, 6 Inputs, 4 Relay outputs	\$232.00	\$255.20
2701027	24VDC, 6 Inputs, 4 PNP outputs	\$232.00	\$255.20
2701030	24VDC, 6 Inputs, 4 NPN outputs	\$232.00	\$255.20
2700464	24VDC, 8 Inputs, 2 x 0-10V Inputs, 4 Relay Outputs	\$323.00	\$355.30
2700453	24VDC, 8 Inputs, 2 x 0-10V Inputs, 4 PNP Outputs	\$323.00	\$355.30
2700486	12VDC, 8 Inputs, 2 x 0-10V Inputs, 4 Relay Outputs	\$275.00	\$302.50
2701056	24VAC/DC, 8 Inputs, 2 x 0-10V Inputs, 4 Relay Outputs	\$260.00	\$286.00
2701069	100-240VAC, 8 Inputs, 4 Relay outputs	\$247.50	\$271.70



PHŒNI	X
LLICONTAC	T

	EXPANSION MODULES		
INSPIRING INNOVATION	S	Price	GST Price
2701328	24VDC, 3 Inputs, 4 Relay Outputs	\$178.20	\$196.02
2701072	24VDC, 6 Inputs, 4 PNP Outputs	\$139.25	\$153.17
2701085	24VDC, 6 Inputs, 4 NPN Outputs	\$139.25	\$153.17



CONTACT	Analogue MODULES		
INSPIRING INNOVATIONS		Price	GST Price
2701098	4 Inputs, 0-10V, +/-10V, 4-20mA, 0-20mA	\$154.67	\$170.13
2701040	2 Inputs, 2 Outputs, 0-10V, +/-10V, 4-20mA, 0-20mA	\$371.30	\$408.43



CONTACT	Communication MODULES		
INSPIRING INNOVATIONS		Price	GST Price
2701124	10/100 Mbaud Ethernet, Modbus TCP Server	\$185.65	\$204.21
2701344	GSM Modem	\$770.38	\$847.41
2701195	USB Communications, programming port	\$77.35	\$85.08
2701179	RS232, Modbus TRU Server, Programming Port	\$31.00	\$34.10
2701182	RS485, Modbus TRU Server, Programming Port	\$46.40	\$51.04



LECONTACT	Screen and Accessories		
INSPIRING INNOVATIONS		Price	GST Price
2701137	LCD Display 4 lines x 20 char, Backlit display	\$46.40	\$51.04
2701140	Panel Mount kit with cable for LCD Display	\$61.88	\$68.06
2701153	Real Time Clock Module	\$31.00	\$34.10
2701166	Memory Module	\$170.20	\$187.22






Free support and help by Phoenix Contact Brisbane









\$540.75


\$596.25

\$558.10

\$594.82

\$655.87

\$613.91



Free support and help by Phoenix Contact Brisbane

1 x High Speed counter Inputs

1 x Encoder Input A,B and Z input

2 x PWM 5V or 24V up to 50kHz



2861852

2861755

2861632




DUÆNIV

Tel: 07 3048 1631 Fax: 07-3319 4616

Your Industrial Commercial Supplier







CONTACT	OUTPUT MODULES		
INSPIRING INNOVATION	NS.	Price	GST Price
2863119 2 Relay	y Output 5-50VAC / 5-120V DC	\$131.72	\$144.89
2862181 4 Relay	y Outputs 5-253V AC	\$253.05	\$278.35
2861496 2 Digita	al Output NPN	\$152.52	\$167.77
2863546 8 Digita	al Output NPN	\$377.85	\$415.63
2878340 32 Digi	ital Output NPN	\$592.79	\$652.06
2861470 2 Digita	al Output Module 24V DC PNP	\$107.48	\$118.22
2861276 4 Digita	al Output Module 24V DC PNP	\$166.41	\$183.05
2861289 8 Digita	al output module 24V DC PNP	\$320.00	\$352.00
2861292 16 Digi	ital output module 24V DC PNP	\$499.20	\$594.12



PHŒNIX	Analogue OUTPUT MODULES		
INSPIRING INNOVATIONS		Price	GST Price
2861315 1 x Ana	llogue 0-10V, 0mA-20mA, 4-20mA	\$409.05	\$449.95
2863083 2 x Ana	llogue 0-10V, 0mA-20mA, 4-20mA	\$689.82	\$758.80
2878036 8 x Ana	llogue 0-10V, -10-10V, 0-5V, -5-5V Bi-Polar	\$935.95	\$1,029.54



PHŒNIX	STEPPER MOTOR CONTROLLERS	S	
INSPIRING INNOVATION	ıs	Price	GST Price
2700074 Steppe	er motor Controller, analogue inputs 8 inputs, 4 outputs,	\$1,415.80	\$1,557.38
2 anal	ogue in, 2 analogue out		
2700075 Steppe	er motor Controller with High speed digital counter inputs,	\$1,415.80	\$1,557.38
8 inpu	ts, 4 outputs, 2 counter 200kHz		



PHŒNIX	Servo Controller MODULES		
INSPIRING INNOVATIONS		Price	GST Price
2819587 Inline S	ervo Controller 4 quadrant up to 450W power output	\$2,072.95	\$2,280.24



SAFETY PLC 1/0		
INSPIRING INNOVATIONS	Price	GST Price
2700606 Takes 5 x Safety Logic Master controller module 8 x outputs	\$1,213.55	\$1,334.90
2701625 Master Takes up to 16 extra modules	\$1,300.05	\$1,430.05
2700994 16 Digital safe Inputs	\$1,075.90	\$1,183.48
2985688 8 Digital safe input card	\$713.04	\$784.34
2985631 Fail Safe 8 output card single channel or 4 output card 2 ch	\$1,116.20	\$1,227.82
2916493 4 output card + or - Switching	\$987.95	\$1,086.74
2985864 4 Relay card	\$1,317.25	\$1,448.97
2986119 Safeconf free software for safety programming	FREE	





INSPIRING INNOVATION

BLUETOOTH COMMUNICATION

TRANSCEIVER PACKAGE

50m to 100m line of sight indoors, up to 200m outdoors
16 digital + 2 analogue signals bi-directional
Interference free alongside WLAN
Parallel operation with several Bluetooth systems
No programming required
Aerials included, other types of aerials available
Wireless MUX set consisting of 2 modules
2884208
Wireless MUX 2.4GHz

Tel: 07 3048 1631

Fax: 07-3319 4616





Price GST Price 2-3 weeks **\$2,619.49** \$2,881.44

PHŒNIX

WLAN 1100 COMMUNICATION

INSPIRING INNOVATIONS
Intergrated antenna

WIRELESS ETHERNET

Fast and reliable communications

Robust housing

Features

WLAN 1100

WLAN 2100

WLAN 2100

WLAN standards

IEEE 802.11 a/b/g/n

Frequency bands and channels (*depending on country)

2.4 GHz, channel 1-13*

2.4 GHz, channel 1-13*

on country) 5 GHz: channel 36-5 GHz: channel 36-165* 165* Max. data rate (gross) 300 Mbps 300 Mbps Max. data throughput > 60 Mbps > 60 Mbps (net) Operating modes Access Point, client, Access Point, client, 2 virtual Access 2 virtual Access Points **Points** 20 dBm (incl. **Maximum transmission** 20 dBm (incl. antennas) power antennas) Number of antennas 2 (internal) 2 (internal) Max. number of WLAN 10 clients 60 clients clients IP54 **Degree of protection** IP66 and IP68



\$194.56

\$214.01

2-3 weeks

Rear connector when not nounted on top of box

2702544



INSPIRING INNOVATIONS

					NNOVATIONS
	TOOLS		Price	GST Price	
121270 ⁻	SCREWDRIVER SET, 6 Screwdrivers+Rack Rated 1000VAC / 1500VDC, protective insulation integrated in the shaft, bladed/crosshead. Phillips/combined profile, Pozidriv® +bladed (plus/minus), VDE-insulated, 7-part, incl. rack	2 days	\$99.50	\$109.45	
1212128	165mm CABLE CUTTER , for copper and aluminum up to 12 mm in diameter (up to 35 mm²), type of packaging: with holder for sales display (back card) CUTFOX 12.	2 days	\$42.06	\$46.26	
1212207	160mm DIAGONAL SIDE CUTTER for copper and aluminum 7 conductors, VDE 1000 V AC/ 1500 V DC-tested . CUTFOX-S VDE.	2 days	\$41.35	\$45.48	
1212203	180mm COMBINATION PLIERS, angled design, with opening spring and locking device, cross-notched grip area, integrated M8-M10 ring wrench, VDE 1000 VAC/1500 VDC tested. UNIFOX-CE VDE.	2 days	\$61.57	\$67.72	
1212529	200mm NEEDLE ANGLE PLIERS design, with opening spring and locking device, finely notched grip area, stripping possible for 1.5 mm² and 2.5 mm², integrated M8 - M10 ring wrench VDE 1000 VAC/1500 VDC tested UNIFOX-PE VDE.	2 days	\$76.76	\$84.43	The State of the S
1212809	160mm FLAT NOSE PLIERS , finely notched gripping surface, VDE 1000 V AC/1500 V DC tested, type of packaging: with holder for sales display (back card). UNIFOX-F VDE_DB.	2 days	\$35.35	\$35.35	
121283	180mm ELECTRICIANS DIAGONAL CUTTER, angled design, with stripping and crimp area. CUTFOX-SE LM.	2 days	\$84.79	\$84.79	
1212700	191mm WIRE STRIPPER, for cables and conductors from 0.02 - 10 mm², self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10 mm² stranded/1.5 mm² solid, replaceable stripping blade. WIREFOX-E 10.	2 days	\$122.68	\$134.88	7



DIRE	Your Industrial Comme	rcial	Supp	lier	
				PHŒN CONTA INSPIRING INNOV	IX ONS
	TOOLS		Price	GST Price	ATTONS
1212150	191mm WIRE STRIPPER , for cables and conductors from 0.02 - 10 mm², self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10 mm² stranded/ 1.5 mm² solid, replaceable stripping blade WIREFOX 10	2 days	\$112.62	\$123.88	
1212045	175mm CRIMPING PLIERS , for ferrules without insulating collar according to DIN 46228 Part 1 and ferrules with insulating collar according to DIN 46228 Part 4, 0.14 mm ² 10 mm ² , unlockable pressure lock, lateral entry	2 days	\$241.46	\$265.60	
1213154	180mm CRIMPING PLIERS , for uninsulated & insulated, ferrules DIN 46228 Part 1 and 4, from 0.14 mm². 10 mm², also for TWIN ferrules up to 2 x 4 mm², automatic cross section adjustment, lateral insertion, equipped with fall protection. CRIMPFOX CENTRUS 10S.	2 days	\$287.57	\$316.32	*
1212525	CABINET KEY . made of metal for all the usual closures: Two-way key bit 3-5 mm, square 5,6,7-8,9-10 mm, triangle 7,8-9,10-11 mm, special 6 mm. SF-CCK 9.	2 days	\$51.05	\$56.15	
1212208	DIGITAL MULTIMETER for DC1000v, AC750v,s, Resistance to10MΩ, feed-through measurements. TESTFOX M.	2 days	\$170.81	\$187.89	TOTAL STATE OF THE
1212209	DIGITAL MULTIMETER for DC1000v, AC750v,s, Resistance to10MΩ, Diode, AC Current, DC Current Frequency, Temperature , Capacitance, TESTFOX M1	2 days	\$260.79	\$286.86	TOURISM AT
1209101	VOLTAGE TESTER , for DC and AC voltages of 6 V to 400 V, IP65. PROFIPOL	2 days	\$78.74	\$86.61	
1209091	VOLTAGE TESTER, for DC and AC voltages from 12 V to 1000 V AC/1100 V DC, IP65. DUSPOL EXPERT.	2 days	\$143.71	\$158.08	() Surg
O803984	THERMOFOX HAND HELD PRINTER, easy to use, suitable for terminal marking, cable marking and plant marking, uses replaceable cartridges in various sizes and colours. Please ask for details.	Stocked	\$175.00	\$192.50	0 000 000 000 000 000 000 000 000 000





Your Industrial Commercial Supplier

QUALITY FLOOD LIGHTS with CREE Chipset

VEHICLE LED CREE FLOOD LIGHTS

These are super bright range of work lights, these use the quality CREE chipset, not the inferior LED chipsets which other suppliers sell, you only have to compare the Lumens (light output) to the other brands available here

9-32V DC

IP68

Large cooling ribs Diecast 6061 Aluminium body with Stainless bracket Operating Temperature -40°-+55°C Long Life 30,000 Hours LED Colour 6000K Cool White Colour Black Polycarbonate impact resistant Lense

Reverse Polarity and Overvoltage Protection UDC shock proof 14GRMS

1 x 10W CREE				Price	GST Price
10W, 650 Lun	nens,	Dimensions			
HG 10F	Flood Light	51w x 51h x 65mm	Stocked	\$50.00	\$55.00



6 x 3W CREE

18W, 1170 Lumens, **Dimensions**

HG 18F Flood Light 95w x 105h x 65mm **Stocked** \$60.00 \$66.00



9 x 3W CREE

27W, 2100 Lumens **Dimensions**

HG 27F Flood Light 150w x 147h x 77mm \$100.00 \$110.00 3 weeks



12 x 3W CREE

36W. 2250 Lumens **Dimensions**

HG 36F Flood Light 175w x 157h x 77mm **Stocked** \$120.00 \$132.00





16 x 3W CREE

48W, 2900 Lumens **Dimensions**

HG 48F Flood Light 188w x 76h x 54mm 3 weeks \$130.00 \$143.00

12 months warranty on all of our products

Email: admin@sourceitdirect.net.au Web: www.sourceitdirect.com.au

General Terms and Conditions of Sale

1A General These terms apply to every sale of Goods by Source It Direct Pty Ltd (The Company).

B Each tender or quotation by the Company is, notwithstanding any rule of law, an invitation to treat only and is not an offer by the Company to the Purchaser. C The Company and the Purchaser agree that these terms constitute the entire agreement between them and that there are no other understandings,

- 2 Precedence In the event of conflict between these conditions and those which may be included in, or implied by, any document forming part of any enquiry, specification, quotation, order or contract, then these conditions prevailexceptin as far as they are expressly varied by the Company in writing or otherwise by law.
- 3 Acceptance A quotation is not to be construed as an offer or obligation to sell and the Company reserves the right to accept or reject any orders received
- 4 Validity Unless otherwise stated, quotations are open for acceptance for a period of 30 days from the date of quotation and therefore are subject to confirmation before acceptance
- **5 Cancellation or Variation** A contract may, at the Company's option be terminated in the event of insolvency of the purchaser or of excution being levied against any of the goods of the purchaser or of the purchaser being placed in liquidation, whether voluntarily or otherwise. An order may be varied only if such variation is accepted by the Conpany in writing and by any variation or cancellation by the purchaser (whether or not it has been agreed to by the company) may only occur on terms which will provide for the Company to be idemnified by the purchaser against any loss or damage.
- 6 Information and drawings All descriptive specifications illustrations, ndrawingsdata, dimensions and weights furnished by the Company or otherwise contained in catalogues, price lists and other advertising matter of the Company are approximate only and the intended to be by way of general description of the goods and shall not form part of a contract unless certified by the company in writing, in which case, they shall be subject to recognised tolerances.
- 7 Performance Any performance figures given by the Company are based on the company's experience and are such as the Company expects to obtain on test, The Company is under no liability for damages for failure to attain such figures unless the Company has specifically guaranteed them in writing, subject to recognised tolerances applicable to such figures.
- 8A Prices Unless otherwise agreed in writing, the Price is ex works and exludes transport and delivery costs, customs excise duties and charges, sales taces and GST all of which must:
- i) be paid by the Purchaser; and
- ii) if the Company disburses those costs, be refunded to the Company by the Purchaser. Without limitation, the Purchaser must pay to the Company on demand the GST payable by the Company for the Goods.
- **B** The price is subject to alteration without notice and the Price payable by the Purchaser for the Goods ordered is the Price applicable at the date the Goods are dispatched.
- C The Purchaser must pay to the Company the Price for the Goods:
- i) at the address of the Company stated in the invoice;
- ii) within 30 days of invoice date;
- iii) without set-off, discount or by way of exchange of the purchaser's goods or services; and
- iv) in Australian dollars, unless otherwise agreed in writing by the Company. D If any part of an invoice is disputed, the Purchaser must promptly pay
- the amount not in dispute according to the applicable payment terms. E Without prejudice to its rights to sue for payment or exercise any other remedy where any payment is not made on the due date,
- F Where the Purchasers' account is in arrears, the Company may demand payment of the arrears as well as payment in advance for any undelivered Goods before proceeding with manufacturing or making any further delivery of Goods under these terms or any other agreement or arrangement
- between the Company and the Purchaser G Nothwithstanding the above, the Company reserves the right to restrict or withhold the sale of further Goods on credit if the Company has reason to doubt the Purchaser's ability to pay for such purchases.
- **H** The Company may correct any clerical errors or omissions, whether in computation or otherwise in any quotation, acknowledgments or invoice.
- 11 Delivery Charge A delivery charge per order, charged at the rate applicable at the time of delivery, will be applied on all orders which

are delivered to a customers premises, or as directed by the customer. This amount will be shown as a separate item on all invoices. The delivery charge will not be applied to a supply of equipment back orders from an original order, which is beyond the control of a

- 12 Terms of payment Nett cash 30 days unless otherwise stated. When Payments are made contingent upon delivery, erection or test, and any or these stages are delayed to suit the purchaser's wishes or convenience, or by reason of unreadiness of site foundations, or other works- such as delivery of material being furnished under separate Contract- payments are to be made within the time in which they ordinarily would have been made had there been no such delays, the material being, if necessary, stored at the purchaser's risk and expense. Should the purchaser delay in respect of any payment due to the Company then the Company shall have the right in addition to all other rights at law to charge interest on overdue amount at such rate as is charged to the Company by the Company's bankers for overdraft accomodation and calculated from the date of the invoice to the actual date of full and final payment. Payment will be credited first against interest accrued. The Company may also defer or cancel any outstanding balance of an order and may enter upon the purchase's premises or elsewhere as provided in Clause 17.
- 13 Packing Unless ststed otherwise in the quotation, the price quoted includes packing in accordance with the Company's standard practice. Any other packing rewquest by the purchaser or deemed necessary by the Company will be charged for in addition to the price quoted.
- 14 Delivery The delivery period quoted commences from the date the Company receives sufficent information to proceed with supply of from the date the Company receives the purchasers written order, whichever Is the later date. Quoted delivery dates are subject to confirmation when placing the ofder. The Company is not in any eveny liable to the purchaser for any loss of profits or any other consequential loss or damage caused to the purchaser by any delay in delivery or any non-delivery of the goods or any part of them.

Claims for shortages in deliveries must be advised to the Company in wrtting within 7 days of receipt of goods

15 Storage If delivery is delayed for any reason beyond the Company's reasonable control for a period of 14 days after the date on which the purchaser is notified that the contract goods or any completed items forming part thereof are ready for delivery, the risk of the goods shall forthwith pass to the purchaser, and the Company is entitled to invoices to the purchaser for payment in accordance with clause 12. If the purchaser fails to take delivery of the goods in accordance with the preceding sentence, the Company may arrange suitable storage of such goods at the Company's premises or elsewhere at all costs of or incidental to such storage must be borne by the purchaser. The purchaser must, on demand, pay to the Company all costs of storage insurance, demurrage, handling and other charges incidental to such

If delivery is delayed for any reason beyond a reasonable control of both the Conpany and the purchaser after the period stated in the preceding paragraph of this clause, the costs of storage, insurance, demurrage, handling and oither charges incidental to such storage shall be shared equally between the parties at the risk in the goods Remains with the Company. The Company is entitled to present Invoices to the purchaser for payment in accordance with clause 12 for half thequoted value of the goods ready for delivery, the balance being Invoived when delivery is effected.

- 16 Damage or loss in transit Where carriage is the responsibility of the Company, the Company will repair or may replace free of charge contract goods lost or damaged in transit to the contractual point of delivery provided written notice of such loss or damage is given to the Company within 3 days of delivery or expected delivery, or within such times as will enable the Company to comply with the carrier's conditions of carriage as affecting loss or damage in transit.
- 17 Property and risk Notwithstanding that the goods are in whole or in part at the risk of the purchaser, the property in legal title to the goods remains with the Company until they are all the other goods previously supplied by the Company whether under this or any other contract (collectively referred to as the goods) have been paid for by the purchaser.



General Terms and Conditions of Sale

Until the goods have been fully paid for:

A the comapy may by its servants and agents enter the purchaser's premises or elsewhere at any time without notice to inspect the goods

Tel: 07 3048 1631

Fax: 07-3319 4616

B The purchaser must store them including other goods into which the goods have been incorporated, in such a manner as to show clearly that the goods are the property of the Company

C The puchaser must deliver up the goods to the Company on demand, and in default of delivery, the Company may be ints servants and agents enter the puchaser's premises or elsewhere at any time without notice to repossess the goods

D To the extent (if any) that the property in and legal title to the goods has passed to the purchaser by operation of law, the the Company has a specific lien over the goods until paid for in full

E The purchaser is not entitled to make any deductions from the price of the goods for any set off or counter claim.

Where carriage is the responsibility of the Company, this obligation shall be subject to the provision of clause 16. The whole of this clause applies notwithstanding any arrangements under which the Company grants credit to the purchaser.

18 Credits Standard products as listed in the published price lists of the Company may be returned for credit, provided the goods:

A Are returned within 14 days of delivery, free to the Company's warehouse

B Are accompanied by a delivery docket stating the Company's original invoice number - and a reason for the return

 ${\bf C}$ Are returned in an unsoiled, undamaged and resaleable condition, in their original packing

No goods will be accepted for return under any circumstances (other than for reasons of wrong delivery of because they are faulty) unless the nett value is greater then \$50.00

Goods will not be accepted for return after 14 days form date of delivery unless by prior arrangement, and with the payment of a restocking fee of 20% of original nett invoice value, or \$50.00 nett, whichever is the greater.

If goods have been supplied by the company of a manufactured/assembled to order or indent only basis, the Company will not accept them for return unless they are faulty of have been wrongly delivered.

No returns shall be accepted for credit until all Goods Return formalities and documentation have been finalised. Customers should familiarise themselves with this procedure prior to the return of goods.

19 Loans & hire Any equipment loaned or hired out by the Company and not returned to the Company within the specified loan or hire period are deemed as sold, and the list price of the equipment becomes due and payable by the recipient.

Any equipment loaned or hired out by the Company must be returned by the recipient in the original packing, and in original condition - fair and reasonable wear and tear accepted

Any returned equipment found damaged or defective, due to reasons not covered by Companys's standard warranty provisions, results in the recipient being charged for repair charges, or the cost of the equipment, whichever is the lesser.

Return freight, if applicable, will be prepaid by the recipient.

20 Copyright, licences & patents and industrial property

A Copyright licences, patents and design rights for all engineering design, software and hardware supplied by the Company remain the property of the Company and shall not be available in any form to third parties, nor re-used by the purchaser, unless agreed to in writing by the Company.

Any software supplied by the Company may be used by the purchaser only on the CPU or equipment configuration specified.

B The purchaser must not alter, remove, or in any way tamper with any of the trade or other marks or numbers of the Company of its supply line partners' attached to or placed on goods.

21 Training Where training forms a part of the supply of goods and services, such training will be charged at a rate per 8 hour day (or part thereof) for a specified number of trainees, and cover provision of training equipment, training instructor and course handouts. Where training is carried out external to the Company's offices, the cost of transporting equipment and instructor's air fares, hire car for site transportation, meals, accomodation and miscellaneous out of pocket

expenses will be charged at cost. All travel time and stand-by / waiting time will also be charged in accordance with the labour rate ruling at the time.

22 Engineering assistance Any engineering or technical assistance provided by the Company, not already covered by any other clause herein or other condition of contract as applicable, will be charged at the labour rate ruling at the time, (including travel and standby/ waiting time), plus expenses at cost. Applicable expenses include, but are not limited to, those discribed under clause 21 for external training. Any required miscellaneous materieals purchased by the Company will be charged at cost, plus 25 per cent. Any assistance provided in accordance with this clause shall be at the purchaser's sole risk.

23 Warranty All goods which are of the Company's own manufacture or of the Company's supply line partners' manufacture and supplied by the Company, are guaranteed against faulty workmanship, materials or design for a period of twelve months for the date of despatch after which all liability on the part of the Company ceases. Any repairs that the Company undertakes are guaranteed for a period of twelve months in respect only of the components that are the subject of the repair. The Company's liability for any loss, injury or damage shall be limited to making good by replacement or repair of defects which appear under proper use provided that the Company permitted to inspect defects before replacement, the defective components being returned free into the Company's store. Any unauthorised repairs or alterations to the equipment invalidates this warranty. In the case of goods not of the manufacture of the Company of of its supply line partners, the Company undertakes that it will, if requested in writing by the purchaser, make all reasonable endevour in assisting the purchaser to obtain from the manufacturer the benefit of any guarantee of warranty which the manufacturer may have expressly given as to the quality or fitness for any purpose of the goods, except as may otherwise be provided by law. The fulfilment of this undertaking constitutes the Company's sole liability for any loss of profits or consequential loss or damage suffered by the purchaser in consequence of any defect in material or workmanship of such goods or the failure of the goods to perform in accordance with any performance figure stated. The are no expressed or implied warranties given by the Company in respect of Propietary software. The only warranty that is applicable is the warranty supplied by the owner of the software and purchaser must comply with all reasonable conditions of such warranty. This warranty does not exclude any condition or warranty implied by

the Trade Practices Act 1974 or separate State Laws and is in addition to any other right that the original purchaser or any subsequent purchasers may have at law.

24 Indemnity The purchaser must comply with all instructions of the Company in relation to the fitting, installation and use of the goods.

Company in relation to the fitting, installation and use of the goods. Notwithstanding such compliance, the purchaser must keep the Company indemnified against all claims expenses and liabilities of whatever nature inlouding, without limiting the generality of the foregoing, claims for death, personal injury, damage to property, and consequential loss, including loss of profit which may be made against the Company or which the Company may sustain pay or incur arising out of the manufacture or sale of the goods, unless the same is directly and solely attributed to any breach of contract or by negligence of the Company of its authorised employees or agents.

25 These conditions are to be so construed as not to infringe any State or Commonwealth legislation, and if necessary they shall be read down to such extent necessary to ensure they do not so infringe. In the event that any conditions cannot be read down so as not to infringe it shall be deemed to be void and severable.



CONFIDENTIAL COMMERCIAL CREDIT APPLICATION

P: 07 3048 1631 **F:** 07 3319 4616

E: admin@sourceitdirect.net.au

		[Date:/	
The applicant is:- A registered Company A Sole Trader Council	A Partnership Federal Gov De		A Trust State Gov Dept	
BUSINESS NAME				
BUSINESS ADDRESS				
POSTAL ADDRESS				
ABN / ACN Number				
PHONE NO				
EMAIL				
DIRECTOR'S NAMES				
	nossible no electrical wh			
TRADE REFERENCES (If p		-		
1		_ Phone No		
2		_ Phone No		
3		_ Phone No		
I certify that the above info this application does not im within 30 days after the end by our Terms and Condition	iply that credit will be grand d of the month, unless oth	nted. I accept t erwise agreed	that the payment w	will be made
NAME IN BLOCK LETTERS	S		· 	
TITLE	SIGNE	ED		
To facilitate your considerat you to check our credit stat will notify you in writing of structure of this organizatio	tus with the references pro any future name changes	ovided and oth	er credit agencies.	I agree that we
NAME IN BLOCK LETTERS	S			
TITLE				



MOTOR RATINGS GUIDE

Motor Rating			DOL Starting	
<u>kW</u>	<u>HP</u>	Approx F.L.C Amps	MCB / Fuse Size	Motor Start Fuse Size
0.19	0.25	0.7	4	
0.37	0.5	1.1	4	
0.55	0.75	1.6	6	
0.75	1	1.8	6	
1.1	1.5	2.6	10	
1.5	2	3.4	10	
2.2	3	4.8	16	
3	4	6.5	20	
4	5.5	8.2	20	
5.5	7.5	11	25	20M32
7.5	10	14	32	32M40
11	15	21	50	32M50
15	20	28	63	32M63
18.5	25	34	80	63M80
22	30	40	80	63M80
30	40	55	100	63M100
37	50	66	125	100M160
45	60	80	160	100M160
55	75	100	125	100M200
75	100	130	250	200M250
90	125	155	250	200M250
110	150	200	315	200M315
132	175	225	355	315M400
150	200	250	355	315M400
160	220	275	450	
185	250	320	450	
200	270	339	500	

Note: 1 These ratings are supplied as a guide only as motor ratings change between different motor manufacturers

3 Check the motor name plate for accurate details

² For motor circuit protection, use D Curve Breaker or Motor rated fuses







1 - 12 Kenworth Place Brendale Queensland 4500

P: 07 3048 1631 F: 07 3319 4616

E: admin@sourceitdirect.net.au W: www.sourceitdirect.com.au