

# PREMIER

## Hydraulic Earth Auger Attachments

### Product Specifications




[premierattach.com](http://premierattach.com)

January 2016

**premierattach.com**

**1-866-458-0008**



## **TABLE OF CONTENTS**

<b>HYDRAULIC EARTH AUGER DRIVE UNITS</b> .....	2 - 3
<b>CONSTRUCTION AUGERS</b> .....	4
<b>TREE AUGERS</b> .....	4
<b>ROCK AUGERS</b> .....	5
<b>UTILITY STYLE AUGERS</b> .....	5
<b>MINI-SKID AUGER DRIVES</b> .....	6
<b>MINI-SKID CONSTRUCTION AUGERS</b> .....	6
<b>MOUNTING BRACKETS</b> .....	7
<b>AUGER EXTENSIONS</b> .....	8
<b>DRIVE UNIT ADAPTERS</b> .....	8
<b>SELECTING COMPLETE UNIT</b> .....	9
<b>HOSES &amp; FITTINGS</b> .....	9
<b>TEETH &amp; POINTS</b> .....	9
<b>AUGER COLLARS</b> .....	9
<b>REPLACEMENT WEAR PARTS</b> .....	9
<b>ACCESSORIES</b> .....	9

# There's no better choice than PREMIER

*PREMIER has built the most reliable earth auger attachments for over 3 decades. With a complete and comprehensive line of earth auger drive units, auger bits, adapters, extensions, teeth and accessories, rest assured that PREMIER is the one-stop source for all of your earth auger needs. With our modern state-of-the-art manufacturing facility located in Fort Wayne, Indiana, we can provide the high quality solutions and prompt service needed to meet the needs of even the most demanding job.*

## PREMIER POWER

**Torques for virtually any digging application.**

Premier Hydraulic Earth Auger Drive Units are designed to utilize the power of the host machine most efficiently, turning it into a high performance drilling machine. Without leaving the vehicle seat, an equipment operator can dig hundreds of holes daily in the toughest digging conditions for fence posts, sign posts, post frame buildings, foundation footings, tree planting, light and utility poles and many other applications that require vertical or angled holes in the ground.

## PREMIER VERSATILITY

**Complete line of Drive Units, Auger Bits, Adapters, Extensions, Teeth, and Accessories.**

Premier Earth Auger Attachments are easily adapted to skid steer loaders, wheel loaders, tractors, mini-skids, backhoes, excavators, forklifts, cranes, digger derricks, mini-digger derricks, and other hydraulic machines.



## PREMIER SERVICE

**Best lead times in the industry.**

No matter how unique your digging application may be, it's our job to provide the solution when you need it.

## PREMIER WARRANTY

**We stand behind our quality statement.**

Premier Auger takes great pride in the quality and reliability of our products. To reassure you that you are always buying the very best, we offer the best warranties in the industry and we stand behind each quality statement.

**POWERFUL, VERSATILE AND RELIABLE EARTH AUGER ATTACHMENTS BACKED BY THE BEST LEAD TIMES AND WARRANTIES IN THE INDUSTRY**

# PLANETARY AUGER DRIVE UNITS

Skid Steer Loaders • Compact Excavators • Tractors • Telehandlers

## MEDIUM DUTY



MD06PD	
Max. Auger Diameter	15"
Min. Hydraulic GPM	5 gpm
Max. Hydraulic GPM	10 gpm
Max. Hydraulic PSI	3500 psi
2" Hex Output Shaft	
<b>3 Year Warranty</b>	
GPM - RPM	PSI - TORQUE
5	2500
7	3000
9	3500
10	
52	734
73	881
93	1028
104	

MD09PD	
Max. Auger Diameter	18"
Min. Hydraulic GPM	7 gpm
Max. Hydraulic GPM	14 gpm
Max. Hydraulic PSI	3500 psi
2" Hex Output Shaft	
<b>3 Year Warranty</b>	
GPM - RPM	PSI - TORQUE
7	2500
9	3000
11	3500
13	
48	1123
61	1347
75	1571
88	

MD12PD	
Max. Auger Diameter	24"
Min. Hydraulic GPM	8 gpm
Max. Hydraulic GPM	17 gpm
Max. Hydraulic PSI	3500 psi
2" Hex Output Shaft	
<b>3 Year Warranty</b>	
GPM - RPM	PSI - TORQUE
9	2500
11	3000
13	3500
15	
49	1409
59	1691
71	1972
81	

MD14PD	
Max. Auger Diameter	30"
Min. Hydraulic GPM	10 gpm
Max. Hydraulic GPM	20 gpm
Max. Hydraulic PSI	3500 psi
2-9/16" Round or 2" Hex Output Shaft	
<b>3 Year Warranty</b>	
GPM - RPM	PSI - TORQUE
12	2500
15	3000
17	3500
20	
50	1825
61	2190
71	2555
83	

MD18PD	
Max. Auger Diameter	36"
Min. Hydraulic GPM	15 gpm
Max. Hydraulic GPM	30 gpm
Max. Hydraulic PSI	3500 psi
2-9/16" Round or 2" Hex Output Shaft	
<b>3 Year Warranty</b>	
GPM - RPM	PSI - TORQUE
15	2500
18	3000
20	3500
25	
50	2290
60	2748
67	3206
83	

## HEAVY DUTY

H010PD	
Max. Auger Diameter	24"
Min. Hydraulic GPM	6 gpm
Max. Hydraulic GPM	15 gpm
Max. Hydraulic PSI	3500 psi
2-9/16" Round or 2" Hex Output Shaft	
<b>5 Year Warranty</b>	
GPM - RPM	PSI - TORQUE
8	2500
10	3000
12	3500
15	
48	1274
60	1529
72	1783
90	

H015PD	
Max. Auger Diameter	30"
Min. Hydraulic GPM	10 gpm
Max. Hydraulic GPM	25 gpm
Max. Hydraulic PSI	3500 psi
2-9/16" Round or 2" Hex Output Shaft	
<b>5 Year Warranty</b>	
GPM - RPM	PSI - TORQUE
12	2500
15	3000
17	3500
20	
47	1975
58	2372
66	2768
78	



H019PD	
Max. Auger Diameter	36"
Min. Hydraulic GPM	15 gpm
Max. Hydraulic GPM	30 gpm
Max. Hydraulic PSI	3500 psi
2-9/16" Round or 2" Hex Output Shaft	
<b>5 Year Warranty</b>	
GPM - RPM	PSI - TORQUE
15	2500
18	3000
20	3500
25	
46	2481
56	2977
62	3474
77	

H024PD	
Max. Auger Diameter	36"
Min. Hydraulic GPM	20 gpm
Max. Hydraulic GPM	35 gpm
Max. Hydraulic PSI	3250 psi
2-9/16" Round or 2" Hex Output Shaft	
<b>5 Year Warranty</b>	
GPM - RPM	PSI - TORQUE
20	2500
24	3000
26	3250
30	
48	3184
58	3821
63	4140
72	

All Mounting Brackets, Hose Kits and Couplers Listed on Pages 7 - 9

# HIGH FLOW AUGER DRIVE UNITS

Backhoes • Articulated Loaders • Tractor Loaders • Integrated Tool Carriers  
Telescopic Handlers • Excavators • Boom Cranes • Digger Derricks



## H040PD

Max. Auger Diameter .....48"  
Min. Hydraulic GPM.....20 gpm  
Max. Hydraulic GPM .....45 gpm  
Max. Hydraulic PSI .....4500 psi  
**No Case Drain Line Required**  
**2" Hex or 2-1/2" Hex Output Shaft**  
**5 Year Warranty**

GPM - RPM	PSI - TORQUE
20 .....53	2500 .....2861
25 .....67	3000 .....3433
30 .....80	3500 .....4005
35 .....94	4000 .....4578

## H045PD

Max. Auger Diameter .....48"  
Min. Hydraulic GPM.....25 gpm  
Max. Hydraulic GPM .....45 gpm  
Max. Hydraulic PSI .....4500 psi  
**No Case Drain Line Required**  
**2" Hex or 2-1/2" Hex Output Shaft**  
**5 Year Warranty**

GPM - RPM	PSI - TORQUE
25 .....53	2500 .....3624
30 .....63	3000 .....4349
35 .....74	3500 .....5074
40 .....85	4000 .....5798

## H055PD

Max. Auger Diameter .....48"  
Min. Hydraulic GPM.....30 gpm  
Max. Hydraulic GPM .....60 gpm  
Max. Hydraulic PSI .....4500 psi  
**No Case Drain Line Required**  
**2" Hex or 2-1/2" Hex Output Shaft**  
**5 Year Warranty**

GPM - RPM	PSI - TORQUE
35 .....58	2500 .....4578
40 .....67	3000 .....5493
45 .....75	3500 .....6409
50 .....84	4000 .....7325

## H065PD

Max. Auger Diameter .....48"  
Min. Hydraulic GPM .....30 gpm  
Max. Hydraulic GPM .....60 gpm  
Max. Hydraulic PSI .....4500 psi  
**No Case Drain Line Required**  
**2" Hex or 2-1/2" Hex Output Shaft**  
**3 Year Warranty**

GPM - RPM	PSI - TORQUE
40 .....54	2500 .....5722
45 .....60	3000 .....6867
50 .....67	3500 .....8011
55 .....74	4000 .....9156

## H075PD

Max. Auger Diameter .....48"  
Min. Hydraulic GPM .....30 gpm  
Max. Hydraulic GPM .....60 gpm  
Max. Hydraulic PSI .....4500 psi  
**No Case Drain Line Required**  
**2-1/2" Hex Output Shaft**  
**3 Year Warranty**

GPM - RPM	PSI - TORQUE
40 .....43	3000 .....8527
45 .....49	3500 .....9948
50 .....54	4000 .....11,369
60 .....65	4500 .....12,790

## H085PD

Max. Auger Diameter.....48"  
Min. Hydraulic GPM .....30 gpm  
Max. Hydraulic GPM.....60 gpm  
Max. Hydraulic PSI .....3500 psi  
**No Case Drain Line Required**  
**2-1/2" Hex Output Shaft**  
**3 Year Warranty**

GPM - RPM	PSI - TORQUE
40 .....54	2500 .....8957
45 .....39	3000 .....10,748
50 .....43	3500 .....12,539
60 .....51	

## H095PD

Max. Auger Diameter .....48"  
Min. Hydraulic GPM .....30 gpm  
Max. Hydraulic GPM .....60 gpm  
Max. Hydraulic PSI .....4500 psi  
**No Case Drain Line Required**  
**2-1/2" Hex Output Shaft**  
**2 Year Warranty**

GPM - RPM	PSI - TORQUE
45 .....30	2500 .....11,213
50 .....34	3000 .....13,455
55 .....37	3500 .....15,698
60 .....41	4000 .....17,941



All Mounting Brackets, Hose Kits and Couplers  
Listed on Pages 7 - 9

# CONSTRUCTION AUGERS


## MEDIUM DUTY SINGLE FLIGHTING

*Light to Moderate Ground Conditions*

- One Piece Cast Steel Boring Head
- Hardened Bolt-on Gage Teeth on Outside Positions
- Hardened Bolt-on Wisdom Teeth on Inside Positions
- Hardened Fishtail Point
- Economical Single Flighting
- 2" Round, 2-9/16" Round, and 2" Hex Collars
- 4' Length Only



Gage Tooth  
#00202



Bolt-on  
Wisdom  
Tooth #00200



Fishtail Point  
#00203

*Upgrade and Replacement Parts Listed on Page 9*

DIA.	PART#	TOOTH QTY.
04"	A04CDF4SF	0
06"	A06CDF4SF	2
09"	A09CDF4SF	3
12"	A12CDF4SF	4
15"	A15CDF4SF	5
18"	A18CDF4SF	6
24"	A24CDF4SF	8

4' OVERALL LENGTH


## MEDIUM DUTY DOUBLE FLIGHTING

*Light to Moderate Ground Conditions*

- One Piece Cast Steel Boring Head
- Hardened Bolt-on Gage Teeth on Outside Positions
- Hardened Bolt-on Wisdom Teeth on Inside Positions
- Hardened Fishtail Point
- Heavy-Duty Double Flighting
- 2" Round, 2-9/16" Round, and 2" Hex Collars
- 4' Standard Length
- Also Available in 3', 5', and 6' Lengths, Upon Request



Gage Tooth  
#00202



Bolt-on  
Wisdom  
Tooth #00200



Fishtail Point  
#00203

*Upgrade and Replacement Parts Listed on Page 9*

DIA.	PART#	TOOTH QTY.
04"	A04CDF4	0
06"	A06CDF4	2
08"	A08CDF4	2
09"	A09CDF4	3
10"	A10CDF4	3
12"	A12CDF4	4
15"	A15CDF4	5
16"	A16CDF4	5
18"	A18CDF4	6
20"	A20CDF4	6
24"	A24CDF4	8
30"	A30CDF4	9
36"	A36CDF4	11

4' OVERALL LENGTH


## HEAVY DUTY DOUBLE FLIGHTING

*Difficult Ground Conditions, Compacted Soils, Heavy Clay, Asphalt, Frozen Ground, Fracturable Rock*

- Heavy-Duty Cast Steel Boring Head
- Hardened Drive-in Gage Teeth on Outside Positions
- Hardened Drive-in Chisel Teeth on Inside Positions
- Hardened Fishtail Point
- Heavy-Duty Double Flighting
- 2" Round, 2-9/16" Round, and 2" Hex Collars
- 4' Standard Length
- Also Available in 3', 5', and 6' Lengths, Upon Request



Gage Tooth  
#00202



Chisel Tooth  
#00201



Fishtail Point  
#00203


*Upgrade and Replacement Parts Listed on Page 9*

DIA.	PART#	TOOTH QTY.
06"	A06CDC4	2
08"	A08CDC4	4
09"	A09CDC4	4
10"	A10CDC4	4
12"	A12CDC4	4
15"	A15CDC4	6
16"	A16CDC4	6
18"	A18CDC4	6
20"	A20CDC4	6
24"	A24CDC4	8
30"	A30CDC4	10
36"	A36CDC4	12
42"	A42CDC4	16
48"	A48CDC4	18

4' OVERALL LENGTH

# TREE AUGERS


For Tree and Shrub Planting




- Two-Diameter Design
- Fabricated Boring Head
- Hardened Bolt-On Gage Teeth on Outside Positions
- Hardened Bolt-On Wisdom Teeth on Inside Positions
- Hardened Fishtail Point
- Heavy-Duty Double Flighting
- 2" Round, 2-9/16" Round, and 2" Hex Collars



Gage Tooth  
#00202



Bolt-on  
Wisdom  
Tooth #00200



Fishtail Point  
#00203


DIA.	PART#	TOOTH QTY.
18"	A18CDT4	7
24"	A24CDT4	10
30"	A30CDT4	11
36"	A36CDT4	13
42"	A42CDT4	15
48"	A48CDT4	17

4' OVERALL LENGTH

## ROCK AUGERS

Solid and Fracturable Rock, Compacted Soils, Frozen Ground, Asphalt, Concrete


### "CDR" BULLET TOOTH ROCK AUGERS




- Cast Steel Boring Head
- Bullet Style Teeth
- Heavy-Duty Single Fighting
- 3/4" Thick Bottom Flight
- 2" Round, 2-9/16" Round, and 2" Hex Collars
- 4' Length Standard
- Other Sizes Available Upon Request
- Upgrade and Replacement Parts Listed on Page 9

DIA.	PART#	TOOTH QTY.
06"	A06CDR4	6
09"	A09CDR4	10
12"	A12CDR4	12
16"	A16CDR4	16
18"	A18CDR4	18
20"	A20CDR4	20
24"	A24CDR4	24
30"	A30CDR4	30
36"	A36CDR4	36

4' OVERALL LENGTH




CDR Rock Auger Pilot  
1-3/4" Square Shank  
#00236



CDR Rock Auger  
Bullet Tooth  
#00221



### "CRB" ROCK AUGER



- Aggressive Carbide Cutting Head
- Heavy-Duty Single Fighting
- 2" Round, 2-9/16" Round, and 2" Hex Collars
- 4" Diameter Only
- 4' Length Standard
- Other Sizes Available Upon Request
- Upgrade and Replacement Parts Listed on Page 9




CRB  
Rock Auger Pilot  
#00239

DIA.	PART#	TOOTH QTY.
04"	A04CRB4	0

### "UDC" UTILITY STYLE AUGERS

Use on High Torque Drive Unit Models H055PD, H065PD, H075PD, H085PD, H095PD




- Heavy-Duty Cast Steel Boring Head
- Outside Drive-in Gage Teeth
- Standard or Carbide Teeth & Point
- Heavy-Duty 3/8" Thick Flighting
- Extra Heavy-Duty Center Shaft (3-3/4" Tubing x 5/8" Wall)
- 2-1/2" Hex and 2-5/8" Hex Collars
- Optional 3" Hex Collar Available
- Replaceable Shank Plates
- Special Sizes Available Upon Request
- Carbide Upgrades and Replacement Parts Listed on Page 9

DIA.	PART#	TOOTH QTY.
09"	A09UDC9	2
12"	A12UDC9	4
16"	A16UDC9	4
18"	A18UDC9	6
20"	A20UDC9	6
24"	A24UDC9	7
30"	A30UDC9	8
36"	A36UDC9	8
42"	A42UDC9	12
48"	A48UDC9	14



Utility  
Gage Tooth  
#00214



Utility  
Dirt Tooth  
#00213



Utility  
Fishtail Point  
#00217

5' and 9' Standard Lengths Available

# MINI-SKID LOADER EARTH AUGER DRIVE

- Full Swivel is Standard Equipment
- All Units Include Hose Kit and Flat Faced Couplers




MS11PD			
Max. Auger Diameter	24"		
Min. Hydraulic GPM	6 gpm		
Max. Hydraulic GPM	12 gpm		
Max. Hydraulic PSI	3500 psi		
2-9/16" Round or 2" Hex Output Shaft			
<b>3 Year Warranty</b>			
GPM - RPM	PSI - TORQUE		
7	45	2500	1274
9	58	3000	1529
11	71	3500	1783

MS14PD			
Max. Auger Diameter	30"		
Min. Hydraulic GPM	10gpm		
Max. Hydraulic GPM	20 gpm		
Max. Hydraulic PSI	3500 psi		
2-9/16" Round or 2" Hex Output Shaft			
<b>3 Year Warranty</b>			
GPM - RPM	PSI - TORQUE		
12	50	2500	1825
15	61	3000	2190
17	71	3500	2555


MS18PD			
Max. Auger Diameter	36"		
Min. Hydraulic GPM	15 gpm		
Max. Hydraulic GPM	25 gpm		
Max. Hydraulic PSI	3500 psi		
2-9/16" Round or 2" Hex Output Shaft			
<b>3 Year Warranty</b>			
GPM - RPM	PSI - TORQUE		
15	50	2500	2290
18	60	3000	2748
20	67	3500	3206

## MINI-SKID AUGERS

### MEDIUM DUTY "CDF" AUGER




- For Light to Medium Ground Conditions
- One Piece Cast Steel Boring Head
- Hardened Bolt-on Wisdom Teeth - Inside Positions
- Hardened Bolt-on Gage Teeth - Outside Positions
- Hardened Fishtail Point
- Heavy-Duty Double Flighting
- 2" Round, 2-9/16" Round, or 2" Hex Collars
- Standard 42" Overall Length
- Also Available in 30" Overall Length



DIA.	PART#	TOOTH QTY.
04"	A04CDF3	0
06"	A06CDF3	2
08"	A08CDF3	2
09"	A09CDF3	3
10"	A10CDF3	3
12"	A12CDF3	4
15"	A15CDF3	5
16"	A16CDF3	5
18"	A18CDF3	6
20"	A20CDF3	6
24"	A24CDF3	8
30"	A30CDF3	9
36"	A36CDF3	11

### HEAVY DUTY "CDC" AUGER



- For Difficult Ground Conditions, Compacted Soils, Heavy Clay, Asphalt, Frozen Ground, Fracturable Rock
- Heavy-Duty Cast Steel Boring Head
- Hardened Drive-in Gage Teeth - Outside Positions
- Hardened Drive-in Chisel Teeth - Inside Positions
- Hardened Fishtail Point
- Heavy-Duty Double Flighting
- 2" Round, 2-9/16" Round, or 2" Hex Collars
- Standard 42" Overall Length
- Also Available in 30" Overall Length



DIA.	PART#	TOOTH QTY.
06"	A06CDC3	2
08"	A08CDC3	4
09"	A09CDC3	4
10"	A10CDC3	4
12"	A12CDC3	4
15"	A15CDC3	6
16"	A16CDC3	6
18"	A18CDC3	6
20"	A20CDC3	6
24"	A24CDC3	8
30"	A30CDC3	10
36"	A36CDC3	12

### TREE AUGERS



- Two-Diameter Design
- Fabricated Boring Head
- Hardened Bolt-on Gage Teeth on Outside Positions
- Hardened Bolt-On Wisdom Teeth on Inside Positions
- Hardened Fishtail Point
- Heavy-Duty Double Flighting
- 2" Round, 2-9/16" Round, and 2" Hex Collars



DIA.	PART#	TOOTH QTY.
18"	A18CDT4	7
36"	A36CDT4	13
4' OVERALL LENGTH		

Upgrade and Replacement Parts Listed on Page 9



# MOUNTING BRACKETS

Skid Steer Mounts include required hardware and pins to attach to Premier Earth Auger Drives, complete with swivel, knuckle, auger drive, cradle, and connecting pins (greaseable and retained with snap rings).

## Construction Equipment


### SKID STEER LOADER MOUNTS



**Universal Skid Steer Mount SAE J2513 - Part # SM001**



**Down Pressure Mount - Part # SM026**  
Additional weights sold separately



**High Reach Mount Extension - Part # SMEX01**

Hooks up to any Universal Skid Steer Mount for increased digging depth.

Contact factory for information on mounting brackets for older model skid steer loaders.

### BACKHOE, MINI-EXCAVATORS & EXCAVATOR MOUNTS



**Pin-On Mounts** - available for any excavator. Contact factory with make and model for specific part number and pricing.



**Pin Grabber Style Mounts** - available for any excavator or backhoe. Cradle function is standard. Contact Factory with make and model for specific part number and pricing.



**Dedicated Quick Attach Systems** - available for most makes of excavators or backhoes, such as but not limited to: Bobcat, Kubota, John Deere, Cat, Wain Roy, Case and others. Cradle function is standard.

**Custom Mounts Available**

*All mounts built to be compatible with all makes and models of equipment.*

## Ag Style Equipment

**OFF-SET UNIVERSAL SKID STEER MOUNT - Part # SM020**

**EURO/UNIVERSAL LOADER MOUNT - Part # SM021**

Available with Off-Set Option

**JOHN DEERE 200 - 500 TRACTOR LOADER MOUNT - Part # SM019**

Available with Off-Set Option

**JOHN DEERE 600 & 700 - Part # SM027**

**TRACTOR LOADER MOUNTS - Part # TM001**


Attach to lip of loader bucket or arm.



# AUGER EXTENSIONS

## VARIABLE LENGTH AUGER EXTENSIONS


Variable Length Auger Extensions store inside the tube of augers that are 10" diameter or larger. Extension increments are every six inches on 12" through 24" extensions and every twelve inches on 48" and 72" extensions. Available with 2" and 2-9/16" Round, and 2", 2-1/2" and 2-5/8" Hexagon Collars. Special Extensions are available and priced upon request.



- 2" Rnd Variable Extension 12" Long .....CVE12R200
- 2" Hex Variable Extension 12" Long .....CVE12H200
- 2-9/16" Variable Extension 12" Long .....CVE12R256
- 2" Rnd Variable Extension 24" Long .....CVE24R200
- 2" Hex Variable Extension 24" Long .....CVE24H200
- 2-9/16" Variable Extension 24" Long .....CVE24R256
- 2" Rnd Variable Extension 48" Long .....CVE48R200
- 2" Hex Variable Extension 48" Long .....CVE48H200
- 2-9/16" Variable Extension 48" Long .....CVE48R256
- 2" Rnd Variable Extension 72" Long .....CVE72R200
- 2" Hex Variable Extension 72" Long .....CVE72H200
- 2-9/16" Variable Extension 72" Long .....CVE72R256
- 2-1/2" Hex Variable Extension 72" Long .....UVE72H250
- 2-5/8" Hex Variable Extension 72" Long .....UVE72H262

## FIXED LENGTH AUGER EXTENSIONS

Fixed Length Auger Extensions extend the auger's digging depth exactly the length of the extension. Available with 2" and 2-9/16" Round, and 2", 2-1/2" and 2-5/8" Hexagon Collars. Special Extensions are available and priced upon request.



- 2" Rnd Fixed Extension 12" Long .....CFE12R200
- 2" Hex Fixed Extension 12" Long .....CFE12H200
- 2-9/16" Fixed Extension 12" Long .....CFE12R256
- 2" Rnd Fixed Extension 24" Long .....CFE24R200
- 2" Hex Fixed Extension 24" Long .....CFE24H200
- 2-9/16" Fixed Extension 24" Long .....CFE24R256
- 2" Rnd Fixed Extension 48" Long .....CFE48R200
- 2" Hex Fixed Extension 48" Long .....CFE48H200
- 2-9/16" Fixed Extension 48" Long .....CFE48R256
- 2" Rnd Fixed Extension 72" Long .....CFE72R200
- 2" Hex Fixed Extension 72" Long .....CFE72H200
- 2-9/16" Fixed Extension 72" Long .....CFE72R256
- 2-1/2" Hex Fixed Extension 72" Long .....UFE72H250
- 2-5/8" Hex Fixed Extension 72" Long .....UFE72H262

## ADAPTERS FOR DRIVE UNITS & AUGERS

- 2" Hex Female To 2-9/16" Rnd Male Adapter .....C200H256R
- 2" Hex Female To 2" Rnd Male Adapter .....C200H200R
- 2-9/16" Rnd Female To 2" Hex Male Adapter .....C256R200H
- 2-9/16" Rnd Female To 2" Rnd Male Adapter .....C256R200R
- 2" Rnd Female To 2" Hex Male Adapter .....C200R200H
- 2" Rnd Female To 2-9/16" Rnd Male Adapter .....C200R256R

Couple Premier Drive Units to competitive augers or Premier Augers to competitive drive units. Determine the drive unit output shaft and collar opening sizes and types (round or hexagon) to select the proper adapter. Special Adapters are available and priced upon request.



# ACCESSORIES AND REPLACEMENT WEAR PARTS

*When pricing a complete Hydraulic Earth Auger Attachment for your machine, include the following:*

- Hydraulic Drive Unit
- Hoses and Fittings
- Mounting Bracket
- Auger
- Optional Auger Upgrades and Accessories
- Spare Replacement Wear Parts

## HOSES & FITTINGS

1/2" Hydraulic Hoses 68" Long .....	#61061
1/2" Hydraulic Hoses 108" Long .....	#61050
1/2" Hydraulic Hoses 120" Long .....	#61049
1/2" Female Flat Faced Coupler .....	#61006
1/2" Male Flat Faced Coupler .....	#61007
3/4" Hydraulic Hose Kit 108" Long .....	#61051
3/4" Female Flat Faced Coupler .....	#61043
3/4" Male Flat Faced Coupler .....	#61044

## AUGER COLLARS

2" Hex Auger Collar .....	#00102
2-9/16" Round Auger Collar .....	#00101
2" Round Auger Collar .....	#00100
2-1/2" Hex Collar .....	#00103
2-5/8" Hex Collar .....	#00104

## MISCELLANEOUS WEAR PARTS

Knuckle Pin .....	#91001
Drive Unit Housing .....	#91000

## ACCESSORIES

Weights for Down-Pressure Mounting Bracket, 100 lbs. each .....	#50202
--	--------

## TEETH & POINTS

### CONSTRUCTION AUGER TEETH

Wisdom Tooth .....	#00200
Chisel Tooth .....	#00201
Wisdom Gage Tooth .....	#00202
Hardfaced Wisdom Tooth .....	#00205
Hardfaced Chisel Tooth .....	#00206
Hardfaced Wisdom Gage Tooth .....	#00207
Carbide Wisdom Tooth .....	#00208
Carbide Chisel Tooth .....	#00209
RB Carbide Wisdom Tooth .....	#00237
Tooth Pocket for CDC Augers .....	#00225
Rock Auger Bullet Tooth .....	#00221
Bullet Tooth Holder .....	#00223
5/8"-11 Carriage Bolt 1-1/2" Long .....	#40000
5/8"-11 Lock Nut .....	#40001

### CONSTRUCTION AUGER PILOT POINTS

Fishtail Point .....	#00203
Hardfaced Fishtail Point .....	#00210
Carbide Fishtail Point .....	#00211
4-1/2" Auger Fishtail Point .....	#00204
Square Drive Lug .....	#00105
4" Auger Drive Lug .....	#00106
CDR Rock Auger Pilot , 1-3/4" Square Shank .....	#00236
CDR Rock Auger Pilot , 2-3/8" API .....	#00222
CDR Rock Auger Bullet Tooth .....	#00221
CRB Rock Auger Fishtail Point .....	#00239

### UTILITY AUGER TEETH

Utility Dirt Tooth .....	#00213
Utility Gage Tooth .....	#00214
Utility Carbide Dirt Tooth .....	#00215
Utility Carbide Gage Tooth .....	#00216

### UTILITY AUGER PILOT POINTS

Utility Fishtail Point .....	#00217
Utility Hardfaced Fishtail Point .....	#00218
Utility Carbide Fishtail Point .....	#00219
Utility Drive Lug .....	#00220
Utility Pilot Adapter .....	#00224

# **PREMIER**

2707 Lofty Drive

Fort Wayne, IN 46808

Toll Free: 1-866-458-0008

Phone: 260-456-8518

Fax: 260-456-6868

[contact@premierattach.com](mailto:contact@premierattach.com)

**[premierattach.com](http://premierattach.com)**