

Safety Data Sheet (SDS)

DG3 PRODUCTS LLC
 PO BOX 237
 GRIZZLY FLATS, CA
 95636
 (530)300-9482
 www.dg3products.com



Form may be used to
 comply with OSHA
 29CFR 1910.1200.
 Standard must be
 consulted for specific
 requirements.

IDENTIFICATION SECTION 1

TRADE NAME: **DGIII GUN OIL/ DG3 GUN OIL**
 PRODUCT UPC:**783120364305 & 783120364312**
 US D.O.T. SHIPPING: NOT REGULATED
 TECHNICAL NAME: NOT APPLICABLE
 US D.O.T. PRIMARY HAZARD CLASS: NOT REGULATED
 IDENTIFICATION NUMBER: NOT APPLICABLE
 IATA (AIRLINE): NOT REGULATED
 MARITIME: NOT REGULATED
 PACKING GROUP: NOT APPLICABLE
 REPORTABLE QUANTITY: NOT APPLICABLE

HAZARDOUS INGREDIENTS -IDENTITY INFORMATION SECTION 2

PETROLEUM OILS: CONTAINS PETROLEUM OILS	CAS NUMBER(S)	OSHA PEL	ACGIH TVL
	64742-58-1	500 PPM	100PPM
	64742-62-7	500PPM	100PPM
	64742-57-0	500PPM	100PPM
	64742-01-4	500PPM	100PPM
	72623-83-7	500PPM	100PPM
	64741-88-4	500PPM	100PPM

Reportable Hazardous Substance(s) or Complex Substance(s)

NAME:	CAS#	CONCENTRATION
1-NAPHTHYLAMINE, N-PHENYL	90-30-2	1%
TRICRESYL PHOSPHATE	1330-78-5	1-3%

This material is not considered to be hazardous according to regulatory guidelines.

POTENTIAL HEALTH EFFECTS

This product is not expected to produce adverse health effects under normal conditions of use and with appropriate personal hygiene practices. Product may decompose at elevated temperatures or under fire conditions and give off irritating and/or harmful (carbon monoxide) gases/vapors/fumes. Symptoms from acute exposure to these decomposition products in confined spaces may include headache, nausea, eye, nose, and throat irritation. High-pressure injection under skin may cause serious damage.

NFPA Hazard ID: Health: 1 Flammability: 1 Reactivity: 0

HMS Hazard ID: Health: 1 Flammability: 1 Reactivity: 0

NOTE: This material should not be used for any other purpose than the intended use without expert advice. Health studies have shown that chemical exposure to any oil may cause potential human health risks which may vary from person

FIRST AID SECTION 3

INHALATION

Remove effected person to fresh air. If possible, provide oxygen. If you are having difficulty breathing, seek immediate medical attention.

SKIN CONTACT

Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If injection, seek immediate medical attention.

EYE CONTACT

Flush thoroughly with water. If irritation occurs, get medical assistance.

INGESTION

Seek immediate medical attention.

Do not induce vomiting or give anything by mouth to a groggy or unconscious person.

FIRE AND EXPLOSION HAZARD DATA SECTION 4

EXTINGUISHING MEDIA

Appropriate Extinguishing Media: Use water fog, foam, dry chemical or carbon dioxide (CO₂) to extinguish flames.

Inappropriate Extinguishing Media: Straight Streams of Water

FIRE FIGHTING

Fire Fighting Instructions: Evacuate area. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply. Firefighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed surfaces and to protect personnel.

Unusual Fire Hazards: May generate irritating and harmful gases/vapors/fumes when burning.

Hazardous Combustion Products: Carbon monoxide, Phosphorus oxides, Aldehydes, Smoke, Fume, Incomplete combustion products

FLAMMABILITY PROPERTIES

Flash Point [Method]: 270C (518F)

ACCIDENTAL RELEASE MEASURES SECTION 5

NOTIFICATION PROCEDURES

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. U.S. regulations require reporting releases of this material to the environment which exceed the reportable quantity or oil spills which could reach any waterway including intermittent dry creeks. Call National Response Center at (800)424-8802.

SPILL MANAGEMENT

Land Spill: Stop leak if you can do it without risk. Recover by pumping or with suitable absorbent.

Water Spill: Stop leak if you can do it without risk. Confine the spill immediately with booms. Warn other shipping. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants.

ENVIRONMENTAL PRECAUTIONS

Large Spills: Dike far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas.

HANDLING SECTION 6

Prevent small spills and leakage to avoid slip hazard.

STORAGESECTION 7

Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperatures. Do not store in open or unlabelled containers.

EXPOSURE CONTROLS/ PERSONAL PROTECTION SECTION 8

Control measures to consider:

No special requirements under ordinary conditions of use and with adequate ventilation.

PERSONAL PROTECTION

Personal protective equipment selections may vary. Use gloves to avoid prolonged or extensive exposure.

Respiratory Protection: use in a well ventilated area.

Hand Protection: Gloves recommended.

Eye Protection: If contact is likely, safety glasses with side shields are recommended.

Skin and Body Protection: Any specific clothing information provided is based on published literature or manufacturer data. The types of clothing to be considered for this material include: If prolonged or repeated contact is likely, chemical, and oil resistant clothing is recommended.

Specific Hygiene Measures: Always wash hands after use. DO NOT EAT.

Ingestion: DO NOT INDUCE VOMITING. Seek immediate medical attention. Drink large amounts of water.

PHYSICAL AND CHEMICAL PROPERTIES SECTION 9

Typical physical and chemical properties are given below. Consult the Supplier in Section 1 for additional data.

GENERAL INFORMATION

Physical State: Liquid

Color: Amber

Odor: No Data

Flash Point [Method]: 270C (518F)

Autoignition Temperature: N/D

Solubility in Water: Negligible

Pour Point: -59°C (-74°F)

STABILITY AND REACTIVITY SECTION 10

STABILITY: Material is stable under normal conditions.

CONDITIONS TO AVOID: Excessive heat.

MATERIALS TO AVOID: Strong oxidizers

HAZARDOUS DECOMPOSITION PRODUCTS: Material does not decompose at ambient temperatures.

HAZARDOUS POLYMERIZATION: Will not occur.

TOXICOLOGICAL INFORMATION SECTION 11

ACUTE TOXICITY

Route of Exposure Conclusion / Remarks

Inhalation

Remove from effected area, provide fresh air.

Ingestion

DO NOT induce vomiting. see first aid section, seek medical attention.

Skin

May cause irritation to skin. Flush with large amounts of water.

Eye

May cause irritation, redness and blindness. flush with water. seek medical attention. .

Contains:

Phenyl-alpha-naphthylamine (PAN): Undiluted PAN is a skin sensitizer. Human testing with lubricants containing 1.0% PAN caused no reactions indicative of sensitization.

ECOLOGICAL INFORMATION SECTION 12

Based upon ingredients and intended use, this products is not expected to be hazardous to wildlife or environment.

DISPOSAL CONSIDERATION SECTION 13

Disposal recommendations based on local laws and regulations.

TRANSPORT INFORMATION SECTION 14

LAND (DOT) : Not Regulated for Land Transport

LAND (TDG) : Not Regulated for Land Transport

SEA (IMDG) : Not Regulated for Sea Transport according to IMDG-Code

AIR (IATA) : Not Regulated for Air Transport

REGULATORY INFORMATION SECTION 15

OSHA HAZARD COMMUNICATION STANDARD: When used for its intended purposes, this material is not classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

OTHER INFORMATION SECTION 16

Please use this product as intended. Contains multiple petroleum oil products.

DG3 PRODUCTS LLC

PO BOX 237

GRIZZLY FLATS, CA 95636

(530)300-9482

www.dg3products.com

