You will find it ideally suitable for daily indoor cleaning in middle sized areas of hotels, restaurants, schools, shopping malls and other retail outlets, as well as hospitals, metro/train stations.

The AS430/510 are a simple to use medium-sized walk-behind scrubber dryers. The perfect solution for scrubbing and drying in mid-sized and heavy-traffic areas.

- The solution tank and recovery tank is integrated into one molded part which creates higher tank capacity. The body architecture helps to increase tank capacity for longer cleaning operations with one fill. This saves you time!
- Easy to use. Both the built in charger, reduced pushing force and ergonomic start/stop switch gives the user a better handling of the product and requires less force during cleaning.
- User-friendly and simple. The cover of recovery tank is much bigger than competitor products and it makes the cleaning of the recovery tank easier.
- Easy to fill clean water tank, both brush and vacuum motors are very well protected from water splash.



Picture shown may not represent model quoted

Standard equipment

 Standard equipmen 						
	Included accessories	Ref. no.	Min. required	AS430B-EU 17INCH SCRUBBER BATTERY 24V	AS430B-UK 17INCH SCRUBBER BATTERY 24V	AS510B-EU 20INCH SCRUBBER BATTERY 24V
Disc Brush						
0	BRUSH DISC 510MM 20 PPL	VF90417	1			•
Disc Brush 43	30 mm					
	BRUSH DISC 430MM 17 PPL	VF90411	1	•	•	
Squeegee Bl	ade					
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1			•
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1			•
Charger						
	CHARGER KIT EU VERSION	VF90271-EU	1	•		•
	CHARGER KIT UK VERSION	VF90271-UK	1		•	



	Included accessories	Ref. no.	Min. required	AS430B-EU 17INCH SCRUBBER BATTERY 24V	AS430B-UK 17INCH SCRUBBER BATTERY 24V	AS510B-EU 20INCH SCRUBBER BATTERY 24V
Squeegee, B	lade, Skirt and Splash Guard					
	BLADE SQUEEGEE FRONT RUBBER 730MM 28.5	VF90103	1	•	•	
	BLADE SQUEEGEE REAR RUBBER 730MM 28.5	VF90104	1	•	•	

• Standard equipment

 Standard equipment 						
	Included accessories	Ref. no.	Min. required	AS510B-UK 20INCH SCRUBBER BATTERY 24V	AS430C-EU 17INCH SCRUBBER CABLE 240V	AS430C-UK 17INCH SCRUBBER CABLE 240V
Disc Brush						
0	BRUSH DISC 510MM 20 PPL	VF90417	1	•		
Disc Brush 43	30 mm		1			
	BRUSH DISC 430MM 17 PPL	VF90411	1		•	•
Squeegee Bla	ade					
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	•		
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	•		
Charger						
٢.	CHARGER KIT EU VERSION	VF90271-EU	1			
	CHARGER KIT UK VERSION	VF90271-UK	1	•		
Squeegee, Bl	ade, Skirt and Splash Guard					
	BLADE SQUEEGEE FRONT RUBBER 730MM 28.5	VF90103	1		•	•



	Included accessories Ref. no. Ref. no.						AS430C-UK 17INCH SCRUBBER CABLE 240V
	BLADE SQUEEGEE REAR RUBBER 730MM 28.5	VF90104	1			•	•
 Standard equipmen 	t						
	Included accessories			Ref. n	0.	Min. required	AS510C-UK 20INCH SCRUBBER CABLE 240V
Disc Brush							
0	BRUSH DISC 510MM 20 PPL			VF904	17	1	•
Disc Brush 43	30 mm						
۲	BRUSH DISC 430MM 17 PPL			VF904	11	1	
Squeegee Bl	ade						
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM	31		VF901	19	1	•
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 3	1		VF901	20	1	•
Charger							
	CHARGER KIT EU VERSION			VF9027	I-EU	1	
	CHARGER KIT UK VERSION			VF9027	I-UK	1	
Squeegee, B	lade, Skirt and Splash Guard						
	BLADE SQUEEGEE FRONT RUBBER 730MM 28.5			VF901	03	1	
	BLADE SQUEEGEE REAR RUBBER 730MM 28.5			VF901	04	1	



Ref. no. 5000218 5000219 5000238 PRODUCT FEATURES - - Cable version - - - Battery version - - - - Recovery emplying hoses - <t< th=""><th>Model</th><th>AS430B-EU 17INCH SCRUBBER BATTERY 24V</th><th>AS430B-UK 17INCH SCRUBBER BATTERY 24V</th><th>AS510B-EU 20INCH SCRUBBER BATTERY 24V</th></t<>	Model	AS430B-EU 17INCH SCRUBBER BATTERY 24V	AS430B-UK 17INCH SCRUBBER BATTERY 24V	AS510B-EU 20INCH SCRUBBER BATTERY 24V
Hour Meter • Cable version • • Battery version • • • Recovery emptying hoses • • • Water level indicator • • • Model \$Stills-UK 2000239 \$Source Level and Cable Version	Ref. no.	50000218	50000219	50000238
Cable version Battery version • • • Recovery emptying hoses • • • Wade level indicator • • • Model Assing-Vik SondBatern BATTERY 24V SondOc210 SondOc210 SondOc210 Recovery emptying hoses 50000239 50000220 5000021 Recovery emptying hoses • • • Recovery emptying hoses • • • <td< td=""><td>PRODUCT FEATURES</td><td></td><td></td><td></td></td<>	PRODUCT FEATURES			
Battery version•••Recovery emptying hoses····Water level indicatorASS10B-UK 2DINCH SCRUBBER can be SCRUBBER can be 	Hour Meter			•
Recovery emplying hoses . . . Mader level indicator ASS10B-UK 20INCH SCRUBBER BATTERY 2VI 2007 AS430C-EU SCRUBBER BATTERY 2VI 2007 AS430C-EU SCRUBER BATTERY 2VI 2007 AS430C-EU SCRUBER BATTERY 2VI 2007 AS430C-EU SCRUBER BATTERY 2VI 2007 AS430C-EU SCRUBER BATTERY 2VI 2007 AS430C-EU SCRUBER BATTERY 2VI 2007 AS510C-UK 2007 Model Model Model Model Model Model Rotaria Level indicator . .	Cable version			
Water level indicator•••ModelASS10C-LU SCRUBBER SCRUBBER ATTERY 24VAS430C-LU SCRUBBER CABLE SCRUBBER CABLE 2400AS430C-LU T/INCH AS430C-LU SCRUBBER CABLERef. no.500002395000022050000210PRODUCT FEATURES•••Hour Meter•••Cable evension•••Battery version•••Recovery emptying hoses•••Water level indicator•••Model•••PRODUCT FEATURES•••Model•••Model•••Model•••Model•••Model•••Model•••Model•••Recovery emptying hoses••Recovery emptying hoses••Recovery emptying hoses••Recovery emptying hoses••Water level indicator••Technical specificationsAS108-LU T/INCH SCRUBER PR BATTERY 24AS108-LU T/INCH SCRUBER PR BATTERY 24Scruber PR SCRUBER PR BATTERY 24Cable length (M) / plug typeNANANABush motor (W)550550560Vacuum motor power (W)550550560Vacuum motor power (W)350350350 <td< td=""><td>Battery version</td><td>•</td><td>•</td><td>•</td></td<>	Battery version	•	•	•
ModelASS10B-UK 20INCH SCRUBBER SCRUBBER ALTIENY 24VASS102-UK SCRUBBER CABLE CABLE SCRUBBER CABLE 240VRef. no.500002395000022050000221PRODUCT FEATURESHour Meter Cable versionBattery version Recovery emptying hoses Water level indicatorModelModelModelRecovery emptying hoses Water level indicatorModelModelModelModelRecovery emptying hoses Water level indicatorRecovery emptying hoses Water level indicatorRecovery emptying hoses Water level indicatorTechnical specificationsASIGNUELT FEATURESTechnical specificationsASIGNUELTERY AVASIGNUELTERY AVSoberUELTERY BATTERY 24V-Cable length (M)/ plug type Battery 24VN/AN/AN/AButen motor (W) Caulom motor power (W)Signuel Signuel Caulo Signuel Signuel Caulo Signuel	Recovery emptying hoses	•	•	•
Model ASSOCRATE on USACIAN SCRUBBER CABLE SCRUBBER CABLE 240V SCRUBBER CABLE 240V SCRUBBER CABLE 240V Ref. no. 50000220 50000220 50000221 PRODUCT FEATURES - - - Hour Meter - - - Cable version - - - Battery version - - - Recovery emptying hoses - - - Model - - - Model - - - Model - - - - Recovery emptying hoses - - - - Model - <td>Water level indicator</td> <td>•</td> <td>•</td> <td>•</td>	Water level indicator	•	•	•
Answer State Answer State PRODUCT FEATURES • Hour Meter • Cable version • Battery version • Recovery emptying hoses • Water level indicator • Model - Model - Ref. no. 50000241 PRODUCT FEATURES - Hour Meter - Cable version - Recovery emptying hoses - PRODUCT FEATURES - Hour Meter - Cable version - Recovery emptying hoses - Recovery emptying hoses - Version - Recovery emptying hoses - Cable length (M) plug type N/A N/A Technical specifications Scale Beart Erry 244 Scale Beart Erry 244 Cable length (M) plug type N/A N/A N/A Scale length (M) plug type N/A N/A N/A Statiery type <td< td=""><td>Model</td><td>SCRUBBER</td><td>17INCH SCRUBBER CABLE</td><td>17INCH SCRUBBER CABLE</td></td<>	Model	SCRUBBER	17INCH SCRUBBER CABLE	17INCH SCRUBBER CABLE
Hour Meter • Cable version • • Battery version • • Recovery emptying hoses • • Water level indicator • • Model - • Model - * Recovery emptying hoses • • Model - * Model - * Ref. no. 50000241 \$ PRODUCT FEATURES - • Hour Meter - • Cable version - • Battery version - • Recovery emptying hoses - • Vater level indicator - • Technical specifications ASSIDE-EU 20INCH SIDE-EU 20INCH SIDE SIDE SIDE SIDE SIDE SIDE SIDE SIDE	Ref. no.	50000239	50000220	50000221
Cable versionBattery versionRecovery emptying hosesWater level indicatorModelModelRef. noPRODUCT FEATURESHour Meter Cable versionRecovery emptying hosesRecovery emptying hoses<	PRODUCT FEATURES			
Battery versioniiRecovery emptying hosesiiWater level indicatoriiModeliiModeliiRef. no.iiPRODUCT FEATURESiiHour Meter Cable versioniiRecovery emptying hosesiiRecovery emptying hoseiiRecovery emptying hoseiiRecovery emptying hoseiiRecovery emptying hoseiiRecovery emptying hoseiiRecovery emptying hose </td <td>Hour Meter</td> <td>•</td> <td></td> <td></td>	Hour Meter	•		
Recovery emptying hosesWater level indicatorModelModelRef. noPADDUCT FEATURESHour Meter Cable version Battery versionRecovery emptying hoses Water level indicatorTechnical specificationsRechnical specificationsCable length (M)/ plug typeNam motor (W)Yacum motor power (W)Battery typeStatery typeStatery versionRecovery emptying hoses Water level indicatorTechnical specificationsStatery versionStatery Version </td <td>Cable version</td> <td></td> <td>•</td> <td>•</td>	Cable version		•	•
Water level indicator•Model ASSIDIC-HSRef. no.RCDUCT FEATURESHour MeterCable versionBattery versionRecovery emptying hosesVertice relationsRechnical specificationsCable length (M) / plug typeNANANAStater YapeStater YapeStat	Battery version	•		
ModelASSIDIC HA SCRUBBER CABLERef. no.5000241PRODUCT FEATURES5000241Hour Meter Cable version Battery version Recovery emptying hoses Vater level indicator-Fechnical specificationsSSIDIC HATTERY 24VFechnical specificationsAS430B-EU 17INCH SCRUBBER BATTERY 24VCable length (M/) plug typeN/ANVAN/AFush motor (W)550550Vacuum motor power (W)350350Battery typeX12V 85Ah/C20X12V 85Ah/C20Battery typeX12V 85Ah/C20X12V 85Ah/C20	Recovery emptying hoses	•	•	•
ModelSarubase Sarubase Sarubase Sarubase 	Water level indicator	•		
PRODUCT FEATURES Hour Meter Cable version Battery version Recovery emptying hoses Vater level indicator Technical specifications Cable length (M)/ plug type N/A Prush motor (W) Vacuum motor power (W) Battery type ZN12V 85Ah/C20 ZN12V 85Ah/C20 ZN12V 85Ah/C20 ZN12V 85Ah/C20	Model			20INCH SCRUBBER CABLE
Hour MeterCable versionBattery versionRecovery emptying hosesWater level indicatorTechnical specificationsCable length (M)/ plug typeN/ABrush motor (W)Vacuum motor power (W)Battery typeAstage2X12V & SAh/C202X12V & SAH/C20	Ref. no.			50000241
Cable version•Battery version*Recovery emptying hoses•Water level indicator*Technical specificationsA\$430B-EU 17INCH BATTERY 24VA\$430B-UK 17INCH BATTERY 24VCable length (M)/ plug typeN/AN/ABrush motor (W)550550560Vacuum motor power (W)350350350Battery type2X12V 85Ah/C20 AGM2X12V 85Ah/C20 	PRODUCT FEATURES			
Battery version Recovery emptying hoses Water level indicator•Technical specificationsAS430B-EU 17INCH SCR UBBER BATTERY 24VAS430B-UK 17INCH SCR UBBER BATTERY 24VAS510B-EU 20INCH SCR UBBER BATTERY 24VCable length (M/ plug typeN/AN/ABrush motor (W)550550560Vacuum motor power (W)350350350Battery type2X12V 85Ah/C202X12V 85Ah/C202X12V 85Ah/C20	Hour Meter			
Recovery emptying hoses Water level indicator•Technical specificationsAS430B-EU 17INCH SCRUBBER BATTERY 24VAS430B-UK 17INCH SCRUBBER BATTERY 24VAS510B-EU 20INCH SCRUBBER BATTERY 24VCable length (M)/ plug typeN/AN/AN/ABrush motor (W)550550560Vacuum motor power (W)350350350Battery type2X12V 85Ah/C20 AGM2X12V 85Ah/C20 AGM2X12V 85Ah/C20 AGM2X12V 85Ah/C20 AGM	Cable version			•
Water level indicatorTechnical specificationsAS430B-EU 17INCH SCRUBBER BATTERY 24VAS430B-UK 17INCH SCRUBBER BATTERY 24VCable length (M)/ plug typeN/AN/ABrush motor (W)550550Vacuum motor power (W)350350Battery type2X12V 85Ah/C20 AGM2X12V 85Ah/C20 AGM2X12V 85Ah/C20 AGM	Battery version			
AstatuteAstatut	Recovery emptying hoses			•
Technical specificationsSCRUBBER BATTERY 24VSCRUBBER BATTERY 24VSCRUBBER BATTERY 24VCable length (M)/ plug typeN/AN/AN/ABrush motor (W)550550560Vacuum motor power (W)350350350Battery type2X12V 85Ah/C20 AGM2X12V 85Ah/C20 AGM2X12V 05Ah/C20 AGM	Water level indicator			
Brush motor (W) 550 550 560 Vacuum motor power (W) 350 350 350 Battery type 2X12V 85Ah/C20 AGM 2X12V 85Ah/C20 AGM 2X12V 85Ah/C20 AGM 2X12V 85Ah/C20 AGM	Technical specifications	SCRUBBER	SCRUBBER	SCRUBBER
Vacuum motor power (W)350350350Battery type2X12V 85Ah/C20 AGM2X12V 85Ah/C20 AGM2X12V105Ah/C20 AGM	Cable length (M)/ plug type	N/A	N/A	N/A
Battery type 2X12V 85Ah/C20 2X12V 85Ah/C20 2X12V105Ah/C20 AGM AGM AGM AGM	Brush motor (W)	550	550	560
AGM AGM AGM	Vacuum motor power (W)	350	350	350
Vacuum (mm H2O) 1200 1200 1200	Battery type			
	Vacuum (mm H2O)	1200	1200	1200
Sound pressure level (dB(A)) 70 70 70	Sound pressure level (dB(A))	70	70	70



All information provided in this document is subject to change without prior notice

Technical specifications	AS430B-EU 17INCH SCRUBBER BATTERY 24V	AS430B-UK 17INCH SCRUBBER BATTERY 24V	AS510B-EU 20INCH SCRUBBER BATTERY 24V
Productivity rate (m ² / h)	1600	1600	2100
Solution tank (I)	40	40	40
Recovery tank (I)	40	40	40
Squeegee width (mm)	730	730	790
Brush/pad diameter (mm)	430	430	510
Brush pressure (kg)	30 Max	30 Max	35 Max
Brush speed (rpm)	150	150	150
Dimensions (L x W x H) (mm)	1200x610x1170	1200x610x1170	1200x610x1170
Battery compartment size (L x W x H) (mm)	340x330x260	340x330x260	340x330x260
Max. loading weight (kg)	152	152	168
Net weight (kg)	112	112	128
Technical specifications	AS510B-UK 20INCH SCRUBBER BATTERY 24V	AS430C-EU 17INCH SCRUBBER CABLE 240V	AS430C-UK 17INCH SCRUBBER CABLE 240V
Cable length (M)/ plug type	N/A	20	20
Brush motor (W)	560	750	750
Vacuum motor power (W)	350	400	400
Battery type	2X12V 105Ah/C20 AGM	N/A	N/A
Vacuum (mm H2O)	1200	1200	1200
Sound pressure level (dB(A))	70	72	72
Productivity rate (m ² / h)	2100	1600	1600
Solution tank (I)	40	50	50
Recovery tank (I)	40	50	50
Squeegee width (mm)	790	730	730
Brush/pad diameter (mm)	510	430	430
Brush pressure (kg)	35 Max	35 max	35 max
Brush speed (rpm)	150	160	160
Dimensions (L x W x H) (mm)	1200x610x1170	1200x610x1170	1200x610x1170
Battery compartment size (L x W x H) (mm)	340x330x260	N/A	N/A
Max. loading weight (kg)	168	120	120
Net weight (kg)	128	70	70



Technical specifications	AS510C-UK 20INCH SCRUBBER CABLE 240V
Cable length (M)/ plug type	20
Brush motor (W)	750
Vacuum motor power (W)	400
Battery type	N/A
Vacuum (mm H2O)	1200
Sound pressure level (dB(A))	72
Productivity rate (m ² / h)	2100
Solution tank (I)	50
Recovery tank (I)	50
Squeegee width (mm)	790
Brush/pad diameter (mm)	510
Brush pressure (kg)	38 Max
Brush speed (rpm)	160
Dimensions (L x W x H) (mm)	1200x610x1170
Battery compartment size (L x W x H) (mm)	N/A
Max. loading weight (kg)	124
Net weight (kg)	74

ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

Accessories		Ref. no.	Min. required	AS430B-EU 17INCH SCRUBBER BATTERY 24V	AS430B-UK 17INCH SCRUBBER BATTERY 24V	AS510B-EU 20INCH SCRUBBER BATTERY 24V
Squeegee, Bl	ade, Skirt and Splash Guard					
	BLADE SQUEEGEE FRONT PU 730MM 28.5	VF90146	1	0	0	
	BLADE SQUEEGEE FRONT RUBBER 730MM 28.5	VF90103	1	•	•	
	BLADE SQUEEGEE REAR PU 730MM 28.5	VF90147	1	0	0	
	BLADE SQUEEGEE REAR RUBBER 730MM 28.5	VF90104	1	•	•	
Squeegee Bla	ade					



Image: Brush Disc 510MM 20 PPLVF904171Image: Brush Disc 510MM 20 PPLImage: Brush Di		Accessories	Ref. no.	Min. required	AS430B-EU 17INCH SCRUBBER BATTERY 24V	AS430B-UK 17INCH SCRUBBER BATTERY 24V	AS510B-EU 20INCH SCRUBBER BATTERY 24V
Image: Note of the section of the s		BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1			•
31 VF90120 1 Image: Constraint of the second		BLADE SQUEEGEE FRONT PU 790MM 31	VF90148	1			0
Image: Disc Asset Market Mar			VF90120	1			•
Image: Series of the series		BLADE SQUEEGEE REAR PU 790MM 31	VF90149	1			0
Image: Series of the series	Disc Brush 43	30 mm					
Image: Series of the series		BRUSH DISC 430MM 17 PPL	VF90411	1	•	•	
Image: ChargerImage: Charger KIT EU VERSIONVF90271-EU1Image: Charger KIT UK VERSIONVF90271-EU1Image: Charger KIT UK VERSIONImage: Charger KIT UK VERSIONVF90271-UK1Image: Charger KIT UK VERSIONImage: Charger KIT UK VERSIONVF90271-UK1Image: Charger KIT UK VERSIONImage: Charger KIT UK VERSIONImage: Charger KIT UK VERSIONVF90271-UK1Image: Charger KIT UK VERSIONImage: Charger KIT UK VERSIONImage: Charger KIT UK VERSIONVF90271-UK1Image: Charger KIT UK VERSIONImage: Ch	Disc Brush						
Image: Normal systemCHARGER KIT EU VERSIONVF90271-EU11Image: Normal systemCHARGER KIT UK VERSIONVF90271-UK1Image: Normal systemImage:	0	BRUSH DISC 510MM 20 PPL	VF90417	1			•
NoteImage: Second s	Charger						
Pad Holder Image: Note of the state o		CHARGER KIT EU VERSION	VF90271-EU	1	•		•
Image: PAD HOLDER 430MM 17VF90428100Image: PAD HOLDER 508MM 20VF904161100Image: PAD HOLDER 508MM 20VF904161100		CHARGER KIT UK VERSION	VF90271-UK	1		•	
Image: Marking and Holder 508MM 20 VF90416 1 Image: Marking and Holder 508MM 20 Ima	Pad Holder						
		PAD HOLDER 430MM 17	VF90428	1	0	0	
PAD HOLDER RETAINER 508MM 20 VF90454 1 • • • • •		PAD HOLDER 508MM 20	VF90416	1			0
	۲	PAD HOLDER RETAINER 508MM 20	VF90454	1			o
Pad	Pad						



	Accessories	Ref. no.	Min. required	AS430B-EU 17INCH SCRUBBER BATTERY 24V	AS430B-UK 17INCH SCRUBBER BATTERY 24V	AS510B-EU 20INCH SCRUBBER BATTERY 24V
(PAD HOLDER RETAINER 430MM 17	VF90453	1	0	0	

ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

Accessories	Ref. no.	Min. required	AS510B-UK 20INCH SCRUBBER BATTERY 24V	AS430C-EU 17INCH SCRUBBER CABLE 240V	AS430C-UK 17INCH SCRUBBER CABLE 240V
Squeegee, Blade, Skirt and Splash Guard					
BLADE SQUEEGEE FRONT PU 730MM 28.5	VF90146	1		0	0
BLADE SQUEEGEE FRONT RUBBER 730MM 28.5	VF90103	1		•	•
BLADE SQUEEGEE REAR PU 730MM 28.5	VF90147	1		0	0
BLADE SQUEEGEE REAR RUBBER 730MM 28.5	VF90104	1		•	•
Squeegee Blade					
BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	•		
BLADE SQUEEGEE FRONT PU 790MM 31	VF90148	1	0		
BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	•		
BLADE SQUEEGEE REAR PU 790MM 31	VF90149	1	0		
Disc Brush 430 mm					



Scrubber dryers

Simple to use medium-sized walk-behind scrubber dryer

	Accessories	Ref. no.	Min. required	AS510B-UK 20INCH SCRUBBER BATTERY 24V	AS430C-EU 17INCH SCRUBBER CABLE 240V	AS430C-UK 17INCH SCRUBBER CABLE 240V
	BRUSH DISC 430MM 17 PPL	VF90411	1		•	•
Disc Brush			1	,		
0	BRUSH DISC 510MM 20 PPL	VF90417	1	•		
Charger						
	CHARGER KIT EU VERSION	VF90271-EU	1			
	CHARGER KIT UK VERSION	VF90271-UK	1	•		
Pad Holder		1				
٢	PAD HOLDER 430MM 17	VF90428	1		0	0
0	PAD HOLDER 508MM 20	VF90416	1	0		
	PAD HOLDER RETAINER 508MM 20	VF90454	1	0		
Pad						
	PAD HOLDER RETAINER 430MM 17	VF90453	1		0	0

ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	AS510C-UK 20INCH SCRUBBER CABLE 240V
Squeegee, Blade, Skirt and Splash Guard				
	BLADE SQUEEGEE FRONT PU 730MM 28.5	VF90146	1	



Scrubber dryers

Simple to use medium-sized walk-behind scrubber dryer

	Accessories	Ref. no.	Min. required	AS510C-UK 20INCH SCRUBBER CABLE 240V		
	BLADE SQUEEGEE FRONT RUBBER 730MM 28.5	VF90103	1			
	BLADE SQUEEGEE REAR PU 730MM 28.5	VF90147	1			
	BLADE SQUEEGEE REAR RUBBER 730MM 28.5	VF90104	1			
Squeegee Bla	Squeegee Blade					
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	•		
	BLADE SQUEEGEE FRONT PU 790MM 31	VF90148	1	0		
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	•		
	BLADE SQUEEGEE REAR PU 790MM 31	VF90149	1	o		
Disc Brush 43	80 mm					
	BRUSH DISC 430MM 17 PPL	VF90411	1			
Disc Brush						
0	BRUSH DISC 510MM 20 PPL	VF90417	1	•		
Charger						
٩.	CHARGER KIT EU VERSION	VF90271-EU	1			
	CHARGER KIT UK VERSION	VF90271-UK	1			
Pad Holder						



All information provided in this document is subject to change without prior notice

Scrubber dryers

		Min. required	AS510C-UK 20INCH SCRUBBER CABLE 240V	
٢	PAD HOLDER 430MM 17	VF90428	1	
0	PAD HOLDER 508MM 20	VF90416	1	0
	PAD HOLDER RETAINER 508MM 20	VF90454	1	0
Pad				
	PAD HOLDER RETAINER 430MM 17	VF90453	1	

